
AD-A107 452 COAST GUARD WASHINGTON DC OCEANOGRAPHIC UNIT F/G 8/12 OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND, MARCH 1-ETC(U) ULC 78 C R WEIR, R G ROBE, R M HAYES 1 .. 3 Al . 412




CV? 70 7 AD A 1 0 DEPARTMENT OF TRANSPORTATION



COAST GUARD

OCEANOGRAPHY OF THE GRAND BANKS REGION OF **NEWFOUNDLAND**

March 1974-October 1974



DISTRIBUTION STATEMENT A

Approved for public releases Distribution Unlimited

OCEANOGRAPHIC REPORT No. CG 373-74



OCEANOGRAPHIC REPORT No. CG 373 - 74

OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND

March 1974 - October 1974

Charles R. Weir

R. M. Hayes

R. Q. Robe

R. W. Scobie

July 1978

United States Coast Guard
Oceanographic Unit
Washington, D.C.

	i. Premet No.	. Sporomeral Acces	3, 1	Recipient & Catalog I	lo.				
	1 5 00 272 70	1 1 11	ا مر م						
	1 S CG-373-74	42-160	7452						
	4. Title and Subtitle		5 Report Date						
	OCEANOGRAPHY OF THE GRANI	ON OF $\{///\}$	JULY 1978						
- 1	NEWFOUNDLAND MARCH 1	974 - OCTOB	ER 1974.	6. Portaming Deguir south Code					
	13410(1102111)		1						
	the second of th	18. 7	erterming Organizati	on Report No.					
]	P. Author a)	7		• • • • • •	·				
G.	R. WEIR, CR., R.O. ROBE, R.	., HAYES, R.	W./SCOBIE						
7	T. Performing Diganization Name and Religion			Work Unit No. [TRA	51				
	USCG OCTANOGRAPHIC UNIT		1						
		137	, lu	Contract or Grant No					
	BILDG 159E. MAVY YARD ANNE	iX ,	.5-15	Commercial Commercial	•				
	MASHINGTON, DC 20593				<u></u>				
			 '*	Type of Kepart and f	aried Consist				
•	12. Spansoring Agency Hame on a / onress		İ						
	•								
- 1	1.51.5	$z = r - i \epsilon$	`						
]14	Spansing Agency C	ode .				
- 1	·								
- 6	15. Supplementary Hates				. 1				
1									
ı					1				
- 1									
ı	16. Abatiect								
		*							
	Two cruises were conducte	d to the Gr	end Benke of New	th brafbrung	iri no				
\neg	- NWO Cruises were conducte	o Dotaral are	and same of new		hasa				
į	the 1974 International Id	e ratroi se	ason. The main	burbose or	onese i				
ı	cruises was to assist Con	mander, Int	ernational ice P	atrol in the	* .				
	prediction of iceberg dri	lft. Pirect	current measure	ments were n	nade				
i	in the Ice Patrol area wi	th both sub	surface current :	meter arrava	3				
	and shipboard current met	or stations	. A flow onto t	he Grand	į				
	Banks was observed in add	dition to th	e southerly flow	ing Labrado	, l				
	Banks was observed in add	TECTOIL CO CI	WOII VIIDIUDUG D	ring Habraco.					
	Current. An additional	research was	completed invol	ving one	- 1				
	tagging of icebergs and the observation of their drift.								
				<i>'</i>	ſ				
- 1	•				1				
					[
					3				
	1								
i									
ļ					Ì				
					1				
					· · · · · · · · · · · · · · · · · · ·				
ł					į				
	17. Key Words		18. Desir whom Statement		j				
	Grand Banks, Labrador Cu				1				
1	iceberg drift, iceberg t	agging,	_		1				
	Ice Patrol		Peleasable	to the Pub	TIC				
	,			·	1				
					}				
	19. Security Cluss !, fol this reperti	70. Security Class	ut, (of this peys)	7:- No. of Popes	32. 3.4				
	•	UNCLAS		100					
	UNCLAS	ONCTW	,	109	1				
1									

Form DOT F 1700.7 (3-72) ELEPHONICITION OF THIS FORM IS AMERICANIZED

L _ . 470

ABSTRACT

Two cruises were conducted to the Grand Banks of Newfoundland during the 1974 International Ice Patrol season. The main purpose of these cruises was to assist Commander, International Ice Patrol in the prediction of iceberg drift. Direct current measurements were made in the Ice Patrol area with both subsurface current meter arrays and shipboard current meter stations. A flow onto the Grand Banks was observed in addition to the southerly flowing Labrador Current. An additional research project was completed involving the tagging of icebergs and the observation of their drift.

Acce	ssion For	,					
	GRANI						
DTIC	, ,						
	nounced						
Just	ification						
		_					
By_Y	extr. on file	i					
Distribution/							
1	licbility Codes	-1					
	Avail and/or	-1					
Dist	Special	ı					
1	preciat	1					
I H	1	İ					
115	1	ı					
		ı					



Editor's Note: Reference to a product or comment with respect to it in this publication does not indicate, or permit any person to hold out by republication in whole or in part or otherwise, that the product has been endorsed, authorized, or approved by the Coast Guard.

TABLE OF CONTENTS

Title Page	
Abstract	
Table of Contents	
List of Illustrations	
Oceanographic Operations	
Introduction	
8-15 April CGC EVERGREEN Survey	
29 April-1 May CGC EVERGREEN Survey	
8-16 June CGC EVERGREEN Survey	
29 June-3 July CGC EVERGREEN Survey	
Instrumentation and Methods	
Anchored Current Meter Station	
Subsurface Current Meter Arrays	
Personnel	
Off-Season Cruises	
Iceberg Tagging and Drift Study	
Abstract	
Introduction	
Methods	
Results	
Discussion	
References	
Illustrations	
Appendix A—Oceanographic Data	

LIST OF ILLUSTRATIONS

Figu	ure	Page
1.	International Ice Patrol Standard Sections	Ş
2.	Sea Surface Dynamic Topography 8-15 April 1974	10
3.	Sea Surface Dynamic Topography 29 April-1 May 1974	11
4.	Sea Surface Dynamic Topography 8-16 June 1974	12
5,	Sea Surface Dynamic Topography 29 June-3 July 1974	13
6a.	Anchored Current Meter Data—Top Current Meter No. 6825-03	14
6b.	Anchored Current Meter Data—Bottom Current Meter No. 6874-04	15
7.	Subsurface Current Meter Design	16
8a.	Current Meter Number 253. Raw Current Data	17
8b.	Current Meter Number 253. Data Smoothed for Frequencies Higher	
	than 0.5 CPH	17
8c.	Current Meter Number 253. Data Filtered for Frequencies Lower	
	than 0.8 CPD.	18
8d.	Current Meter Number 253. Periodic Residuals	18
9.	Iceberg Tagging Array Design	19
10.	Iceberg Observation Data Summary	20
11.	Iceberg Drift Angle Data	20
12.	Iceberg Drift Speed Data	21
13.	Iceberg Drift Relative to Sea Surface Dynamic Topography	22
14.	Temperature (°C) profile for Section A-3, CGC EVERGREEN, 8-10	
	April 1974	23
15.	Salinity (‰) profile for Section A-3, CGC EVERGREEN, 8-10 April	
-0.	1974	23
16.	Temperature (°C) profile for Section A-2B, CGC EVERGREEN,	
	10–12 April 1974	24
17.	Salinity (‰) profile for Section A-2B, CGC EVERGREEN, 10-12	
- • •	April 1974	24
18.	Temperature (°C) profile for Section A-2A, CGC EVERGREEN,	
	12-14 April 1974	25
19.	Salinity (‰) profile for Section A-2A, CGC EVERGREEN, 12-14	
	April 1974	25
20.	Temperature (°C) profile for Section A-2 mod., CGC EVERGREEN,	
	14–15 April 1974	26
21.	Salinity (%) profile for Section A-2 mod., CGC EVERGREEN,	
	14-15 April 1974	26
22.	Temperature (°C) profile for Section A-2A, CGC EVERGREEN,	
	29–30 April 1974	27
23.	Salinity (‰) profile for Section A-2A, CGC EVERGREEN, 29-30	
20.	April 1974	27
24.	Temperature (°C) profile for Section SS1, CGC EVERGREEN, 30	٠.
- 1.	April 1974	28
2 5.	Salinity (%) profile for Section SS1, CGC EVERGREEN,	20
₽0.	30 April 1974	28
26.	Temperature (°C) profile for Section A-2 mod., CGC EVERGREEN,	40
20.	30 April- 2 May 1974	29
	CO TENTE WIND TO LEGISLOS	43

Figu	re	ł
27.	Salinity (%) profile for Section A-2 mod., CGC EVERGREEN, 30 April-2 May 1974	
28.	Temperature (°C) profile for Section A-4, CGC EVERGREEN, 9-10	
29.	June 1974 Salinity (‰) profile for Section A-4, CGC EVERGREEN, 9–10 June 1974	
30 .	Temperature (°C) profile for Section A-3B mod., CGC EVERGREEN, 10-11 June 1974.	
31.	Salinity (%) profile for Section A-3B mod., CGC EVERGREEN, 10-11 June 1974.	
32.	Temperature (°C) profile for Section A-3A, CGC EVERGREEN, 11-12 June 1974.	
33.	Salinity (%) profile for Section A-3A, CGC EVERGREEN, 11-12	
34.	Temperature (°C) profile for Section A-3, CGC EVERGREEN, 13-14 June 1974	
3 5.	Salinity (‰) profile for Section A-3, CGC EVERGREEN, 13-14	
36.	June 1974 Temperature (°C) profile for Section SS2, CGC EVERGREEN, 14 June 1974	
37.	Salinity (%) profile for Section SS2, CGC EVERGREEN, 14 June	
38.	1974	
39.	14-15 June 1974	
4 0.	June 1974 Temperature (°C) profile for Section A-2 mod., CGC EVERGREEN,	
41.	15-16 June 1974	
42 .	15-16 June 1974	
43 .	29-30 June 1974	
44.	June 1974 Temperature (°C) profile for Section SS3, CGC EVERGREEN, 30 June 1974	
4 5.	Salinity (‰) profile for Section SS3, CGC EVERGREEN, 30 June 1974	•
46 .	Temperature (°C) profile for Section A3, CGC EVERGREEN, 30	
4 7.	June-1 July 1974	
48 .	July 1974	
49 .	1-2 July 1974	
50.	1974	
51.	2-3 July 1974	

OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND APRIL-JULY 1974

CHARLES R. WEIR'

INTRODUCTION

During 1974 Ice Patrol Season the CGC EVERGREEN (WAGO-295) conducted two oceanographic cruises near the Grand Banks of Newfoundland (Fig. 1). These studies aided Commander, International Ice Patrol (CIIP) by providing him with real-time ocean current analysis. Experiments were also conducted to study the effect of ocean currents and wind on the drift of icebergs and to measure ocean currents directly with the use of current meters.

The geostrophic component of the surface currents was computed from salinity and temperature data collected with an S/T/D Environmental Profiling System (STD). A level of no motion was assumed at 1000 meters. In water shallower than this depth, STD casts were taken as close to the bottom as practicable, normally 20 meters. All data were processed real-time aboard ship using a Digital Data Logger/Computer System and the evaluated current information was transmitted to CIIP. The method of calculating the dynamic height for each station is described by Kollmeyer, et al. (1967).

8-15 APRIL CGC EVERGREEN SURVEY

From 8 April to 15 April the USCGC EVERGREEN conducted a survey along Standard Sections A3, A2B, A2A, and A2 mod. (Fig. 2). Fifty-two STD stations corresponding to Ice Patrol Station numbers 11491 through 11542 were occupied. The Labrador Current can normally be found flowing along the eastern edge of the Grand Banks (Scobie and Schultz, 1976). During this survey a portion of the Labrador Current was found to be flowing easterly, south of Flemish Cap. In addition the trough, or area that separates the North Atlantic Current and the Labrador Current, was unusually wide when compared to the normal pattern. For the southerly flowing portion of the Labrador Current, the maximum surface current

was calculated to be 47.5 cm/sec between station 11495 and 11496. The volume transport between these stations was 1.56 Sverdrups. This is comparable to past April surveys. That portion of the Labrador Current flowing eastward, south of Flemish Cap has a maximum calculated current of 6 cm/sec between station 11519 and 11520. Although this was not a very strong current, it could have caused an iceberg to drift about 3 nautical miles per day.

At about 44°30′N, 45°30′W the North Atlantic Current divided into two separate patterns. The northerly arm of this warmer current was greatly intensified by the end of the month as was shown by the next survey. The maximum current velocity of the northerly area was 14.5 cm/sec between stations 11518 and 11519. Between stations 11504 and 11505 the current was calculated to be 47 cm/sec.

The volume transport of the southward flowing Labrador Current was as follows:

Section	Volume Transport (x 106M3/sec)
A3	2.65
A2B	2.12
2B	2.90
A2 mod.	2.77

29 APRIL-1 MAY CGC EVERGREEN SURVEY

During this survey Standard Sections A2A and A2 mod were completed in addition to a special section connecting these standard sections: SS1. Thirty-six STD stations consisting of Ice Patrol Stations 11547 through 11578 were occupied. The purpose of the special section was to better measure the eastward flowing Labrador Current south of Flemish Cap. As can be seen from figure 3, the current system was more complicated

¹ U.S. Coast Guard Oceanographic Unit, Bldg. 159-E, Navy Yard Annex, Washington, D.C. 20593.

during this survey. The northern arm of the North Atlantic Current intensified and was calculated to be flowing at 88 cm/sec between stations 11558 and 11559.

The volume transport between these two stations was 5.74 Sverdrups. The wide trough region between the southerly flowing Labrador Current and the North Atlantic Current was still apparent.

The volume transport of the Labrador Current during this survey was:

Section	Volume Transport (x 10°M³/sec)
A2A	5.16
A2 mod.	2.50

8-16 JUNE CGC EVERGREEN SURVEY

This survey consisted of sixty-six STD stations with Ice Patrol station numbers 11579 through 11645. Sections A4, A2A, A3A, A3, A3B mod. and A2 mod. and a special section connecting A2A and A3, SS2 were occupied with a 31/2 day delay between sections A3A and A3 for current meter operations (Fig. 4). An extra section was added between the western end of A2 and St John's. Newfoundland. Station 11649 was deleted. The most dominant feature of this survey was the cyclonic pattern centered at about 43°30'N 48°30'W. The Labrador Current was flowing easterly south of Flemish Cap. The maximum calculated speed of the southerly flowing part of the Labrador was 44 cm/sec between stations 11609 and 11610. The North Atlantic Current was calculated to be flowing at 62.5 cm/sec between stations 11602 and 11603.

The volume transport of the Labrador Current during this survey was:

Section	Volume Transport (x 106M3/sec)
A4	.07
A3B mod.	2.42
A3A	1.58
A3	1.00
A2A	2.79
A2 mod.	1.31

29 JUNE-3 JULY CGC EVERGREEN CRUISE

The final survey of the 1974 Ice Patrol Season was composed of Ice Patrol station numbers 11656 through 11689 taken along Standard Sections A2B, A3, and A3A (Fig. 5). Two special sections, SS3 and SS4, connected A2B to A3 and A3A to A3 respectively. A segment of the Labrador Current

continued to flow easterly, south of Flemish Cap although this part of the current was not well sampled by this survey. The maximum speed of the southerly flowing component of the Labrador Current was found between stations 11670 and 11671 to be 35 cm/sec. The maximum velocity of the North Atlantic current was found between stations 11680 and 11681 to be 75 cm/sec.

The volume transport of the Labrador Current for this final survey was:

Section	Volume Transport (x 106M3/sec)
A2B	3.34
A3	2.51
A3A	1.44

INSTRUMENTATION AND METHODS

A Plessey Environmental Profiling System (STD) Model 9040 was used in conjunction with a Sonycraft, Inc. (Chicago, Illinois) Digital Data Logger (DDL), a Kennedy Co., Inc. 1600R tape recorder (Altadena, California) and a DDP-516 Honeywell Computer. For a further description of this processing scheme see Rosebrook (1974), Morgan, et al. (1976) or Hayes (1978).

Deep-sea reversing thermometer and salinity samples from Nansen bottles were compared with the STD values at maximum cast depth. The salinity of the Nansen cast samples was determined with an inductive salinometer. The STD values varied from these quality control values by -.07 to +.01C in temperature and -.40 to +.08% in salinity.

ANCHORED CURRENT METER STATION

To formulate an idea of the actual Eulerian currents encountered along the Grand Banks, current meter measurements were made. From 2011Z on 27 April to 2111Z on 28 April 1974 the CGC EVERGREEN was anchored in 102 meters of water at position 45°36.8'N, 48°33.4'W. During this time two Hydro Products current meters, Model No. 502 were lowered over the side on the end of the STD cable. These meters recorded on strip charts current speed, current direction and sea water temperature once every 30 seconds. These meters were set such that they were to be 75 meters and 25 meters from the bottom. To determine the effect of the ship's motion on the current meters, records were kept of the ship's heading. The wire angle at the surface was recorded hourly along with weather conditions. At 1500Z on 28 April the current meter wire became fouled on the

anchor cable. This led to a wire angle of 50° which affected the depth of the meters to an unknown extent, although they continued to operate. The current meters were successfully recovered at the end of the experiment. The results are shown in figure 6. In this figure the tangential and normal components are oriented with the isobaths with the normal component in a direction of 140°T and the tangential component in a direction of 050°T. With such a short observational record it is difficult to analyze the current. However, it is important to note the high velocity of the normal component starting at 1500Z on the 28th. Calculations of the currents from oceanographic stations do not show this current.

SUBSURFACE CURRENT METER ARRAYS

In 1974, three current meter arrays were deployed in the Ice Patrol area. Figure 7 illustrates the array design used on these deployments. Depths represent the shipboard fathometer readout and were not corrected for the actual speed of sound.

The first array was deployed in position 44°42.7'N, 48°54.9'W in 1344 meters. The CGC EDISTO (WAGO-284) was the deployment platform with LCDR A. H. LITTEKEN, Jr. on board as Field Party Chief. The array was streamed from the forecastle using the anchor last method. The two EG&G Model 850 current meters were switched on at 1845Z 11 February 1974 and the array was set at 1945Z 11 February 1974. With this depth of water, current meter number 253 would have been 794 meters below the surface and current meter number 229 would have been 1294 meters below the surface. This array was retrieved on 8 April 1974 by the CGC EVERGREEN (WAGO-295). Current meter number 253 had 16 days of good data. Current meter number 229 contained no usable data since the compass readings were all zeros. The plot of the data from 253 is shown in Figure 8.

The second array was deployed by the CGC EVERGREEN in position 44°42.6'N, 48°58.0'W in 1124 meters. Current meter number 252 was set 661 meters below the surface and was switched on at 1750Z on 8 April 1974. Current meter number 301 was set 1092 meters below the surface and was switched on at 1801Z 8 April. The array was retrieved by the CGC EVERGREEN on 12 June 1974. Unfortunately, neither current meter produced usable data. The tape did not advance on 252 and the speeds read all zero on 301.

The third array was deployed by the CGC EVERGREEN on 13 June 1974 in 1131 meters of water in position 44°41.7′N 48°55.0′W. Current meter number 254 was set 560 meters below the surface. Current meter number 300 was set 1071 meters below the surface. This array was also streamed from the buoy deck using the anchor last method. The anchor was let go at 0435Z 13 June 1974. This array was recovered by the CGC EVERGREEN at 1730Z on 12 April 1974. The tape on current meter number 254 was unreadable. The record on current meter 300 at first appeared to contain good data. However, further processing showed that this record could not be interpreted.

PERSONNEL

IIP 1-74, Phase I

LCDR A. H. Litteken, Jr.—Field Party Chief Mr. R. M. Hayes—Asst. Field Party Chief LTJG D. T. Jones MST1 B. R. Peters

MST1 B. R. Peters MST1 M. F. Alles

ET2 W. S. Krug

Phase II

Mr. R. M. Hayes—Field Party Chief LTJG D. T. Jones—Asst. Field Party Chief

MST1 B. R. Peters

MST1 M. F. Alles

MST2 R. H. Schultz

IIP 2-74, Phase I and II

LCDR R. W. Scobie—Field Party Chief MSTC W. E. Heller—Asst. Field Party Chief

ETC W. T. Lewis (Phase I only)

MST1 B. R. Peters (Phase II only) MST1 M. F. Alles (Phase II only)

MST3 J. S. Small

MST1 J. H. Campbell, Jr.

ET3 L. A. Haney

OFF-SEASON CRUISES

Data from off-season cruises were sent to Commander, International Ice Patrol for his use in predicting the coming Ice Patrol season. The CGC CHASE occupied Standard Section A2 in March 1974. The CGC SHERMAN occupied Standard Section A4 in October 1974. These data follow the CGC EVERGREEN data.

DATA

The data presented in the Tables of Oceanographic Data are from the listings provided by the National Oceanographic Data Center (NODC), Washington, D.C. Standard and significant values were computed by the Oceanographic Unit and submitted to NODC (NODC Cruise No. 31-8370.)

ICEBERG TAGGING AND DRIFT STUDY, INTERNATIONAL ICE PATROL CRUISES 1974

R. M. HAYES' R. Q. ROBE' R. W. SCOBIE'

ABSTRACT

Iceberg tagging and drift experiments were conducted near the Grand Banks of Newfoundland in April and June 1974. Results of these experiments, which were an attempt to tag icebergs by encircling them with a floated line with RDF transmitters for relocation and identification, show that this method is not feasible. During storms the line parted from both strain and chafing. When weather was fair the iceberg would work free of the line circle, probably by rolling over or under the line and out of the circle.

Average iceberg drift speeds vary from 10.3 cm/sec to 56.5 cm/sec. The average drift angle with respect to the wind direction varies from 21° to the left to 92° to the right. When in the high velocity core of the Labrador Current, iceberg drift is predominantly controlled by the current. In the area of weak current, iceberg drift is determined by wind drag on the subaerial portion and by water drag on the subsurface portion. The resultant drift of an iceberg with respect to the wind is an important input to an iceberg drift model, and experimental methods for predicting this wind drift effect are discussed.

INTRODUCTION

During the 1974 Ice Patrol season the Coast Guard Research and Development Center and the Coast Guard Oceanographic Unit conducted an iceberg drift project aboard the CGC EVERGREEN. This project provided average drift vectors for six icebergs in the Grand Banks of Newfoundland area over a period of three to six days. The results were forwarded to Commander, International Ice Patrol (CIIP). Comparisons were then made by IIP between the observed drift values and those predicted by computer model. Icebergs were tagged to allow for the surveillance

of a number of bergs distributed over an area of up to 300 square miles. This also assured positive identification upon subsequent visits to obtain position fixes. In the past, attempts have been made to mark icebergs using dye; however, iceberg melting, rain, wave action, and iceberg rolling often caused the dye patches to be washed away. The complications of tagging a berg for future recognition center around the dynamic nature of an iceberg.

Icebergs near the Grand Banks often deteriorate rapidly. An iceberg's rate of decay is a function of its environment and internal structure. Deterioration is hastened by warm sea and air temperatures. as well as by rough seas. Rivulets of melting water may be seen cascading down the sides of some icebergs creating large channels on the surface and often collecting in pools in the basin areas. Others of the drydock variety have wave-cut embayments which concentrate wave forces and speed deterioration. Large chunks of ice often calve from icebergs to accelerate their destruction. Instabilities, which result from deterioration. cause icebergs to pitch and yaw and in severe cases to roll over completely. In consequence of these dynamic changes, it has been very difficult to put anything on, or attach any device to, an iceberg that would remain in position long enough to give positive identification over a significant time interval (i.e., about 5-7 days).

METHODS

During the International Ice Patrol 1974 season a method was tested for location redetermination and differentiation of icebergs used in drift studies

¹ U.S. Coast Guard Oceanographic Unit, Bldg. 159-E, Navy Yard Annex, Washington, D.C. 20593

² U.S. Coast Guard Research and Development Center, Groton, Connecticut 06340

near the Grand Banks region. The bergs were surrounded by an array of floats (styrofoam cylinders) connected by buoyant line (polypropylene, %" diameter). The length of this line varied from 400m to 800m depending upon the size of the iceberg. A spar-type, buoyant RDF transmitter (Finders Buoy, Ocean Applied Research Corporation) was included in the line circle. One hundred and eighty degrees from the transmitter was a spar buoy with either a radar reflector for electronic detection and/or red flags for visual detection (Fig. 9).

Each RDF transmitter had a different transmission frequency to permit positive identification independent of visual observation. The buoys were located with an automatic direction finder (Ocean Applied Research Corporation manufacturer) mounted on the bridge of the CGC EVERGREEN. The antenna for this system was secured to the railing just forward of the bridge. Early attempts at locating the RDF transmitters using handheld receiving sets were frustrated by the apparent omnidirectionality of the signal at ranges closer than 3700m as well as directional ambiguity at greater distances.

The tagging arrays were deployed from the CGC EVERGREEN during April and June of 1974. This was accomplished by casting off a spherical float attached to one end of the line. The ship circled the iceberg playing out the line until the float could be recovered. The two ends of the line, each having eye splices and thimbles, were joined together with a shackle. The tethering ring of the RDF spar buoy was attached to the shackle and placed in the water. The iceberg, thus encircled, carried along its array as it drifted.

During the first cruise (April/May 1974) the iceberg tagging project was plagued with the difficulty of locating suitable icebergs for tagging (i.e., small enough to tag) in the survey area. After three had been successfully deployed, all were carried from the icebergs during a storm which lasted two days. Winds reached 19.5 m/sec, and seas increased to 5 meters. Only one of these arrays was eventually recovered. The line on the recovered array was broken in two places. One break appeared to be the result of chafing. The other break occurred with such force that the ends of the polypropylene strands were fused together. In this case there was no sign of chafing. Because of these problems, little useful data were obtained on this cruise.

More favorable weather for iceberg tagging prevailed during the second cruise (June/July 1974). Therefore, the CGC EVERGREEN, using similar arrays was able to track several icebergs in dense fog for nine days.

ICEBERG DRIFT RESULTS

The drift of the six icebergs was determined for the time between observations as often as possible during the period 20/0911Q to 29/0138Q June 1974. Individual icebergs were tracked from 1.6 to 4.8 days. Wind velocities were logged hourly by the CGC EVERGREEN's bridge watch. All icebergs tracked during the experiment were located in the area bounded by 44°30'N to 47°30'N and 47°00'W to 48°30'W. Air temperatures during the iceberg tagging project ranged from 3.9°C to 9.4°C with an average about 6.4°C. The surface sea water temperature for the same period ranged from 1.1°C to 10.6°C with an average about 3.9°C. The weather was predominantly overcast with fog and visibility typically less than 100 yards for the entire drift survey. The sea state was moderate to calm. The data from observations taken during the second Ice Patrol cruise of 1974 are summarized in figure 10.

The vector-averaged drift for the icebergs varied from 0.2 knts for iceberg No. 1 to 1.1 knts for iceberg No. 6. The average drift speed to average wind speed ratios ranged from .016 to .085. An expendable surface current probe (EOTECH Corporation) was deployed in the van of iceberg No. 6 and measured a surface current of 1.23 knts, setting at 193°T. This compared to the iceberg drift of 1.1 kns at 212°T. The wind was 13.5 knts from 319°T.

The drift angle for the individual icebergs with respect to the wind direction had a large range of standard deviations from $\pm 18^{\circ}$ to $\pm 81^{\circ}$. Furthermore, a number of observations (14%) indicated drift angles to the left of the wind. Ettle (1974) had iceberg drift data from past Ice Patrol cruises that gave a range of standard deviations for drift angles from $\pm 54^{\circ}$ to $\pm 104^{\circ}$.

The frequency distributions of the individual drift angles and drift speed: wind speed ratios (Fig. 11 and Fig. 12) for the 1974 drift data, reveal the fact that the majority of the drift angles occur to the right of the wind direction as expected in the Northern Hemisphere; however, the distribution of drift angles is continuous from 20° to 130° . The range extends from -116° to $+180^{\circ}$, virtually all quadrants of the compass. The one iceberg (No. 1)

which had a resultant drift angle to the left of the wind was observed in a area of very weak geostrophic currents that flowed opposite to the wind direction. No truly dominant mode is evident from the frequency distributions, but the greatest number of observations fell in the 80° to 90° and 100° to 110° classes.

Likewise the distributions of drift ratio frequencies is rather even throughout the range of 0.008 to 0.132. Again no dominant mode can be observed.

Since the measured wind speed varied merely between 10 and 20 knots during the drift study, no attempt was made to order the wind drift angles and ratios by wind speed class.

DISCUSSION

Smith (1931) addressed the subject of current and wind control drift of icebergs and considered the primary forces responsible for iceberg drift to be gradient currents and wind. He concluded that the resultant drift is dependent upon the degree to which these factors combine. In turn the relative influence of each controlling force is determined by the proportion above and below the surface at which the iceberg floats, the velocity and duration of the wind, and the velocity and depth of the gradient current. For the majority of icebergs the effect of wind is least when there is a strong slope or gradient current present, and maximum when it is weak. The exceptions to this are the fantastically shaped icebergs in their last stages of decay which are winged or pinnacled so that they offer considerable surface area for drag and lift.

Icebergs which drift along the continental slope, such as the ones studied during the 1974 Ice Patrol, come under the influence of the Labrador Current. This appears evident from the south-southwesterly drift of these icebergs (Fig. 13).

The only exception was iceberg No. 1 which was tracked in a region of low current west of the mainstream of the Labrador Current, and in shallow water of 165 meters. For the majority of these icebergs, then, the resultant drift is controlled by the geostrophic current in the area; whereas, the angle of the drift with respect to the wind is a consequence of the time dependent relationship between the relative drag force vectors of the net vertical current shear acting upon the submerged portion of the iceberg, and the wind drag on the above surface portion of the iceberg. Since the iceberg is affected by both air and water, there are two drag terms. If these drag coefficients are determined from the experimental data, then for a given wind velocity, the velocity of the wind

driven surface current and the velocity of the iceberg could be calculated by integrating the drag forces over a time period necessary to reach equilibrium. The Coriolis force works in concert with the other forces, of course, to determine the resultant drift, but varies only with latitude and velocity. A small force associated with the slope of the sea surface must be considered as it tends to move the iceberg downhill. To predict iceberg drift these forces must be known or at least accurately approximated.

Since the parameters routinely measured during Ice Patrol are wind velocity and geostrophic current, some attempt must be made to use these data for iceberg drift prediction. To do this, accurate estimates of the unknown forces must be made. Efforts have been made for many years (Smith, 1931; Budinger, 1960; Kollmeyer, 1965; and Ettle, 1974) to characterize the effect of oceanic forces on iceberg drift. Although each study contributed a share to the understanding of the interactions of the motive forces, none contained all the data necessary to specify the predicted drift. Furthermore, accurate iceberg tracking was handicapped by a lack of precise navigational equipment. The advent of satellite navigation has provided the necessary position determining accuracy. The 1974 Ice Patrol iceberg tagging experiment had as a goal the statistical sampling of several iceberg drifts and did not obtain all the necessary force measurements either.

To improve the U.S. Coast Guard Ice Patrol's iceberg drift prediction capabilities, two complimentary projects are being undertaken to quantify the wind effect on icebergs. The first of these is a statistical survey of iceberg dimensions in an effort to relate the above surface area to the submerged area. If, as Smith (1931) believed, there is a characteristic ratio of height to draft (and perhaps area) for each type of iceberg, then the form drag might be defined for a given type of berg.

The second project entails a concentrated effort on a smaller number of icebergs using two vessels for the simultaneous measurement of iceberg drift, wind velocities, velocities of drogues designed to integrate the current over a known depth, and geostrophic current velocities.

It is hoped that these studies together will provide the data base for a statistical determination of wind effect drift angles and speed ratios for icebergs classified by their characteristic shape, and for wind speed classes.

REFERENCES

- Budinger, T. F. (1960). Wind Effect on Icebergs. (U.S. Coast Guard, unpublished manuscript).
- Ettle, Robert E. (1974). Statistical Analysis of Observed Iceberg Drift. Arctic 27 (2): 121-127.
- Hayes, Richard M., and R. Q. Robe (1978). Oceanography of the Grand Banks Region in 1973. U.S. Coast Guard Oceanographic Report No. 73, CG 373-73.
- Kollmeyer, R. C., R. M. O'Hagan and R. M. Morse (1965). Oceanography of the Grand Banks Region and the Labrador Sea in 1964. U.S. Coast Guard, Oceanographic Report No. 10, CG 373-10.
- Kollmeyer, R. C., D. A. McGill, and Nathaniel Corwin (1967). Oceanography of the Labrador Sea in the vicinity of Hudson Strait in 1965. U.S. Coast Guard, Oceanographic Report No. 12, CG 373-12.

- Morgan, C. W., J. M. Bishop, and F. F. Miller (1976).
 Oceanography of the New York Bight, August 1974.
 U.S. Coast Guard Oceanographic Report No. 71, CG 373-71: 2-3.
- Rosebrook, A. D. (1974). Oceanography of the Grand Banks Region of Newfoundland, April-August 1971. U.S. Coast Guard Oceanographic Report No. 60, CG 373-60: 3-4
- Scobie, Robert W., and R. H. Schultz (1976). Oceanography of the Grand Banks Region of Newfoundland, March 1971-December 1972. U.S. Coast Guard Oceanographic Report No. 70, CG 373-70.
- Smith, Edward H., O. Mosby, and N. G. Ricketts (1932). International Ice Observation and Ice Patrol Service in the North Atlantic Ocean, Season of 1931. U.S. Coast Guard Bulletin No. 21.




FIGURE 1. Standard International Ice Patrol Sections.




FIGURE 2. Sea surface dynamic topography (dynamic meters) relative to the 1000 decibar surface, from data collected by CGC EVERGREEN, 8-15 April 1974. Contour interval is 2 dynamic centimeters. Oceanographic station numbers are given at turning points.




FIGURE 3. Sea surface dynamic topography (dynamic meters) relative to the 1000 decibar surface, from data collected by CGC EVERGREEN, 29 April-1 May 1974. Contour interval is 2 dynamic centimeters. Oceanographic stations position are indicated and the station numbers are given at turning points.




FIGURE 4. Sea surface dynamic topography (dynamic meters) relative to the 1000 decibar surface, from data collected by CGC EVERGREEN, 8-16 June 1974. Contour interval is 2 dynamic centimeters. Oceanographic station positions are indicated and the station numbers are given at turning points.







FIGURE 5. Sea surface dynamic topography (dynamic meters) relative to the 1000 decibar surface, from data collected by CGC EVERGREEN, 29 June-3 July 1974. Contour interval is 2 dynamic centimeters. Oceanographic station positions are indicated and the station numbers are given at turning points.

RAW CURRENT DATA




CURRENT DATA SMOOTHED FOR FREQ. HIGHER THAN 0.5 CPH VELOCITY (MM/SEC) (XIOI)





VELOCITY (MM/SEC) (XIOI)



VELOCITY (MM/SEC) (X101)







FIGURE 6a. Anchored current meter data taken in position 45°36.8'N, 48°33.4'W by the CGC EVERGREEN, 27-28 April 1974. Top current meter.

RAW CURRENT DATA



CURRENT DATA SMOOTHED FOR FREQ. HIGHER THAN 0.5 CPH








FIGURE 6b. Anchored current meter data taken in position 45°36.8'N, 48°33.4'W by the CGC EVERGREEN, 27-28 April 1974. Bottom current meter.

mmmmm





FIGURE 7. Design employed for subsurface current meter measurements, IIP-1974.









FIGURE 8a. Data obtained from EG&G Model 850 current meter, No. 253. Depth of current meter was 794 meters below the surface in position 44°42.7′N, 48°54.9′W. Raw current data.

CURRENT DATA SMOOTHED FOR HIGHER THAN 0.5 CPH






FIGURE 8b. Data obtained from EG&G Model 850 current meter, No. 253. Depth of current meter was 794 meters below the surface in position 44°42.7′N, 48°54.9′W. Current data has been smoothed to remove frequencies higher than 0.5 CPH.

SMOOTHED DATA FILTERED FOR FREQ. LOWER THAN 0.8 CPD




FIGURE 8c. Data obtained from EG&G Model 850 current meter, No. 253. Depth of current meter was 794 meters below the surface in position 44°42.7′N, 48°54.9′W. Current data has been filtered to obtain frequencies lower than 0.8 CPD.

20

22

23

25

PERIODIC RESIDUALS




FIGURE 8d. Data obtained from EG&G Model 850 current meter, No. 253. Depth of current meter was 794 meters below the surface in position 44°42.7′N, 48°54.9′W. Periodic Residuals.

-10




FIGURE 9. Array design employed in iceberg tagging and drift studies in April and June 1974.

ICEBERG NO.	TYPE SIZE (METERS)	88. 8F 888.	DATE/TIME (LOCAL) OSSERVED (JUME 1074) FROM TO	YECTOR AYERAGED ORIFT SPEED (KTS.)	VECTOR AVERAGED ORIFT DIRECTION (*T)	VECTOR AVERAGED WIND SPEED (KTS)	VECTOR AVERAGED WIND DIRECTION MINUS 180 (°T)	OF THE	E ANGLE DRIFT TO HONT OF WIND(*)		TO THE
1	DESIND PINNACLE 24X122	,	28/8911 23/1007	8. 2	820	13.8	835	-821	± 005	. 818	± .111
2	LARGE PIMMACLE 37X137	,	28/0935 28/0346	0.4	156	11,2	€41	012	± 001	.941	1.833
3	**BEBIUM BRYBOCK 48X101	٠	24/1342 28/2388	8.8	188	12, 1	134	84.6	±144	. 071	±.031
4	SMALL DOUED SIJO	4	24/1807 28/8844	0.8	102	12.2	100	111	±818	. 055	±.012
5	SMALL TAGULAR 1878 I	4	24/1823 20/0000	0.3	101	12.4	105	676	±020	. 070	±.815
•	YERY LARGE OOUBLE PIMMACLE 53X205		20/1700 20/0130	1.1	212	13.5	139	874	± 020	. 885	±.025
ALL	_		GATIVE VALUES INDI EDERG NO.3 CALVED						±004	. 858	±.814

FIGURE 10. Iceberg drift data from IIP-2-74.

NUMBER OF OBSERVATIONS




FIGURE 11. Drift angle (degrees relative to wind direction).

NUMBER OF OBSERVATIONS




FIGURE 12. Ratio of drift speed to wind speed.




FIGURE 13. Iceberg drift from IIP-2-74.




FIGURE 14. Vertical temperature (°C) section A3, occupied by CGC EVERGREEN, 8-10 April 1974.




FIGURE 15. Vertical salinity (%0) section A3, occupied by CGC EVERGREEN, 8-10 April 1874.




FIGURE 16. Vertical temperature (°C) section A-2B, occupied by CGC EVERGREEN, 10-12 April 1974.




FIGURE 17. Vertical salinity (%) section A-2B, occupied by CGC EVERGREEN, 10-12 April 1974.




FIGURE 18. Vertical temperature (°C) section A-2A, occupied by CGC EVERGREEN, 12-14 April 1974.




FIGURE 19. Vertical salinity (%) section A-2A, occupied by CGC EVERGREEN, 12-14 April 1974.




FIGURE 20. Vertical temperature (°C) section A-2 mod., occupied by CGC EVERGREEN, 14-15 April 1974.




FIGURE 21. Vertical salinity (%) section A-2 mod., occupied by CGC EVERGREEN, 14-15 April 1974.




FIGURE 24. Vertical temperature (°C) section SS1, occupied by CGC EVERGREEN, 30 April 1974.




FIGURE 25. Vertical salinity (%0), section SS1, occupied by CGC EVERGREEN, 30 April 1974.




FIGURE 26. Vertical temperature (°C) section A-2 mod., occupied by CGC EVERGREEN, 30 April-2 May 1974.




FIGURE 27. Vertical salinity (%) section A-2 mod., occupied by CGC EVERGREEN, 30 April- 2 may 1974.




FIGURE 22. Vertical temperature (°C) section A-2A, occupied by CGC EVERGREEN, 29-30 April 1974.




FIGURE 28. Vertical salinity (%) section A-2A, occupied by CGC EVERGREEN, 29-30 April 1974.




FIGURE 28. Vertical temperature (°C) section A-4, occupied by CGC EVERGREEN, 9-10 June 1974.




FIGURE 29. Vertical salinity (%) section A-4, occupied by CGC EVERGREEN, 9-10 June 1974.




FIGURE 30. Vertical temperature (°C) section A-3B mod., occupied by CGC EVERGREEN, 10-11 June 1974.




FIGURE 31. Vertical salinity (%) section A-3B mod., occupied by CGC EVERGREEN, 10-11 June 1974.




FIGURE 32. Vertical temperature (°C) section A-3A, occupied by CGC EVERGREEN, 11-12 June 1974.




FIGURE 33. Vertical salinity (%) section A-3A, occupied by CGC EVERGREEN, 11-12 June 1074.




FIGURE 34. Vertical temperature (°C) section A-3, occupied by CGC EVERGREEN, 13-14 June 1974.




FIGURE 35. Vertical salinity (%) section A-3, occupied by CGC EVERGREEN, 13-14 June 1974.




FIGURE 36. Vertical temperature (°C) section SS2, occupied by CGC EVERGREEN, 14 June 1974.




FIGURE 37. Vertical salinity (%) section SS2, occupied by CGC EVERGREEN, 14 June 1974.




FIGURE 38. Vertical temperature (°C) section A-2A, occupied by CGC EVERGREEN, 14-15 June 1974.




FIGURE 39. Vertical salinity (%0) section A-2A, occupied by CGC EVERGREEN, 14-15 June 1974.




FIGURE 40. Vertical temperature (°C) section A-2 mod., occupied by CGC EVERGREEN, 15-16 June 1974.




FIGURE 41. Vertical salinity (%) section A-2 mod., occupied by CGC EVERGREEN, 15-16 June 1974.




FIGURE 42. Vertical temperature (°C) section A-2B, occupied by CGC EVERGREEN, 29-30 June 1974.




FIGURE 43. Vertical salinity (%) section A-2B, occupied by CGC EVERGREEN, 29-30 June 1974.




FIGURE 44. Vertical temperature (°C) section SS3, occupied by CGC EVERGREEN, 30 June 1974.




FIGURE 45. Vertical salinity (‰) section SS3, occupied by CGC EVERGREEN, 30 June 1974.




FIGURE 46. Vertical temperature (°C) section A3, occupied by CGC EVERGREEN, 30 June-1 July 1974.




FIGURE 47. Vertical salinity (%) section A3, occupied by CGC EVERGREEN, 30 June ! July 1974.




FIGURE 48. Vertical temperature (°C) section SS4, occupied by CGC EVERGREEN, 1-2 July 1974.




FIGURE 49. Vertical salinity (%) section SS4, occupied by CGC EVERGREEN, 1-2 July 1974.




FIGURE 50. Vertical temperature (°C) section A-3A, occupied by CGC EVERGREEN, 2-3 July 1974.




FIGURE 51. Vertical salinity (%) section A-3A, occupied by CGC EVERGREEN, 2-3 July 1974.

APPENDIX A OCEANOGRAPHIC DATA

Cruises Listed

Table I. CGC EVERGREEN, April-June 1974

Table II. CGC CHASE, March 1974

Table III. CGC SHERMAN, October 1974

Codes Utilized

To facilitate use of the oceanographic station data listing, entry headings which are not self-explanatory are described below.

Latitude	. Degrees and	minutes of latitude.
Longitude	. Degrees and	minutes of longitude
Depth to bottom	. Uncorrected	soundings in meters.

Wave observations:

DIR	. Rounded to nearest multiple of 10 degrees.
HGT	. Increments of $\frac{1}{2}$ meter. Sum of 5 meters plus increments of $\frac{1}{2}$ meters if 50 is added to direction.
PER	. If numerals 2 through 9 are entered, period in seconds is either twice the numeric entry or 2X (numeric entry) + 1. 0 = 20 or 21 sec. 1 = over 21 seconds. X = calm or not determined.

SEA Sea state according to WMO Code 3700.

Code	Height	Code	Height
0	0 m	5	2.5-4m
1	0-0.1m	6	4-6m
2	0.1-0.5m	7	6–9m
3	0.5-1.25m	8	9-14m
4	1.25-2.5m	9	□14m

Weather CodeWeather according to WMO Code 4501.

Code		Code	
0	Clear	5	Drizzle
1	Partly cloudy	6	Rain
2	Cont. layers of clouds	7	Snow and rain and snow mixed
3	Blowing snow,	8	Shower(s)
	sandstorm, etc.	9	Thunder-
4	Fog, haze, dust		storm(s)

\sim 1	ـــ	1	Co	4.
U	ເດນ	α	La	ме

Туре	Cloud type according to WMO Code 0500.									
Code	Type	Code	Type							
0	Cirrus	5	Nimbostratus							
1	Cirrocumulus	6	Stratocumulus							
2	Cirrostratus	7	Stratus							
3	Altocumulus	8	Cumulus							
4	Altostratus	9	Cumulonimbus							

X Clouds not visible due to darkness, fog, or other analagous phenomena

Wind

Dir. Rounded to nearest multiple of 10 degrees.

Barometer Barometric pressure given in tens, units, and tenths

of millibars.

Code	Visibility	Code	Visibility
0	Less than 50m	5	2-4km
1	50-200m	6	4-10km
2	200-500m	7	10-20km
3	500-1000m	8	20-50km
4	1-2km	9	50km or more

Messenger time Entered in hours and tenths of an hour. Indicates the starting time for lowering the STD sensor.

Depth Depth to nearest meter.

Temp......Temperature to hundredths of a degree Celsius.

Sal......Salinity to hundredths of a part per thousand.

Sig-t Sigma-t value.

TABLE I. CGC EVERGREEN, April-June 1974

REFID CONSEC LAT LONG	44	8370 0001 44.5N 27.0W	YEAR MONTH DAY HOUR	04	BOTOP 00062 SMIP EV DATA USE 1 AREA 05	MET	TEMP 01.4 BULB 00.8 METR 1030.0 D T/A	DIR H 20 SEA CL/TR	GT PER 2 4	WIND-DIR WIND-SPD WIND-FOR WEATHER	13	TRA	T STD CE DI ATION G 011		RDER D OO.1	5	N SQ 1: SQUARE SQUARE SQUARE	48
CAS1	NUH/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P04	TOT I	P N	02	NO3	\$103	PH	
			570	00000	00.44	32.00	26.40	00.000	1448.4									
		22.5	065	00001	00.44	32.860	26.40	00.000	1448.4									
			085	00009	00.38	32.493	24.41		1448.3									
			STO	00010	00.32	32.89	26.41	00.016										
			DBS	00013	- 0.01	32.874	26.42		1446.5									
			STO	00020	- 0.39	33.00	26.54	00.032										
			085	00020	- 0.43	33.015	26.55		1444.9									
			STD	00030	- 0.63	33.04	26.57	00.047	1444.1									
			06.5	00030	- 0.64	33.040	26.57		1444.1									
			085 STD	00040	- 0.70 - 0.46	33.125	26.65 26.66	00.076	1444.1									
			085	00051	- 0.66	33.140	26.66	00.074	1444.5									
			085	00057	- 0.66	33.140	26.66		1444.6									
					••••			*******	_									
REFID	31	8370	YEAR	1974	80TDP 00068	ATR	TEMP 02.8	Ala H	GT PER	WIND-DIR	16	TMS	T STO	RECO	a DE B	T	N SQ 1	30a
CONSEC		0002	MONTH		SHIP EV		BULB 01.2	16 "		HIND-SPD			CE DI		0		SQUARE	
LAT		41.5N	DAY	09	DATA USE 1	BARC	METR 1029.5	SEA		WIND-FOR	-		ATION		00.1		SQUARE	
LONG	049	06.0W	HOUR	05.7	AREA 05	CLGU	ID T/A	CL/TR		WEATHER	XO.	OR I	6 011	492		1	SQUARE	49
CAST	NUN	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OXYG	P 04	TOT	P N	02	NO3	\$103	PH	
			STD	00000	00.03	32.30	25.95	00.000	1445.7									
		05.7	085	00000	00.03	32.300	25.95		1445.7									
			STD	00010	- 0.04	32.32	25.57	00.021										
			OBS	00010	- 0.04	32.320	25.97		1445.4									
			085	00014	- 0.46	32.350	26.01		1443.7									
			STD	00020	- 0.64	32.37	26.03	00.041										
			OBS STD	00020	- 0.44 - 0.93	32.370 32.44	26.03 26.10	06.060	1443.0									
			085	00030	- 0.93	32.440	26.10	00.000	1441.9									
			STO	00050	- 0.99	32.48	26.13	00.098	1442.0									
			OBS	00050	- 0.99	32.48u	26.13		1442.0									
			085	00059	- 1.04	32.510	26.16		1442.0									

REFID 31 8370 CONSEC 0003 LAT 44 39.0N LONG 049 05.5H	YEAR 1974 MONTH 04 DAY 09 HOUR 06.6	BOTDP 00146 SHIP EV DATA USE 1 AREA 05	WET BUL BAKOMET	B 01.2 R 1029.5	16	IGT PER 2 2	MIND-DIR MIND-SPD WIND-FOR WEATHER	04	TRAC	STU REG E DIR Tion 011 493	00.1	2	N SQ 1306 SQUARE 2 SQUARE 48 SQUARE 49
CASTNUNTINE	LVLTYP DEP	н темр	SAL S	IGMA-T	DYNOPTH	SND VEL	DXY G	P04	TOT P	NO2	NO3	\$103	PH
	STD 000	0 - 0.12	32.71	26.29	00.000	1445.6							
06.6	OBS 000			26.29	******	1445.6							
	STD 000			26.29	00.017	1445.7							
	085 000			26.29		1445.7							
	STD 000:	0 - 0.33		26.31	00.035	1444.9							
	OBS 000	0 - 0.33		26.31		1444.9							
	OBS 000	5 - 0.84	32.801	26.39		1442.6							
	STD 000	0 - 0.85		26.40	00.052	1442.8							
	OBS 0003	0 - 0.85	32-817	26.40		1442.0							
	STD 000:	0 - 0.94	32.86	26.44	00.064	1442.8							
	085 0009	0 - 0.94	32.860	26.44		1442.8							
	OBS 000	8 - C.99	32.886	26.46		1442.7							
	OBS 0004	· 1.00	32.894	26.47		1442.0							
	\$70 000	5 - 1.08	32.91	26.49	00.123	1442.4							
	085 000	5 - 1.08	32.915	26.49		1442.4							
	005 000		32.97	26.54		1442.1							
	STD 001			26.61	00.160	1442.0							
	085 0010	0 - 1.35	33.050	26.61		1442.0							
	OBS 0010			26.63		1442.4							
	085 001			20.45		1442.7							
	STD 001		33.18	26.71	00.195	1443.3							
	085 001		33.104	26.71		1443.3							
	OBS 0013	0 - 1.16	33.234	24.75		1443.4							

LGNG 049 05.5	HOUR	09	DATA USE 1 AREA 05		BULB 02.4 META 1029.5 D T/A		1 2	d ind—SPD Wind—For Weather		CURA	011 494 011 494	. 00.1	5 SQUARE 2 SQUARE 1 SQUARE	
CASTNUNTINE	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SND VEL	DXAC	PQ 4	TGT P	MOS	N03	\$103 PM	
	\$70	00000	00.04	32.73	26.30	00.000	1446.3							
97.2	OB 5	00000	00.04	32.729	26.30		1446.3							
	OBS	00004	00.03	32.740	26.30		1444.4							
	STD	00010	- 0.23	32.72	26.30	00.017	1445.2							
	085	00010	- 0.23	32.717	24.30		1445.2							
	085	00014	- 9.40	32.743	26.37		1443.7							
	STO	00020	- 0.70	32.80	26.38	00.034	1443.3							
	085	00020	- 0.70	32.799	26.38		1443.3							
	570	00030	~ 1.00	32.87	20.45	UQ-050	1442-2							
	085	00030	~ 1.00	32.672	20.45		1445 - 5							
	STO	00030	- 1.16	32.91	26.49	00.002	1441-0							
	08 S 08 S	00050	- 1.16	32.914	24.49		1441 - 8							
	STO	00068	- 1.32 - 1.30	32.952	26.53		1441.4							
	OBS	00075	- 1.30	32.97	26.54	00.120	1441.7							
	085	00078	- 1.30	32.960	24.54		1441.7							
	DB 5	00088	- 1.41	32.944	26.52		1441.3							
	\$10	00100	- 1.39	33.03	26.56 24.59	00.157	1441.4							
	085	00100	- 1.39	33.024	26.59	00.137	1441.7							
	STO	00125	- 1.31	33.17	24.70	00.192	1441.7							
	085	00125	- 1.31	33.160	26.70	00.172	1442.7							
	085	00138	- 1.23	33.214	26.74		1443.4							
	STD	00150	- 1.03	33.34	26.83	00.224								
	085	00150	- 1.03	33.337	26.03	443400	1444.7							
	OBS	00157	- 0.99	33.341	20.83		1445.0							
	OBS	00174	- 0.67	33.420	26.89		1445.9							
	OBS	00163	- 0.68	33.484	26.94		1447-1							
	STO	00200	- 0.45	33.59	27.01	00.281								
	OBS	00200	- 0.45	33.560	27.01		1448.6							
	005	00210	- 0.13	33.495	27.08		1450.3							
	085	00215	00.19	33.809	27.16		1452.1							
	O8 S	00224	00.48	33.919	27.23		1453.7							
	OBS	00238	00.44	33.971	27.26		1454.7							
	OBS	00244	00.66	33.976	27.27		1454.9							
	570	00250	00.76	34-03	27.30	00.327	1455.5							
	085	00250	00.76	34.028	27.30		1455.5							
	085	00258	00.83	34.046	27.31		1456.0							
	085	00278	00.89	34.081	27.34		1456.6							
	STD	00300	01.16	34.18	27.40	00-363	1458.4							
	085	00300	01.16	34.143	27.40		1458.4							
	085	00303	01.18	34.184	27.40		1458.5							
	OBS	00318	01.44	34.264	27.45		1460.0							
	085	00324	01.47	34.295	27.47		1460.3							
	OBS	00334	01.74	34.364	27,50		1461.7							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CONSEC	44	8370 0005 38.2N 59.5u	MONT	1974 H 04 09 08.5	BOTOP 00405 SHIP EV DATA USE 1 AREA 05	AIR MET BARO CLGU		DIR H 49 Sea GL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	10	TRAC	STO REC E DIR TLON 011 495	ORDER D OO.3	5	N SQ 1304 SQUARE 2 SQUARE 48 SQUARE 48
CAST		TIME	LVLTYP	DEPTH	TEMP	SAL	S IGMA-T	DYNOPTH	SND VEL	OXY 6	P04	TOT P	NO2	NO3	\$103	PH
			STO	00000	- 0.85	32.66	26.43	00.000	1442.4							
		08.5	OBS	00000	- 0.85	32.854	26.43		1442.4							
			STD OBS	00010	- 0.85 - 0.85	32.86 32.85e	26.43 26.43	00.014	1442.5							
			570	00020	- 0.84	32.85	26.43	00.032	1442.8							
			085	00020	- 0.84	32.855	26.43		1442.8							
			STD	00030	- 0.88	32.86	26.44	00.048	1442.7							
			08 S 08 S	00030	- 0.88 - 0.91	32.861	26.44 26.48		1442.7							
			085	00039	- 1.05	32.920	26.49		1442.2							
			085	00044	- 1.29	32.943	26.52		1441 - 2							
			STD	00050	- 1.36	32.95	26.52	00.079	1441.0							
			08 S \$1 D	00059	- 1.44 - 1.55	32.960 32.97	26.54 26.55	00.117	1440.7							
			085	00084	- 1.57	32.997	26.57	00.117	1440.6							
			STD	00100	- 1.52	33.06	26.62	00.153	1441.2							
			085	00100	- 1.52	33.065	26.62		1441.2							
			OBS STD	00108 00125	- 1.52 - 1.37	33.184	26.72 26. 86	00.186	1441.5							
			085	00125	- 1.37	33.364	26.86	001100	1442.7							
			08 S	00134	- 1.03	33.524	26.98		1444.7							
			STO	00150	- 0.89	33.57	27.01	00.214	1445.7							
			08 S 08 S	00165	- 0.47 - 0.31	33.620 33.666	27.04 27.07		1448.8							
			085	00175	- 0.18	33.669	27.06		1449.5							
			085	00185	- 0.17	33.696	27.08		1449.8							
			08 S	00188	- 0.16	33.707	27.09		1449.9							
			OBS STD	00195 00200	- 0.04 - 0.02	33.747 33.75	27.12 27.12	00.264	1450.6							
			085	00200	- 0.02	33.750	27.12	00.204	1450.8							
			085	00210	00.06	33.793	27.15		1451.4							
			085	00221	00.16	33.869	27.21		1452.1							
			08 S 08 S	00229	00.18 00.53	33.945 34.000	27.27 27.29		1452.4							
			STD	00250	00.71	34.04	27.32	00.307	1455.3							
			085	00260	00.85	34.084	27.34		1456 .2							
			STD	00300	01.53	34.31	27.48	00.341	1440.2							
			08 S 08 S	00300 00310	01.53 01.53	34.314	27.4 8 27.53		1440.4							
			085	00316	01.58	34.404	27.55		1460.8							
			08 S	00326	01.96	34.434	27.54		1462.7							
			OBS	00340	01.92 02.08	34.452	27.56		1462.8							
			08 S 08 S	00345 00350	02.19	34.500	27.58 27.58		1463.6							
			085	00356	02.08	34.493	27.58		1463.8							
			085	00365	02-18	34.510	27.59		1464-4							
			085 085	00370 00386	02.16 02.22	34.551	27.62 27.67		1464.4							
			STO	00400	02.44	34.62	27.65	00.396	1466.3							
			085	00400	02.44	34.61#	27.65		1466.3							
			085	00411	02.53	34.635	27.66		1460.9							
			085 085	00419	02.57 02.94	34.640	27.66 27.69		1467.2							
			085	00479	02.94	34.744	27.71		1469.9							
			085	00490	02.95	34.820	27.77		1470.2							
			STD	00500	03.10	34.83	27.76	00.439	1471.0							
			OBS OBS	0050 9 00520	03.21 03.33	34.844	27.76 27.78		1471.7							
			085	00530	03.36	34.894	27.79		1472.8							
			085	00539	03.50	34.915	27.79		1473.5							
			065	00560	03.68	34.934	27.79	00 - 75	1474.7							
			STD OBS	00600	03.68 03.68	34.92 34.92u	27.78 27.78	00.477	1475.3							
				22234				••••••	-							

46

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

...

	8370 0006 35.8N 47.0W	YEAR MONTI DAY HOUR	1 04	BOTDP 02195 SHIP EV DATA USE 1 AREA 05	AIR WET : Bako: Clcui		DIR H 16 SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	04	TRAC	T STO RE CE DIR ATION G OII 49	oo.+	5 2	N SQ 1306 SQUARE 2 SQUARE 48 SQUARE 48
CASTNUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	TOT (P NG2	NO3	\$103	PH
		STD	00000	- 1.14	32.63	26.26	00.000	1440.7							
	10.3	06 5	00000	- 1.14	32.625	26.26		1440.7							
		OBS STD	00006	- 1.15 - 1.20	32.64. 32.65	26.27 26.28	00.018	1440.8 1440.6							
		085	00010	- 1-20	32.650	26.28	00.010	1440.6							
		STD	00020	- 1.25	32.66	26.29	00.035	1440.6							
		085	00020	- 1.25	32.657	26.29		1440.6							
		STD OBS	00030 00030	- 1.39 - 1.39	32.71	26.33	00.052	1440.1 1440.1							
		STD	00050	- 1.45	32.71u 32.74	26.33 26.35	00.086	1440.2							
		085	00050	- 1.45	32.736	26.35		1440.2							
		085	00056	- 1.42	32.808	26.41		1440-6							
		085	00064	- 1.05	32.921	26.49		1442.6							
		OBS STD	00066 00075	- 0.45 - 0.06	33.217 33.30	26.71 26.76	00.123	1445.8							
		085	00083	00.22	33.387	26.82	001125	1449.4							
		STD	00100	00.62	33.58	26.95	00.153	1451.8							
		OBS	00100	00.62	33.580	26.95		1451 .8							
		OBS STD	00109 00125	00.99 02.36	33.845 33.98	27.14 27.15	06.179	1454.0							
		085	00125	02.36	33.976	27.15	00.217	1460.5							
		085	00131	03.05	34.100	27.19		1463.8							
		085	00144	03.17	34.165	27.23		1464.6							
		STD OBS	Q0150	03.17	34.10 34.237	27.24	00.201	1464.7							
		085	00166	03-18 03-40	34.307	27.28 27.32		1465.1							
		085	00195	04.54	34.435	27.30		1471.6							
		STD	00200	04.49	34.44	27.31	00.242	1471 -4							
		085	00200	04.49	34.443	27.31		1471 -4							
		OBS STD	00205 00250	04.56 04.34	34.454 34.49	27.31 27.37	00.281	1471.8							
		085	00250	04.34	34.494	27.37	00.201	1471.7							
		08 S	00266	04.30	34.517	27.39		1471.8							
		085	00273	04.23	34.527	27.41		1471.7							
		\$70 085	00300 00306	04.22 04.20	34.56 34.567	27.43 27.44	00.316	1472.1							
		085	00320	04.13	34.586	27.47		1472.1							
		085	00332	04.16	34.601	27.47		1472.5							
		085	00379	04.01	34.624	27.51		1472.6							
		OB\$ STD	00394	04.01	34.663 34.67	27.54	00.381	1472.9							
		085	00400	04.11 04.11	34.667	27.53 27.53	00.361	1473.5							
		085	00407	04.04	34.659	27.53		1473.3							
		085	00466	03.93	34.714	27.59		1473.9							
		OBS	00485	03.94	34.74± 34.78	27.61	00.437	1474.3							
		STD OBS	00500 00500	04.03 04.03	34.781	27.63 27.63	00.437	1474.9							
		280	00506	04.06	34.78	27.63		1475-2							
		085	00532	04.03	34.80	27.65		1475.5							
		085	00559	04.01	34.834	27.67		1475.9							
		STD CBS	00600	03.85 03.85	34.85 34.84a	27.70 27.70	00.485	1475.9							
		085	00621	03.73	34.65	27.72		1475.8							
		OBS	00666	03.69	34.890	27.75		1476.4							
		085	00675	03.69	34.895	27.76	00 470	1476.6							
		STD 085	00700 00700	03.69 03.69	34.90 34.895	27.76 27.76	00.529	1477.0							
		STD	00800	03.69	34.90	27.76	00.570	1478.6							
		085	00800	03.69	34.899	27.76		1478.6							
		STO	00900	03.69	34.90	27.76	00.613	1480.3							
		085	00900 01000	03.69 03.69	34.899 34.90	27.76 27.76	00.656	1480.3							
		STD OBS	01000	03.69	34.894	27.76	JU - 070	1482.0							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID CONSE LAT LONG	C 44	8370 0007 32.7N 31.0W	MONT	1974 H 04 09 12.7	BOTOP 02926 SHIP EV DATA USE 1 AREA 05	AIR T WET B BANDM CLUUD	ULB 02.3 ETR 1027.3	ULR HI O7 SEA CL/TR		HIND-DIR HIND-SPD HIND-FOR HEATHER		TRA	T STO RE CE DIR ATION G Oll 41	00.4		n SQ 13 SQUARE SQUARE SQUARE	48
CAS	TNUR	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	PU4	TOT	P NG2	NG3	\$103	PH	
•			STO	00000	02.50	33.03	26.38	00.000	1457.8								
		12.7	085	00000	02.50	33.030	26.38		1457.8								
			STO	00010	02.56	33.06	26.40 26.40	00.016	1458.2								
			085	00010 00020	02.56 02.58	33.060 33.07	26.40	00.033	1458.5								
			\$10 085	00020	02.58	33.070	26.40		1458.5								
			STO	00030	02.60	33.08	26.41	00.049	1458.6								
			085	00030	02.60	33.0 8 0 33.10	26.42	00.082	1458.8								
			STD OBS	00050 00050	02.65 02.65	33.100	26.42	*******	1459.3								
			OBS	00069	02.70	33.200	26.50		1460.0								
			STD	00075	02,82	33.19	26.48	00.121	1460.6								
			085	00075	02.62 01.90	33.19u 33.24u	26.4 8 26.59		1456.8								
			085 085	00083 00090	01.74	33.466	26.78		1456.5								
			\$10	00100	01.96	33.55	26.84	00.156	1457.7								
			08 S	00100	01.96	33.550	26.84 26.95		1457.7								
			OBS	00111 00125	03.05 03.48	33.81u 33.93	27.01	00.185									
			ST0 085	00125	03.48	33.930	27.01		1465.3								
			STO	00150	04.26	34.07	27.04	00.211	1469.2								
			085	00150	04.26	34.076 34.100	27.04 27.03		1470.7								
			085 085	00167 00193	04.55 05.02	34.300	27.14		1473.3								
			STD	00200	04.73	34.29	27.17	00 - 26 1									
			OBS	00200	04.73	34.290	27.17		1472.2								
			085	00210	04.23 04.17	34.27 <i>0</i> 34.300	27.20 27.23		1470.6								
			08S \$10	00241 00250	03.91	34.30	27.26	00.305	1469.6								
			DBS	00250	03.91	34.30u	27.26		1469.6								
			OBS	00266	03.86	34.340 34.46	27.30 27.34	00.345	1469.8								
			STD OBS	00300 00300	04.33 04.33	34.460	27.34	001313	1472.4								
			085	00312	04.52	34.490	27.35		1473.5								
			085	00361	04.17	34.570	27.38		1475.4								
			OBS	00373	04.70 04.70	34.570 34.600	27.39 27.41		1475.5								
			08 S 08 S	00382 00391	04.77	34.610	27.41		1476.0								
			STD	00400	04.77	34.62	27.42	00.419									
			085	00400	04.77	34.620	27.42 27.44		1476.1								
			08\$ 08\$	00433 00442	04.52 04.41	34.610 34.620	27.46		1475.3								
			085	00452	04.46	34.636	27.46		1475.7								
			OBS	00471	04.37	34.630	27.47	00.487	1475.7								
			STD	00500		34.65 34.650	27.49 27.49	00.401	1476.0								
			065 570	00500 00600		34.70	27.55	00.550	1477.0								
			085	00600	04.15	34.700	27.55		1477.0								
			065	00661		34.730	27.59 27.61	00.608	1477.5								
			STO	00700 00700		34.75 34.75u	27.61	00.006	1478.2								
			08 S ST D	90800		34.79	27.66	00.662	1479.1								
			085	00800	03.64	34.790	27.66		1479.1								
			085	00844		34.810	27.68 27.68		1480.5								
			085 085	00870		34.840	27.70		1480.2	!							
			570	00900	03.75	34.64	27.71	00.71	1480.5								
			085	00900	03.75	34.840	27.71	00.75	1480.5 7 1482.1								
			510	01000		34.90 34.90	27,76	00.13	1482.1								
			08 S 08 S	01031		34.91			1482.5								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIG CONSE LAT LONG	44	8370 0008 28.8M 13.0W	YEAR HONTI DAY HOUR		BOTOP 03339 SHIP EV DATA USE 1 AREA 05				GT PER G 2	wind-dir wind-spd wind-for weather	00	TRAC I		OADER D OO.4	5	N SQ L: SQUARE SQUARE SQUARE	48
CAS	THUN	TIME	LVLTYP	DEPTH	TEMP	SAL	\$1GMA-1	DYNOPTH	SND VEL	DXYG	P 04	TOT P	NO2	NO3	\$103	PH	
			570	00000	00.93	33.28	26.69	00.000	1451 - 1								
		15.2	280 072	00000	00.93 00.93	33.280	24.69 24.69	00.014	1451.1								
			085 072	00010	00.93	33.280	24.49 24.77	00.027	1451.3								
			280	99929 99929	02.44 02.46	33.511	24.77	00.027	1456.6								
			510	00030	02.55	33.53	24.74	00.040	1459.2								
			085 085	00030 00040	02.55 02.48	33.535	24.78 26.77		1459.2								
			STD	00050	03.24	33.63	26.80	00.065	1462.6								
			085 STD	00059 00075	03.47 03.25	33.66	26.81 26.81	00.097	1463.4								
			085	00075	03.25	33.657	24.81	*****	1463.1								
			0 0\$ 072	00097 00100	03.29	34.11¢ 34.20	27.17 27.25	00.123	1464.2								
			085	00100	03.27 03.27	34.202	27.25	00.123	1464.3								
			SYD	00125	04.25	34.35	27.27	00.143	1469.1								
			085 085	00125 00142	04.25 04.91	34.354 34.50b	27.27 27.32		1469.1								
			STO	00150	04.68	34.50	27.34	00.163	1471.5								
			085 085	90150 00173	04.68 03.77	34.500	27.34 27.40		1471.5								
			STD	00200	04.86	34.79	27.54	00.197	1473.5								
			DBS DBS	00200	04.88 04.87	34.787 34.789	27.54 27.54		1473.5								
			STO	00239 00250	04.92	34.82	27.54	00.225	1474.6								
			085	90250	04.92	34.819	27.56		1474.6								
			G&S STD	00295 00300	05.51 05.30	34.974	27.62 27.66	00.252	1477.9								
			COS	00300	05.30	34.995	27.64		1477.2								
			065	00304	05.53 05.63	35.026	27.65 27.66		1478.3								
			ORS	00370	04.55	34.931	27.69		1475.2								
			STD Des	00400	04.44 04.44	34.95 34.951	27.72 27.72	00.297	1475.2								
			ONS	95450	04.47	34.989	27.75		1475.7								
			085	00437	04.39	35.001	27.77		1475.7								
			045 045	00457 00480	04.41 04.31	35.017 35.027	27.78 27.80		1476.1								
			\$10	00500	04.31	35.05	27.81	00.336	1476.5								
			085 085	00500	94-31 94-35	35.051	27.81 27.83		1476.5								
			STD	00400	04.17	35.11	27.88	00.368	1477.6								
			085 085	00600	04.17 04.09	35.104	27.88 27.89		1477.6								
			DB 5	00638	04.25	35-155	27.90		1478.6								
			OBS STD	00479	04.25 04.17	35.173 35.18	27.92 27.93	00.396	1479.4								
			085	00700	04.17	35-181	27.93	04.376	1479.4								
			085	00719	04.15	35.193	27.95		1479.6								
			OBS OBS	00727 00730	04.16 04.24	35.220	27.97 27.96		1479.8								
			CBS	00748	04.26	35.222	27.96		1480.6								
			085 085	00761	04.22 04.20	35.229 35.241	27.97 27.96		1480.7								
			STD	00800	04.12	35.24	27.99	00.420	1480.9								
			085 085	00800	04.12	35.240	27.99 28.00		1480.9								
			085	00428	03.91 03.93	35.227	28.00		1480.7								
			OBS	00850	03.89	35.235	10.85		1480.8								
			OBS STD	00990	03.84 03.88	35.256 35.27	28.03 28.04	00.439	1481.3								
			085	00900	03.66	35-274	28.04		1481.6								
			085 ST0	00927	03.68 03.77	35.262 35.31	28.04 28.08	00.455	1482.1								
			085	01000	03.77	35-314	28.08	30.433	1482.9								
			CES	01016	03.76	35.320	28.09		1483.2								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFIO CONSEC LAT LONG O	44	8370 0007 23.2N 45.5W	YEAR MONTI DAY HOUR	H 04	BOTOP 03555 SHIP EV DATA USE 1 AREA 05	AIR T WET B BARCH CLOUD	ULB 04.6 ETR 1031.5		GT PER 1 5	WIND-DIR WIND-SPO WIND-FOR WEATHER	08	TRA	STO REC E DIR TION 011 499	00.4	5	H SQ 1306 SQUARE 2 SQUARE 46 SQUARE 47
CAST	NUR/	TIME	LVLTYP	DEPTH	TEMP	SAL	T-AMDIZ	DYNOPTH	SNO VEL	OXY 6	P04	TOT	P NOZ	NO3	SLO3	PH
			STO	00000	01.70	33.35	26.69	00,000	1454.7							
		10-1	085	00000	01.70	33.340	26.69		1454.7							
			STD OBS	00010	01.70 01.70	33.35 33.348	26.69 26.69	00.014	1454.8							
			STO	00020	01.35	33.37	26.74	00.027	1453.5							
			065	00020	01.35	33.373	26.74		1453.5							
			STO	00030	01.58	33-37	26.74	00.040	1453.3							
			085 085	00030 00040	01.20 01.08	33.372 33.412	26.74 26.79		1453.3							
			570	00050	01.32	33.45	26.80	00.066	1453.9							
			085	00050	01.32	33.452	26.80		1453.9							
			280	00047	01.58	33.496	26 - 62		1455.4							
			\$70 280	00075	01.52 01.52	33.53 33.533	26 .8 5 26 .8 5	00.097	1455.4							
			280	000019	01.60	33.421	26.92		1456.1							
			STD	00100	01.35	33.93	27.18	00.123	1455.6							
			085	00100	01.35	33.924	27.18		1455.6							
			280 STD	00109 00125	02.05 02.36	34.03e 34.17	27.22 27.30	00.144	1459.0							
			085	00125	02.36	34.167	27.30	00.144	1460.8 1460.8							
			OBS	00129	02.84	34.263	27.33		1463.0							
			085	00138	03.07	34.300	27.34		1464.2							
			280 280	00143	02.97	34.300	27.35		1443.9							
			STD	00147 00150	03.04 03.05	34.347 34.38	27.38 27.41	00.162	1464.3							
			085	00150	03.05	34.379	27.41		1464.4							
			08\$	00159	03.47	34.462	27.43		1466.5							
			085	00179	03.76	34.554	27.48		1468.2							
			STD OBS	00200 00200	03.83 03.83	34.61 34.61,	27.52 27.52	00.195	1468.9 1468.9							
			085	00240	04.40	34.700	27.60		1472.2							
			STO	00250	04-50	34.41	27.61	00.222	1472.8							
			085	00240	04-54	34.876	27.65		1473.6							
			065 510	00293	04.44 04.54	34.896 34.91	27.68 27.68	00-247	1473.4							
			085	00300	04.54	34.911	27.68		1473.9							
			085	00309	04.56	34.914	27.68		1474.2							
			085	00329	04-41	34.924	27.70		1473.9							
			57D 280	00400	04.65 04.65	35.04 35.036	27.77 27.77	00.289	1476.2							
			085	00440	04.83	35.087	27.79		1477.7							
			CBS	00480	04.67	35-101	27.81		1477.7							
			STD	00500	04.74	35.13	27.83	00.325	1478.4							
			280	00500 00520	04.74 04.74	35.129 35.132	27.83 27.83		78.4 1470.7							
			STO	00600	04.39	35.15	27.88	00.357	1478.6							
			085	00690	04.39	35.146	27.88		1478.6							
			085	00628	04.42	35.174	27.90		1479.2							
			570 280	00700	04.19 04.19	35.18 35.184	27.93 27.93	00.385	1479.5							
			085	00746	04.18	35.210	27.96		1460.2							
			STD	00800	03.95	35.21	27.98	00.408	1480.2							
			085	00800	03.95	35.214	27.98		1480.2							
			085 085	00847 00859	03.53 04.01	35.24e 35.26s	28.01 28.02		1480.9 1481.5							
			OBS	00888	03.92	35.271	28.03		1481.6							
			STD	00900	03.96	35.28	28.04	90.428	1482.0							
			085	00900	03.90	35.281	28.04		1482.0							
			085 510	01000	03.98 03.84	35.300 35.33	28.05 28.08	00.444	1482.5							
			085	01000	03.84	35.320	26.08	JU. 111	1483.2							
			085	01028	03.60	35.334	28.09		1483.5							

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 CONSEC LAT 44 I LONG 047 I	0010	YEAR MONTH DAY HOUR	04	SHIP EV DATA USE 1 AREA 05	WET	TEMP 07.8 BULB 06.2 WETR 1032.9 D T/A		GT PER 0 2	HIND-DIR HIND-SPD HIND-FOR HEATHER	02	TRACE		90.6	5 2	N SQ 1 SQUARE SQUARE SQUARE	46
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	O XY G	P04	TOT P	NO2	NQ3	\$103	PH	
		STO	00000	03.70	32.78	26.07	00.000	1462.6								
:	22.5	085	00000	03.70	32.780	26.07		1462.6								
		STD	00010	03.53	32.83	26.13	00.019	1462-1								
		STD	00020	03.21	32.84	26.18	00.038	1460.9								
		985	00020	03.21	32.860	26.14		1440.9								
		STD	00030	02.73	32.47	26.23	00.056	1459.0								
		085	00041	02.06	32.880	26,29		1456.3								
		570	00050	00.98	32.88	26.37	00-091									
		QOS STD	00044	00.21 01.28	32.880 33.04	26.41 26.48	00.131	1448.4								
		570	00100	03.31	33.39	20.00	00.169	1453.6								
		085	00100	03.31	33.390	26.60	00.164	1463.4								
		STD	00125	03.64	33.45	26.61	00-205									
		STD	00150	05.36	33.88	24,77	00.239									
		085	00155	05.47	34.010	26.81		1475.6								
		085	00175	08.47	34.680	26.97		1487.2								
		STD	00200	05.01	34.18	27.05	00.298									
		OBS	00210	04.22	34.080	27.05		1470.0								
		085	00222	03.73	34.030	27.06		1468.1								
		STD	00250	05.35	34.30	27.10	06.349									
		005	00250	05.35	34.300	27.10		1475.6								
		OBS	00271	04.37	34.230	27.16		1471.8								
		STD	00300	04.65	34.29	27.17	00.398									
		085	00300	04.65	34.290	27.17		1473.6								
		OBS STD	00325	05.84	34.576	27.25		1479.2								
		085	00400	05.04 05.04	34.58 34.580	27.36 27.36	00.483	1477.2								
		510	90500	05.25	34.71	27.44	00.557	1479.9								
		085	00500	05.25	34.710	27.44	00.551	1479.9								
		STD	00600	04.49	34.70	27.52	00.625	1478.4								
		065	00600	04.49	34.700	27.52	00.023	1478.4								
		STD	00700	04.34	34.73	27.56	00.687									
		085	00700	04.34	34.730	27,56	******	1479.5								
		STD	00800	04-16	34.79	27.62	00.746	1480.5								
		085	00800	04.16	34.790	27.62		1480.5								
		STD	00900	04-11	34.83	27.66	00.800	1482.0								
		STO	01000	03.96	34.87	27.71	00.850	1483 - 1								
		085	01000	03.96	34.870	27.71		1483.1								
		085	01033	03.89	34.884	27.72		1483.3								
						****		•								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

CONSEC 0011 MONT	H 04 SI 10 D	OTOP 03867 HIP EV ATA USE 1 REA 05	AIR TO WET BO BARON CLUUD	ULB 05.0 ETR 1034.8		GT PER 1 3	WIND-DIR WIND-SPD WIND-FOR WEATHER	06	TRACE OURAT		ADER D DO.+	5 2	N SQ 1306 SQUARE 2 SQUARE 46 SQUARE 46
CASTNUM/TIME LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	OXY G	P04	TOT P	NO2	NO3	\$103	PH
STO	00000	07.16	33.33	26.10	00.000	1477 6							
02.1 065	00000	07.16	33.33	26.10	00.000	1477.5							
STD	00010	05.99	33.17	26.13	00.019	1472.8							
085	00010	05.99	33.170	26-13	*****	1472.8							
STD	00020	05.44	33,14	26.17	00.038								
OBS.	00020	05.44	33.140	26-17		1470.7							
STO	00030	LC.86	34.37	26.33	00.056	1493.2							
085	00030	10.86	34.370	26.33		1493.2							
STD	00050	10.59	34.48	26.46	00.089	1492.7							
Qes	00050	10.59	34.460	26.46		1452.7							
STO	00075	07.47	33.91	26.52	00.126	1480.7							
STD	00100	06.67	33.84	24.57	00.L45	1477.9							
085_	00100	06.67	33.840	26.57		1477.9							
STD	00125	08.18	34.26	26.69	00.201	1484.7							
085	00125	08.18	34.260	26.69		1484.7							
STD	00150	08.97	34.49	26.75	00.235	1488.4							
06.5	00166	09.47	34.64u	26.78		1450-7							
OBS STD	00174	08.70 07.59	34.490	26.79	00 701	1487.8							
085	00200	07.59	34.30 34.300	26.81 26.81	00.301	1483.7							
085	00230	05.30	34.030	26.89		1463.7							
OBS	00241	07.43	34,460	26.95		1484.0							
210	00250	06.96	34.39	26.97	00.362	1482.2							
OBS	00250	04.96	34.390	26.97	******	1462.2							
210	00300	05.53	34.26	27.05	00.417	1477.1							
OBS	00300	05.53	34.260	27.05		1477.1							
QBS	00351	06.00	34.466	27-15		1480.1							
STO	00400	04.50	34.36	27.25	00.513	1474.7							
085	00400	04.50	34.360	27.25		1474.7							
085	00451	05.41	34.580	27.32		1479.6							
012	00500	05.03	34.60	27.38	00.595	1478.8							
OB S	00500	05-03	34.600	27.38		1478.8							
085	00552	04.68	34.63ú	27.44		1478.3							
\$10	00600	04 - 72	34.68	27.48	00.668	1479.3							
OBS	00600	04.72	34.660	27.48		1479.3							
OBS	00651	04.67	34.720	27.51		1480.0							
\$10	00700	04.59	34.76	27.55	00.733	1480.5							
08S 08S	00700 00750	04.59	34.740	27.55		1480.5							
STD		04.63	34.8Lu	27.59	00 703	1481.6							
085	00800	04.49 04.49	34.82 34.820	27.61 27.61	00.792	1481.9							
085	00849	04.40	34.830	27.63		1482.3							
STD	00900	04.30	34.86	27.06	00.848	1482.8							
OBS	00952	04.23	34.880	27.69	20.040	1483.4							
STO	01000	04.20	34.90	27.71	00.899	1484.1							
oss	01000	04.20	34.900	27.71	301077	1444.1							
OBS	01029	04.16	34.920	27.73		1484.5							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CONSEC 0012 MONTH 04 LAT 43 57.4N DAY 10	BOTOP 04102 SHIP EV DATA USE 1 AREA Q5	Alk TEMP 07.5 WET BULB 06.1 BARCHETR 1035.1 CLGUD T/A	DIR HGT PER OG G K SEA CL/TR	WIND-OLR OS WIND-SPD 13 WIND-FOR WEATHER XO	INST STD RECORDER TEN SØ 1304 TRACE DIR D 5 SQUARE 2 OURATION 00,5 2 SQUARE 24 ORIG 011 502 1 SQUARE 35
CASTMUM/TIME LYLTYP DEPTH	TEMP !	SAL SIGMA-T	DYNOPTH SHO VEL	OXY G PO4	TOT P NO2 NG3 SEG3 PH
00000 gfS	10.30 34	4.00 26.20	00.000 1450.3		
00000 280 1.00		4.040 26.20	1490.3		
ST0 00010		4.08 26.20	00.018 1450.4		
085 00010		4.000 26.20	1490.4		
STD 00020		4.17 26.31	00,034 1489.5		
QBS 00020		4.170 26.31	1489.9		
00030	09.86 34	4.10 26.29	00.053 1489.2		
080 00030	05.86 34	4.100 24.29	1489.2		
STD 00050		4.41 20.36	00.088 1493.6		
085 00050		4.414 26.36	1453.6		
STD 00075		4.55 26.37	00.130 1466.1		
085 00081		4.566 26.35	1450.7		
005 00093		4.540 26.49	1463.8		
ST0 00100		4.49 26.52	00.170 1452.5		
STD QQL25		4.38 26.55	00.208 1489.3		
OBS 00125		4.380 26.59	1489.3		
STD 00150		4.37 26.66	00.244 1488.0		
QBS 00150		4.370 26.66	1488.0		
GBS 00178		4.350 26.71	1466.9		
\$70 00200		4.36 26.71	00.314 1487.5		
08\$ 00200 ~88\$ 00229		4.360 26.71	1487.5		
~ 08 \$ 00229 \$70 00250		4.520 26.79	1489.3		
085 00255		4.58 26.82	00.381 1490.2		
00299 00299		4.600 26.82 4.07 26.89	1490.4		
00500		4.07 26.89 4.076 26.89	00.443 1477.0		
OBS 00307		4.310 26.96	1417.0		
085 00331		4.640 27.05	1481.4 1487.0		
085 00355		4.316 27.05	1479.4		
085 00394		4.190 27.11	1474.3		
STD 00400		4.21 27.12	00.553 1474.5		
OBS 00455		4.380 27.25	1476.1		
\$70 00500		4.55 27.33	00.643 1478.9		
GBS 00506		4.560 27.34	1479.1		
08\$ 00557		4.600 27.40	1479.0		
STD 00600		4.64 27.44	00.719 1479.3		
OBS 00607		4.650 27.45	1479.4		
CBS 09659	04.90 34	4.760 27.52	1481.1		
STD 00700	04.73 34	4.76 27.54	00.787 1481.1		
085 00709	04.70 34	4.760 27.54	1401.2		
OBS 00759	04.59 34	4.780 27.57	1461.6		
570 00800		4.81 27.60	00.848 1482.3		
085 00809		4.820 27.60	1462.4		
085 00860		4.840 27.04	1482.6		
STD 00900		4.87 27.67	00.903 1462.6		
OBS 00910		4.87- 27.67	1482.9		
085 00961		4.880 27.69	1463.3		
STO 01000		4.88 27.7C	00.955 1483.8		
QBS 01011	04.12 34	4.880 27.70	1463.9		

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8370 CONSEC 0013 LAT 43 50.8N LONG 045 14.8M	YEAR MONTH DAY HOUR	1 04	BOTOP 04511 SHIP EV DATA USE 1 AREA 05	AIR 1 BARDI CLDUC	ULB 05.9 SETR 1035.8	DIR H 00 (SEA CL/TR	GT PER D X	wind-dir wind-spd wind-for weather	06	TRACE CURAT		00.4 13	5	N SQ 1304 SQUARE 24 SQUARE 35	2
CASTNUMFTIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	OYNDPTH	SNO VEL	DXY G	P04	TOT #	NO2	NOS	\$103	PH	
	STO	00000	03.23	32.79	26.13	00.000	1440.6								
10.1	085	00000	03.23	32.790	26.13		1460.6								
10.1	STD	00010	03.41	32.99	26.23	00.018	1463.5								
	085	00012	03.63	33.010	26.24		1463.7								
	STO	00020	03.09	32.91	26.24	00.036	1440.5								
	STD	00030	02.54	32.87	26.25	00.054	1458.2								
	085	00030	02.54	32.870	26.25		1458.2								
	OBS	00040	02.41	32.910	26.29		1457.9								
	STO	00050	02.81	33.03	26.35	00.089	1459.9								
	STD	00075	03.30	33.24	26.48	00.130	1462.8								
	085	00080	03.32	33.276	26.50	00 140	1462.9								
	STD	00100	02.92	33.32	26.57 26.63	00.148	1460.3								
	085	00116	02.60 03.52	33.360 33.56	26-71	00.203	1464.9								
	STD	00125	04.98	33.840	24.80	******	1471.7								
	OBS STD	00140	06.23	34.04	26.41	00.234	1477.2								
	085	00156	07.33	34.270	26.82	******	1482.1								
	STD	00200	95.95	34.21	26.96	90.296	1477.1								
	085	00200	95.95	34.210	26.96		1477.1								
	STD	00250	04.70	34.02	26.95	00.353	1472.4								
	085	00250	04.70	34.020	24.95		1472.4								
	085	00266	05.54	34.320	27.09		1476.7								
	STD	00300	05.16	34.29	27.11	00.406	1475.7								
	085	00331	04.82	34.260	27.13		1474.7								
	085	00330	05.20	34.300	27.12		1476.5								
	GES	00352	05.40	34.400	27.17		1477.4								
	085	00390	05.03	34.470	27.27		1476.8								
	\$TD	00400	04.83	34.47	27.30	90.497									
	085	00456	04.47	34.490	27.35		1475.4								
	085	00489	04.84	34.590	27.39 27.41	00.575									
	STD	00500	04.88	34.62 34.690	27.46	40.515	1479.1								
	085 085	00541 00590	04.91 04.67	34.700	27.50		1479.0								
	STD	00600		34.72	27.51	90.645									
	085	00640		34.760	27.55		1479.6								
	085	00690		34.780	27.59		1479.7								
	\$10	00700		34.79	27.59	90.706	1479.9								
	085	00739		34.620	27.62		1480.4								
	\$70	00000		34.84	27.65	90.762									
	085	00800		34.860	27-65		1401.0								
	STO	00900		34.90	27.71	00.613									
	CBS	00900	04.21	34.90	27.71		1482.5								
	STD	01000		34.95	./.76	90.540									
	085	01000	04.12	34.950	27.76		1443.0								
					***	****									

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8370 CONSEC 0014 LAT 43 43.1N LONG 044 32.7M	MONT!	1974 H 04 10 14.0	SOTOP 04264 SMIP EV DATA USE 1 AREA 05	ALA TO WET BU BARGMI CLOUD	ULB 12.4 ETR 1036.0		GT PER 1 5	HIND-DIR HIND-SPD HIND-FOR HEATHER		TR AC	STO REC E DIR TION 011 504	OADER D OC.6	5 2	N SQ 1: SQUARE SQUARE SQUARE	24
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	D VNDP TH	SND VEL	DXY G	P04	TOT P	NO2	NO3	\$103	PH	
	STD	00000	14.31	35.31	24.38	00.000	1505-4								
14.0	CBS	00000	14.31	35.314	26.38	00.014	1505.4 1505.4								
	57D 085	00010	14.20 14.20	35.32 35.310	26.41 26.41	00.014	1505.4								
	\$7D	00020	14.20	35.32	26.41	00.033	1505.4								
	Q#S	00020	14.20	35.323	26.41		1505.4								
	STD	00030	14.19	35.33	26.42	00.049	1505.7								
	085 570	00035 00050	14.19 14.19	35.328 35.33	26.42 26.42	00.082	1504.0								
	280	00050	14.19	35.335	26.42		1506.0								
	STD	00075	14.19	35.35	24.43	00.122	1506 -5								
	085	00075	14.19	35.344	26.43 26.44	00.163	1504.5								
	870 880	00100	14.20 14.20	35.36 35.339	26.44	00.103	1506.9								
	STD	00125	14.20	35.39	26.47	00,203	1507.4								
	DBS	00125	14.20	35.24 P	26.380*										
	085	00127	14.21	35.395	26.47 26.45		1507.4 1507.7								
	280	00130 00150	14.27 14.19	35.39> 35.40	26.47	00.244	1507.7								
	STD OBS	00155	14.10	35.390	26.47		1507.0								
	STO	00200	14.42	35.57	26.55	00.323	1509.5								
	085	00200	14.42	35.56#	26.55		1509.5								
	280	00205	14.49 14.43	35.574 35.574	26.54 26.56		1509.9								
	QBS STD	00218 00250	12.99	35.19	26.54	09.400	1505.2								
	1085	00250	12.99	35-167	26.56		1505.2								
	STD	00300	12.81	35.26	26.65	00.476	1505.5								
	085	00300	12.01 10.27	35.264 35.01	26.65 26.93	00.611									
	STD DBS	00400	10.27	35.011	26.93		1497.9								
	085	00423	09.89	34.951	26.95		1496.9								
	085	00445	09.44	34.889	24.98		1495.5								
	085	00453	09.34 09.31	34.943 34.924	27.04 27.03		1495.4								
	QBS QBS	00463 00474	09.30	34.934	27.04		1495.5								
	\$70	00500	09.87	34.91	27.09	00.726									
	085	00500	00.87	34.912	27.09		1494.3								
	085	00573	07.80	34.880 34.72	27.23 27.30	00.823									
	STD QBS	00400 00404	06.39 06.08	34.684	27.31	00.025	1445.0								
	085	00617	06.51	34.748	27.31		1486.9								
	280	00445	06.01	34.719	27.35		1485.4								
	085	00676	05. <i>02</i> 05.14	34.484	27.45 27.48	00.902									
	STD OBS	00700 00700		34.742	27.46		1482.8								
	085	00737	05.00	34.770	27.51		1483.2								
	OBS	00784	05.06	34-430	27.55	00.967	1484.0								
	STD	00800		34.84 34.844	27.58 27.58	00.70	1443.4								
	08 \$ 08 \$	00834		34.497	27.64		1483.9								
	OBS	00855		34.902	27.63		1484.5								
	CBS	00875		34-894	27.45	01 024	1484.1								
	STO	00900		34.91 34.91	27.67 27.67	01.024	1484.4								
	08 S 08 S	00900		34.943	27.70		1484.9								
	085	00984	04.81	34.994	27.71		1484.5								
	085	00993	04.74	35.003	27.73	A1 635	34 86. 4								
	STD	01000		35.01 35.007	27.73 27.73	01.07	1486.4								
	985 985	01000 01024		34.994	27.72		1486.8								
	343	2,02	. 346.0			*******	100								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

AEFIO 31 8370 CONSEC 0013 LAT 44 07.8N LONG 045 02.5M	MONT	1974 H 04 10 19-1	BOTOP 04376 SHIP EV DATA USE 1 AREA 05	WET	TEMP 10.8 SULB 09.2 METR 1033.2 D T/A	DIR H 18 SEA CL/TR	0 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	10	TRAC		MDER D 00.5 14	2	N SQ 1 SQUARE SQUARE SQUARE	2 E 44
CASTNUN/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOFTH	SNO VEL	OXY6	P04	TOT P	NO2	NQ3	\$103	PH	
	STO	00000	05.42	33-10	26.14	90.000	1470.2								
19.1	085	00000	05.42	33.10	24.14		1470.2								
	STD OBS	00010 00010	04.92 04.52	33.28	26.34	00.018	1468.6								
	\$10	00020	04.66	33.284 33.28	26.34 26.37	00.035	1468.4								
	OBS	00020	04.66	33.280	26.37	******	1467.6								
	STD	00030	04.41	33.28	26.40	00.051	1466 .8								
	Des	00030	04.41	33.240	26.40		1466.6								
	STD	00050	03.47	33.20	26.45	00.083	1464.8								
	280 STD	00050 00075	03.47 03.45	33.200	26.45	00 139	1444.8								
	OBS	00075	03.45	33.28 33.280	26.50 26.50	00.123	1463.4								
	STO	00100	03.29	33.33	26.55	00.161	1463.2								
	085	00100	03.29	33.330	26.55		1443.2								
	STO	00125	04.98	33.80	26.75	00.196	1471.4								
	OBS	00125	04.98	33.800	26. 75		1471.4								
	085 570	00131 00150	05.20 04.72	33.880	24.79		1472.5								
	085	00150	04.72	33.96 33.960	26.90 26.90	00.227	1470.9								
	OBS	00176	04.49	34.050	26.98		1471.4								
	STD	00200	04.61	34.14	27.04	00.282	1471.5								
	280	00200	04-61	34-140	27.06		1471.5								
	085	00226	04.53	34.180	27.10		1471.7								
	STD OBS	00250	04.58	34.26	27.16	00.332									
	OBS	00250 00274	04.5 0 05.03	34.260 34.420	27.16 27.23		1472.4								
	085	00285	05.20	34.450	27.24		1475.6								
	STO	00300	05.06	34.43	27.24	00.377	1475.4								
	OB S	90300	05.06	34.430	27.24		1475.4								
	OBS	00324	05.30	34.530	27.29		1476.9								
	G&S G&S	00346 00358	05.18	34.540	27.31		1476.0								
	085	00377	05.38 05.14	34.610 34.590	27.34 27.34		1477.9								
	STD	00400	05.20	34.44	27.39	00.458	1477.9								
	085	00400	05.20	34.640	27.39		1477.9								
	CBS	00451	04.71	34-420	27.43		1476.7								
	STD	00500	04.47	34.68	27.48	00.529	1477.5								
	OBS OBS	00500 00550	04.67 04.77	34.680	27.48 27.52		1477.5								
	STD	00400	04.70	34.77	27.55	00.593	1478.8								
	085	00600	04.70	34.770	27.55	*******	1479.4								
	085	99459	04.75	34.810	27.57		1480.4								
	STD	00700	04.47	34.81	27.61	00.452	1480.1								
	085	00700	04.47	34.010	27.61		1480.1								
	O&S STD	00749 00800	04.40 04.30	34.840	27.64 27.66	00.706	1460.7								
	085	00800	04.30	34.860	27.66	30.70	1461.1								
	085	00850	04.22	34.890	27.70		1401.7								
	STD	00900	04.22	34.91	27.71	00.756	1462.5								
	085	00900	04.22	34.910	27.71		1482.5								
	COS STO	00951	04-12	34.930	27.74		1443.0								
	085	01000	04-10 04-08	34.96 34.960	27.76 27.77	00.802	1463.6								
	085	01034	04.00	34.960	27.78		1483.9								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 837 CONSEC 001 LAT 44 25.9 LONG 045 38.5	MONT	1974 H 04 10 23-3	BOTOP 03654 SHIP EV DATA USE 1 AREA 05	AIR T MET B BAROM CLOUD	ULB 07.2 ETR 1031.4	DIR HG 16 1 SEA CL/YR		H IND-DIR HIND-SPD HIND-FOR HEA THER		TRAC	STO REGI E DIR T <i>ig</i> n Oll 504	DADER D 00.8	5	n sq 11 Square Square Square	2 44
CASTNUM TIME	LVLTYP	DEPTH	TEMP	SAL	S (GMA-T	DYNOPTH	SND VEL	OXYG	P04	101 P	NO2	NQ3	\$103	PH	
		00000	04-61	33.11	26.24	00.000	1466 - 9								
23.3	STO CBS	00000	04-61	33.110	24.24		1470-2								
23.2	STO	00010	05.27	33.44	26.43 26.43	00.017	1470.2								
	G8.5	00010	05.27	33,440 33,48	26.46	00.033	1470.5								
	STD	00020	05.29 05.30	33.490	26.47		1470.6								
	OM S STD	00030	05.28	33.52	26.49	00.049	1470.7								
	985	00030	05.28	33.520	26.49	00.079	1470.7								
	STO	00050	05-29	33.56	26.52 26.52	00,019	1471.1								
	OBS	00050	05.29 05.53	33.560 33.610	26.53		1472.5								
	280 072	00069	05.29	33,60	26.55	00.117	1471.6								
	085	90084	05.22	33.580	26.55		1471 -4								
	085	00092	05.46	33.430	26.56	00,154	1472.6								
	STD	00100	04.75	33.62 33.620	26.63 26.63	00,134	1469.8								
	DBS	00100	04.75 04.52	33.620	26.66		1449.0								
	085 085	00119	05.30	33.850	26.75		1472.7								
	\$10	00125	05.08	33.93	26.84	00.187	1472.0								
	085	00125	05.08	33.930	26.84 26.89	00.217	1473.7								
	\$10	00150	05.37	34.03 34.030	26.89		1473.7								
	OBS	00150	05.37 05.36	34.090	26.93		1474.2								
	280 Q 7 2	00200	04.65	34.06	24.99	00.274	1471-6								
	280	90200	04.65	34.060	26.99		1472.7								
	06\$	91500		34.130 34.140	27.03 27.06		1471.9								
	085	00231		34.190	27.08		1472.9								
	DBS STD	00245 00250		34.25	27.15	00.326	1472.3								
	085	00250	04.56	34.250	27.15		1472.3								
	085	00275	05.25	34.384	27.18		1474.3								
	085	00294		34.360 34.40	27.21 27.23	00.371									
	STD	00300		34.400	27.23		1474.8								
	280 280	00321		34.460	27.25		1476-4								
	QBS	00352	04.89	34.440	27.27		1475.6								
	OBS	00369		34.470 34.54	27.32 27.35	00.454									
	STO	00400		34.540	27.35		1476-9								
	085	00400 00451		34,630	27.42		1477.3								
	280 072	00500	04.73	34.64	27.46	00.528	1477.7								
	085	00500		34.660	27.46 27.30		1478.4								
	065	0055		34.710 34.75	27.54	00.593									
	570	00400		34.750	27.54		1479.2								
	285 285	00651		34.770	27.57		1479.6								
	STO		0 04.36	34.79	27.40	00.653	1479.6								
	085	0070		34.790 34.820	27.40 27.43		1480 -4								
	085	0075		34.85	27.66	00.707									
	STO	0080	•	34.850	27.66		1481-1								
	280 280	0085	1 04.24	34.880	27.49		1481.8								
	STO	0090	0 04.19	34.91	27.72	00.75	1482.4								
	QBS	0090		34.910 34.920			1483 -1								
	085	0095		34.94	27.76	00,804									
	STO OBS	0100		34.940	27.76		1483 -								
	085	0102		34.960			1483.5	*							
	556				***	****	**								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 #376 CONSEC 0017		1974 H 04	BOTOP 03178 Ship ev	ALR			GT PER	WEND-DER WIND-SPD			T 510	RECORDE		EN SQ 1306 SQUARE 2
LAT 44 44.01 LONG 046 05.51	I DAY	11	DATA USE 1 AREA 05	BARG	METR 1026.3 D T/A	SEA CL/TA		HIND-FOR HEATHER		DUR	C OIT	00	.8 2	
CASTNUMTIME		DEPTH	TEMP	SAL	T-AMPI &	DYNOPTH	SNO VEL	oxye	P04	TOT	P NC)2 MQ3	\$103	PH
03.0	STD OBS	00000	03.70 03.70	33.20 33.200	26-41 26-41	00.000	1443.2 1463.2							
	STD	00010	03.49	33.20 33.200	26.41	00.016	1443.3							
	STD OBS	00020	03.48 03.48	33.19 33.190	26.42	00.033	1462.5							
	STD	00030	03.22	33.22	26.42 26.47	00.048	1461 - 6							
	DBS STD	00030 00050	03.22 03.09	33.220 33.23	26.47 26.49	00.080	1461.6 1461.4							
	OBS STD	00050 00075	03.09 02.90	33.230 33.23	26.49 26.51	00.118	1461.4							
	08S	00075	02.90 02.78	33.230	26.51		1461.0							
	STD OBS	00100	02.88	33.29 33.294	26.55 26.55	00.156	1461.4							
	085	00115	02.62	33.290	26.58	00 101	1460.5							
	STD	00125	03.15 03.15	33.59	26.77 26.77	00.191	1463.4							
	STD OBS	00150 00150	04.09 04.09	33.97 33.970	26.98 26.98	00.221	1448.3							
	280 280	00166 00175	04.63 04.18	34.090 34.160	27.02 27.12		1471.0							
	STO	00200	04.53 04.53	34.20	27.12 27.12	00.273	1471.3							
	OBS	00223	04.43	34.220	27.14		1471.3							
	OBS STD	00247 00250	05.17 05.13	34.390 34.30	27.19 27.19	00.320	1475.0							
	085 085	00250 00246	05.13 04.72	34.380 34.460	27.19 27.30		1474.8							
	STD OBS	00300 00300	04.78 04.78	34.45 34.450	27.29 27.29	00.364	1474.3 1474.3							
	STD	00400 00400	04.67	34.59 34.590	27.41 27.41	00.442	1475.7							
	STD	00500	04.64	34.69	27.49	00.510	1477.3							
	STO	00600	04.64	34.690	27.49 27.54	00.573	1477.3							
	OBS Sto	00600 00700	04.46 04.24	34.750 34.79	27.56 27.62	00.631	1478.3 1479.1							
	085 570	00700 00800	04.24 04.23	34.790 34.86	27.62 27.67	00.684	1479.1							
	DBS STD	00900	04.23	34.860	27.67 27.72	00.733	1480.8							
	OBS STO	00900	04.04	34.900	27.72		1461 -8							
	210	01000	03.95	34.94	27.77	00.778	1483.1							
	OBS	01000	03.95	34.946	27.77		1483.1							
	08S 08S	010 0 0 01020	03.95 03.91	34.946 34.950	27.78		1483.1							
AEFID 31 8370	OBS	01020	03.91 BOTOP 03499	34.950 AIR	27.78 ****** TEMP 08.6	DIR H	1483.1 1483.3 •	WEND-DIR	19			R ECORDE		EN 59 1306
RÉFID 31 8370 CONSEC 0018 LAT 45 03.5N	YEAR MONTO	01020 1974 H 04	03.91	34.950 AIR T	27.78 ****** TEMP 08.6	DIR H 22 SEA	1483.1 1483.3 • CT PER 2 3	wino-dir wino-spd wino-for	19 20	TRA	F STO (SE DIR ATION		D 5	SQUARE 4
COMSEC 0018	YEAR MONTO	01020 1974 H 04	03.91 BOTOP 03499 SHIP EV	AIR WET BARD	27.78 ***********************************	01R H	1483.1 1483.3 • CT PER 2 3	HEND-SPD	20	TRA	CE DIR	00.	D 5	SQUARE 4
COMSEC 0018	YEAR HONTI DAY HOUR	01020 1974 H 04	03.91 BOTOP 03499 SHIP EV DATA USE 1	AIR WET BARD	27.78 ***********************************	DIR H 22 SEA	1483.1 1483.3 • CT PER 2 3	# ENO~SPO # ENO~FOR	20	TRA	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	YEAR MONTO DAY HOUR	01020 1974 H 04 11 07-0 DEPTH	03.91 BOTOP 03499 SHIP EV DATA USE 1 AREA 05 TEMP 02.73	AIR SHEET BARD CLOW	27.78 eenees FEMP G8.6 BULS 07.8 NETR 1024.8 D T/A SIGMA-T 26.41	DIR H 22 SEA GL/TR	1483-1 1483-3 • CT PER 2 3 SND VEL	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
CONSEC 0018 LAT 45 03.5N LONG D46 40.0N	VEAR HONTI DAY HOUR LYLTYP STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00000	03.91 BOTOP 03499 SHIP EV DATA USE 1 AREA 05 TEMP 02.73 02.73	34.950 AIR THE THE THE THE THE THE THE THE THE THE	27.78 concer remp G8.6 puts G7.8 mets 1024.8 D T/A SIGMA-T 26.41 26.41	DIR H 22 SEA CL/TR	1483-1 1483-3 • GT PER 2 3 SND VEL 1458-8 1458-8	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	YEAR HONTI DAY HOUR STD OBS STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00000 00010 00010	03-91 BOTOP 03-99 SMIP EV DATA USE 1 AREA 05 TEMP 02-73 02-73 02-74 02-74	34-950 AIR HET BARD CLOW SAL 33-09 33-09 33-09 33-09 33-09	27.78 **********************************	DIR H 22 SEA CL/TR DYNOPTH 00.000	1483-1 1483-3 • GT PER 2 3 SND VEL 1458-8 1458-8 1459-1 1499-1	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	YEAR MONTO DAY HOUR LYLTYP STD OBS STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00000 00010	03.91 BOTOP 03499 SMIP EV DATA USE 1 AREA 05 TEMP 02.73 02.73 02.74	34-950 AIR HET HET HET HET HET HET HET HET HET HET	27.78 concer	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016	1483-1 1483-3 • GT PER 2 3 SND VEL 1458-8 1458-8 1459-1 1499-1	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR MONTO DAY HOUR STD OBS STD OBS STD OBS STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00010 00020 00020 00030	03.91 BOTOP 03499 SMIP EV DATA USE 1 AREA 05 TEMP 02.73 02.73 02.74 02.74 02.73 02.02 02.62	34.950 AIR 1 WET BARD CLOW SAL 33.09 33.09 33.09 33.09 33.08 33.11 33.110	27.78 cocce cocce suls 076 su	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.033	1483-1 1483-3 OF PER 2 3 SND VEL 1458-8 1458-8 1458-1 1499-1 1499-2 1458-9 1458-9	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	YEAR HONTI DAY HOUR LVLTYP STO OBS STO	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00010 00020 00020 00030 00030 00030	03.91 BOTOP 03499 SMIP EV OATA USE 1 AREA 05 TEMP 02.73 02.73 02.74 02.74 02.73 02.73 02.02 02.62 02.62 02.22	34-950 AIR ' WET II BET 27.78 ecces consecutive of the	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016	1483-1 1483-3 • CT PER 2 3 SND VEL 1458-8 1458-8 1459-1 1499-1 1459-2 1459-9 1459-9 1457-5 1457-5	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56	
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR MONTI DAY HOUR LVLTYP STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00010 00020 00020 00020 00030 00030 00030 00030 00030 00030 00030	03.91 BOTOP 03499 SHIP EY OATA USE 1 AREA 05 TEMP 02.73 02.73 02.74 02.74 02.73 02.02 02.02 02.02 02.02 02.02 02.02 03.03	34-950 AIR ' WET ' BAROO CLOW SAL 33-09 33-09 33-09 33-01 33-11 33-13 33-13 33-13 33-13 33-13 33-13	27.78 **********************************	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.033	1483-1 1483-3 0 T PER 2 3 SND VEL 1458-8 1459-1 1499-1 1499-2 1459-9 1458-9 1458-9 1457-3 1457-3 1457-3 1457-3 1457-3	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	YEAR MONT DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD	01020 1974 H	03.91 BOTOP 03499 SHIP EV OATA USE 1 AREA 05 TEMP 02.73 02.74 02.74 02.73 02.62 02.62 02.62 02.62 03.67 03.67	34.950 AIR 1 BARO CLOW SAL 33.09 33.09 33.09 33.09 33.11 33.11 33.13 33.13 33.13 33.33 33.33	27.78 ecose: FEMP Q0.6 BML8 07.8 BETR 1024-8 D T/A SIGMA-T 26-41 26-41 26-41 26-42 26-43 26-43 26-43 26-43 26-43 26-43 26-43 26-45 26-53 26-55	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.033 00.049	1463.1 1463.3 607 PER 2 3 5MD VEL 1456.8 1456.8 1456.1 1459.1 1459.2 1459.2 1459.1 1459.3 1457.5 1457.5 1457.6 1462.7	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR MONTI DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00020 00020 00030 00030 00030 00030 00030 00030 00030 00030	03.91 BOTOP 03499 SHIP EV OATA USE 1 AREA 05 TEMP 02.73 02.74 02.74 02.73 02.02 02.02 02.02 02.02 02.02 03.08 03.08 03.01	34.950 AIR 1 BARO CLOW SAL 33.09 33.09 33.09 33.09 33.10 33.11 33.13 33.13 33.33 33.32 33.32	27.78 cocco- co	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.033 00.049 00.061	1463.1 1463.3 67 PER 2 3 5MD VEL 1456.8 1456.8 1456.1 1459.2 1459.2 1459.1 1459.2 1459.1 1457.5 1457.5 1457.6 1462.7	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR HONTI DAV HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00020 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030	03.91 BOTOP 03499 SMIP EV OATA USE 1 AREA 05 TEMP 02.73 02.73 02.74 02.74 02.73 02.62 02.62 02.62 02.62 02.22 02.33 03.63	34.950 AIR HET BARO CLOW SAL 33.09 33.090 33.090 33.010 33.11 33.110 33.113 33.110 33.113 33.110 33.110 33.110 33.110 33.110 33.110 33.110 33.110 33.110	27.78 concein conce	DIR N 22 SEA CL/TR DYNOPTH 00.000 00.016 00.039 00.049 00.119 00.157 00.190	1463-1 1463-3 667 PER 2 3 5ND VEL 1458-8 1459-1 1459-1 1459-2 1459-2 1459-2 1459-2 1459-3 1457-5 1457-6 1462-7 1462-7 1462-7	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR HONTI DAY HOUR STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00020 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030	03.91 BOTOP 03499 SMIP EV DATA USE 1 AREA 05 TEMP 02.73 02.73 02.74 02.74 02.73 02.62 02.62 02.62 02.62 02.62 03.67 03.67 03.61 03.63 04.66	34.950 AIR HET BARO CLOW SAL 32.09 33.090 33.090 33.010 33.11 33.13 32.130 33.13 33.13 33.13 33.13 33.13 33.13 33.13 33.140 33.13 33.13 33.13 33.140 33.13 33.140	27.78 encent puls 07.6 BULS 07.6 NETR 1024.8 SIGMA-T 26.41 26.41 26.41 26.40 26.40 26.40 26.43 27.13	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.039 00.049 00.061 00.119 00.157	1463-1 1463-3 667 PER 2 3 5ND VEL 1458-8 1459-1 1459-2 1459-2 1459-2 1459-2 1459-3 1459-3 1459-1 1469-1 146	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR HONTI DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00020 00030 00030 00030 00030 00030 00010 00125 00126 00120 00120 00120 00125 00120 00200 00200 00200	03.91 BOTOP 03499 SMIP EV OATA USE 1 AREA 05 TEMP 02.73 02.73 02.74 02.74 02.73 02.62 02.62 02.62 02.62 02.62 03.67 03.67 03.67 03.67 03.67 03.67 03.67 03.67 03.67	34.950 AIR HET HARD CLOW SAL 33.09 33.09 33.09 33.09 33.11 33.13 33.13 33.13 33.13 33.13 33.13 33.13 33.13 33.13 33.13 33.14 33.13 33.14 33.13 33.14 33.13 33.14 33.13 33.14 33.13 33.14 33.13 33.14 34.2	27.78 encent police 07.6 BUL8 07.6 METR 1024.8 SIGMA-T 26.41 26.41 26.41 26.41 26.40 26.43 26.43 26.43 26.43 26.43 26.43 26.43 26.43 27.13 27.13 27.15	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.033 00.049 00.061 00.119 00.157 00.190 00.217	1463-1 1463-3 607 PER 2 3 5ND VEL 1458-8 1459-1 1459-1 1459-2 1459-2 1459-2 1459-2 1459-3 1457-5 1457-5 1457-1 1464-7 146	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAM MONTH DAY HOUR STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00010 00020 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030	03.91 BOTOP 03499 SHIP EY DATA USE 1 AREA 05 TEMP 02.73 02.74 02.74 02.73 02.62 02.62 02.62 02.62 02.62 03.67 03.21 03.63 03.67 03.21 03.63 04.64 04.60 04.60 04.60	34.950 AIR	27.78 encen femp Qu.6 but.8 07.6 METR 1024-8 TAA SIGMA-T 26-41 26-41 26-40 26-40 26-40 26-40 26-40 26-40 26-55 26-55 26-55 26-55 26-55 26-55 26-55 26-55 26-79 27-15 27-15 27-15 27-27 27-32	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.033 00.049 00.061 00.119 00.157 00.190	1463-1 1463-3 607 PER 2 3 5ND VEL 1458-8 1459-1 1459-2 1459-2 1459-2 1459-9 1457-8 1457-8 1457-8 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1474-5 1473-5	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR MONTH DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00010 00020 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030	03.91 BOTOP 03499 SHIP EY OATA USE 1 AREA 05 TEMP 02.73 02.73 02.74 02.74 02.73 02.62 02.62 02.62 02.62 02.62 03.67 03.21 03.63 03.63 04.60 04.60 04.60 04.60 04.60	34.950 AIR 1 MET	27.78 encent police of the p	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.039 00.069 00.119 00.157 00.190 00.217 00.226	1463-1 1463-3 6T PER 2 3 5ND VEL 1458-8 1459-1 1459-2 1459-2 1459-2 1459-9 1457-5 1457-7 1464-7 147-5 147-5 147-5 147-5 147-5	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR MONTI DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00020 00020 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030	03.91 BOTOP 03499 SHIP EY OATA USE 1 AREA 05 TEMP 02.73 02.74 02.74 02.73 02.62 02.62 02.62 02.62 02.62 03.67 03.21 03.63 03.63 04.66 04.60 04.60 04.60 04.60 04.60 04.60	34.950 AIR 1 MET	27.78 encent puls 07.6 suks 07.6 suks 07.6 suks 1024.8 o 7/A sigma-T 26.41 26.41 26.41 26.40 26.40 26.43 26.43 26.43 26.43 26.43 26.43 26.43 27.43 27.15 27.25 27.25 27.25 27.25 27.32 27.43 27.43 27.43	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.039 00.049 00.119 00.157 00.190 00.217 00.2268 00.313	1463-1 1463-3 6T PER 2 3 5ND VEL 1458-8 1458-8 1459-1 1459-2 1458-9 1459-2 1458-9 1457-5 1457-5 1457-7 1444-7 1442-9 1442-9 1442-9 1446-7 1442-9 1446-7 1446-7 1446-7 1446-7 1446-7 1461-7 1461-7 1475-5 1475-5 1475-5 1475-5	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR HONTI DAY HOUR LVLTVP STO OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00020 00020 00030 00030 00030 00030 00150 00150 00150 00150 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200 00200 00300 00400 00400	03.91 BOTOP 03499 SHIP EV DATA USE 1 AREA 05 TEMP 02.73 02.74 02.74 02.73 02.73 02.74 02.73 02.72 02.62 02.62 02.62 03.67 03.21 03.21 03.21 03.21 03.63 04.64 04.64 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60	34.950 AIR 1 HET 1 BARO CLOW SAL 33.090 33.090 33.093 33.011 33.110 33.131 33.130 33.311 33.130 33.310 33.400 34.600 34.600 34.600 34.600 34.600 34.600	27.78 coording puls 07.6 BULS 07.6 RETR 1024.8 0 T/A SIGMA-T 26.41 26.41 26.41 26.40 26.40 26.40 26.43 26.43 26.48 26.49 26.53 26.48 26.49 26.55 26.93 27.01 27.15 27.27 27.32 27.43 27.43 27.43 27.43 27.43 27.51	DIR H 22 SEA CL/TR DYNOPTH 00.000 00.016 00.039 00.049 00.119 00.157 00.190 00.217 00.266 00.313 00.354	1463-1 1463-3 6CT PER 2 3 SND VEL 1458-8 1459-1 1459-2 1459-2 1459-2 1459-2 1459-2 1459-7 1457-9 1457-9 1462-7 146	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR HONTI DAY HOUR LVLTVP STO OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00010 00020 00020 00030 00030 00030 00030 00150 00100 00150 00100 00125 00150 00200 00200 00200 00200 00200 00200 00200 00200 00300 00300 00400 00400 00500 00400	03.91 BOTOP 03499 SHIP EV DATA USE 1 AREA 05 TEMP 02.73 02.74 02.73 02.73 02.73 02.22 02.62 02.62 02.62 03.67 03.21 03.21 03.21 03.63 03.63 04.64 04.64 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60 04.60	34.950 AIR 1 HET 1 BARO CLOW SAL 33.09 33.093 33.083 33.083 33.113 33.130 33.311 33.130 33.313 33.130 33.314 33.130 33.314 33.310 33	27.78 coording FEMP 08.6 BML8 07.8 RETR 1024.8 O T/A SIGMA-T 26.41 26.41 26.41 26.40 26.40 26.43 26.48 26.48 26.49 26.53 26.55 26.55 26.55 26.79 27.01 27.15 27.27 27.32 27.43 27.43 27.51 27.57	DIR N 22 SEA CL/TR DYNOPTH 00.000 00.016 00.039 00.049 00.119 00.157 00.190 00.313 00.354 00.429 00.495	1463-1 1463-3 6CT PER 2 3 SND VEL 1458-8 1459-1 1459-1 1459-2 1459-2 1459-2 1459-2 1459-2 1459-1 145	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR MONTI DAY HOUR LVLTVP STO OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00010 00020 000300 00000 00000 00000 00000	03.91 BOTOP 03499 SHIP EV DATA USE 1 AREA 05 VEMP 02.73 02.74 02.73 02.74 02.73 02.73 02.62 02.62 02.62 02.62 03.67 03.21 03.21 03.63 03.63 04.64 04.60	34.950 AIR 1 HET 1 BARO CLOW SAL 33.09 33.093 33.093 33.013 33.113 33.130 33.311 33.130 33.313 33.130 33.314 33.310 33.314 33.310 33	27.78 coording puls 07.6 BULS 07.6 RETR 1024-8 D T/A SIGMA-T 26.41 26.41 26.41 26.40 26.43 26.43 26.43 26.48 26.49 26.53 26.55 26.55 26.55 26.55 26.73 27.61 27.61 27.61 27.61 27.61 27.61 27.63	DIR N 22 SEA CL/TR	1463-1 1463-3 667 PER 2 3 5ND VEL 1458-8 1459-1 1459-8 1459-1 1462-7 1462-7 1462-7 1462-7 1462-7 1462-7 1471-8	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR YOUR VEAR YOUR HOUR LVLTVP STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010 00010 00010 00020 000300 000300 00000 00000 00000 00000	03.91 BOTOP 03499 SHIP EV DATA USE 1 AREA 05 VERP 02.73 02.74 02.73 02.74 02.73 02.62 02.62 02.62 02.62 03.67 03.21 03.21 03.21 03.23 03.67 03.21 03.63 04.64 04.60 04.00	34.950 AIR 1 HET 1 BARO CLOW SAL 33.09 33.090 33.093 33.081 33.310 33.311 33.310 33.313 33.313 33.310 33.32 33.32 33.37 33.32 33.37 33.38 33.	27.78 concein conc	DIR M 222 SEA CL/TR CL/T	1463-1 1463-3 6T PER 2 3 5ND VEL 1458-8 1459-1 1458-8 1459-1 1459-2 1459-2 1459-2 1459-2 1459-1 1462-7 1462-7 1462-7 1462-7 1471-8 1471	HEND-SPO HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR YOUR YEAR YOUR HOUR LVLTVP STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010	03.91 BOTOP 03499 SHIP EV DATA USE 1 AREA 05 VERP 02.73 02.74 02.73 02.74 02.73 02.62 02.62 02.62 02.62 02.62 03.67 03.21 03.21 03.83 04.16 04.00 04	34.950 AIR 1 HET 1 BARO CLOW SAL 33.09 33.090 33.093 33.080 33.311 33.110 33.113 33.130 33.313 33.130 33.32 33.32 33.310 33.32 33	27.78 concein	DIR M 222 SEA CL/TR DYNOPTH 00.000 00.016 00.039 00.049 00.157 00.157 00.268 00.313 00.354 00.429 00.556 00.556 00.612 00.665 00.713	1463-1 1463-3 6T PER 2 3 5ND VEL 1458-8 1458-8 1459-1 1458-8 1459-1 1459-2 1459-2 1459-2 1459-1 1459-1 1457-5 1457-6 1457-7 1466-7 1466-7 1466-7 1466-7 1474-5 1474	HEND-SPD HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR YEAR HONTI DAY HOUR STD OBS	01020 1974 H	03.91 BOTOP 03499 SHIP EV DATA USE 1 AREA 05 TEMP 02.73 02.74 02.73 02.74 02.73 02.74 02.73 02.22 02.22 02.22 02.22 02.22 03.20 03.21 03.21 03.21 03.21 03.21 03.23 04.16 04.64 04.60 04.90	34.950 AIR 1 HET 1 HER 2 HET 1 HER 2 HET 1 HER 2 HET 2 HER 2 HET 2 HER 2 HET	27.78 cooperation of the pulse	DIR M 222 SEA CL/TR CL/T	1463-1 1463-3 6T PER 2 3 5MD VEL 1458-8 1458-8 1459-1 1459-2 1459-2 1459-1 1459-3 1457-3 1457-3 1462-7 1462-7 1462-7 1462-7 1462-9 1462	HEND-SPD HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56
COMSEC 0018 LAT 45 03.5N LONG 046 40.0N CASTNUM/TIME	VEAR YOUR YEAR YOUR HOUR LVLTVP STD OBS	01020 1974 H 04 11 07-0 DEPTH 00000 00010	03.91 BOTOP 03499 SHIP EV DATA USE 1 AREA 05 VERP 02.73 02.74 02.73 02.74 02.73 02.62 02.62 02.62 02.62 02.62 03.67 03.21 03.21 03.83 04.16 04.00 04	34.950 AIR 1 HET 1 BARO CLOW SAL 33.09 33.090 33.093 33.080 33.311 33.110 33.113 33.130 33.313 33.130 33.32 33.32 33.310 33.32 33	27.78 concein	DIR M 222 SEA CL/TR DYNOPTH 00.000 00.016 00.039 00.049 00.157 00.157 00.268 00.313 00.354 00.429 00.556 00.556 00.612 00.665 00.713	1463-1 1463-3 6T PER 2 3 5ND VEL 1458-8 1458-8 1459-1 1458-8 1459-1 1459-2 1459-2 1459-2 1459-1 1459-1 1457-5 1457-6 1457-7 1466-7 1466-7 1466-7 1466-7 1474-5 1474	HEND-SPD HEND-FOR HEATHER	20 74	TRAI DURI OR LO	E DIR ATION DII	90. 508	D 5	SQUARE 46 SQUARE 56

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CONSE LAT LONG	45	8370 8019 13.0h 55.0u	DAY	11	SHIP EV DATA USE 1 AREA 05		9.50 BJULB 1.5301 RTBI	14		wind-dir Wind-SPD Wind-FOR Weather	20	TRACE		0G.7	3	SQUARE SQUARE SQUARE SQUARE	4
CAS	T HUN	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	HYPONYO	SAD VEL	OXY G	P 04	TOT P	NOZ	NO3	\$103	PM	
			570	90000	03.43	33,20	26.43	00.000	1462.0								
		99.7	280	90000	03.43	33.200	26.43		1445.0								
			STD	00010	03-42	33.20	26.43	00.016	1.5041								
			280	90010	03-42	33.200	26.43		1442.1								
			\$10	00020	03.41	33.20	26.44	90.032	1462.3								
			STO	00030	03-35	33.21	26.45	99.048	1462.2								
			065	00030	03-35	33.210	24.45	~~ ~~~	1462.2								
			STO	00050	03.06	33.22 33.220	24.48	00.080	1461.3								
			OBS STD	00030	03.06 02.86	33.25	24.48 26.52	99.116	1460.9								
			GRS	00075	02-86	33.250	26.52	04.114	1460.9								
			\$7D	00100	02.74	33.30	26.57	00.156	1460,8								
			085	00100	02.74	33.300	26.57	944130	1469.6								
			510	00125	03-92	33.79	24.85	00.189	1446.9								
			085	00125	03.92	33.790	26.85	001107	1466.9								
			STD	00150	04.16	33.97	26.97	00.218	1466.6								
			570	99299	04.50	34.24	27.15	00.270	1471.2								
			OBS	00200	04.50	34.240	27.15		1471.2								
			STO	00250	04.65	34.40	27.26	00.314	1472.9								
			085	00250	04.65	34.400	27.26		1472.9								
			STO	00300	04.65	34.48	27.32	00.355									
			085	00300	04.65	34.480	27.32		1473.6								
			510	00400	04.54	34.61	27.44	00.429	1475.2								
			DBS	00400	04,54	34.610	27.44		1475.2								
			STO	00500	04.41	34.68	27.51	00.496									
			280	005 00	04-42	34.680	27.51		1476.4								
			OB\$	90550	04.30	34.710	27.55		1476.8								
			STO	00600	04.23	34.74	27.54	00.557									
			085	00600	04.23	34.740	27.50		1477.4								
			STO	00700	04-10	34.78	27.62	00.613	1478.5								
			280 570	00700	04-10	34.780 34.83	27.62 27.67		1478.5								
			280	00800	04.01 04.01	34.830	27.67	00.666	1479.9								
			085	00845	03.89	34.850	27.70		1480.2								
			280	96649	04.05	34.880	27.71		1481.1								
			082	00880	03.86	34.874	27.72		1480-6								
			510	00900	03.92	34.88	27.72	00.714	1481.2								
			085	00900	03.92	34.880	27.72	44114	1481.2								
			STD	01000	93.77	34.93	27.78	00.759	1482.3								
			085	01000	03.77	34.930	27.74		1482.3								
			765	01020	93.72	34.930	27.70		1482.5								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIO 31 8370 CONSEC 0020 LAT 45 21.0N LONG 047 12.3M	YEAR MONTH DAY HOUR	1 04	BOTOP 02276 SHIP EV DATA USE 1 AREA 05	AIR T WET B Barom Clgud	ULB 07.8		GT PER 3 3	HIND-DIR WIND-SPD WIND-FOR WEATHER		TRAC	STD REC E DIR Tion Oli 510	00.4	5	N SQ 1306 SQUARE 4 SQUARE 46 SQUARE 57
CASTNUNTIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY 6	P04	TOT P	NO2	WD3	\$103	PH
	STD	00000	03.15	33.14	26.41	00.000	1460.7							
12.9	085	00000	03.15	33.140	26.41		1440.7							
	STD	00010	03.14	33.14	26.41	00.016	1440.8							
	OBS STD	00010 00020	03.14 03.13	33.140 33.15	26.41 26.42	00.032	1460.8							
	085	90020	03.13	33.150	26.42	00.032	1461.0							
	STD	00030	03.13	33.15	26.42	00.049	1461.1							
	085	00030	03.13	33.150	26.42		1461.1							
	085	00040	03.08	33.140	26.42		1461.1							
	STD	00050	02-68	33.11	26.43	00.081	1459.5							
	085 065	00050 00057	02.68 02.32	33.110 33.140	26.43 26.48		1459.5							
	STD	00075	02.24	33.17	20.51	00.120	1458.0							
	085	00075	02.24	33.170	26.51		1458.0							
	08 S	00085	02.21	33.196	26.53		1458.1							
	OBS	00088	01.60	33.140	26.52		1456.3							
	OBS STD	00093	02.12 02.45	33.290 33.65	26.62	00.154	1458.0							
	085	00100	02.65	33.450	26 .86 26 .8 6	00.134	1460.9							
	CBS	00110	04.31	33.900	26.90		1468.5							
	OBS	00115	04.42	33.920	26.91		1469.1							
	STD	00125	04.25	33.91	26.92	00.164	1468.5							
	085	00125	04-25	33.910	26.92		1468.5							
	OBS STD	00132 00150	04.00 04.72	33.900	26.93 27.02	00 212	1467.5							
	085	00150	04.72	34.10 34.100	27.02	00.212	1471.1							
	085	00160	04.36	34.080	27.04		1469.8							
	OBS	00168	04.41	34.110	27.06		1470.1							
	OBS	00180	05.04	34.200	27.12		1473.2							
	085	00190	04.74	34.250	27.13		1472.1							
	STD OBS	00200 00200	04.63 04.63	34.25 34.250	27.14 27.14	00.262	1471.8							
	085	00222	04.86	34.370	27.21		1473.2							
	OBS	00235	04.65	34.340	27.21		1472.5							
	STD	00250	04.72	34.43	27.28	00.307	1473.2							
	OBS	00250	04.72	34.430	27.28		1473.2							
	OBS STD	00275 00300	04.84	34.480	27.30	00 247	1474.2							
	085	00300	04.78 04.78	34.51 34.510	27.33 27.33	00.347	1474.4							
	STO	00400	04.89	34.64	27.42	00.422	1476.7							
	OBS	00400	04.89	34.640	27.42		1476.7							
	OBS	00470	04.38	34.646	27.48		1475.7							
	STO	00500	04.38	34.67	27.51	00.489	1476.3							
	280 STO	00550 00600	04.39 04.23	34.720 34.75	27.54 27.58	00.550	1477.2							
	Das	00650	04.14	34.770	27.61	00.550	1477.9							
	STD	00700	04-11	34.79	27.63	00.606	1478.6							
	085	00700	04-11	34.790	27.63		1478.6							
	085	00750	04.04	34.820	27.66		1479.2							
	STD	00800	04.01	34.84	27.68	00.658	1479.5							
	OBS STD	00800	04.01 03.94	34.840 34.89	27.66 27.73	00.706	1479.9							
	085	00900	03.94	34.890	27.73	00.700	1401.3							
	085	00980	03.90	34.940	27.77		1482.6							
	STD	01000	03.87	34.94	27.77	00.750	1482.8							
	OBS	01000	03.87	34.940	27.77		1482.8							
	085	01020	03.65	34.960	27.79		1483.1							

60

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIG 31 8370 CONSEC 0021 LAT 45 30.8N LONG 047 28.0H	MONT	1974 H 04 11 15.6	BOTOP Q2102 SHIP EV DATA USE 1 AREA 05				GT PER 2 2	h IND-DIR H IND-SPO H IND-FOR H EA THER	30	DURAT		00.5	TEN SQ 1306 5 SQUARE 4 2 SQUARE 46 1 SQUARE 57
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P04	TOT P	NO2	NO3	\$103 PH
	STO	00000	- 0.58	32.76	26.36	00.000	1441.0						
15.6	OBS	00000	- 0.98	32.760	26.36	00.000	1441.6						
	STD	00010	- 0.99	32.77	26.37	00.617	1441.8						
	085	00010	- 0.99	32.770	20.37	*****	1441.8						
	STO	00020	- 1.01	32.78	26.38	00.033	1441.8						
	STD	00030	- 1.04	32.79	26.39	00.050	1441.9						
	08 S	00030	- 1.04	32.790	24.39		1441.9						
	STD	00050	- 1.40	32.83	24.43	00.082	1440.6						
	085	00050	- 1.40	32.830	20.43		1440.6						
	CBS	00060	- 1.42	32.850	26.45		1440.7						
	STD	00075	- 0.94	33.05	26.59	00.121	1443.5						
	085	00075	- 0.94	33.050	24.59		1443.5						
	OBS	00085	00.08	33.210	26.68		1448.6						
	OBS	00095	03.17	33.770	26.91		1463.2						
	STO	00100	03.44	33.83	24.93	00.153	1464.5						
	OBS	00100	03.44	33.83.	26.93		1444.5						
	STD	00125	04.73	34.08	27.00	00.181	1470.7						
	085	00125	04.73	34.084	27.00		1470.7						
	STD	00150	04.40	34.19	27.12	00.206	1469.5						
	OBS	00180	04.39	34.250	27.17		1470.4						
	CBS	00140	04.48	34.250	27.16		1471.0						
	072	00200	04.38	34.25	27-17	00.253	1470.7						
	085	00200	04.38	34.250	27.17		1470.7						
	STD	00250	04-34	34.39	27.29	00.297	1471.6						
	085 085	00250 00270	04.34 04.51	34.390 34.450	27.29		1471.6						
	OBS	00280	04.38	34.480	27.32								
	STO	00300	04.63	34.52	27.35 27.36	00.336	1472.4						
	085	00300	04.63	34.520	27.36	00.336	1473.8						
	085	00370	04.80	34.610	27.41		1475.8						
	STO	00400	04.47	34.61	27.45	00.409	1474.9						
	065	00400	04.47	34.610	27.45	*******	1474.9						
	STO	00500	04.29	34.67	27.51	00.475	1475.9						
	CBS	00505	04.28	34.67	27.52		1475.9						
	GBS	00550	04.33	34.710	27.54		1476.9						
	OBS	00570	04.43	34.730	27.55		1477.7						
	STO	00600	04.27	34.75	27.5E	00.535	1477.5						
	085	30600	04.27	34.75u	27.58		1477.5						
	STD	00700	04.19	34.79	27.62	00.591	1478.9						
	280	00700	04.19	34.790	27.62		1478.9						
	OBS	00758	04.05	34.820	27.66		1479.3						
	STO	00800	04.00	34.83	27.67	00.644	1479.8						
	085	00800	04.00	34.830	27.67		1479.8						
	085	00875	03.57	34.88C	21.12		1481.0						
	STD	00900	03.93	34.89	27-73	00.692							
	085	00900	03.53	34.890	27.73		1481.3						
	STD	01000	03.92	34.95	27.78	00.737							
	OB\$	01000	03.52	34.950	27.78		1483.0						

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 4370 CONSEC 0022 LAT 45 39.3N LUNG 047 44.5N	MONTH	MONTH 04 SHIP EV WET BULB 05		SULB 05.8 METR 1014.6	19 4 5 WIND-SPD 27			27	TRAC	STD REC E DIR TION 011 512	D				
CASTMUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SAD VEL	OXY 6	P04	TOT P	NO2	NO3	\$103	PH	
	STD	00000	- 1.32	32.50	26.22	00.000	1439.8								
	OBS STD	00000	- 1.32 - 1.33	32.580	26.22	00.018	1439.8								
	STD	00010	- 1.33 - 1.32	32.600	26.24	00.036	1439.9								
	OBS STD	00020	- 1.32 - 1.60	32.60	26.24 26.30	00-053	1440.1								
	STD OBS	00050	- 1.78 - 1.78	32.78 32.780	26.40 26.40	00.087	1436.7								
	STO OBS	00075	- 1.31 - 1.31	32.92 32.920	26.50 26.50	00.127	1441.5 1441.5								
	STD OBS	00100	- 0.76	33.16 33.160	24.68 26.68	00.163	1444.9								
	STD OBS	00125 00125	00.26 00.26	33.49 33.490	26.90 26.90	99-195	1450.4								
	STD OBS	00150	00.85	33.69 33.690	27.02 27.02	00.222	1453.8 1453.8								
	085 STD	00177 00200	01.45 01.92	33.870 33.98	27.13 27.18	00.271	1457.2 1459.8								
	085 085	00200 00227	01.92 01.99	33.980 34.030	27.18 27.22		1459.8 1460.6								
	STD OBS	00250 00250	02.34 02.34	34.13 34.130	27.27 27.27	00.314	1462.7 1462.7								
	OBS STD	00277 00300	02.57 02.80	34.180 34.25	27.29 27.33	00.354	1464.2 1465.7								
	08 S 08 S	00300 00329	02.80 03.17	34.250 34.350	27.33 27.37		1465.7 1467.9								
	OBS STD	00349	03.09 03.46	34.350 34.46	27.38 27.43	00.427	1467.9								
	085 085	00400	03.46 03.72	34.460	27.43 27.43		1470.4								
	08 S 08 S	00424	03.63 03.82	34.476	27.42		1471.6								
	\$70 08\$	00500	03.92 03.92	34.59 34.590	27.49 27.49	00.494	1474.2 1474.2								
	CBS	00551	03.92 03.86	34.630	27.52 27.55	00.556	1475.1								
	280	00600 00651	03.86 03.76	34.660	27.55 27.59		1475.7								
	STD OBS	00700	03.74 03.74	34.73 34.730	27.62 27.62	00.613	1477.0								
	08 S	00751 00794	03.72	34.750 34.790	27.64 27.68		1477.7								
	STO STO	00800	03.66	34.79 34.84	27.68 27.72	00.665	1478.4								
	OBS	00900	03.45	34.840	27.72	001112	1460.1								
			02 42			00 756	1461 7								
	STD OBS	01000 01000	03.63 03.63	34.89 34.89u	27.76 27.76	00.758	1481.7								
				34.89 34.89u	27.76	00.758	1481.7								
REFID 31 8370		01000		34.89 34.89u AIR	27.76	******	1481.7	wind-dir	17	INST	STD REC	ORDER	16	EN SQ 130	6
CONSEC 0023 LAT 45 47.2N	VEAR MONTH DAY	01000 1974 1 04 11	03-63 BOTOP U0545 SHIP EV DATA USE 1	AIR 1 WET 1 BARD	27.76 ****** TEMP 06.2 BULB 05.8 METR 1010.4	DIR 1 18 SEA	1481.7 • • • PER • 5	WIND-SPD WIND-FOR	20	TRAC	E DIR TION	00.2	5	SQUARE 4	•
CONSEC 0023	GBS YEAR HONT:	01000 1974 1 04 11	03.63 BOTOP U0545 SHIP EV	AIR 1 WET 1 BARD	27.76 ****** TEMP 06.2 BULB 05.8	DIR +	1481.7 • • • PER • 5	WIND-SPD	20	TRAC	E DIR	00.2	5	SQUARE	•
CONSEC 0023 LAT 45 47.2N	YEAR MONTH DAY HOUR	01000 1974 1 04 11	03-63 BOTOP U0545 SHIP EV DATA USE 1	AIR 1 WET 1 BARD	27.76 ****** TEMP 06.2 BULB 05.8 METR 1010.4	DIR 1 18 SEA	1481.7 • • • PER • 5	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC	E DIR TION 011 513	00.2	5	SQUARE 4	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	YEAR MONTH DAY HOUR	1974 1 04 11 20.6 DEPTH	BOTOP U0545 SMIP EV DATA USE 1 AREA 05	AIR THET THE CLGUI	27.76 ******* TEMP 06.2 BULB 05.8 METR 1010.4 D T/A SIGMA-T 26.22	DIR P 18 SEA CL/TF	1481.7 MGT PER 4 5 SNC VEL 1439.5	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC 0023 LAT 45 47-2N LONG 047 58.0N	YEAR MONTH DAY HOUR LVLTYP STD OBS STD	01000 1974 1 04 11 20.6 DEPTH 00000 00000	03.63 BOTOP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37	AIR 1 MET 1 BARGI CLGUI SAL 32-57 32-57 32-57	27.76 •••••• TEMP 06.2 DULB 05.8 METR 1010.4 D T/A SIGMA-T 26.22 26.22 26.23	DIR H 18 SEA CL/TF	1481.7 MGT PER 4 5 SNC VEL 1439.5 1439.5 1439.7	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTH DAY HOUR STO OBS STD OBS	01000 1974 1 04 11 20.6 DEPTH 00000 00010 00010 00010 00020	03.63 BGTDP U0545 SHIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.37	AIR 1 BARGI CL GUI SAL 32-57 32-57 32-58 32-58 32-58 32-59	27.76 •••••• FEMP 04.2 BULD 05.8 4ETR 1010.4 5 T/A SIGMA-T 26.22 26.23 26.23 26.23	DIR H 18 SEA CL/TR DYNDPTH	1481.7 MGT PER 4 5 SNC VEL 1439.5 1439.7 1439.7 1439.8	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTH DAY HOUR STO OBS STD OBS STD OBS STD OBS STD	01000 1974 1 04 11 20.6 DEPTH 00000 00010 00010 00010 00020 00020 00020 00020 00020	03.63 BGTDP U0545 SHIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.38	AIR 1 MET 1 BAROI CLOUI SAL 32.57 32.58 32.59 32.59 32.59	27.76 **********************************	DIR P 18 SEA CL/TF DYNDPTH 00.000	1481.7 MGT PER 4 5 SNC VEL 1439.5 1439.5 1439.7 1439.8 1439.8 1449.8	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR MONTH DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD	01000 1974 4 04 11 20.6 DEPTH 00000 00010 00010 00020 00020 00020 00020 00020 00030 00030	03.63 BGTDP U0545 SHIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.37 - 1.37 - 1.37	AIR 1 BAROIC CL CUII SAL 32.57 32.57 32.58 32.59 32.59 32.59 32.59 32.59 32.59 32.59	27.76 **********************************	DIR H 18 SEA CL/TF DYNOPTH 00.000 00.018	1481.7 e GGT PER 4 5 SNC VEL 1439.5 1439.7 1439.7 1439.8 1439.8 1439.8 1439.1 1439.8 1439.1	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTH DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD	01000 1974 4 04 11 20.6 DEPTH 00000 00010 00010 00020 0	03.63 8GTDP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.37 - 1.37 - 1.76 - 1.76 - 1.76	AIR : WEA GO CL CUI SAL 32.57 G 32.58 G 32.59 G 32.50	27.76 **********************************	DIR P 18 5EA CL/TF DYNDPTH 00.000 00.018 00.036 00.054	1481.7 GT PER 4 5 SNC VEL 1439.5 1439.7 1439.7 1439.8 1439.8 1440.1 1440.1 1438.6 1438.6	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTY DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD	01000 1974 4 04 11 20.6 DEPTH 00000 00010 00010 00020 00020 00020 00030 0	03.63 8GTDP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.37 - 1.76 - 1.72 - 1.76 - 1.72 - 1.72	AIR 1 8AAOI CL GUIL SAL 32.57 32.58 32.59 32.50 32.50 32.50 32.50 32.50 32.50 32.50	27.76 **********************************	DIR P 18 5EA CL/TF DYNDPTH 00.000 00.018 00.036 00.054	SNC VEL 1439.5 1439.5 1439.7 1439.8 1440.1 1440.1 1438.6 1438.6 1438.7	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTH DAY HOUR STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS OBS OBS OBS OBS OBS OBS	01000 1974 104 11 20.6 DEPTH 00000 00010 00010 00020 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030	03.63 8GTDP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.37 - 1.76 - 1.76 - 1.72 - 1.72 - 1.75 - 1.75 - 1.75 - 1.75 - 1.75 - 1.75 - 1.75 - 1.75 - 1.75 - 1.75	AIR 1 NET 1 BAROIC CLCUI SAL 32.57 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.78 32.78 32.78 32.78 32.78 32.78 32.78 32.78 32.78 32.78 32.78 32.78 33.04 33.04 33.04 33.04	27.76 **********************************	DIR 1 18 5EA CL/TF 00.000 00.018 00.036 00.054 00.089 00.131 00.171	SNC VEL 1439.5 1439.5 1439.7 1439.7 1439.8 1440.1 1440.1 1438.6 1438.6 1438.7	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR MONTH DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS STD OBS OBS OBS OBS	01000 1974 104 11 20.6 DEPTH 00000 00010 00010 00020 00030 00030 00030 00030 00030 00030 00030 00030 00030	03.63 80TDP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.37 - 1.76 - 1.76 - 1.72 - 1.72 - 1.72 - 1.73 - 1.53 - 1.53 - 1.53 - 1.53 - 1.53 - 1.53	AIR 1 1 8AAOI CLCUII 8AAOI CLCUII 8AAO CLCUII 82.57 32.59 32.59 32.59 32.59 32.59 32.59 32.780 32.780 33.150 33.150	27.76 **********************************	DIR 1 18 5EA CL/TF 00.000 00.018 00.036 00.054 00.089 00.131 00.171	SNC VEL 1439.5 1439.5 1439.7 1439.8 1440.1 1440.1 1440.9 1440.9 1440.9	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR MONTH DAY HOUR LVLTYP STD OBS STD	01000 1974 104 11 20.6 DEPTH 00000 00010 00010 00020 00020 00030 00030 00030 00030 00030 00030 00104 00125 00125 00125 00125	03.63 80TDP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.37 - 1.76 - 1.76 - 1.72 - 1.75 - 1.75 - 1.75 - 0.76 00.26	AIR 1 1 8AAOI CL CUII SAL 32.57 32.58 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.35 32.38 32.38 32.38 32.38 32.38 33.35 33.3	27.76 **********************************	DIR 1 18 5EA CL/TF 00.000 00.018 00.036 00.054 00.089 00.131 00.171	1481.7 GT PER 4 5 SNC VEL 1439.5 1439.7 1439.7 1439.8 1439.1 1440.1 1438.6 1438.6 1438.6 1438.6 1438.6	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR MONTH DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS OBS STD OBS OBS OBS STD OBS OBS OBS STD OBS OBS OBS STD OBS	01000 1974 1 04 11 20.6 0EPTH 00000 00010 00010 00010 00020 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030 00030	03.63 BGTDP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.70	AIR 1 MET 1 BAROIC SAL 32.57 32.57 32.57 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.78 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35 33.35	27.76 **********************************	DIR P 18 5EA CL/TF DYNOPTH 00.000 00.018 00.036 00.034 00.089 00.131 00.171 00.207	1481.7 GT PER 4 5 SNC VEL 1439.5 1439.7 1439.8 1439.1 1440.1 1440.1 1440.9 1440.9 1440.9 1445.3 1450.7	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTH DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	01000 1974 104 11 20.6 DEPTH 00000 00010 00010 00010 00020 00030 00030 00075 00100 00114 00125 00125 00130 00150 00150 00150 00150	03.63 BOTOP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.37 - 1.75 - 1.75 - 1.75 - 1.75 - 1.75 - 1.75 - 0.76 00.26 00.26 00.32 00.34	AIR 1 MET 1 BAROIC SAL 32.57 BAROIC SAL 32.57 G 32.58 G 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.50 33.30 33.40 33.30 33.40 33.40	27.76 **********************************	DIR P 18 5EA CL/TF DYNOPTH 00.000 00.018 00.036 00.034 00.089 00.131 00.171 00.207	1481.7 GT PER 4 5 SNC VEL 1439.5 1439.7 1439.7 1439.8 1439.8 1439.8 1440.1 1440.9 1440.9 1441.4 1450.7	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTH DAY HOUR STD OBS STD	01000 1974 104 111 20.6 DEPTH 00000 00010 00010 00020 00020 00030 00030 00030 000150 00114 00125 00125 00150 00150 00175 00100 00114	03.63 BOTOP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.38 - 1.37 - 1.76 - 1.76 - 1.72 - 1.53 - 1.51 - 0.76 -	AIR 1 8AAO CL GUI SAL 32.57 32.57 32.55 32.58 32.59 32.59 32.59 32.59 32.59 32.59 32.78 32.78 32.78 33.39 33.30 33.40 33.44 33.35 33.38 33	27.76 **********************************	DIR P 18 5EA CL/TF DYNOPTH 00.000 00.018 00.036 00.034 00.089 00.131 00.171 00.207	1481.7 6 GT PER 4 5 1439.5 1439.5 1439.7 1439.7 1439.8 1640.1 1400.1 1400.9 1440.9	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTH DAY HOUR STD OBS STD	01000 1974 104 11 20.6 DEPTH 00000 00010 00010 00010 00020 00020 00030 00030 00030 000150 000150 00114 00125 00125 00125 00125 00125 00125 00125 00125 00125 00125 00125	03.63 BOTOP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.76 - 1.72 - 1.75 - 1.75 - 1.75 - 1.72 - 1.53 - 1.51 - 0.76 00.26 00.32 00.34 00.34 00.34 00.44 00.46	AIR 1 NET 1 BAAGO CL CUI SAL 32.57 32.57 32.58 32.59 32.59 32.59 32.59 32.65 32.65 32.65 32.65 33.60 3	27.76 **********************************	DIR 18 5EA CL/TF 00.000 00.018 00.036 00.054 00.089 00.131 00.171 00.207 00.240 00.303	1481.7 6 GT PER 4 5 1439.5 1439.5 1439.7 1439.7 1439.8 1640.1 1440.9	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTP DAY HOUR STD OBS STD	01000 1974 104 11 20.6 DEPTH 00000 00010 00010 00010 00020 00020 00050 00050 00050 000100 00114 00125 00125 00125 00125 00150 00175 00175 00175 00175 00175	03.63 BOTOP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.53 - 1.51 - 0.76 - 0.76 - 0.76 - 0.76 - 0.76 - 0.76 - 0.76 - 0.76 - 0.76 - 0.32 00.32 00.34 00.39 00.34 00.44 00.46 00.71 00.85	34-890 AIR TENT BAAGO CL CUI SAL 32.57 32.58 32.58 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.55 32.65 32.65 32.65 32.65 32.65 32.65 33.60	27.76 **********************************	DIR 18 5EA CL/TF 00.000 00.018 00.036 00.054 00.089 00.131 00.171 00.207 00.240 00.363	1481.7 6 GT PER 4 5 SNC VEL 1439.5 1439.7 1439.7 1439.7 1439.8 1640.1 1640	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTP DAY HOUR STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD	01000 1974 104 11 20.6 DEPTH 00000 00010 00010 00010 00010 00020 00050 00050 000150 00114 00125	03.63 BOTOP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.53 - 1.51 - 0.76	34.89u AIR 1 WET 1 BAROIC CL CUI SAL 32.57	27.76 **********************************	DIR 18 5EA CL/TF 00.000 00.018 00.036 00.054 00.089 00.131 00.171 00.207 00.240 00.363	SNC VEL 1439.5 1439.5 1439.7 1439.7 1439.8 1439.8 1439.8 1439.4 1440.9 1440.9 1440.9 1440.9 1440.9 1440.9 1450.6 1438.6	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTY DAY HOUR STD OBS ST	01000 1974 104 11 20.6 0EPTH 00000 00010 00010 00010 00010 00010 00010 00010 00010 00114 00125 00150 00100	03.63 8GTDP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.38 - 1.38 - 1.37 - 1.76 - 1.76 - 1.72 - 1.72 - 1.75 - 1.75 00.26 00.26 00.26 00.39 00.34 00.34 00.44 00.46 00.46 00.71 00.85	AIR 1 NET 1 BAROIC CLCUII SAL 32.57 32.58 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.65	27.76 **********************************	DIR 18 5EA CL/TF 00.000 00.018 00.036 00.054 00.089 00.131 00.171 00.207 00.240 00.363	1481.7 GT PER 4 5 SNC VEL 1439.5 1439.7 1439.8 1439.8 1439.8 1439.8 1439.9 1440.9 1440.9 1440.9 1440.9 1440.9 1450.3 1450.3 1450.3 1451.9 1451.9 1451.9 1452.3 1453.3 1453.3	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR MONTH DAY HOUR STD OBS ST	01000 1974 104 11 20.6 0EPTH 00000 90000 90000 00010 00010 00010 00010 00010 00010 00100	03.63 8GTDP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.38 - 1.38 - 1.37 - 1.76 - 1.76 - 1.72 - 1.75 - 1.75 - 1.75 0.76 00.26 00.26 00.39 00.39 00.44 00.46 00.46 00.471 00.85 01.85 01.85 01.85 01.85	AIR TENT TO THE TE	27.76 **********************************	DIR P 18 5EA CL/TF 00.000 00.018 00.036 00.054 00.089 00.131 00.171 00.207 00.240 00.303	1481.7 GT PER 4 5 SNC VEL 1439.5 1439.7 1439.7 1439.8 1440.1 1440.1 1440.9 1440.9 1440.9 1440.9 1440.1 1451.3 1450.3 1450.7 1451.9	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC 0023 LAT 45 47-2M LONG 047 58-0M CASTRUM/TIME	VEAR MONTH DAY HOUR STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS OBS OBS	01000 1974 104 11 20.6 0EPTH 00000 00010 00010 00010 00020 00020 00030 00030 00030 00030 00100 00114 00125 00150	03.63 80TDP U0545 SMIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.76 - 1.76 - 1.76 - 1.72 - 1.75 - 1.75 - 1.75 00.26 00.26 00.39 00.34 00.39 00.34 00.39 00.44 00.46 00.71 00.85 01.85 01.85 01.85 01.85	AIR 1 1 8AAOI CL CUII SAL 22.57 32.58 32.59 32.59 32.59 32.59 32.59 32.59 32.59 32.65 32.78 32.78 32.78 33.350 33.40 33.	27.76 **********************************	DIR P 18 5EA CL/TF 0.000 0.018 0.036 0.036 0.054 0.089 0.131 00.171 00.207 00.240 0.303 00.363	1481.7 GT PER 4 5 SNC VEL 1439.5 1439.7 1439.8 1439.8 1439.8 1440.1 1440.9 1440.9 1440.9 1440.9 1440.9 1440.9 1451.3 1450.7	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•
CONSEC Q023 LAT 45 47-2N LONG 047 58.0M CASTNUM/TIME	VEAR HONTY DAY HOUR STD OBS OBS OBS STD OBS OBS STD OBS STD OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	01000 1974 104 11 20.6 0EPTH 00000 00010 00010 00010 00020 00020 00030 00030 00030 00100 001	03.63 8GTDP U0545 SHIP EV DATA USE 1 AREA 05 TEMP - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.37 - 1.53	AIR TENT TO THE TE	27.76 **********************************	DIR P 18 5EA CL/TF 00.000 00.018 00.036 00.054 00.089 00.131 00.171 00.207 00.240 00.303	1481.7 GT PER 4 5 SNC VEL 1439.5 1439.7 1439.7 1439.7 1439.8 1439.8 1439.8 1440.9 1440.9 1441.4 1438.6 1438.6 1438.6 1438.6 1438.7 1450.7 1451.9 1451.9 1451.9 1452.3 1453.3 1453.3 1453.7 1451.4	WIND-SPD WIND-FOR WEATHER	20 X4	TRAC DURA ORIG	E DIR TION 011 513	00.2 18	5 2 1	SQUARE SQUARE 5	•

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8370 CONSEC 0024 LAT 45 50.00 LONG 048 05.31	MONTH 04	BOTOP 00190 SHIP EV DATA USE 1 AREA 05	WET BULB 04.2 BANDMETR 1010.8	22 3 2	wind-dir 21 Hind-spd 20 Wind-for Weather X5	INST STD RECORDER TRACE DIR D DURATION 00-1 ORIG 011 514	
CASTNUNTINE	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH SND VEL	0XY 6 PO4	TOT P NG2 NG3	\$103 PH
22.0	STD 00000		32.56 26.21	00.000 1439.8			
22.0	085 00000 \$70 00010 085 00010	- 1.32 - 1.32	32.560 26.21 32.57 26.22	0G.018 1439.9			
	STD 00020	- 1.32 - 1.32	32.570 26.22 32.57 26.22	00.036 1440.1			
	085 00020 STD 00030	- 1.31	32.576 26.22 32.59 26.23	00.054 1440.3			
	OBS 00030 STD 00050 OBS 00050	- 1.31 - 1.34 - 1.34	32.590 26.23 32.60 26.24	00-090 1440-5			
	STD 00075 085 00075	- 1.74	32.600 26.24 32.71 26.34	1440.5 00.133 1439.2			
	085 00075 085 00088 STD 00100	- 1.74 - 1.59 - 1.63	32.710 26.34 32.760 26.38 32.90 26.49	1439.2 1440.2 00.174 1440.4			
	085 00100	- 1.63	32.900 26.49	1440.4			
			****	******			
REFID 31 8370 CONSEC 0025		BOTOP 00106 SHIP EV	AIR TEMP 02.2 WET BULB 02.2	DIR HGT PER 18 4 5	WIND-DIR 19 WIND-SPD 18	INST STD RECORDER TRACE GIR O	TEN SQ 1306 5 SQUARE 4
LAT 45 58.0N LONG 048 15.4M	DAY 11	DATA USE 1 AREA 05	BAROMETR 1010.8 CLUUD T/A	SEA CL/TR	WIND-FOR WEATHER X5	DURATION 00.1 DRIG 011 515	2 SQUARE 48 1 SQUARE 58
CASTNUM/TIME		TEMP	SAL SIGMA-T	DYNOPTH SAD VEL	QXYG PO4	TOT P NOS NOS	\$103 PH
23.7	STD 00000 085 00000	- 1.03 - 1.03	32.50 26.15 32.500 26.15	00.000 1441.0			
	00010 00010	- 1.03 - 1.03	32.50 26.16 32.505 26.16	0C.019 1441.2 1441.2			
	\$70 00020 \$70 00030	- 1.05 - 1.07	32.51 26.16 32.52 26.17	00.037 1441.3 00.056 1441.3			
	STD 00050 085 00050	- 1.12 - 1.12	32.54 26.19 32.540 26.19	00.093 1441.5 1441.5			
	DBS 00068 STD 00075	- 1.50 - 1.37	32.620 26.26 32.77 26.38	1440.1			
	085 00075 085 00095	- 1.37 - 1.17	32.770 26.38 32.850 26.44	1441 - 1 1442 - 4			
	STD 00100 085 00100	- 1.17 - 1.17	32.85 26.44 32.850 26.44	00.177 1442.5 1442.5			
		••••					
AEF10 31 8370	YEAR 1974	BOTDP 00117	AIR TEMP Q2.8	DIR HGT PER	WIND-DIR 23	INST STO RECORDER	TEN 50 1306
CONSEC 0026	MONTH 04 DAY 12	SHIP EV DATA USE 1	WET BULB 01.9 BANGMETR 1008.9	26 3 4 SEA	WIND-SPD 14 WIND-FOR	TRACE DIR D DURATION 00.1	
LONG 048 25.0W	HOUR 04-1	AREA 05	CLGUD T/A	CL/TR	WEATHER X4	GRIG 011 516	1 SQUARE 68
CASTNUM/TIME		YEMP		DYNDPTH SAD VEL	DXY G PO4	TOT P NO2 NO3	SIO3 PH
04-1	STD 00000 085 00000		32.51 26.16 32.510 26.16	00-000 1441-4			
	STD 00010 085 00010	- 0.95	32.53 26.17 32.530 26.17	06.019 1441.6 1441.6			
	STD 00020 DBS 00020	- 0.97 - 0.97	32.55 26.19 32.550 26.19	00.037 1441.7 1441.7			
	STD 00030 085 00030	- 1.10 - 1.10	32.58 26.22 32.580 26.22	00.055 1441.3 1441.3			
	085 00041 STD 00050	- 1.44 - 1.53	32.590 26.24 32.65 26.29	1439.5			
	08S 00050 STD 00075	- 1.53 - 1.71	32.656 26.29 32.77 26.39	1439.7			
	OBS 00075	- 1.71 - 1.36	32.770 26.39 32.900 26.48	1439.4 1441.4			
	STD 00100 OBS 00100	- 1.22 - 1.22	32.92 26.50 32.920 26.50	00.173 1442.4 1442.4			
	OBS 00115	- 1.20	32.930 26.50	1442.7			
			*****	*******			
REFID 31 8370 CONSEC 0027	MONTH G4	BOTOP 00085 Ship ev	AIR TEMP 01.9 WEI BULB 01.1	DIR HGT PER 26 3 3	WIND-DIR 28 WIND-SPD 10	INST STD RECORDER TRACE DIR D	TEN SQ 1306 5 SQUARE 4
LAT 46 08.0N	DAY 12	DATA USE 1 AREA 05	BANOMETR 1009.1 CLUUD T/A	SEA CL/TR	HIND-FOR HEATHER X4	DURATION 00.1 ORIG 011 517	2 SQUARE 68 1 SQUARE 68
CASTNUM/TIME		TEMP	SAL SIGMA-T	DYNOPTH SND VEL	DXY G PU4	TOT P NG2 NG3	\$103 Ph
07.1	STD 00000 085 00000	- 0.66	32.26 25.95 32.260 25.95	00.000 1442.4 1442.4			
	STD 00010 085 00010	- 0.66	32.27 25.95 32.276 25.95	00.021 1442.6 1442.6			
	STD 00020 085 00020	- 0.70 - 0.70	32.29 25.97 32.296 25.97	00.041 1442.6 1442.6			
	STD 00030 085 00030	- 0.77 - 0.77	32.30 25.98 32.30u 25.98	00.062 1442.5 1442.5			
	STD 00050 085 00050	- 0.93 - 0.93	32.33 26.01 32.330 26.01	00.102 1442.1			
	STD 00075 DBS 00075	- 1.35 - 1.35	32.41 26.09 32.410 26.09	00.151 1440.6			
	085 00084	- 1.36	32.420 26.10	1440.8			
			*****	******			

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CONSEC		6370 0028 33.6N 09.3W	YEAR MONTH DAY HOUR	12	BOTOP 0394 SHIP EV DATA USE AREA	1 15	AIR TEMP MET BULB BANGMETR CLCUD T/A		DIR HI 20 I SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	20	TRACI		00.5	5	n SQ 1: SQUARE SQUARE SQUARE	**
CASTR	WIN	TIME	LVLTYP	DEPTH	TEMP	s	AL SIG	MA-T	DYNOPTH	SNO VEL	DXY 6	P04	TOT #	NO2	NQ3	\$103	PH	
			STO	00000	04.04	33	.23 26	-40	00.000	1464.6								
		21.8	08 \$	00000	04.04			.40	******	1464.6								
			STD	00010	04.05	33	.24 26	-40	00.016	1464.9								
			STD	00020	04.08			-40	00.033	1445.2								
			OBS STD	00020	04.08			-40		1465.2								
			280	00030	04.12 04.12			.39	00.049	1465.5								
			085	00045	04.36			.48		1466.9								
			STO	00050	04.18			.49	00.081	1466 .2								
			085	00055	04.02			.50		1465.6								
			OBS	00070	03.64			-52		1464.2								
			STD	00075	03.71			-52	00.120	1464.6								
			085 085	00080	03.75		.376 26	.54		1464.9								
			085	00090	03.75 04.14			.58		1465.1								
			STD	00100	03.70			.59	00.157	1465.1								
			085	00100	03.70	33		. 59	•••••	1445.1								
			86S	00120	05.13	33	.790 26	.12		1471.9								
			STO	00125	05.17			.73	00.192									
			OBS	00130	05.24			.74		1472.6								
			OBS STD	00140	05.45			-91	00 334	1473.9								
			085	00150	05.29 05.29	34		• 90 • 90	00.224	1473.4								
			DBS	00180	04.86			. 94		1472.2								
			STD	00200	04.73			. 05	00.279									
			OBS	00200	04.73	34	.140 27	. 05		1472.0								
			065	00220	04.89	34	-190 27	.07		1473.1								
			OBS STD	00230 00250	04.81	34	.190 27	.08		1472.9								
			085	00250	05.15 05.15			-11	00.330	1474.8								
			DBS	00275	04.73		.200 27	-16		1473.5								
			STD	00300	05.18		.47 27	- 24	00.377									
			085	00300	05.18	34	.470 27	- 26		1476.0								
			085	00350	05.35		.590 27	.33		1477.7								
			STD	00400	05.16		.61 27	-37	00.458	1477.7								
			08 S 08 S	00400 00450	05.16 04.97		.616 27	.37		1477.7								
			STO	00500	04.84	- 7		-49	00.529	1477.8								
			Des	00500	04.84		.710 27	.49	00.729	1478.2								
			085	00550	04.66			. 53		1478.4								
			STD	00400	04.54	34	.77 27	.57	90.592	1478.7								
			OB S	00600	04.54		.770 27	.57		1478.7								
			OB\$ Sto	00650	04.30	34	-760 27	.59		1476.5								
			085	00700 00700	04.21 04.21		.75 2T	.59	00.651	1479.0								
			085	00750	04.16			.65		1479.7								
			STD	00800	04.21			.66	90.706									
			085	00800	04.21	34	-840 27	.66		1460.7								
			280	00850	04.04		-810 27	. 65		1480.8								
			STO	00900	04.12			• 73	00.755									
			OBS OBS	00900	04.12			- 73		1482.1								
			STD	01000	04.09 04.00			.76	00.800	1482.9								
			085	01000	04.00			.74	00.000	1483.4								
										. 145 6-7								

64

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CONSEC		8370 0029 47.5N 48.0W	Y EAR MONTH DAY HOUR	13	BUTDP 03109 SHIP EV DATA USE 1 AREA 05				GT PER 3 2	HIND-DIR HIND-SPD HIND-FOR HEATHER		TRAC	STO RE E DIR Tign Dil Si	00.6	5 2	N SQ 1306 SQUARE 4 SQUARE 44 SQUARE 55
CASTN	WW/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SMD VEL	OXY 6	P04	TOT >	NO2	NG3	\$103	PH
			STO	00000	03.92	33.83	26.89	00.000	1465.0							
		03.2	COS STD	00000	03.92	33.835	26.89	00 013	1465.0							
			085	90010	03.92 03.92	33.84 33.837	26.89 26.89	00.012	1445.1 1465.1							
			STD	00020	03.92	33.84	26.89	00.023	1465.3							
			065	00020	03.92	33.840	20.89		1445.3							
			STD	00030	03.93	33.85	26.90	00.035	1465.5							
			OBS STD	00030	03.93 03.98	33.847 33.86	26.90 26.91	00.058	1465.5 1466.1							
			085	00050	03.98	33.861	26.91	******	1444.1							
			OBS	00062	04.19	33.949	26.95		1447.3							
			STD	00075	03.84	33.99	27.02	00.086	1466.1							
			065 065	00075	03.84 03.15	33.990 34.035	27.02 27.13		1466.1							
			STD	00100	04.12	34.30	27.24	00.110	1468.1							
			OBS	00100	04.12	34.296	27.24		1468.1							
			085	00113	05.33	34.500	27.26		1473.6							
			STD DBS	00125 00125	05.13 05.13	34.49 34.48a	27.28 27.28	00.131	1472.9							
			085	00133	05.50	34.597	27.32		1474.7							
			STO	00150	05.24	34.60	27.35	00.150	1473.9							
			085	00150	05.24	34.596	27.35		1473.9							
			085 085	00173 00184	04.97 05.83	34.595	27.36 27.44		1473.2							
			280	00197	05.47	34.813	27.44		1477.2							
			STD	00200	05.88	34.84	27.46	00.184	1477 - 7							
			085	00211	05.91	34.865	27.48		1478.0							
			085	00223	C5.50	34-824	27.50		1476.5							
			280 280	00228	05.72 04.95	34.885 34.800	27.52 27.54		1477.6							
			STD	00250	05.33	34.86	27.55	00.217	1476.3							
			085	00250	05.33	34.859	27.55		1476.3							
			OBS OBS	00252 00265	05.51 05.33	34.908 34.89J	27.56 27.57		1477.1 1476.6							
			OBS	00289	05.76	35.009	27.61		1478.9							
			STD	00300	05.46	34.98	27.43	00.244	1477.8							
			085	00301	05.46	34.975	27.62		1477.0							
			08 S 08 S	00311 00348	05.67 05.24	35.034	27.64 27.65		1478.9							
			OBS	00359	04.73	34.931	27.67		1475.7							
			085	00384	04.55	34.92>	27.69		1475.4							
			STD	90400 90400	04.63	34.96	27.71	00.292	1476.0							
			280 280	00400	04.63 04.52	34.964 34.954	27.71 27.71		1476.0							
			065	00424	04.58	34.977	27.73		1476.2							
			085	00449	04.25	34.935	27.73		1475.2							
			OBS STD	00472 00500	04.43 04.39	34.976 34.98	27.74	00.334	1476.4							
			085	00500	04.39	34.964	27 , 75 27 , 75	00.334	1476.7							
			085	00548	04.25	34.974	27,76 27,77		1476.9							
			STD	00600	04.26	34.98	27.77	00.375	1477.8							
			280 280	00400 00448	04.26 04.22	34.982 34.995	27,77 27,78		1477.8							
			STO	00700	04.28	35.01	27.79	00.415	1479.6							
			085	00700	04.28	35.014	27,79		1479.6							
			085 085	00748	04.20	35.002	27.79		1480.1							
			\$TD	00800	04.25 04.23	34.995 34.99	27,78 27,78	00.455	1480.3							
			085	00800	04.23	34.990	27,78		1481.0							
			085	00850	04.08	34.975	27,78		1441.2							
			870 280	00900	03.63 03.83	34.93 34.935	27.77 27.77	00.497	1480.9							
			085	00950	03.72	34.925	27,78		1461.3							
			085	00970	03.49	34.920	27.78		1481.5							
			STO	01000	03.86	34.95	27.70	00.539	1462.8							
			08 S 08 S	01000 01020	03.86 03.84	34.950 34.940	27.7 8 27.78		1482.8							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID CONSEC LAT LONG	46	8370 9030 90.0N 25.5W	MONT	1974 n 04 13 10-2	SOTOP GOSTS SHIP EV DATA USE I AREA OS	AIR T WET 8 BARGM CLUGO	ULB -00.2 ETR 1014.5		GT PER 6 3	HIND-DIR HIND-SPD HIND-FOR HEATHER	25	TRACE		ORDER D 00.4	5	N SQ 1 SQUARE SQUARE SQUARE	66
CAST	NU N	/T I ME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DVNDPTH	SNO VEL	OXY G	P04	70T P	NG2	NO3	\$103	PH	
			STD	00000	01.05	33.01	26.47	06.000	1451.3						•		
		10.2	085	00007	01.05	33.010	20. 7	44.400	1451.4								
			STO	00010	01.05	33.01	26.4.	00.016									
			OB S	00019	01-04	33.000	26.40		1451.6								
			STO	00020	01.03	33.00	26.46	00-032	1451.6								
			OBS	00020	01.03	33.000	26.46		1451.5								
			STO	00030	06.99	33.07	26.52	00-047									
			085	00032	00.98	33.080	26.53		1451.6								
			STD	00050	00.97	33.09	26.53	00.077	1451.9								
			280	00051	00.97	33.090	26.54		1451.9								
			\$10 885	00075	01.31 01.34	33.21 33.21u	24.61	00-114									
			085	00079	01.44	33.220	26.61 26.61		1454.1								
			085	00069	03.08	33.620	26.80		1462.5								
			STO	00100	03.40	33.72	26.83	00-148	1465.1								
			OBS	00106	03.85	33.770	26.85		1466.3								
			STD	00125	04.21	33.89	26.91	00-178	1468.3								
			085	00129	04.26	33.924	26.92	_	1466.6								
			STD	00150	04.33	34.02	26,99	00-506	1469.4								
			280	00152	04.35	34.030	27.00		1469.5								
			065	00167	04.50	34.100	27.03		1470.7								
			085	00175	04.09	34.110	27.09		1468.9								
			STD	00200 00203	04.14	34 -12	27.09	00.258	1469.6								
			085 085	00209	04.15 04.08	34.12ú 34.12ú	27.05 27.10		1469.7								
			085	00215	04.24	34.250	27.19		1470.4								
			085	00228	04,24	34.240	27.10		1470.6								
			085	00237	04.46	34.353	27.24		1471.8								
			085	00247	04.73	34.370	27.24		1473.1								
			STD	00250	04.75	34.50	27.23	00.305	1473.2								
			085	00253	04.76	34.380	27.23		1473.4								
			065	00276	04.73	24.440	27.28		1473.7								
			STD	00300	04.57	34.45	27.31	00.347	1473.4								
			OBS	00302	04.56	34.450	27.31		1473.4								
			OBS	00350	04.56	34.476	27.33		1474.3								
			STD OBS	90400 90403	04.38 04.37	34.56 34.560	27.41 27.42	00-423	1474.5								
			085	00464	04.11	34.590	27.47		1474.4								
			STO	90500	04.08	34.58	27.47	00.492									
			Ges	00502	04.08	34.500	27.47	******	1474.9								
			OBS	90552	04.09	34.590	27.47		1475.0								
			STD	00600	04.07	34.70	27.56	00.556	1476.6								
			OBS	90601	04.07	34.700	27.56		1476.7								
			DAS	90666	03.96	34.720	27.59		1477.3								
			STO	00700	03.91	34.71	27.55	00.614	1477.7								
			OBS	00711	03.89	34.710	27.59		1477.6								
			085	90750	03.79	34.720	27.61		1478.0								
			STD OBS	00801	03.74 03.74	34.79	27.67	00-608	1478.7								
			085	00871	03.71	34.790 34.790	27.47 27.47		1479.8								
			200	,,,,,					17.0								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 CONSEC LAT 44 LONG 044	0031	YEAR MONTI DAY HOUR	1974 1 04 13 16.1	BOTOP 01414 SHIP EV DATA USE 1 AREA 05	AIR 1 BAROI CLGU	ULB 00.8 ETR 1015.9	DIR H 27 SEA CL/TR		wind—dir wind—3PD wind—for weather	18	TR AC	STD RE E DIR Tion 011 52	00.5	5 2	n SQ 1 SQUARE SQUARE SQUARE	.:
CASTNU	WTIME	LVLTYP	DEPTH	TEMP	SAL	S IGMA-T	DYNOPTH	SND VEL	DXY G	P04	101 P	NOZ	NO3	\$103	PH	
		STO	00000	- 1.01	32.51	26-16	00.000	1441.1								
	16.1	OBS STD	00003	- 1.01 - 1.00	32.510 32.52	26.16 26.17	00.019	1441.2								
		085	00013	- 1.00	32.534	26.18	00.017	1441.4								
		210	00020	- C.93	32.63	26.25	00.037	1442.0								
		OBS OBS	00020 00026	- 0.86 - 0.30	32.650	26.27 26.41		1442.3								
		STD	00030	- 0.13	32.99	26.52	00.053	1446.4								
		085	00030	- 0.11	33.010	26.53		1446.5								
		OBS ,	00041	00.32	33.076 33.215	26.56		1448.8								
		085	00047	00.61 01.26	33.260	26.66 26.67		1450.3								
		STD	00050	01.26	33.29	26.67	00.082	1453.5								
		085 085	00053	01.34 01.66	33.310	26.69		1453.9								
		085	00068	02.66	33.40u 33.567	26.74 26.79		1455.5								
		985	00074	03.06	33.710	26.87		1462.3								
		STD	00075	03.17	33.72	26-87	00.114	1462.8								
		OBS OBS	00081	03.75 02.78	33.770 33.725	26.86 26.91		1465.5								
		085	00099	02.79	33.760	26.94		1461.6								
		STD	00100	02.93	33,78	26.94	00.143									
		085 085	00104	03.56 04.42	33.89U 34.04U	26.97 27.00		1465.2 1469.2								
		STD	00125	04.53	34.09	27.03	00.171									
		085	00127	04.55	34.100	27.03		1470.0								
		085 085	00140	02. 8 5 03.13	34.000 34.015	27.12		1462.9								
		STO	00150	03.25	34.03	27.11 27.11	00.196	1464.3 1464.8								
		OBS	00152	93.41	34.060	27.12		1465.4								
		085 085	00177	03.36	34.120	27.17		1445.9								
		085	00182 00186	03.51 94.46	34.120 34.250	27.16 27.16		1466.6								
		STO	00200	04.45	34.32	27.20	00.243	1472.0								
		280	00201	04.67	34.330	27.20		1472.1								
		280 280	00226 00247	04.73 04.79	34.380 34.407	27.24 27.25		1472.8								
		STD	00250	94-68	34.39	27.25	00.287	1473.0								
		280	00255	04.56	34.370	27.25		1472.5								
		280 280	00257 00266	94.55 94.26	34.37 <i>û</i> 34.40 <i>û</i>	27.25 27.30		1472.5								
		280	00261	03.71	34.380	27.34		1469.4								
		280	00283	03.78	34.400	27.35		1449.8								
		OBS STO	00265	04.21 04.32	34.44G 34.47	27.34 27.35	00.327	1471.7								
		085	00350	04.55	34.540	27.38	*****	1474.3								
		STD	00400	04.58	34.59	27.42	00.401	1475.3								
		085 085	00401	04.58 04.46	34.590 34.590	27.42 27.43		1475.3								
		STD	00500		34.60	27.45	00.471	1476.0								
		085	00500	04.35	34.600	27.45		1476.0								
		280 510	00550 00600	04.28 04.15	34.600 34.69	27.46 27.54	00.536	1476.6								
		085	00601	04-15	34.690	27.55	001770	1477.0								
		OBS STD	00651		34.700	27.57		1477-1								
		31U	00700		34.73 34.7.3	27.59 27.59	00.595	1478.0								
		085	00750	03.45	34.710	27.59		1478.2								
		STD	00800		34.74	27.62	00.451	1478.8								
		OBS DBS	00801 00850	03.78 03.74	34.74u 34.800	27.62 27.68		1478.8								
		STO	90900	03.69	34.79	27.67	00.704	1480.2								
		280	00900	03.69	34.790	27.67		1480 . 2								
		085 570	00951 01000	03.63 03.60	34.780 34.80	27.67 27.69	00.754	1480.8								
		085	01001		34.80>	27.69	300174	1481.5								
		085	01026	93.40	34.890	27.74		1482.0								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 637 CONSEC 003 LAT 46 13-1 LONG 047 09-8	N DAY S HOM	R 1974 TH 04 13 R 19.6	BOTOP GOSTS SHIP EV DATA USE I AREA OS	WET BARD	TEMP -00.8 BULB -02.0 METR 1016.3 O T/A	28		w in d-d i w in d-spi w in d-foi w ea ther	22	TRAC DURA	STO REG E DIR Tion Oli Sza	00.3	. 2	N SQ 1304 SQUARE 4 SQUARE 64 SQUARE 67
CASTNUM/TEME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	DXYG	P04	TOT #	NO2	NO3	\$103	PH
	STD	90000	- 1	32.52	26.10	00.000	1439.6							
19.6	280 072	00003	- 1.35 - 1.31	32.521 32.52	26.16	00.018	1439.4							
	OBS STD	00011	- 1.30 - 1.29	32.520 32.53	26.18	00.037	1440.0							
	085. STD	00020	- 1.29 - 1.29	32.530 32.53	26.18	00.055	1440.2							
	08 S	00030	- 1.29	32.530	26.18	00.033	1440.4							
	085 \$10	00045 00050	- 1.29 - 1.39	32.510 32.52	26.17	00.092	1440.6							
	085	00051	- 1.45 - 1.70	32.520 32.667	26.18 26.30		1439.9							
	\$TD 085	00075 00076	- 1.21 - 1.16	33.00 33.030	26.56 26.58	00.134	1442.1							
	085 085	00081 00083	- 0.87 - 0.61	33.200	26.71 26.71		1444.1							
	OBS STD	00093 00100	- 0.35 00.13	33.253	26.73 26.79	00.168	1446.8							
	08S	00104	00.38 00.66	33.420 33.650	26.83 27.00		1450.4							
	STD	00125	OC. 98	33.68	27.01	00.197	1453.9							
	085 510	00125	01.00 01.74	33.86	27.01 27.10	00.223	1454.1							
	085 085	00150 00175	01.74 01.45	33.840 33.900	27.10 27.15		1458.0							
	STO Das	00200 00201	01. 99 02.02	34.03 34.035	27.22 27.22	00.269	1460.2							
	08S STD	00226	02.42	34.090 34.20	27.23 27.30	00.310	1462.6							
	085 085	00253 00279	C2.60	34.205	27.31	***************************************	1465.6							
	STD	00300	02.00	34.26	27.30 27.30	00.350	1467.1							
	08 S	00300 00354	03.15 03.53	34.260 34.380	27.30 27.36		1467.2							
	STD OBS	00400	03.77 03.78	34.44 34.443	27.39 27.39	00.427	1471.7							
	OBS STD	00451 00500	03.96 04.01	34.470 34.59	27.39 27.48	00.496	1473.4							
	085 085	00500 00553	04.01 03.99	34.590 34.590	27.48 27.48	•••	1474.6							
	STD	00600 00603	03.96	34.58	27.48	00-563	1476.0							
	08 \$ 08 \$	00651	03.96 03.90	34-580 34-680	27.48 27.56		1476.1							
	STD OBS	00700 00700	03.61 03.61	34.71 34.710	27.60 27.60	00.624	1477.2							
	065 STO	00750	03.76 03.71	34.740 34.73	27.63 27.62	00.680	1477.9							
	08S 08S	00801	03.71 03.72	34.730 34.73u	27.62		1478.5							
						*******	•							
AEFID 31 8370		1974	BOTOP 00305	ALR T		01A H0		*[h0-0[R			STO RECO			SQ 1306
CONSEC 0033 LAT 46 14.8N LONG U17 28.7H	DAY	H 04 13 22.3	SHIP EV DATA USE 1 AREA 05	BAACH CLDUD	ETR 1018.3	28 4 SEA CL/TR	. 3	wind-spd Wind-for Weather		TRACE DURAT ORIG		00.2 0	2 5	QUARE 4 QUARE 66 QUARE 67
CHS: MANYTEME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY 6	P04	TOT P	MOZ	NG3	5103	PH
22.3	085 \$70	00009	- 1.40 - 1.46	32.390 32.39	26.07 26.08		1439.0							
	STD OBS	00020	- 1.45 - 1.45	32.45 32.470	26.13 26.14		1439.3							
	STD	00030	- 1.49	32.50	26.16		1439.4							
	STD 085	00050	- 1.67 - 1.69	32.57 32.580	26.23 26.23		1430.9							
	08 S 08 S	00055 00048	- 1.74 - 1.58	32.640 32.720	24.30 24.34		1438.8							
	DOS STD	00074 00075	- 1.33 - 1.33	32.72u 32.72	26.34 26.34		1441.2							
	OBS STD	0007 8 00100	- 1.31 - 1.33	32.730 32.82	26.35 26.42		1441.3 1441.7							
	085 085	00102 00106	- 1.33 - 1.18	32.870 32.960	26.46 26.53		1441.8							
	085 \$10	00112 00125	- 0.54 - 0.08	33.090 33.20	26.61 26.68		1446.5							
	OBS STD	00125	- 0.06	33.200	26.68		1448.4							
	06 S 06 S	00150 00177	00.32 00.36	33.300	26.74 26.75		1450.9							
	STD OBS	00200	0G.64 00.68	33.49 33.510	26.88		1453.4							
	085	00226	OC. 92	33.600	26.89 26.95		1455.3							
	STD QBS	00250	01.06	33.70	27.02 27.02		1456.5							
	STD	00277	01.23 01.73	33.74u 33.90	27.04 27.14		1457.7							
	OB S	00300	01.76	33.910	27.14		1460.7							

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID . 31 8370 COMSEC 0034 LAY 46 20.0N LONG 047 36.0M	YEAR 1974 MONTH 04 DAY 13 HOUR 23-8	BOTDP 00194 SHIP EV DATA USE I AREA 05	AIR TEMP 00.5 MET BULB -00.3 SANGMETR 1018.7 CLGUD T/A	DIR HGT PER 35 4 3 SEA CL/TR	MIND-DIR 30 WIND-SPD 20 WIND-FOR WEATHER X2	INST STD RECORDER TRACE DIR D DURATION 00-2 ORIG 011 524	TEN SQ 1306 5 SQUARE 4 2 SQUARE 66 1 SQUARE 67
CASTMUNTINE	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH SND VEL	DXY 6 PD4	TOT P NO2 NO3	\$103 PH
CASTMUM/TIME 23.0	TTD 00000 085 00013 085 00013 085 00013 370 00020 085 00020 085 00020 085 00030 085 00030 085 00035 085 00036 085 00036 085 00036 085 00036 085 00036 085 00036 085 00036 085 00100 085 00100 085 00100 085 00100 085 00100	- 1.51 - 1.51 - 1.49 - 1.49 - 1.49 - 1.49 - 1.49 - 1.52 - 1.52 - 1.53 - 1.75	32.38 26.07 32.380 26.07 32.37 26.06 32.37 26.06 32.37 26.07 32.38 26.07 32.39 26.07 32.39 26.07 32.39 26.07 32.39 26.08 32.47 26.14 32.520 26.18 32.520 26.18 32.517 26.18 32.52 26.29 32.65 26.29 32.65 26.29 32.65 26.29 32.65 26.29 32.65 26.29 32.67 26.46 33.10 26.48 33.020 26.56 33.120 26.62 33.110 26.48	04.000 1438.4 1438.7 04.020 1438.9 04.039 1439.0 06.039 1439.0 1439.0 1439.0 1439.0 1439.0 1439.5 1439.5 1439.5 1439.6 1438.6 1448.9	DXY 6 PO4	TOT P NO2 NO3	S103 PH
REFID 31 8370 CONSEC 0035 LAT 46 24.0N LONG 047 51.5M	YEAR 1974 MONTH 04 DAY 14 HOUR 02.2	BOTOP 00124 SHIP EV DATA USE 1 AREA 05	AIR TEMP 01.0 MET BULB 00.0 BAHOMETR 1020.0 CLGUD T/A	DIR MGT PER 32 3 2 SEA CL/TR	WIND-DIR 32 WIND-SPD 20 WIND-FOR WEATHER X5	INST STD RECORDER TRACE DIR DURATION 00.1 GRIG DI1 525	
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGHA-T	DYNOPTH SNO VEL	DXY G PO4	TOT P NO2 NO3	\$103 PH
02.2	\$TO 00000 085 00000 \$TO 00010 085 00010 085 00010 \$TO 00020 085 00020 085 00030 085 00030 085 00030 085 00030 085 00030 085 00030 085 00030 085 00030 085 00030 085 00030 085 00030	- 1.18 - 1.18 - 1.17 - 1.17 - 1.17 - 1.17 - 1.17 - 1.17 - 1.17 - 1.17 - 1.17 - 1.33 - 1.33 - 1.66 - 1.70 - 1.06 - C.97	32.47 26.13 32.476 26.13 32.48 26.14 32.480 26.14 32.490 26.15 32.490 26.15 32.500 26.16 32.500 26.16 32.500 26.16 32.500 26.21 32.560 26.21 32.560 26.22 32.64 26.28 32.64 26.28 32.64 26.28	00.000 1440.3 1440.3 0c.019 1440.5 1440.5 00.038 1440.7 1440.9 00.093 1440.9 00.093 1440.5 00.138 1439.4 00.179 1439.3 00.179 1439.3			
REFIO 31 8370 CONSEC 0036 LAT 46 29.0N LONG 048 05.0M	YEAR 1974 MONTH 04 DAY 14 HOUR 04.0	BOTOP GOLGS SHIP EV DATA USE 1 AREA 05	AIR TEMP 01.0 WET BULB 00.0 BANGMETR 1920.0 CLUND T/A	DIR FGT PER 32 3 2 SEA CL/TR	WIND-DIR 32 HIND-SPD 20 WIND-FOR WEATHER X2	INST STD RECORDER TRACE DIR D DURATION 00-1 ORIG 011 526	TEN SQ 1306 5 SQUARE 4 2 SQUARE 68 1 SQUARE 68
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH SMO WEL	OXY G #04	TCT P NO2 NO3	S103 PH
94.0	\$TD 00000 08\$ 00010 \$TD 00010 08\$ 00013 \$TD 00020 08\$ 00020 08\$ 00020 08\$ 00090 \$TD 00090 08\$ 00090 08\$ 00090 08\$ 00090 08\$ 00090	- 1.08 - 1.07 - 3.07 - 1.06 - 1.06 - 1.18 - 1.37 - 1.39 - 1.44 - 1.44	32.37 26.05 32.37 26.05 32.38 26.06 32.390 26.06 32.390 26.07 32.400 26.07 32.40 26.15 32.48 26.10 32.49 26.15 32.52 26.16 32.52 26.16 32.52 26.18 32.530 26.19 32.740 26.39	00.000 1440.4 1440.7 00.020 1440.8 1440.9 00.036 1441.1 00.036 1440.2 1440.2 1440.2 1440.4 1440.3 1441.6			

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 8370 CONSEC 0037 LAT 46 33-2N LONG 048 20-0N	YEAR 1974 MONTH 04 DAY 14 HOUR 05-9	BOTOP GOOGE SHIP EV DATA USE 1 AREA 05	AIK TEMP -Q1.8 WET BULB -Q3.0 BAHOMETR 1019.6 CLGUD T/A	DIR HGT PER 30 4 3 SEA CL/TR	WIND-DIR 30 WIND-SPD 20 WIND-FOR WEATHER XI	INST STD RECORDER TEN SQ 1306 TRACE DIR D 5 SQUARE 4 DURATION 00-1 2 SQUARE 68 ORIG 011 527 1 SQUARE 68
CASTNUNTINE	LVLTYP DEPTH	TEMP	SAL SIGNA-T	DYNDPTH SND VEL	0XY 6 PO4	TOT P NOZ NOS SIOS PH
	STD 00000	- 1.06	32.33 26.02	00.000 1440.7		
05.5	GBS 00003 STD 00010	- 1.06 - 1.06	32.330 26.02 32.31 26.00	00.020 1440.8		
	OBS 00011 STD 00020	- 1.06 - 1.04	32.310 26.00 32.31 26.00	00.040 1441.1		
	OBS 00020 STD 00030	- 1.04 - 1.04	32.317 26.00 32.38 26.05	00.060 1441.3		
	085 00030 STD 00050	- 1.04 - 1.05	32.380 26.06 32.38 26.06	00.099 1441.6		
	08\$ 00051 08\$ 00070	- 1.06 - 1.43	32.390 26.06 32.610 26.25	1441.6		
	STD 00075 085 00076 085 00089	- 1.43 - 1.43	32.62 26.26 32.617 26.26 32.626 26.26	00.146 1440.6		
	085 00089	- 1.43		1440.8		
			•			
REFID 31 8370	YEAR 1974	BOTOP 00091	AIR TEMP -01.0	DIR HGT PER	WIND-DIR 32	INST SYD RECORDER TEN SQ 1306
CONSEC 0038	MONTH 04 DAY 14	SHIP EV DATA USE 1	WET BULB -02.7 BARGMETR 1021.0	30 4 3 SEA	WIND-SPD 14 WIND-FOR	TRACE DIR D 5 SQUARE 4 DURATION 00-4 2 SQUARE 48
LONG 048 33.1W	HOUR OB.1	AREA 05	CLGUO T/A	CL/TR	MEATHER XI	CRIG 011 528 1 SQUARE 68
CASTHUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH SND VEL	OXY 6 PO4	TOT P NO2 NO3 SE03 PH
	STD 00000	- 1.06	32.30 26.00	00.000 1440.6		
08.1	OBS 00003 STD 00010	- 1.06 - 1.07	32.305 26.00 32.31 26.00	1440.7 00.020 1440.7		
	OBS 00011 STD 00020	- 1.07 - 1.06	32.310 26.00 32.32 26.00	1440.8 00.040 1441.0		
	OBS 00020 STD 00030	- 1.06 - 1.06	32.320 26.01 32.38 26.05	1441.0 0C.060 1441.2		
	085 00030 085 00049	- 1.06 - 1.09	32.380 26.06 32.380 26.06	1441.2 1441.4		
	STD 00050 DBS 00051	- 1.17 - 1.33	32.39 26.06 32.38e 26.07	00.099 1441.1 1440.3		
	OBS 00053 STD 00075	- 1.43 - 1.43	32.457 26.13 32.49 26.16	1440.0 00.147 1440.4		
	085 00079 085 00085	- 1.43 - 1.43	32.500 26.16 32.494 26.16	1440.5 1440.6		
			*****	******		
			*****	*******		
REFIO 31 8370	YEAR 1974	BOTOP 00079	AIA TEMP -01.0	DIR HGT PER	WIND-DIR 32	INST STD RECORDER TEN SQ 1306
CONSEC 0039	MONTH 04 Day 14	SHIP EV DATA USE 1	AIR TEMP -01.0 WET BULB -02.7 BAROMETR 1021.0	DIR HGT PER 30 4 3 Sea	WIND-SPD 14 WIND-FOR	TRACE DIR D 5 SQUARE 4 DURATION 00.1 2 SQUARE 68
CONSEC 0039	MONTH 04	SHIP EV	AIR TEMP -01.0	DIR HGT PER 30 4 3	WIND-SPD 14	TRACE DIR D 5 SOUARE 4
CONSEC 0039	MONTH 04 DAY 14 HOUR 09.8	SHIP EV DATA USE 1 AREA 05	AIR TEMP -01.0 WET BULB -02.7 BAROMETR 1021.0	DIR HGT PER 30 4 3 SEA CL/TR	WIND-SPD 14 WIND-FOR	TRACE DIR D 5 SQUARE 4 DURATION 00.1 2 SQUARE 68
CONSEC 0039 LAT 46 44-1N LONG 048 41-5W	MONTH 04 DAY 14 HOUR 09.8	SHIP EV DATA USE 1 AREA 05	AIA TEMP -01.0 WET BULB -02.7 BARDMETR 1021.0 CLUUD T/A	DIR MGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00-000 1440-5 1440-5	WIND-SPD 10 WIND-FOR WEATHER XI	TRACE DIR D 5 SQUARE 4 DURATION 00.1 2 SQUARE 45 DAIG 011 529 1 SQUARE 68
CONSEC 0039 LAT 46 44-1N LONG 048 41-5M CASTMUH/TIME	MONTH 04 DAY 14 HOUR 09.8 LVLTYP DEPTH	SHIP EV DATA USE 1 AREA 05 TEMP	AIA TEMP -01.0 MET BULB -02.7 BABOMETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.32 26.01 32.32 26.01 32.32 26.01	DIR MGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5	WIND-SPD 10 WIND-FOR WEATHER XI	TRACE DIR D 5 SQUARE 4 DURATION 00.1 2 SQUARE 45 DAIG 011 529 1 SQUARE 68
CONSEC 0039 LAT 46 44-1N LONG 048 41-5M CASTMUH/TIME	MONTH 04 DAY 14 HOUR 09.8 LVLTYP DEPTH STD 00000 DBS 00001 STD 00010 OBS 00011 DBS 00019 STD 00020	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09	AIA TEMP -01.0 MET BULB -02.7 BABDMETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.32 26.01 32.320 26.01 32.320 26.01 32.320 26.01 32.320 26.01	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 00.020 1440.7 1440.7 1440.7 1440.8	WIND-SPD 10 WIND-FOR WEATHER XI	TRACE DIR D 5 SQUARE 4 DURATION 00.1 2 SQUARE 45 DAIG 011 529 1 SQUARE 68
CONSEC 0039 LAT 46 44-1N LONG 048 41-5M CASTMUH/TIME	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00011 085 00011 085 00012 STD 00020 STD 00030 085 00032	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.08	AIA TEMP -01.0 MET BULB -02.7 BABDMETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 00.020 1440.7 1440.7 1440.8 00.040 1440.8 00.040 1441.0 1441.1	WIND-SPD 10 WIND-FOR WEATHER XI	TRACE DIR D 5 SQUARE 4 DURATION 00.1 2 SQUARE 45 DAIG 011 529 1 SQUARE 68
CONSEC 0039 LAT 46 44-1N LONG 048 41-5M CASTMUH/TIME	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STO 00000 085 00001 5TO 00010 085 00011 085 00019 STO 00020 STO 00030	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09	AIA TEMP -01.0 MET BULB -02.7 BABUNETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 00.020 1440.7 1440.7 1440.8 00.040 1440.8 00.040 1440.8 1441.1 1441.8	WIND-SPD 10 WIND-FOR WEATHER XI	TRACE DIR D 5 SQUARE 4 DURATION 00.1 2 SQUARE 45 DAIG 011 529 1 SQUARE 68
CONSEC 0039 LAT 46 44-1N LONG 048 41-5M CASTMUH/TIME	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00011 085 00011 085 00012 STD 00020 STD 00030 085 00032	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.08	AIA TEMP -01.0 MET BULB -02.7 BABUNETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 00.020 1440.7 1440.7 1440.8 00.040 1440.8 00.040 1441.0 1441.1	WIND-SPD 10 WIND-FOR WEATHER XI	TRACE DIR D 5 SQUARE 4 DURATION 00.1 2 SQUARE 45 DAIG 011 529 1 SQUARE 68
CONSEC 0039 LAT 46 44-1.N LONG 048 41-5M CASTNUM/TIME	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00001 STD 00010 085 00011 085 00012 STD 00020 STD 00030 085 00032 085 00032 085 00039	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.08 - 1.08 - 1.01	AIA TEMP -01.0 MET BULB -02.7 BABDMETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.32 26.01 32.320 26.01 32.320 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01	DIR HGT PER 30 4 3 SEA CL/TR DYNOPTH SND VEL GG.000 1440.5 00.020 1440.7 1440.7 1440.8 00.040 1440.8 00.040 1440.8	MIND-SPD 14 WIND-FOR MEATHER XI CXYG PO4	TRACE DIR 0 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 QAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PH
CONSEC 0039 LAT 40 44-15 LONG 048 41-5M CASTNUM/TIME 09-8 REFID 31 837C CONSEC 0046	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00001 STD 00010 085 00011 085 00012 STD 00032 085 00032 085 00049	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.00 - 1.08 - 1.01	AIA TEMP -01.0 MET BULB -02.7 BABDMETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.32 26.01 32.320 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 00.020 1440.7 1440.7 1440.8 00.040 1440.8 00.040 1440.8 1441.1 1441.8	MIND-SPD 14 MIND-SPD 14 MIND-DIR 32 MIND-DIR 32 MIND-SPD 20	TRACE DIR O 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PH INST STD RECORDER TEN SQ 1304 TRACE DIR D 5 SQUARE 4
CONSEC 0039 LAT 46 44-1N LONG 048 41-5M CASTMUM/TIME 09-8	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00001 STD 00010 085 00019 STD 00030 085 00032 085 00032 085 00049	SHIP EV DATA USE 1 AREA 05 1 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.08 - 1.08 - 1.01	AIA TEMP -01.0 MET BULB -02.7 SABOMETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01	DIR MGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 1440.7 1440.7 1440.7 1440.8 00.040 1441.1 1441.8	WIND-SPD 14 WIND-FOR X1 OXYG PO4	TRACE DIR D 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 GAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PH INST STO RECORDER TEN SQ 1306
CONSEC 0039 LAT 40 44-1.N LONG 048 41-5M CASTNUM/TIME 09-8 REFID 31 837C CONSEC 0040 LAT 47 02-28 LONG 049 07-06	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH SYD 00000 085 00001 SYD 00010 085 00011 085 00019 SYD 00020 SYD 00032 085 00032 085 00049	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.00 - 1.08 - 1.01 BOTOP 00080 SHIP EV DATA USE 1 AREA 05	AIA TEMP -01.0 MET BULB -02.7 BABUNETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01 32.32 26.01	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 1440.5 1440.7 1440.8 00.040 1440.8 00.040 1441.8	MIND-SPD 14 MIND-FOR MEATHER X1 CXYG PO4 WIND-DIR 32 MIND-SPD 20 MIND-FOR MEATHER X1	TRACE DIR O 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PM INST STD RECORDER TEM SQ 1304 TRACE DIR D 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 1 SQUARE 79
CONSEC 0039 LAT 46 44-1N LONG 048 41-5M CASTMUM/TIME 09-8 REFID 31 8370 CONSEC 0040 LAT 47 02-28	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH SYD 00000 085 00001 SYD 00010 085 00011 085 00019 SYD 00020 SYD 00032 085 00032 085 00049	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.08 - 1.01 BOTOP GOODS SHIP EV DATA USE 1 AREA 05	AIA TEMP -01.0 MET BULB -02.7 BABUNETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 1440.7 1440.7 1440.8 00.040 1440.8 00.040 1441.0 1441.5	MIND-SPD 14 MIND-FOR MEATHER X1 CXYG PO4 WIND-DIR 32 MIND-SPD 20 MIND-FOR MEATHER X1	TRACE DIR O 5 SQUARE 40 DURATION OO.1 2 SQUARE 40 CRIG O11 529 TOT P NO2 NO3 SIO3 PM INST STO RECORDER TEN SQ 1306 TRACE DIR D 5 SQUARE 40 DURATION OO.1 2 SQUARE 40 DURATION OO.1 2 SQUARE 40
CONSEC 0039 LAT 40 44-1.N LONG 048 41-5M CASTNUM/TIME 09-8 REFID 31 8370 CONSEC 0040 LAT 47 02-28 LONG 049 07-06	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00001 STD 00010 085 00011 085 00019 STD 00020 STD 00030 085 00039 085 00039 085 00039 085 00039 LVLTYP DEPTH STD 00000 085 00039	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.08 - 1.01 BOTOP 00080 SHIP EV DATA USE 1 AREA 05 TEMP - 1.17 - 1.17	AIR TEMP -01.0 MET BULB -02.7 BABUNETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01 32.320 26.01 32.320 26.01 32.32 26.01	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 1440.7 1440.7 1440.7 1440.8 00.040 1441.8 DIR HGT PER 29 4 SEA CL/TR DYNDPTH SND VEL 00.000 1441.1 1441.1	MIND-SPD 14 MIND-FOR MEATHER X1 CXYG PO4 WIND-DIR 32 MIND-SPD 20 MIND-FOR MEATHER X1	TRACE DIR O 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PM INST STD RECORDER TEM SQ 1304 TRACE DIR D 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 1 SQUARE 79
CONSEC 0039 LAT 46 44-1.N LONG 048 41-5M CASTMUM/TIME 09-8 REFID 31 837C CONSEC 0040 LAT 47 02-2P LONG 049 07-0M CASTMUM/TIME	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD GOOOD 085 00001 085 00010 085 00010 085 00010 085 00010 085 00010 085 00010 085 00010 085 00010 085 00010 085 00010 085 00010 085 00010 085 00010 085 00000 085 00000 085 00000	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.00 - 1.08 - 1.01 SHIP EV DATA USE 1 AREA 05 TEMP - 1.17 -	AIA TEMP -01.0 MET BULB -02.7 BARDMETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01 32.3	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 1440.7 1440.7 1440.7 1440.8 00.040 1441.8 DIR HGT PER 29 4 SEA CL/TR DYNDPTH SND VEL 00.000 1441.1 1441.1	MIND-SPD 14 MIND-FOR MEATHER X1 CXYG PO4 WIND-DIR 32 MIND-SPD 20 MIND-FOR MEATHER X1	TRACE DIR O 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PM INST STD RECORDER TEM SQ 1304 TRACE DIR D 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 1 SQUARE 79
CONSEC 0039 LAT 46 44-1.N LONG 048 41-5M CASTMUM/TIME 09-8 REFID 31 837C CONSEC 0040 LAT 47 02-2P LONG 049 07-0M CASTMUM/TIME	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00001 STD 00010 085 00012 STD 00020 STD 00020 STD 00020 STD 00020 STD 00020 STD 00020 STD 00030 OB5 00032 OB5 000349 LVLTYP DEPTH STD 00000 OB5 00061 STD 00000 OB5 00061 STD 00000 OB5 00061 STD 00000 OB5 00061 STD 00000 OB5 00061 STD 00000 OB5 00061 STD 00000 OB5 00061 STD 00000	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.08 - 1.01 SHIP EV DATA USE 1 AREA 05 TEMP - 1.17 - 1.17 - 1.17 - 1.17 - 1.17 - 1.20 - 1.20 - 1.20 - 1.20 - 1.20 - 1.20 - 1.20 - 1.20 - 1.20 - 1.20 - 1.20	AIR TEMP -01.0 MET BULB -02.7 BABOMETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01 32.32 26.05 32.3	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 00.020 1440.7 1440.7 1440.8 00.040 1440.8 00.040 1441.0 1441.8 DIR HGT PER 29 4 SEA CL/TR DYNDPTH SND VEL 00.000 1441.1 00.015 1441.2	MIND-SPD 14 MIND-FOR MEATHER X1 CXYG PO4 WIND-DIR 32 MIND-SPD 20 MIND-FOR MEATHER X1	TRACE DIR O 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PM INST STD RECORDER TEM SQ 1304 TRACE DIR D 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 1 SQUARE 79
CONSEC 0039 LAT 46 44-1.N LONG 048 41-5M CASTMUM/TIME 09-8 REFID 31 837C CONSEC 0040 LAT 47 02-2P LONG 049 07-0M CASTMUM/TIME	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00011 085 00012 085 00020 STD 00030 085 00032 085 00049 VEAR 1974 HOUR 13-4 LVLTYP DEPTH STD 00000 085 00018 CONTROL 13-4 LVLTYP DEPTH STD 00000 085 00018 STD 00000 085 00018 DEPTH 13-4 LVLTYP DEPTH STD 00000 085 00018 STD 00000 085 00018 STD 00000 085 00018 STD 00000	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.08 - 1.01 SHIP EV DATA USE 1 AREA 05 TEMP - 1.17 - 1.17 - 1.17 - 1.17 - 1.20 - 1.20 - 1.20 - 1.22 -	AIR TEMP -01.0 MET BULB -02.7 BABOMETR 1021.0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01 32.32 26.05 32.32 26.01 32.3	DIR MGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 1440.7 1440.8 00.040 1441.1 1441.8 DIR MGT PER 29 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1441.1 1441.8 DOLOND 1441.1 1441.8 DYNDPTH SND VEL 00.000 1441.1 00.015 1441.2 00.015 1441.2 00.015 1441.2 00.005 1441.3 00.005 1441.3 00.005 1441.3 00.005 1441.4 00.075	MIND-SPD 14 MIND-FOR MEATHER X1 CXYG PO4 WIND-DIR 32 MIND-SPD 20 MIND-FOR MEATHER X1	TRACE DIR O 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PM INST STD RECORDER TEM SQ 1304 TRACE DIR D 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 1 SQUARE 79
CONSEC 0039 LAT 46 44-1.N LONG 048 41-5M CASTMUM/TIME 09-8 REFID 31 837C CONSEC 0040 LAT 47 02-2P LONG 049 07-0M CASTMUM/TIME	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00001 STD 00010 085 00012 085 00012 085 00013 085 00019 085 00049 VEAR 1974 MONTH 04 DAY 14 HOUR 13-4 LVLTYP DEPTH STD 00000 085 00015 STD 00010 085 00011	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.01 TEMP - 1.01 TEMP - 1.01 TEMP - 1.17 - 1.17 - 1.17 - 1.17 - 1.20 - 1.20 - 1.20 - 1.20 - 1.22 - 1.23 - 1.46	AIR TEMP -01.0 MET BULB -02.7 BABOMETR 1021-0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01 32.32 26.05 32.3	DIR MGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 1440.7 1440.8 00.040 1441.1 1441.8 00.000 1441.1 10.00	MIND-SPD 14 MIND-FOR MEATHER X1 CXYG PO4 WIND-DIR 32 MIND-SPD 20 MIND-FOR MEATHER X1	TRACE DIR O 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PM INST STD RECORDER TEM SQ 1304 TRACE DIR D 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 1 SQUARE 79
CONSEC 0039 LAT 46 44-1.N LONG 048 41-5M CASTMUM/TIME 09-8 REFID 31 837C CONSEC 0040 LAT 47 02-2P LONG 049 07-0M CASTMUM/TIME	MONTH 04 DAY 14 HOUR 09-8 LVLTYP DEPTH STD 00000 085 00011 085 00012 STD 00020 STD 00020 STD 00030 085 00049 VEAR 1974 HOUR 13-4 LVLTYP DEPTH STD 00000 085 00001 STD 00000 STD 00000 STD 000000 STD 000000 STD 000000000000000000000000000000000000	SHIP EV DATA USE 1 AREA 05 TEMP - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.09 - 1.01 TEMP - 1.01 TEMP - 1.01 TEMP - 1.17 - 1.17 - 1.17 - 1.17 - 1.20 - 1.20 - 1.20 - 1.20 - 1.22 - 1.23 - 1.46	AIR TEMP -01.0 MET BULB -02.7 BABOMETR 1021-0 CLUUD T/A SAL SIGMA-T 32.31 26.00 32.310 26.00 32.32 26.01 32.3	DIR HGT PER 30 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1440.5 1440.7 1440.7 1440.7 1440.8 00.040 1441.1 1441.8 DIR HGT PER 29 4 3 SEA CL/TR DYNDPTH SND VEL 00.000 1441.1 00.015 1441.2 00.030 1441.1 00.015 1441.2 00.035 1441.4 00.075 1441.6	MIND-SPD 14 MIND-FOR MEATHER X1 CXYG PO4 WIND-DIR 32 MIND-SPD 20 MIND-FOR MEATHER X1	TRACE DIR O 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DAIG 011 529 1 SQUARE 40 TOT P NO2 NO3 SIO3 PM INST STD RECORDER TEM SQ 1304 TRACE DIR D 5 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 2 SQUARE 40 DURATION QO.1 1 SQUARE 79

70

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8370 CONSEC 0041 LAT 47 01.5N LONG 048 51.50	MONTH 04	BOTOP GOODS SHIP EV DATA USE L AREA OS	AIR TEMP -00.8 MET BURS -02.6 BANGMETR L020.9 CLOUD T/A	DIR NGT PER 01 3 3 SEA CL/TR	WIND-DIR Q2 WIND-SPD 13 WIND-FOR WEATHER X1	INST STD RECORDER TRACE DIR D DURATION DO.1 OR16 011 531	TEN SQ 1306 5 SQUARE 6 2 SQUARE 68 1 SQUARE 78
CASTRUM/TIME	LVLTYP DEPTH	TEMP S	IAL SIGNA-T	DYNOPTH SND VEL	OXY G PO4	TCT P NO2 NG3	S 103 PH
	STD 00000	- 1.17 32	2.97 26.54	00.000 1441.0			
14.4	085 00001 STD 00010		1.97G 26.54 1.97 26.54	00.015 1441.1			
	085 00011 STD 00020		.970 24.54 .97 24.54	1441.1 00.030 1441.3			
	GBS 00020 STD 00030	- 1.19 37	1.970 24.54 1.97 24.54	1441.3			
	085 00030 STD 00050	- 1.20 32	1.970 26.54 1.97 26.54	1441.4			
	085 00051 STD 00075	- 1.20 32	1.970 26.54 1.97 26.54	1441.7			
	DBS 00076	- 1.28 32	2.980 24.55 1.080 24.43	1441.8			
		••••		******			
REF10 31 8370	YEAR 1974	BOTDP 00108	AIR TEMP -00.6	DIR HGT PER	WIND-DIR 32	INST STO RECORDER	TEN 50 1306
CONSEC 0042	DAY 14	SHIP EV Data use 1	MET BULB -01.6 BAROMETR 1020.3	OO O X SEA	WIND-SPD 15 WIND-FOR	TRACE DIR D DURATION 00-1	5 SQUARE 4 2 SQUARE 48
LONG 048 32.0W	HOUR 15.9	AREA 05	CLOUD T/A	CL/TR	HEATHER X2	ORIG 011 235	1 SQUARE TO
CASTNUM/TIME	LVLTYP DEPTH	TEMP S	IAL SIGNA-T	DYNDPTH SNO VEL	0XY 6 PO4	TOT P NO2 NO3 :	S103 PH
	STD 00000		.97 26.54	00.000 1441.0			
15.5	OBS 00001 OBS 90005	- 1.17 32	.975 26.54 .970 26.54	1441-1			
	STD 00010	- 1.19 33	1.00 26.56 1.000 26.56	00.015 1441.2 1441.2			
	STD 00020 085 00022		.97 26.54 .970 26.54	00.030 1441.3			
	00000 QTZ 00000 280	- 1.21 32	.98 24.94 .980 26.55	00.045 1441.4			
	STD 00050 085 00053	- 1.21 32	.97 26.54 1.973 26.54	00.075 1441.7			
	STD 00075 085 00076	- 1.51 33	.12 26.66 -120 26.67	00.111 1440.9			
	085 00081 085 00099	- 1.52 33	.140 26.66 -193 26.73	1441.0 1441.5			

AEFIO 31 8370	YEAR 1974	BOTOP 00113	AIR TEMP -00.2	DIR HGT PER	WIND-DIR 31	INST STD RECORDER	TEN 50 1306
CONSEC 0043	MONTH 04	SHIP EV DATA USE 1	WET BULB -00.8 BAROMETR 1019.8	OO O X SEA	WIND-SPD 15 WIND-FOR	TRACE DIR D DURATION 00-1	5 SQUARE 4 2 SQUARE 68
LONG 048 20.0M		AREA 05	CLOUD T/A	CL/TR	WEATHER X2	GRIG OLL 533 20	1 SQUARE 78
CASTNUM/TIME	LVLTYP DEPTH	TEMP S	AL SIGMA-T	DYNDPTH SHO YEL	DXY G PO4	TOT P NO2 NO3 5	5103 PH
	STD 00000		.00 26.62	00.000 1441.2			
17.1	OBS 00001	- 1.18 33	-080 26.62 -070 26.62	1441.2 1441.2			
	STD 00010 085 00011	- 1.21 33 - 1.21 33	.07 26.62 .075 26.62	00.014 1441.2 1441.2			
	STO 00020 OBS 00020	- 1.19 33	.07 26.62 .075 26.62	00.028 1441.4			
	STD 00030 085 00030	- 1.21 33	.08 26.63	00.043 1441.5			
	STD 00050 085 00051	- 1.23 33	-08 26-63	00.071 1441.7			
	STD 00075	- 1.32 33	-08 26.63	00.107 1441.7			
	095 00093	- 1.53 33	.066 26.63	1441.7			
	STD 00100 085 00100	~ 1.48 33	.10 26.72 .195 26.73	00.141 1441.5 1441.6			
	085 00106 085 00108		.290 26.80 .290 26.80	1441.7 1441.8			
			*****	• • • • • • • • •			
REF10 31 8370	YEAR 1974	80TOP 00145	ALR TEMP 00.0	DIR HGT PER	WIND-01R 30	INST STO RECORDER	TEN 50 1306
CONSEC 0044 LAT 47 01.5H	DAY 14	SHIP EV DATA USE 1	MET BULB -01.0	OO O X Sea	wind-spd 12 wind-for	TRACE DIR D DURATION 00.1	5 SQUARE 4 2 SQUARE 68
LONG 048 03.0H	HOUR 18.6	AREA 05	CLGUD T/A	CL/TR	WEATHER X1	CRIG 011 534 21	1 SQUARE 78
CASTNUM/TIME	LVLTYP DEPTH	TEMP S	AL SIGNA-T	DYNOPTH SND VEL	OXY 6 PO4	TOT P NO2 NO3 :	5203 PH
18.6	STD 00000 08S 00001		.98 26.54 .980 26.54	00.000 1441.1 1441.2			
	01000 D12	- 1.15 32	.98 26.54	00.015 1441.3			
	08S 00011 STD 00020	- 1.17 32	.98u 26.54	00.030 1441.4			
	085 99929 STD 99939	- 1.19 32	.98u 26.54 .98 26.54	00.045 1441.5			
	085 00030 STD 00050	- 1.19 32 - 1.19 32	.980 26.54 .98 26.55	00.075 1441.6			
	083 00053 \$70 00075	- 1.21 32	.985 24.55 .10 24.65	1441.7			
	085 00076 085 00089	- 1.50 33	.105 26.45 .165 26.72	1440.9			
	\$TD 00100	~ 1.43 33.	.19 26.73	00.145 1440.8			
	STD 00125	- 0.95 33	.47 24.93	00.175 1444.9			
	085 00125 085 00133		.470 26.93 .473 26.93	1444.9 1445.1			71
			***				71

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID CONSEC LAT LONG	31 8370 : 0045 46 57.80 047 50.00	MONT	1974 H 04 14 20-1	BOTOP GOLGS SHIP EV DATA USE I AREA OS	13# Oras	TEMP -02.0 BULS -02.7 METR 1019.9 D T/A	DIR (00 SEA CL/T(-	wind-dia wind-spo wind-for weather	07	TRACE CURAT	STD REC DIR TION OLL 535	00.1	5	N SQ 13 SQUARE SQUARE SQUARE	66
CAST	INUN/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SAD VEL	CXY G	P0 4	TOT P	NG2	NG3	\$103	PH	
		STO	00000	- 1.14	33.10	20.64	00.000	1441.4								
	20.1	OBS STD	00000	- 1.14 - 1.16	33.105 33.10	20.64 20.64	00.014	1441.4								
		OBS STD	00020	- 1.16 01.18	33.105 33.11	20.64 20.54 *	00.029	1441.4								
		280 \$70	00020	01.18 01.20	33.110 33.11	20.54 20.54	00.044	1452.4 1452.6								
		085 570	00030 00050	01.20 - 1.24	33.110 33.12	20.54 26.66	00.073	1452.0 1441.7								
		OBS STO	00050	- 1.24 - 1.57	33.120 33.18	26.66 26.72	00.106	1441.7								
		08S 08S	00075 00097	- 1.57 - 1.69	33.185	26.72 20.73		1440.7								
		\$10 065	00100 00104	- 1.69 - 1.67	33.19 33.200	26.73 26.74	00-140	1440.6								
		STD C#S	00125 00127	- 1.39 - 1.32	33.46 33.46	26.94 26.95	00.170	1442.8 1443.2								
		08 S 08 S	00140	- 0,63 - 0,53	33.54u 33.62u	20.95		1445.8								
		STD	00150	- 0.51 - 0.51	33.626	27.04	00.197	1447.5								
		OBS	00161	- 0.49	33-620	27.04	•••••	1447.8								
	31 637		1974	80TDP 00214	AIA	TEMP -01.0		IGT PER	MIND-DIA			STD REC			N 50 13	
CONSE LAT LONG	C 004 46 59.2 647 32.0	N DAY	14 14 1 21.7	SHIP EV DATA USE I AREA OS	BARG	BULB -01.2 METR 1020.0 D T/A	OO SEA CL/TI		WIND-SPD WIND-FOR WEATHER		TRACE DURAT OR LG		00 • 2 20	2	SQUARE SQUARE SQUARE	66
CAS	TNUN/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OXY G	P04	TOT P	NO2	N03	\$103	РН	
	21.7	STD OBS	00000	- 1.47 - 1.47	33-11 33-106	26.66 26.66	00.000	1439.8								
		STO GBS	00010	- 1.46 - 1.46	33.11 33.107	26-66	00.014	1440.0								
		STD	00020	- 1.47 - 1.47	33-11 33-110	26.66 26.66	00.028	1440.2								
		STD OBS	00030	- 1.47 - 1.47	33.11 33.110	26.66 26.66	00.042	1440.3 1440.3								
		OBS	00034 00050	- 1.48 - 1.49	33.100	26 - 65 26 - 66	00.070	1440.3								
		OBS STD OBS	00051 00075 00076	- 1.49 - 1.61	33.110	26.66 26.67	00.104	1440.4 1440.4 1440.4								
		QBS STD	00095	- 1.62 - 1.73 - 1.73	33.120 33.176 33.19	26.67 26.71 26.73	00,138	1440.2								
		DBS STD	00100	- 1.73 - 1.43	33.190 33.34	26-73 26-84	00.169	1440.4								
		OBS STD	00125	- 1.42 - 1.12	33.340 33.45	26.84 26.93	00.199	1442.5								
		085 085	00152	- 1.07 - 0.42	33.476 33.660	26.94 27.07		1444.7								
		STO OBS	00500	- 0.34 - 0.34	33.66 33.665	27.07 27.07	00.252	1449.2 1449.2								
		280	00211	- 0.35	33.660	27-06	*******	1449.3								
REFID	31 8370	YEAR		BOTOP 00400		EMP -01.3		ST PER	HIND-DIR			STD RECO			SQ 130	
CONSEC	46 58.8H	DAY	14	SHIP EV DATA USE 1	BARON	ULB -02.0	SEA	o x	WIND-SPD WIND-FOR		TRACE DURAT	LON	00.8	2 5	QUARE (66
LONG	047 20.0W	HOUR	23.2	AREA 05	CT DAD	1/8	CL/TR		WEATHER	XO	ORIG	011 537		1 3	QUARE (67
CASTI	NUM/TIME	LVLTYP	00000	TEMP	SAL 33.12		DYNOPTH	SNO VEL	OXY 6	PO4	101 P	NO2	NO3	\$103	PH	
	23.2	OBS STD	00001	- 1.44 - 1.44 - 1.44	33.12 33.12	26.66 26.66 26.66	00.000	1440.0 1440.0 1440.1								
		OBS STD	00011	- 1.44 - 1.46	33.120	26.66 26.67	00.028	1440.2								
		STD	00020	- 1.46 - 1.46	33.130	26.67 26.67		1440.2								
		OBS STD	SE000 00000	- 1.46 - 1.72	33.130 33.19	26.67 26.73	00.068	1440.4								
		065	00051	- 1.73 - 1.75	33-190	26.73 26.74		1439.6 1439.6								
		STD	00075	- 1.50 - 1.57	33.31 33.310	26.62	00.100	1440.9								
		STD Des STD	00100 00102 00129	- 1.57 - 1.57 - 1.43	33.32 33.330 33.54	26.83 26.84 27.00	00.131	1441.3 1441.4 1442.7								
		085 085	00125	- 1.41 - 0.51	33.54¢ 33.47¢	27.00 27.08		1442.8								
		STO OBS	00150	- 0.45 - 0.44	33.49	27.09 27.09	00.185	1447.9								
		065 510	00175 00200	00.22	33.620	27-16 27-19	00.232	1451.5								
		08 S 08 S	00203 00224	00.38 00.67	33.870 34.020	27.20 27.30		1452.8								
		STO	00250 00251	00.89	34-110	27.36 27.36	00.272	1456 . 2 1456 . 2								
		OBS STD OBS	00276 00300 00300	01.04 01.20 01.21	34.143 34.21 34.210	27.37 27.42 27.42	00.308	1457.5 1458.6 1458.6								
72		085 085	00350 00394	01.40 02.32	34.350 34.500	27.50 27.57		1461.4								
		*					******									

72

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8370 CONSEC 0048 LAT 47 00-0N LONG 047 05-0N	YEAR MONTO DAY HOUR	13	BOTOP 01104 SHIP EV DATA USE 1 AREA 05	HET 6	ETR 1020.0	OIR HO OO (SEA CL/TR	ST PER	HIND-DIR HIND-SPD HIND-FOR HEATHER		TRACE		DADER D 00.4	5 2	N SQ 130 SQUARE SQUARE 6 SQUARE 7	•
CASTMUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P 04	TGT P	NO2	MC3	\$103	PH	
	STD	00000	- 1.14	33.16	26.70	00.000	1441.5								
00.8	085	90000	- 1.14	33.180	24.70		1441.5								
••••	STD	00010	- 1.14	33.10	24.70	00.013	1441.6								
	085	00010	- 1.14	33.100	24.70 24.71		1441.3								
	065	00019	- 1.24 - 1.24	33.100 33.16	24.71	00.027	1441.3								
	STD STD	00020	- 1.26	33.19	24.72	00.040	1441.4								
	095	00030	- 1.26	33.196	24.72		1441.4								
	\$70	00050	- 1.30	33.28	24.79	00.064	1441.7								
	085	00051	- 1.30	33.296	24.81		1441.7								
	085	24000	- 1.35	33.445	24.93 24.96	00.094	1442.3								
	\$70	00075	- 1.32 - 1.25	33.49 33.525	24.99	00.000	1442.7								
	085	00078	- 0.85	33.670	27.09		1445.0								
	085 085	00091	- 0.01	33.780	27.18		1445.4								
	\$1D	00100	- 0.12	34.00	27.33	00.119	1449.0								
	OBS	00100	- 0.01	34.010	27.33		1449.5								
	085	00102	00.25	34.010	27.32 27.39		1452.9								
	085	00112	00.65	34.130 34.150	27.39		1454.2								
	OBS	00114	00.92 01.18	34.23	27.43	00.136	1455.6								
	STD OBS	00125 00125	01.19	34.230	27.44		1455.7								
	085	00139	01.23	34.220	27.43		1456.1								
	510	00150	01.31	34.35	27.52	00.152	1456.8								
	085	00150	01-32	34.350	27.52 27.54		1459.9								
	085	00175	01-89	34.450 34.476	27.57		1460.6								
	065	90196	01. 99 01.76	34.470	27.59		14:9.7								
	DBS STD	90290	01.43	34.49	27.59	00.179	1460.1								
	085	00201	01.85	34.490	27.60		1460.2								
	085	00224	01-91	34.560	27.65		1461.0								
	085	00226	02.15	34.574	27.64	00.204									
	STD	00250	02-25	34.57 34.57>	27.63 27.63	04.204	1463.0								
	085	00251 00300		34.43	27.66	99.228	1465.0								
	510 085	00350		34.724	27.48		1468.0								
	STO	00400		34.83	27.71	00.272									
	085	00401	03.68	34.835	27.71		1471.9								
	085	00451		34.840	27.69 27.74	00.315									
	\$10	00500		34.90 34.90u	27.74	04.515	1474.7								
	08 S 08 S	00500		34.910	27.74		1475.7								
	STD	00600		34.91	27.74	09.357									
	085	00601	03.55	34.910	27.74		1476.5								
	OBS	00651	03.86	34.910	27.75	00.399	1476.9								
	STO	00 700		34.92	27.75 27.76	00.377	1477.9								
	085	00721		34.916 34.910	27.76		1478.2								
	085 57D	00750		34.91	27.76	00.441	1478.6	1							
	085	00803		34.905	27.76		1478.8								
	085	00850		34.900	27.76		1479.4								
	STD	00900	03.43	34.90	27.77	00.483	1480.1								
	085	00900		34.904	21.77 27.77		1480.5								
	065	00924		34.90	27.77	00.525									
	STD	01000		34.900	27.77		1461.4								
	08.5	01000													

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

AEFID 31 8370 CONSEC 0049 LAT 46 59.10 LONG 046 45.50	MONT DAY	1974 H 04 13 03-5	BOTDP 01106 SHIP EV DATA USE 1 AREA 05	HĒT Baro	TEMP -02.0 BULB -03.0 METR 1019.8 D T/A		GT PER 1 4	w ind—Dir W ind—Spo W ind—For Wea ther	08	TRACE		00.4	5	N SQ 130 SQUARE SQUARE 6 SQUARE 6	66
CASTMUM/TIME	LVLTYP	DEPTH	TEMP	SAL	T-AMDIZ	DYNOPTH	SAD VEL	OXY 6	P04	TOT P	NO2	NO3	5103	PH	
	STO	00000	- 0.62	33.21	26.71	00.000	1443.9								
03.5	085	00000	- 0.62	33.210	26.71		1443.9								
	STO	00010	- 0.60	33.21	26.71	00.013	1444.2								
	085	00010	- 0.60	33.210	26.71		1444.2								
	STD	00020	- C-62	33.21	26.71	00.027	1444.3								
	085	00020	- 0.62	33.210	26.71		1444.3								
	STO	00030	- 0.42	33.22	26.72	99.940	1444.5								
	OBS	00030	- 0.62	33.220	26.72		1444.5								
	STD	00050	00-50	33.74	27.08	00.063	1450.7								
	280	00050	00.50	33.740	27.04		1450.7								
	DBS	00066	00.55	33.820	27.15		1451.3								
	STD	00075	01.43	34.08	27.20	90.084	1456.6								
	085	00075	01.63	34.080	27.28		1456.6								
	OBS	00096	02-64	34.220	27.32		1461.6								
	STO	00100	01.94	34.21	27.37	00.105									
	085	00108	01-04	34.210	27.43		1454.7								
	STD	00125	01.35	34.29	27.47	00.122	1456.5								
	OBS STD	00125 00150	01.35	34.296	27.47		1456.5								
	085	00150	01.80	34.39	27.52	00.137									
	085	00163	01.80 01.98	34.390 34.480	27.52		1459.0								
	085	00182	01.41	34.480	27.5 8 27.59		1460.1 1459.7								
	570	00200	02.12	34.53	27.61	00.164	1461.4								
	085	00200	02.12	34.530	27.61	00.104	1461.4								
	STD	00250	03.27	34.72	27.66	00-186	1467.5								
	085	00250	03.27	34.720	27.66	00.100	1467.5								
	085	00270	03.22	34.710	27.65		1467.6								
	STD	00300	03.55	34.76	27.66	00.211	1469.6								
	085	00300	03.55	34.764	27.66		1469.6								
	OBS	00340	03.85	34.820	27.68		1471.6								
	STO	00400	04.02	34.85	27.69	00.257	1473.3								
	085	00400	04-02	34.850	27.69	_	1473.3								
	STD	00500	04.61	34.86	27.70	00.303	1475.0								
	08\$	00500	04.01	34.840	27.70		1475.0								
	STD	00400	03.92	34.87	27.71	00.348	1476.2								
	OBS	00600	03.52	34.87G	27.71		1476.2								
	STD	00700	03.81	34.86	27.72	00.393	1477.4								
	085	00700	03.81	34.860	27.72		1477.4								
	STD	00800	03.72	34.85	27.72	00.439	1470.7								
	OBS STD	00800	03.72	34.850	27.72		1478.7								
		00900	03.43	34.84	27.72	00.485	1480.0								
	OBS STD	00900	03-63	34.840	27.72		1480.0								
	085	01000	03.54 03.54	34.84	27.73	00.531									
	085	01020	03.55	34.840	27.73 27.73		1441.3								
		4,020	43633	J7,639	21.13		1481.7								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

9950 13.5H 10.0H TIME	MONTH DAY HOUR G	DEPTH 00000 00005 00010 00011 00020 00020 00030	AREA	TEMP	CLCND	TR 1014.8 T/A SIGHA-T 26.53	DYNOPTH	SNO VE	DXYG	9 04	101 P	NQ2	RDA S	\$103	PH	
t i ni	FATAN COS 210 COS 210 COS 210 COS 210 COS 210 COS 210 COS 210 COS 210 COS 210 COS 210 COS 210 COS 210 COS 210 210 210 210 210 210 210 210 210 210	DEPTH 00000 00005 00010 90011 00020 00020	-	TEMP 0.16 0.75	SAL 32.94	SIGNA-T	Division 11	SNO VE	DXY G	# 04	101 P	NU2	(,,,,,,,			
fint	EVETYP STO OBS STO OBS STO OBS STO OBS STO OBS OBS	DEPTH 00000 00005 00010 00011 00020 00020 00020	:	0.16	32.94		Division 11	SNO VE	UXY IA							
	570 085 570 085 570 085 570 085	00000 00005 00010 00011 00020 00020 00030	:	0.16	32.94		-									
	570 085 570 085 570 085 570 085	00000 00005 00010 00011 00020 00020 00030	:	0.16	32.94	74-53		_								
	570 085 570 085 570 085 570 085	00005 00010 00011 00020 00020 00020	-	0,75	32.94	74-33	99.000	\$442.5								
45. ◆	085 570 085 570 085 570 085	00005 00010 00011 00020 00020 00020	-	0,75	93 880		•••	1443.0								
a \$.•	STD COS STD COS STD COS	00010 00011 00020 00020 00020	=	0.76		20.53	00.015	1443.1								
43.0	STD COS STD COS STD COS	00011 00020 00020 00030	-		32.94	26.53		1443 .								
	00 \$ \$TD 08 \$ \$7 D 08 \$	00020 00020 00030	-	0.76	32.940	26.53	00.030	1443								
	\$10 085 \$70 085	00020	_	0.40	32.94	24.54		1443								
	STD	20030		0.80	32.496	24.43	00.045	1443	2							
	Q85			0.78	33.10	24.64		1443	•							
				0.76	33.110	27.09		1445	•							
	oas	00030		6.40	33.660	27.08		1448.								
		00032		00.13	33.715	27.12										
	065	00039		00.46	33.777	27.12	00.069	1450								
	085	00030		00.45	33.78	27.12		1450								
	570	00053		00.44	33.780	27.13		1453								
	085	00057		00.44	33.794	27.16										
	065	00066		01.11	33.677	21.17	00-092	1464								
	CBS	99975		03.40	34.12	27.19		1464								
	\$10	00074		03.44	34.130	27.16		1459								
	085	00071		03.34	34.015	27.18		1460								
	085	0006		02.34	34.024	27.18			. 4							
	065	0009		02.34	34.01	27.21		1457	.5							
	085 510	9010		01.85	34.010	27.22		1454								
	045	0010		01.75	34.013	27.2	ļ.	145								
	065	0010		01.14	34.150	27.3	!	145	7.1							
	085	9010	16	01.21	34.21	27.3		145	7.1							
	085	0011		01.57	34.26	27.4		144								
	985	0011		02.52	34.35	4,,~		33 246	4.4							
	n#5	007		03.13	34.42	27.4	•	144	7.8							
	510	001		03.67	34.51	0 27.4	2		9.3							
	1065	dar		03.95	34.51	0 21.07			7.0							
	DAS	907		03.63	34.50		. 2		57.5							
	DES	907		03.71	34.54	1 1 1		50 14	64.1							
	085	7.1		03.85			• •	14								
				04.04	34.2											
				04.30	34.4	**										
		==:		03.40	34.3											
						••										
						47	44		11.0							
		,			- :: "											
	063															
				04.3	•	27.	.62									
					•	27.	*44									
						27.	. 62									
				04.9	7 7 1	27			474 . 1							
				04-		ad 27		.467	474.1							
				04.		900 27			473.5							
				94.		610 6 5	.71									
				94.	47 :::		7.71		-							
		• •			24 371											
		\$117 085 085 085 085 083 083 084 5 08 5 08 08 08	STD 001 085 001 085 00 085 00 085 00 085 00 085 00 085 00 087 00 081 00 082 00 083 00 085 00 085 00	STD 00150 085 0152 085 00167 085 00171 085 00175 083 00179 083 00179 083 00164 STD 00200 085 00201 085 00201 085 00201 085 00207 085 00200 085 00200 085 00200	DBS 00190 03.85 STD 00190 04.04 DBS 00197 04.05 DBS 00187 03.97 DBS 00171 03.97 DBS 00178 03.87 DBS 00178 03.87 DBS 00178 03.27 DBS 00180 00.27 STD 00200 04.2 STD 00200 04.2 STD 00201 04.3 DBS 00224 04.5 STD 00250 04.3 STD 00250 04.3 STD 00250 04.3 STD 00251 04.3 DBS 00277 STD 00250 04.3	DBS 00190 03.85 34.25 STD 00150 04.04 34.50 085 00167 03.90 34.45 085 00170 03.90 34.45 085 00170 03.90 34.50 085 00170 03.73 34.35 085 00170 03.34 34.50 085 00184 03.23 34.35 085 00184 03.23 34.35 085 00201 04.36 34.50 085 00201 04.36 34.50 085 00250 04.54 34.50 085 00251 04.54 34.50 085 00277 04.38 34.50 085 00277 04.38 34.50 085 00300 04.38 34.50	085 00150 03.83 34.57 27. 085 00150 04.04 34.570 27. 085 00167 04.03 34.449 21. 085 00167 04.03 34.449 21. 085 00171 03.90 34.570 27. 085 00178 03.83 34.570 27. 085 00178 03.23 34.570 27. 085 00184 03.23 34.570 27. 085 00184 03.23 34.570 27. 085 00184 03.23 34.770 27. 085 00200 04.28 34.770 27. 081 00201 04.38 34.77 27. 082 00201 04.38 34.79 27. 083 00201 04.38 34.79 27. 084 00251 04.54 34.840 27. 085 00251 04.54 34.840 27. 085 00251 04.54 34.840 27. 085 00251 04.54 34.840 27. 085 00251 04.54 34.840 27. 085 00250 04.58 34.890 27. 085 00250 04.58 34.890 27. 085 00250 04.58 34.990 27. 085 00250 04.58 34.990 27. 085 00250 04.58 34.990 27. 085 00250 04.58 34.990 27.	DBS 00190 03.85 34.57 27.66 37D 00150 04.60 43.27 27.68 085 00167 04.50 34.447 27.48 085 00167 04.50 34.457 27.48 085 00171 03.97 34.540 27.48 085 00178 03.38 34.57 27.52 085 00178 03.38 34.567 27.52 085 00180 03.23 34.567 27.52 085 00180 03.23 34.567 27.52 085 00180 03.23 34.77 27.60 085 00201 04.36 34.70 27.60 085 00201 04.36 34.83 27.62 085 00250 04.54 34.86 27.62 085 00251 04.57 34.91 27.67 085 00251 04.57 34.91 27.67 085 00300 04.58 34.90 27.67 085 00300 04.58 34.90 27.67 085 00300 04.58 34.90 27.67	DBS 00190 03.65 34.55 27.64 14 3TD 00150 04.04 34.570 27.49 14 085 00167 04.50 34.443 27.49 14 085 00167 03.60 34.570 27.48 14 085 00171 03.60 34.540 27.48 14 085 00175 03.38 34.560 27.48 14 085 00175 03.38 34.560 27.52 16 085 00184 03.23 34.570 27.54 00.179 16 085 00184 03.23 34.77 27.60 00.179 16 085 00201 04.36 34.77 27.60 00.179 16 085 00201 04.36 34.77 27.60 00.204 1 085 00201 04.56 34.80 27.62 00.204 1 085 00277 04.58 34.90 27.67 00.229 1 085 00277 04.58 34.90 27.67 00.229 1 085 00302 04.58 34.90 27.67 00.229 1 085 00302 04.58 34.90 27.67 00.229 1 085 00302 04.58 34.90 27.67 00.229 1 085 00302 04.58 34.90 27.67 00.229 1 085 00302 04.58 34.90 27.67 00.229 1 085 00302 04.58 34.90 27.67 00.229 1 085 00302 04.58 34.90 27.67 00.229 1 085 00302 04.58 34.90 27.67 00.229 1 085 00302 04.58 34.90 27.67 00.229 1 085 00302 04.24 34.91 27.71	DBS 00190 03.88 34.570 27.46 1470.4 DBS 00190 04.90 34.470 27.49 1406.7 DBS 00107 04.50 34.470 27.48 1406.7 DBS 00117 03.90 34.570 27.48 1406.2 DBS 00178 03.38 34.590 27.48 1406.0 DBS 00178 03.38 34.590 27.52 1406.0 DBS 00180 03.28 34.570 27.54 00.179 1471.0 DBS 00100 04.28 34.77 27.60 1471.4 STD 00201 04.36 34.770 27.60 1471.4 DBS 00201 04.36 34.830 27.62 00.204 1473.0 DBS 00202 04.50 34.800 27.67 1473.1 DBS 00250 04.57 34.910 27.67 00.229 1473.7 STD 00300 04.58 34.900 27.67 1473.1 DBS 00300 04.58 34.900 27.67 1473.1 DBS 00300 04.58 34.900 27.67 1473.5 DBS 00300 04.58 34.900 27.67 1473.5	DBS 00190 03.83 34.570 27.46 1470.4 1	DBS 00190 03.85 34.57 27.64 1470.4 085 00152 04.04 34.570 27.48 1440.4 085 00167 03.80 34.442 27.48 1448.2 085 00167 03.80 34.570 27.48 1448.2 085 00171 03.80 34.570 27.48 1448.2 085 00178 03.82 34.570 27.48 1448.0 085 00180 03.83 34.590 27.50 1446.0 085 00180 03.23 34.70 27.50 00.179 1471.0 085 00200 04.28 34.70 27.60 1471.4 570 0200 04.36 34.830 27.62 00.204 1473.0 085 00220 04.50 34.880 27.62 00.204 1473.0 085 00250 04.54 34.880 27.62 1473.7 085 00250 04.53 34.80 27.62 1473.7 085 00277 04.38 34.90 27.67 00.229 1473.7 085 00277 04.38 34.90 27.67 1473.7 085 00300 04.38 34.90 27.67 1473.7 085 00300 04.38 34.90 27.67 1473.5 085 00300 04.38 34.90 27.67 1473.5	DBS 00190 03.85 34.57 27.56 1470.5 37D 00150 04.04 34.570 27.59 1440.5 085 00167 03.80 34.643 27.59 1468.7 085 00167 03.60 34.540 27.58 1468.2 085 00173 03.77 34.540 27.58 1466.0 085 00178 03.81 34.570 27.54 1466.0 085 00180 03.23 34.77 27.50 00.174 1471.0 085 00180 03.23 34.77 27.50 1471.0 085 00200 04.28 34.77 27.50 1471.0 085 00201 04.36 34.830 27.62 00.204 1473.0 085 00226 04.50 34.830 27.62 00.204 1473.0 085 00250 04.54 34.860 27.62 085 00277 04.58 34.80 27.62 1473.7 085 00277 04.58 34.90 27.67 00.229 1474.7 57D 0050 0050 04.58 34.90 27.67 1473.5 085 00277 04.58 34.90 27.67 1473.5 085 00202 04.58 34.90 27.67 1473.5 085 00202 04.58 34.90 27.67 1473.5 085 00300 04.28 34.910 27.67 1473.5	DBS 00150 03.85 34.55 27.46 1470.4 DBS 00150 04.04 34.570 27.48 1466.7 DBS 00167 03.80 34.443 27.48 1466.7 DBS 00167 03.60 34.570 27.48 1466.0 DBS 00175 03.81 34.540 27.48 1466.0 DBS 00175 03.83 34.540 27.48 1466.0 DBS 00175 03.83 34.540 27.48 1466.0 DBS 00184 03.83 34.570 27.54 00.17 1471.4 STD 00200 04.28 34.77 27.60 1471.4 STD 00201 04.36 34.70 27.60 1472.4 DBS 00202 04.50 34.830 27.62 00.204 1473.0 DBS 00205 04.56 34.840 27.62 00.204 1473.0 DBS 00207 04.58 34.80 27.62 00.224 1473.7 DBS 00201 04.58 34.80 27.67 00.229 1476.1 DBS 00300 04.58 34.80 27.67 00.229 1476.1 DBS 00300 04.58 34.80 27.67 1473.5 DBS 00300 04.58 34.90 27.67 1473.5	DBS 00150 03.68 34.570 27.48 1470.4 DBS 00150 04.50 34.443 27.49 1466.7 DBS 00167 03.93 34.443 27.48 1466.2 DBS 00175 03.98 34.570 27.48 1466.0 DBS 00175 03.98 34.560 27.48 1466.0 DBS 00176 03.98 34.560 27.52 1466.0 DBS 00178 03.98 34.570 27.54 1466.0 DBS 00164 03.23 34.570 27.54 1471.4 DBS 00160 04.28 34.77 27.60 1471.4 STD 00201 04.58 34.970 27.65 1473.0 DBS 00221 04.58 34.980 27.62 1473.0 DBS 00251 04.58 34.980 27.62 1473.0 DBS 00251 04.58 34.980 27.62 1473.0 DBS 00250 04.58 34.980 27.62 1473.0 DBS 00250 04.58 34.980 27.62 1473.0 DBS 00250 04.58 34.980 27.67 1473.7 DBS 00250 04.58 34.980 27.67 1473.5 DBS 00300 04.38 34.910 27.67 1473.5 DBS 00300 04.38 34.910 27.67 1473.5	DBS 00150 03.85 34.572 27.54 1470.4 DBS 00150 04.04 34.572 27.49 1466.7 DBS 00157 04.50 34.447 27.48 1466.2 DBS 00171 03.90 34.570 27.48 1466.2 DBS 00172 03.38 34.572 27.52 1466.0 DBS 00175 03.38 34.562 27.52 1466.0 DBS 00178 03.38 34.562 27.52 1466.0 DBS 00180 03.23 34.70 27.54 1471.0 DBS 00100 04.23 34.70 27.60 1471.0 DBS 00201 04.36 34.830 27.62 00.204 1473.0 DBS 00202 04.50 34.840 27.67 1473.0 DBS 00250 04.54 24.860 27.67 1473.7 DBS 00251 04.57 34.910 27.67 00.229 1479.1 DBS 00300 04.38 34.900 27.67 1473.5 DBS 00300 04.58 34.900 27.67 1473.5

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 8370 CONSEC 0051 LAT 47 00.0N LONG 046 16.0M	MGNT DAY	1974 H 04 15 07.3	BOTOP 00305 SHIP EV DATA USE 1 AREA 05	BARG	TEMP 00.0 Bulb -01.8 Metr 1019.8 D T/A	30		WIND-DIR WIND-SPD WIND-FOR WEATHER	04	TRACE DURAT		00.2	5 2	N SQ 136 SQUARE SQUARE 6 SQUARE 1	
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SMO VEL	CXY G	PG 4	TOT P	NO2	NO3	\$103	PH	
	STO	00000	- 0.37	32.99	26.52	00.000	1444.8								
07.3	OBS OBS	00003	- 0.37 - 0.37	32.990 32.980	20.52 20.52		1444.9 1444.9								
	STD CBS	00010	- 0.37 - 0.35	32.98	26.52 26.52	00.015	1445.0								
	CBS	00015	- 0.26	32.990 33.11u	26.62		1445.7								
	08\$ 08\$	00017 00019	00.04 00.57	33.40u 33.e00	20.84		1447.5								
	STD	00020	00.65	33.67	27.02	00.028	1450.7								
	08 S 08 S	00022 00026	00.63 01.00	33.81>	27.13 27.20		1451.8								
	STD	00030	01.39	33.96	27.21	00.038	1454.6								
	085 085	00030 00034	01.49 02.63	33.973 34.06¢	27.21 27.19		1455.1								
	08 S 08 S	00043	03.25	34-164	27.21		1463.3								
	STD	00050	03.37 03.20	34.160 34.14	27.20 27.20	00.055	1463.1								
	08\$ 08\$	00051 00055	03 . 14 03 . 56	34.130 34.176	27.20 27.19		1462.9 1464.8								
	OBS	00072	03.18	34.146	27.20		1463.4								
	STD OBS	00075 00076	02.92 02.83	34.12 34.115	27.21 27.22	00.077	1462.3								
	STD	00100	02.57	34.16	27.28	00.098	1461.3								
	085 085	00100	02.56 02.71	34.176 34.210	27.28 27.30		1461.2								
	STD	00125	C3.09	34.33	27.36	00.117	1464.1								
	CBS CBS	00125 00133	03.09 03.09	34.330 34.346	27.36 27.37		1464.2								
	OBS	00142	03.38	34.357	27.36		1465.7								
	OBS STD	00146	03.22 03.51	34.346 34.45	27.36 27.42	00.135	1465.1								
	OB S	00150	03.56	34.465	27.43		1466.8								
	085 085	00159	04.10 03.94	34.558	27.45 27.45		1469.2								
	CBS STD	00175	03.89	34.500	27.47	00 147	1468.7								
	085	00200 00203	04.49 04.56	34.69 34.710	27.51 27.52	00.167	1472.2								
	OBS STD	00226	04.63	34.825	27.58	00 106	1473.8								
	085	00251	04.91 04.91	34.89 34.887	27.62 27.62	00.143	1474.6								
	OBS STD	00276	04.59 04.58	34.840 34.85	27.62 27.62	00.221	1473.7								
					11.77										
	085	00300	04.58	34.850	27.63		1474.0								
	085	00300	04.58	34.854		*******									
REFID 31 4370					****		••	WIND-DI &	31	INST	STD RFCI	DADER	164	v SO 130	•
CONSEC 0052	YEAR	1974 H 04	BOTOP 00301 Ship EV	AIR 1 Wet 1	#### FEMP 00.0 BULB -01.8	DIR H 29	GT PER	WIND-DIA WINC-SPD		TRACE		٥	5 :	SQ 130	4
	YEAR MONT	1974	BOTOP 00301	AIR 1 WET 1 Bard	•# **	DIR H	GT PER		10	TRACE DURAT	DIR		5 5		•
CONSEC 0052	YEAR MONT DAY HOUR	1974 H 04 15	BOTDP 00301 SHIP EV DATA USE 1	AIR 1 WET 1 Bard	***** FEMP 00.0 BULB -01.8 RETR 1019.8	DIR H 29 SEA	GT PER	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT	DIR	00.2	5 5	QUARE 6	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR MONT DAY HOUR LVLTYP	1974 H 04 15 08-9 DEPTH	BOTOP 00301 SMIP EV DATA USE 1 AREA 05 TEMP	AIR 1 MET I BARGI CLGUI SAL 33-31	SIGMA-T 26-75	DIR H 29 Sea CL/TR	GT PER 3 4 SND VEL	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0052 LAT 47 01.0M LONG 046 02.0M	YEAR MONT DAY HOUR LVLTYP STD OBS STD	1974 H 04 15 08-9 DEPTH 00000 00003	BOTDP 00301 SMIP EV DATA USE 1 AREA 05 TEMP 00.37 00.37	AIR 1 MET I BARGI CLGUI	TEMP 00.0 SULB -01.8 SETR 1019.8 D T/A SIGMA-T 26.75 26.75 26.75	DIR H 29 SEA CL/TR DYNDPTH	GT PER 3 4 SND VEL 1448.6 1448.7	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR MONT DAY HOUR LVLTYP STD OBS STD OBS	1974 H 04 15 08-9 DEPTH 00000 00003 00010	BOTOP 00301 SHIP EY DATA USE 1 AREA 05 TEMP 00.37 00.37 00.38	AIR 1 WET 1 BARQU CLGUI SAL 33-31 33-310 33-313 33-313	TEMP 00.0 SULB -01.8 METR 1019.8 D T/A SIGMA-T 26.75 26.75 26.75	DIR H 29 SEA CL/TR DYNDPTH 00.000	GT PER 3 4 SND VEL 1448.6 1448.7 1448.8	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR MONT DAY HOUR STD OBS OBS	1974 H 04 15 08-9 DEPTH 00000 00003 00010 00011 00019	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00.37 00.37 00.38 00.38 00.38	AIR 1 MET I BAROU CLGUI SAL 33-31 33-31 33-31 33-31 33-33	TEMP 00-0 SULB -01-8 HETR 1019-8 O T/A SIGMA-T 26-75 26-75 26-75 26-75 26-76 26-76 26-89	DIR H 29 SEA CL/TR DYNDPTH 00.000	GT PER 3 4 SND VEL 1448-6 1448-7 1448-8 1448-9 1449-0	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR MONT DAY HOUR LVLTYP STD OBS STD OBS OBS	1974 H 04 15 08-9 DEPTH 00000 00013 00010 00011	BOTDP 00301 SMIP EV DATA USE 1 AREA 05 TEMP 00-37 00-37 00-38 00-38	AIR 1 WET 1 BAROI CLGUI SAL 33.31 33.310 33.313 33.333 33.49 33.620	FEMP 00.0 SULB -01.8 SETR 1019.8 D T/A SIGMA-T 26.75 26.75 26.75 26.75 26.76 26.89	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013	GT PER 3 4 SND VEL 1448.6 1448.7 1448.9 1448.9	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR HOUR DAY HOUR LVLTYP STD OBS OBS OBS OBS OBS OBS	1974 H 04 15 08.9 DEPTH 00000 00010 00011 00019 00020 00020 00022	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00-37 00-38 00-38 00-38 00-42 00-40 00-93 01-32	AIR 1 WET 1 8AROI CLGUI SAL 33.31 33.313 33.313 33.333 33.349 33.49 33.49	FEMP 00.0 SULB -01.8 SETR 1019.8 D T/A SIGMA-T 26.75 26.75 26.75 26.75 26.75 26.75 26.79 26.89 27.14 27.19	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013	GT PER 3 4 SND VEL 1448.6 1448.7 1449.0 1449.5 1449.5 1454.3 1452.3	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS	1974 H 04 15 08-9 DEPTH 00000 00003 00010 00011 00019 00020 00020 00020	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00.37 00.37 00.38 00.38 00.42 00.40	AIR 1 MET I BAROU CLGUI SAL 33-31 33-31 33-31 33-31 33-32 33-39 33-49 33-69	TEMP 00-0 SULB -01-8 4ETR 1019-8 0 T/A SIGMA-T 26-75 26-75 26-75 26-75 26-75 26-76 26-89 26-99 27-14 27-19	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013	GT PER 3 4 SNO VEL 1448.6 1448.7 1448.9 1449.9 1449.5 1449.5 1449.8 1452.3	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR MONT DAY HOUR STD OBS STD OBS OBS OBS STD OBS OBS OBS	1974 H 04 15 08-9 DEPTH 00000 00010 00011 00019 00020 00020 00020 00030 00030 00032	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00-37 00-38 00-38 00-42 00-40 00-93 01-32 01-35 01-48 02-57	AIR 1 BAROI CL CUI SAL 33-31 33-31 33-31 33-31 33-31 33-32 33-34 33-34 33-34 33-34 33-34 33-34 33-34 33-34	TEMP 00.0 SULB -01.8 EETR 1019.8 D T/A SIGMA-T 26.75 26.75 26.75 26.75 26.75 26.75 27.14 27.19 27.19 27.19 27.19 27.20 27.26	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013 00.025	GT PER 3 4 SND VEL 1448.6 1448.7 1448.9 1449.0 1449.3 1452.3 1452.4 1452.4 1452.3 1454.4 1452.1 1460.3	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	VEAR MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	1974 H 04 15 08-9 DEPTH 00000 00010 00011 00019 00020 00020 00020 00030 00030 00030 00030 00031	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00-37 00-38 00-38 00-42 00-42 00-42 01-35 01-35 01-48 02-57 02-71	AIR 1 WET I BAROU CLCUI SAL 33-31 33-31 33-31 33-31 33-32 33-34 33-94 33-94 33-94 33-94 33-94 33-94 33-94 33-94	TEMP 00.0 SULB -01.8 ETR 1019.8 D T/A SIGMA-T 26.75 26.75 26.75 26.75 26.75 26.75 26.76 27.19 27.19 27.19 27.19 27.20 27.26 27.25	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013 00.025	SND VEL 1448.6 1448.6 1448.9 1449.0 1449.0 1490.8 1492.3 1454.3 1454.3 1454.3 1460.3 1460.1	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR MONT DAY HOUR STD OBS STD OBS STD OBS OBS OBS OBS	1974 H 04 159 08-9 DEPTH 00000 00010 00011 00019 00020 00020 00020 00030 00030 00030 00030 00030	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00.37 00.38 00.38 00.38 00.42 00.42 00.40 00.93 01.32 01.32 01.32 01.48 02.57	AIR 1 MET 1 BAROI CLCUI SAL 33-31 33-31 33-31 33-31 33-32 33-34 33-34 33-34 33-34 33-34 33-34 33-34 33-34 33-34	TEMP 00.0 SULB -01.8 SETR 1019.8 D T/A SIGMA-T 26.75 26.75 26.75 26.75 26.75 26.75 27.75 26.79 27.14 27.19 27.19 27.19 27.20 27.20 27.20 27.25	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013 00.025	GT PER 3 4 SND VEL 1448.6 1448.7 1449.0 1449.0 1459.3 1454.4 1455.4 1460.3 1461.0 1461.1	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR MONTO DAY HOUR STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	1974 H 04 03.9 DEPTH 00000 00010 00011 00019 00020 00020 00020 00030 00030 00030 00030 00031 00051 00057	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00.37 00.38 00.38 00.42 00.40 00.93 01.32 01.35 01.35 02.57 02.71 02.73 02.73	AIR 1 MET 1 BAROI CLCUI SAL 33-31 33-31 33-31 33-31 33-32 33-34 33-40 33-94 33-94 33-95 34-15 34-15 34-15 34-15 34-15	TEMP 00-0 SULB -01-8 SUETR 1019-8 D T/A SIGMA-T 26-75 27-19 27-19 27-19 27-26 27-25 27-25 27-25 27-25 27-26 27-25 27-26 27-25 27-26 27-25 27-26 27-25 27-26 27-26 27-27 27-28 27-28	DIR H 29 SEATR DYNDPTH 00.000 00.013 00.025 00.036	GT PER 3 4 SND VEL 1448.6 1448.7 1449.0 1449.3 1452.3 1455.4 1460.3 1461.1 1461.0 1461.1 1460.8 1460.8 1460.8 1460.8	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	VEAR HONT OAY OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	1974 H 04 115 08-9 DEPTH 00000 00010 00011 00019 00020 00020 00020 00030 00030 00030 00031 00051 00057 00075 00079 00100	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00-37 00-38 00-38 00-42 00-42 00-42 01-35 01-35 01-35 01-48 02-57 02-71 02-73 02-22	AIR 1 WET I BAROU CLGUI SAL 33-31 33-31 33-31 33-32 33-82 33-82 33-94 33-94 33-95 34-15 34-15 34-13	TEMP 00.0 SULB -01.8 ETR 1019.8 D T/A SIGMA-T 26.75 26.75 26.75 26.75 26.75 26.75 26.75 26.75 27.19 27.19 27.19 27.19 27.20 27.25 27.25 27.25 27.26 27.27 27.26	DIR H 29 SEA DYNDPTH 00.000 00.013 00.025 00.036	GT PER 3 4 SND VEL 1448.6 1448.7 1448.8 1448.9 1449.5 1449.5 1455.1 1455.1 1456.3 1461.0 1460.3 1461.0 1460.8 1460	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	VEAR MONT DAY HOUR LVLTYP OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	1974 H 04 15 08-9 DEPTH 00000 00011 00019 00020 00020 00030 00030 00030 00031 00057 00057 00079 00100 00100	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEHP 00-37 00-38 00-38 00-38 00-42 00-42 00-42 00-43 01-35 01-35 01-35 02-37 02-71 02-73 02-82 02-82	AIR 1 WET I BAROU	TEMP 00.0 SULB -01.8 ETR 1019.8 D T/A SIGMA-T 20.75	DIR H 29 SEATR DYNDPTH 00.000 00.013 00.025 00.036	GT PER 3 4 SND VEL 1448.6 1448.8 1448.9 1449.5 1449.5 1455.1 1456.1 1456.1 1456.1 1456.1 1456.1 1456.1 1456.1 1456.1 1456.1 1456.1 1456.1 1463.1 1463.1 1463.1 1463.1 1463.1 1463.1 1463.1 1463.1 1463.1 1463.1 1463.1 1463.1	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	VEAR MONT DAY HOUR LVLTYP OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	1974 H 04 15 08-9 DEPTH 00000 00010 00011 00019 00020 00020 00030 00030 00030 00031 00057 00079 00100 00125 00125	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEHP 00-37 00-38 00-38 00-38 00-42 00-42 00-42 00-43 01-35 01-35 01-35 01-35 02-37 02-71 02-73 02-82 02-95 02-96 02-96 02-96	AIR 1 WET I BAROU	FEMP 00.0 SULB -01.8 VETR 1019.8 D T/A SIGMA-T 26.75 26.75 26.75 26.75 26.76 27.19 27.19 27.20 27.25 27.25 27.25 27.26 27.30 27.37 27.37 27.37 27.40	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013 00.025 00.036	GT PER 3 4 SND VEL 1448.6 1448.6 1448.5 1448.0 1455.1 1460.8 1451.2 1461.2 1463.6 1463.6 1463.6 1463.6	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	YEAR MONTO OAY HOUR OBS STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	1974 H 04 15 08-9 DEPTH 00000 00010 00011 00019 00022 00030 00032 00031 00057 00079 00100 00125 00150 00150 00150	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00-37 00-38 00-38 00-38 00-42 00-46 00-93 01-32 01-35 01-48 02-57 02-71 02-73 02-92 02-95 02-96 02-96 02-96 03-90 03-90	AIR 1 MET I BAROI CLOUI SAL 33-31 33-31 33-31 33-31 33-32 33-49 33-40 33-94 33-94 33-94 33-94 33-94 33-94 33-94 33-94 33-94 33-94 33-95 34-15 34	TEMP 00-0 SULB -01-8 HETR 1019-8 D T/A SIGMA-T 26-75 26-75 26-75 26-75 26-75 26-75 26-75 26-75 26-75 26-75 26-75 26-75 26-75 26-75 27-19 27-19 27-19 27-20 27-25 27-25 27-25 27-25 27-26 27-30 27-30 27-37 27-40	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013 00.025 00.036 00.053	GT PER 3 4 SNO VEL 1448.6 1448.7 1448.8 1448.9 1449.8 1452.3 1455.1 1465.0 1465.1 1460.8 146	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	PYEAR HONT HOUR LVLTYP STD OBS STD OBS OBS OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	1974 H 04 15 08-9 DEPTH 00000 00010 00011 00019 00020 00020 00030 00030 00030 00031 00050	BOTOP 00301 SHIP EY DATA USE 1 AREA 05 TEMP 00.37 00.38 00.38 00.38 00.42 00.40 00.93 01.35 01.40 02.37 02.71 02.73 02.02 02.73 02.95 02.95 02.96 03.90 03.90 03.90 03.90	AIR 1 MET 1 8AROI CGUI 33-31 33-31 33-31 33-31 33-32 33-49 33-94 33-94 33-95 34-163 34	TEMP 00.0 SULB -01.8 4ETR 1019.8 T/A SIGMA-T 26.75 26.75 26.75 26.75 26.75 27.19 27.19 27.20 27.25 27.25 27.25 27.25 27.25 27.25 27.26 27.30 27.30 27.40 27.40 27.40 27.40 27.40 27.40 27.40 27.40 27.40 27.40 27.40 27.40	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013 00.025 00.036 00.053	SNO VEL 1448.6 1448.6 1448.6 1448.7 1448.8 1448.9 1449.0 1449.8 1452.3 1453.1 1455.1 1455.1 1455.1 1455.1 1463.6 1466.3 1466.3 1466.3	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	VEAR MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	1974 H 04 15 08-9 DEPTH 000003 00010 00011 00019 00020 00032 00030 00032 00050 00051 00051 00051 00051 00051 00051 00051	BOTOP 00301 SHIP EY DATA USE 1 AREA 05 TEMP 00.37 00.38 00.38 00.40 00.93 01.35 01.40 02.97 02.71 02.73 02.02 02.93 02.93 02.93 02.93 02.93 02.93 02.93 02.93 02.93 03.94 03.94 03.94 03.94 03.94 03.94 03.94	AIR 1 MET 1 8AROI CGUI 33-31 33-31 33-31 33-31 33-32 33-49 33-40 33-40 33-40 33-40 34-15 3	FEMP QO.O SULB -01.8 VETR 1019.8 O T/A SIGMA-T 26.75 26.75 26.75 26.75 26.89 27.14 27.19 27.20 27.25 27.25 27.25 27.26 27.30 27.30 27.30 27.30 27.40 27.40 27.40	DIR H 29 SEA SEA CONDETH 00.000 00.013 00.025 00.036 00.053 00.074 00.094 00.131	SND VEL 1448.6 1448.7 1448.8 1448.9 1449.0 1449.0 1449.1 1452.3 1454.4 1455.1 1460.3 1461.1 1459.8 1460.3 1461.2 1463.0 1463.1 1463.1 1463.1	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	VEAR MONT OAY HOUR STD OBS	1974 H 04 CB-9 DEPTH 00000 00010 00011 00011 00012 00020 00020 00030 00030 00030 00030 00030 00030 00030 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100 00100	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00.37 00.38 00.38 00.42 00.40 00.30 01.32 01.32 01.32 01.32 01.32 01.32 02.57 02.71 02.73 02.95 02.96 03.90 03	AIR 1 BAROIC COULT SAL 33-31 33-310 33-313 33-333 33-32 33-92 33-94 33-995 33-94 33-995 34-15 34-150	TEMP 00.0 SULB -01.8 +6TR 1019.8 5 T/A SIGMA-T 26.75 26.75 26.75 26.75 26.75 26.75 26.75 26.75 27.19 27.19 27.19 27.19 27.20 27.25 27.25 27.25 27.25 27.30 27.37 27.40 27.40 27.40 27.40 27.51 27.53 27.54	DIR H 29 SEA SEA CONDETH 00.000 00.013 00.025 00.036 00.053 00.074 00.094 00.131	SND VEL 1448.6 1448.7 1448.6 1448.7 1449.0 1449.0 1449.8 1454.3 1454.3 1454.3 1454.3 1454.3 1456.3 1460.3 1460.3 1460.3 1460.8 1460.8 1460.8 1460.8 1460.8 1460.8 1460.8 1460.8 1460.8 1460.8	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	VEAR MONT OAY OAY STD OBS	1974 H 04 C0-00 0003 00010 00011 00011 00019 00020 00020 00030 00030 00030 00030 00030 00030 00031 00050 00150	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00.37 00.38 00.38 00.42 00.40 00.93 01.32 01.32 01.32 01.35 01.48 02.57 02.71 02.73 02.42 02.93 02.95 02.96 02.96 03.06 03.06 03.06 03.06 04.23 04.23 04.23	SAL 33-31 33-31 33-31 33-31 33-31 33-31 33-31 33-31 33-31 33-31 33-31 33-41 33	TEMP 00.0 SULB -01.8 FETR 1019.8 T/A SIGMA-T 26.75 26.75 26.75 26.75 26.75 26.75 26.75 27.19 27.19 27.19 27.19 27.20 27.25 27.25 27.25 27.25 27.26 27.30 27.37 27.40 27.40 27.40 27.40 27.40 27.40 27.40 27.51 27.53 27.54 27.59 27.59	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013 00.025 00.036 00.053 00.074 00.094 00.113	SND VEL 1448.6 1448.7 1448.6 1448.7 1449.0 1449.0 1449.3 1454.3 1454.3 1454.3 1454.3 1456.3 1456.3 1460.3 1460.3 1460.3 1460.8 1	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	VEAR HONT OAY OBS STD OBS OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	1974 H 04 C0-00 0003 00010 00011 00019 00020 00030	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00.37 00.38 00.38 00.42 00.40 00.93 01.32 01.32 01.35 01.48 02.57 02.71 02.73 02.95 02.96 02.96 02.96 02.96 03.00 03.00 03.34 04.23 04.23 04.47 04.46	SAL 33-31 33-31 33-31 33-31 33-31 33-32 33-42 33-94 33-94 33-94 33-94 33-94 33-94 34-150	TEMP 00.0 SULB -01.8 4ETR 1019.8 0 T/A SIGMA-T 26.75 26.75 26.75 26.75 26.75 27.19 27.19 27.20 27.26 27.25 27.25 27.26 27.30 27.30 27.40 27.40 27.40 27.40 27.40 27.53 27.54 27.59	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013 00.025 00.036 00.053 00.074 00.094 00.113	SND VEL 1448.6 1448.6 1448.6 1448.7 1448.8 1448.9 1449.0 1449.8 1449.8 1452.3 1452.3 1451.0 1452.1 1452.6 1461.2 1462.1 1463.6 1463.6 1463.6 1463.6 1464.2 1463.6 1464.3 1464.3 1466.3 1466.1 1467.2 1468.1	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•
CONSEC 0092 LAT 47 01.00 LONG 044 02.00 CASTNUM/TIME	VEAR MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS OBS OBS OBS OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS STD OBS OBS OBS OBS	1974 H 04 15 08-9 DEPTH 000003 00010 00011 00019 00020 00020 00030 00030 00031 00057 00057 00057 00050 00150 00250	BOTOP 00301 SHIP EV DATA USE 1 AREA 05 TEMP 00.37 00.38 00.38 00.42 00.40 00.93 01.32 01.35 01.48 02.57 02.71 02.73 02.22 02.92 02.93 03.96 03.96 03.96 03.96 03.96 03.96 03.96 03.96 03.96 03.96 03.96 03.96 04.10 04.23 04.65 04.65	AIR 1 MET I BAROL SAL 33.31 34.15 34	TEMP 00.0 SULB -01.8 4 ST 1019.8 0 T /A SIGMA-T 26.75 26.75 26.75 26.75 26.75 27.19 27.20 27.26 27.25 27.25 27.26 27.30 27.30 27.30 27.30 27.30 27.30 27.30 27.30 27.30 27.30 27.30 27.30 27.40 27.51 27.53 27.54 27.59 27.60 27.60 27.60 27.60	DIR H 29 SEA CL/TR DYNDPTH 00.000 00.013 00.025 00.036 00.053 00.074 00.094 00.113	SND VEL 1448.6 1448.6 1448.6 1448.7 1448.8 1448.9 1449.0 1449.8 1449.8 1452.3 1453.4 1455.1 1459.8 1461.0 1461.1 1459.8 1461.2 1463.6 1464.1 1463.6 1464.1 1463.6 1464.1 1463.6 1464.1 1463.6 1464.1 1463.6 1464.1 14672.7 1472.7	HIND-SPO HIND-FOR HEATHER	XI 10	TRACE DURAT ORIG	DIR ION 011 542	00.2	5 : 2 : 1 :	SQUARE 6 SQUARE 6 SQUARE 7	•

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

		8370	YEAR		BOTDP 04045	AIR '		DIR H	GT PER	WIND-DIR	04	IN:	ST S	TD REC	DADER	TE	N SQ 1306
CONSE		0053	HONTE		SHIP EV	WET		24	1 2	WIND-SPO	06		KC E		0	5	SQUARE 3
LAT		24.6N	DAY	25	DATA USE 1	BARQ	METR 1023.7	SEA		wind-for			LTAS		00.4	2	SQUARE 60
LONG	041	50 . Su	HOUR	12.3	AREA 05	CLCU	D T/A	CL/TR		HEATHER	X4	GR !	IG 0	11 543		1 .	SQUARE 61
CAS	TNUK	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXY G	P04	TOT	Þ	NOS	NO3	\$103	PH
			STD	00000	04.24	34.19	27.14	00.000	1466.8								
		12.3	085	00003	04.24	34.190	27.14		1466.8								
			STD	00010	04.23	34.19	27.14	06.009	1466.9								
			280	00011	04.22	34.190	27.14		1466.9								
			STO	00020	04-13	34-19	27-15	00.019	1466.7								
			DBS STD	00020 00030	04.12 03.96	34.190 34.19	27.15 27.17	00.028	1466.6								
			085	00030	03.95	34.187	27.17	00.020	1466.1								
			085	00038	03.66	34.170	27.16		1465.9								
			STO	00050	03.79	34.18	27.18	00.046	1465.7								
			08.5	00051	03.78	34-180	27.18		1465.7								
			STD	00075	03.48	34.27	27.28	00.067	1464.9								
			OBS	00076	03.47	34.270	27.28		1464.9								
			STD	00100	03.28	34.30	27.32	00.087	1464.5								
			OBS	00100	03.27	34.300	27.32		1464.5								
			STO	00125	03.02	34.31	27.35	00.106									
			260	00125	03.02	34.310	27.35		1463.8								
			STD	00150	02.87	34.32	27.37	00.124	1463.6								
			085	00152	02 - 86	34.320	27.38		1463.6								
			280 280	00177 00199	02 . 79 02 . 67	34.410 34.476	27.46 27.51		1463.8 1463.8								
			STO	00200	02-67	34.47	27.51	00.157									
			280	00201	02.66	34.470	27.51	00.131	1463.8								
			085	00226	02.69	34.460	27.50		1464.3								
			STD	00250	02.70	34.52	27.55	00.186	1464.8								
			OBS	90253	02.70	34.520	27.55		1464.8								
			085	00277	02.71	34.530	27.56		1445.3								
			STD	00300	02.72	34.53	27.56	00.214	1465.7								
			08\$	00302	02.73	34.530	27.56		1465.8								
			08\$	00350	02.96	34.656	27.63		1467.7								
			STD	00400	03.27 03.30	34.67	27.62	00.268									
			085 085	00403	03.72	34.680 34.826	27.62 27.69		1470.1								
			STO	90500	03.86	34.86	27.71	00 315	1472.9								
			085	00502	03.86	34.860	27.71	001323	1474.4								
			085	00552	03.91	34.880	27.72		1475.4								
			STD	00600	03.88	34.89	27.73	00.359	1476.1								
			OBS	00601	03.88	34.896	27.73		1476.1								
			OBS	00651	03.84	34.890	27.74		1476.8								
			STO	00700	03.81	34.89	27.74	00.402	1477.5								
			085	00702	03.81	34.894	27.74		1477.5								
			OBS	00751	02-77	34.880	27.74		1478.2								
			STD	00800	03.72	34.88	27.74	00.445	1478.7								
			065 <i>085</i>	00801	03.72 <i>03</i> .47	34.840 34.880	27.74 27.75		1478.8								
			STD	00900	03.65	34.68	27.75	00.449	1479.4								
			OBS	00902	03.45	34.880	27.75	30. 797	1480.1								
			085	00953	03.59	34.880	27.75		1480.8								
			STD	01000	03.56	34.88	27.76	00.532	1481.4								
			OBS	01001	03.56	34.680	27.76		1481.4								
			OBS	01024	C3.55	34.674	27.76		1481.8								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8370 CONSEC 0054 LAT 46 18.5N LONG 041 49.2H	HONT	1974 H 04 25 13.9	BOTDP 04200 SHIP EV DATA USE 1 AREA 05	WET BARC	TEMP 06.5 BULB 06.5 METR 1023.3 D T/A	DIR H O1 SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	04	TRAC	TION	RECO 5440	00.4	5	N SQ 1: SQUARE SQUARE SQUARE	40
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXY 6	P04	TOT P	and a)2 (NO3	\$103	PH	
	STD	00000	04.24	34.19	27.14	00.000	1466.8									
13.9	085	00003	04.24	34.190	27.14		1466.8									
	STD	00010	04-23	34.19	27.14	00.009	1466.9									
	280 CY2	00011	04.22 04.13	34.196 34.19	27.14 27.15	0(.019	1466.9									
	085	00020	04.12	34.190	27.15	01.017	1466.6									
	STD	00030	03.96	34.19	27.17	00.028	1466.1									
	085	00030	03.95	34.187	27.17	_	1466.1									
	CBS	00047	03.79	34.180	27.10		1445.7									
	STO	00050	03.78	34.18	27.18	00.046	1445.7									
	065	00051	03.78	34-180	27.18	00 047	1465.7									
	STD OBS	00075 00076	03.48 03.47	34.27 34.270	27.2 4 27.2 4	00.067	1464.9									
	STD	00100	03.28	34.30	27.32	00.087	1464.5									
	085	00100	03.27	34.300	27.32		1444.5									
	STD	00125	03.02	34.31	27.35	00.106	1443.8									
	085	00125	03.02	34.316	27.35		1463.8									
	STD	00150	02.87	34.32	27.37	00.124										
	085	00152	02.46	34.320	27.38		1443.6									
	085 085	00177 00199	02.79 02.67	34.410	27.46 27.51		1443.8									
	STD	00200	02.67	34.47	27.51	00.157										
	065	00201	02.68	34.470	27.51	******	1463.8									
	085	00226	02.69	34.460	27.50		1444.3									
	STD	00250	02.70	34.52	27.55	00.186	1464.8									
	OBS	00253	62.70	34.520	27.55		1464.8									
	085	00277	02.71	34.530	27.56		1465.3									
	STD OBS	00300 00302	02.72 02.73	34.53 34.530	27.56 27.56	00.214	1465.8									
	085	00350	02.96	34.650	27.63		1467.7									
	STD	00400	03.30	34.67	27.61	00.268										
	085	00401	03.31	34.670	27.61		1470.1									
	085	00453	03.70	34.790	27.67		1472.8									
	STD	00500	03. 85	34.86	27.71	00.316										
	OBS	00502	03.86	34.860	27.71		1474-4									
	OBS STD	00552 00400	03.91 03.88	34.880 34.89	27.72 27.73	00.359	1475.4 1476.1									
	085	00401	03.48	34.890	27.73	00.334	1476.1									
	085	00651	03.84	34.890	27.74		1476.8									
	STD	00700	03.61	34.89	27.74	00.402										
	095	00702	03.81	34.890	27.74		1477.5									
	085	00751	03.77	34.665	27.72		1478.1									
	STD	00800	03.72	34.88	27.74	00.444	1470.7									
	085	00801	03.72	34.880	27.74		1478.8									
	OBS STD	00850 00900	03.47 03.45	34.880	27.75 27.75	00.489	1479.4									
	085	00902	03.45	34.880	27.75	30.707	1480.1									
	085	00953	03.59	34.880	27.75		1480.8									
	STO	01000	03.56	34.88	27.76	00.533										
	085	01001	03.56	34.880	27.76		1481.4									
	OBS	01020	03.56	34.874	27.75		1401.7									
					*****	+++++++	•									

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

AEFID CONSEC LAT LONG	44	8370 0055 06.4N 51.46	PAY	1974 H 04 25 19-2	BOTOP 0449 SHIP EV DATA USE AREA 0	1 1 15	AIR TEMP MET BULS BARDMETR CLEUD Y/A	09.8 09.8 1023.5		GT PER 2 5	W LND-D1 R W LN D-SPD W IND-FOR W EA TWER	05	TRAC	STO REC E DIR TION OLL 545	ORDER D GO.5	5	H SQ 13 SQUARE SQUARE SQUARE	40
CAST	HUN	TIME	LVLTYP	DEPTH	TEMP	S	NL SIG	MA-T	OYNOP TH	SNO VEL	0X4 e	PQ4	TOT #	NO2	NOJ	\$103	PH	
		19.2	065	90009	04.86			. 80		1469.1								
			STO	00010	04-85	33.	.84 26	-40		1449.0								
			DBS STD	00011 00020	04.84			.79		1469.0								
			065	00020	04.83			.78		1469.1								
			STO	00030	04.67		.83 26	.78		1449.4								
			COS	00030	04.87			.78		1469.4								
			STD	00050	05.21			- 86		1471.3								
			085 085	00051 00055	05.22 05.25		,980 26 ,975 26	. 86 . 86		1471.4								
			085	00040	05.72		120 26	.91		1473.6								
			510	00075	05.36	34.	.06 24	-90		1472.5								
			385	00074	05.37			-90		1472.5								
			STO	00100 00100	06.02 06.07			.01		1475.9								
			CBS	00104	06.31			.99		1477.1								
			085	00114	04.29	34	.660 26	.98		1485.5								
			065	00123	09.13			-02		1489.0								
			STD	00125	05.12	34.	.86 27	-01		1469.0								
			DBS STD	00125 00150	09.11 09.07	37.	.850 27 .87 27	.00		1489.0								
			DAS	00141	09.05	34.	880 27	.04		1489.4								
			085	00165	98.76	34.	.865 27	.07		1488.3								
			085	00175	00-62		877 27	-10		1468.0								
			DBS STD	00190 00200	07.60 07.08	34.		•16 •16		1484.2								
			085	00201	07.01		660 27	.17		1482.0								
			085	00205	06.68	34.	.66a 27	.19		1481.5								
			085	90209	06.59	34,	649 27	•52		1480.4								
			085 085	00226	06.64 06.60	34,		.24 .24		1480.9								
			280	00234	06.96			.29		1482.4								
			280	00243	06.98			. 24		1482.7								
			085	00245	07.32	34.	860 27	•58		1484.1								
			570 280	00250	07.33	34,	87 27	.59		1484.3								
			085	00251 00274	07.33 07.05			• 29 • 33		1484.3								
			085	00279	06.85			. 33		1482.6								
			STD	00300	06.27	34,	,79 27	.37		1460.8								
			065	00306	06.17			-39		1480.5								
			085 085	00336 00342	06.31 05.60			• 43		1481.7								
			085	00350	05.36			. 47		1477.9								
			STD	00400	05.26		.65 27	-55		1478.5								
			085 085	00405 00451	05.25			- 35		1478.5								
			570	00500	05.36 05.16	34.		• \$4 • 57		1479.7								
			085	00512	05,11	34,		. 59		1479.7								
			085	00550	04,97			-58		1479.9								
			OBS	00590	05.01			• 67		1460 .7								
			085 \$70	00599 00600	04.45	34.	860 27 87 27	• 65 • 65		1478.4								
			GB S	00601	04.42	34.	.89U 27	-68		1478.4								
			085	00652	04.23	34.	.870 27	-68		1478.4								
			085	00454	04.25	34.	670 27	• 68		1478.5								
			OBS STO	00485	04.52 04.48	34. 34.		•66 •67		1480.2								
			CBS	00702	04.47			•67		1480.3								
			STO	00800	04.34	34.	89 27	-68		1481 -4								
			OBS	00840	04.24			-69		1461.9								
			STD	00900	04.16 04.16			•69 •69		1482.2								
			085	00951	04.11			.69		1482.9								
			\$70	01000	04.04	34.	.86 27	-69		1463.4								
			085	01001	04.04		860 27	• 69		1483 .4								
			280 280	01014	04.02 04.03			- 70		1483 -6								
			J# 3	01022	V7. U3	34.	21	-69		1483.7								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8370 CONSEC 0056 LAT 45 55.7N LONG 041 44.0M	YEAR 1974 MONTH 04 DAY 26 HOUR 01-1	BOTOP 04524 Ship ev Data USE 1 Area 05	WET BULB 13.8 BAROMETR 1024.0	DIR HGT PER 24 3 2 SEA CL/TR	WIND-DIR 19 WIND-SPD 12 WIND-FOR WEATHER X4	INST STO RECORDER TRACE DIR D DURATION 00.7 ORIG 011 546	TEN SQ 1304 5 SQUARE 3 2 SQUARE 40 1 SQUARE 51
CASTNUM/TIME	LVLTYP DEPT	H TEMP	SAL SIGMA-T	DYNOPTH SND VEL	0XY 6 PO4	TOT P NO2 NO3	\$103 PH
01.1	STD 0000		35.46 26.78 35.460 26.78	00.000 1501.2 1501.3			
	STD 0001	0 12.92	35.46 26.78 35.469 26.78	00.013 1501.3 1501.4			
	STD 0002	0 12.92	35.46 26.78 35.46G 26.78	00.026 1501.5 1501.6			
	STD 0003	0 12.92	35.46 26.78	00-038 1501-7 1501-7			
	OBS 0003	0 12.90	35.460 26.78 35.46 26.79	00.064 1501.9			
	OBS 0009	5 12.92	35.465 26.79 35.47 26.79	1502.0 00.096 1502.4			
	1000 280 100 072	0 12.92	35.470 26.79 35.47 26.79	00.128 1502.8			
	OBS 0010	8 13.44	35.47G 26.79 35.660 26.83	1502 • 8 1505 • 1			
	STD 0012 085 0012		35.69 26.82 35.696 26.82	00.160 1505.8 15 0 5.9			
	08S 0012	9 13.69 6 13.57	35.710 26.82 35.820 26.84	1506-2 1507-5			
	STO 0015	0 13.99	35.82 26.84 35.825 26.84	00.192 1507.6 1507.7			
	OBS 0016	3 12.08	35.30G 26.82 35.01G 26.84	1500 • 8 1496 • 0			
	OBS 0017	5 10.59	34.990 26.86 35.026 26.88	1495.4 1495.5			
	STD 0020	0 11.37	35.18 26.86	00.255 1498.8			
	OBS 0022	6 11.38	35.220 26.87 35.340 26.99	1459.3 1499.5			
	STD 0025	0 10.28	35.24 27.01 35.16 27.04	00.314 1498.5 00.369 1496.5			
	DBS 0035		35.010 27.08 34.995 27.08	1494.1 1453.8			
	085 0036 085 0037	7 06.64	34.860 27.09 34.603 27.10	1451.2			
	085 0037	6 06.78	34.530 27.10	1483.8 1483.3			
	STD 0040	0 06.66	34.620 27.20 34.66 27.22	00.470 1483.8			
	OBS 0040	9 06.53	34.667 27.22 34.646 27.22	1483.9 1483.4			
	085 0041 085 0041		34.476 27.20 34.460 27.21	1479.9 1479.3			
	OBS 0045		34.530 27.27 34.67 27.40	1479.9			
	085 0050 085 0050	0 05.24	34.676 27.41 34.645 27.40	1479.8 1479.3			
	085 0051	9 05.24	34.676 27.41	1480-1			
	OBS 0052	2 05.81	34.790 27.43 34.800 27.44	1402.7 1402.0			
	OBS 0056	7 06.05	34.880 27.43 34.845 27.44	1485 - 4 1484 - 4			
	000 QT2 000 280		34.87 27.46 34.870 27.47	00.626 1485.0 1485.2			
	DBS 0065		34.870 27.54 34.945 27.59	1483.5 1483.9			
	OBS 0066 STD 0070	2 05.84	34.997 27.59 34.97 27.60	1485.3 00.692 1485.1			
	085 0070 085 0075	0 05.63	34.970 27.60 35.005 27.65	1485 - 1 1485 - 2			
	STD 0080	0 05.23	35.00 27.67	00.748 1485.1			
	085 0080 085 0082	4 05.13	35.000 27.67 34.990 27.67	1445.1 14 0 5.1			
	STD 0090		34.89 27.66 34.886 27.66	00.801 1483.9 1484.2			
	085 0092 085 0095	7 04.52	34.880 27.66 34.880 27.66	1484.2 14 8 4.7			
	STO 0100	0 04.33	34.87 27.67 34.866 27.67	00.855 1484.6			
	OBS 0100	3 04.23	34.860 27.67	1484.2 1484.6			
	082 0104	0 04.29	34.86v 27.67	1404.0			
			-				
REFID 31 8370	YEAR 1974	BOTOP 0007			MIND-DIR OI	INST STO RECORDER	TEN 50 1304
CONSEC 0057 LAT 46 38-5N	MONTH 04 DAY 29	SMIP EV DATA USE	MET BULB G1.3 1 BAROMETR 1026.4	SEA	WIND-SPD 12 WIND-FOR	TRACE DIR 00.1	
LONG 048 44.8W	HOUR 05.0	AREA O	5 CLGUD T/A	CL/TR	WEATHER X4	ORIG 011 547	1 20hvus es
CASTMUM/TIME			SAL SIGNA-T	DYNOPTH SHO VEL	0XY 6 P04	TOT P NG2 NG3	\$103 PH
05.0	STD 000	00.08	32.81 26.36 32.810 26.36	00.000 1446.6			
	STD 000 085 000	11 00.09	32.81 26.36 32.810 26.36	00.017 1446.8 1446.9			
	085 000 STD 000	19 - 0.04	32.797 26.35 32.86 26.41	1446.4			
	085 000 STD 000	20 - 0.18	32.903 26.45 32.91 26.46	1445.9			
	085 000 085 000	30 - 0.37	32.915 26.46 32.930 26.50	1445.2 1443.0			
	ues uou	0.90	34.734 40.70	1449.0			

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8370 YEAR 1974 CONSEC 0058 MONTH 04 LAT 46 35.0M DAY 29 LONG 048 26.0M HOUR 07.3	BOTDP 0009S AIR TEMP 01.9 SHIP EV MET BULB 01.3 DATA USE 1 BARDMETR 1026.1 AREA 03 CLUUD T/A	DIR HGT PER 00 0 X SEA CL/TR	WIND-DIR 01 WIND-SPD 12 WIND-FOR WEATHER X4	INST STO RECORDER TRACE DIR DOWNATION 00.1 ORIG 011 548	TEN SQ 1306 5 SQUARE 4 2 SQUARE 68 1 SQUARE 68
CASTNUMYTIME LYLTYP DEPTH	TEMP SAL SIGMA-T	DYNDPTH SAD VEL	OXY 6 PO4	TOT P NO2 NO3 S	103 PH
\$10 0000	- 0.37 32.93 26.48	00.000 1444.7			
07.3 085 00001 STD 90010	- 0.37 32.930 26.48 - 0.37 32.93 26.48	1444.7 00.016 1444.5			
085 00011 STD 00020	- 0.37 32.930 26.48 - 0.38 32.93 26.48	1444.9			
DBS 00020 STD 00030	- 0.39 32.930 26.48 - 0.52 32.93 26.48	1445.0			
085 00030 STD 00050	- 0.53 32.930 26.48 - 0.74 32.94 24.49	1444.5			
085 00051 STO 00075	- 0.76 32.940 26.50 - 1.38 33.11 26.65	1443.8			
085 00076 085 00081	- 1.39 33.115 26.66 - 1.41 33.140 26.68	1441.5			
085 00089	- 1.39 33.140 26.68	1441.7			
	******	******			
REFID 31 8370 YEAR 1974 CONSEC 0059 MONTH 04	BOTOP CO101 AIR TEMP 01.9 SHIP EV WET BULB 01.3	DIR HGT PER	WIND-DIR 01 WIND-SPD 12	INST STO RECORDER TRACE DIR D	TEN SQ 1306 5 SQUARE 4
LAT 46 31.0N DAY 29 LONG 048 14.8W HOUR 08.4	OATA USE 1 BAHOMETR 1028.1 AREA 05 CLGUD T/A	SEA CL/TR	WIND-FOR WEATHER X4	CRIG OIL 549	2 SQUARE 68 1 SQUARE 68
CASTNUN/TIME LYLTYP DEPTH	TEMP SAL SIGMA-T	DYNOPTH SAD VEL	GXYG PD4	TET P NO2 NO3	5103 PH
STD 00000	- 0.37 33.04 26.56	00.000 1444.9			
08.4 OBS 00001 STD 00010	- 0.37 33.040 26.56 - 0.37 33.04 26.56	00.015 1445.0			
00S 00011 STD 00920	- 0.37 33.040 26.56 - 0.36 33.04 20.56	00.030 1445.2			
085 00020 STD 00030	- 0.36 33.040 26.56 - 0.37 33.05 26.57	00.044 1445.4			
085 0003g 085 00032	- 0.37 33.050 26.57 - 0.37 33.030 26.56	1445.4			
085 00045	- 0.55 33.040 26.57 - 0.89 33.040 26.58	1444.7 1443.2			
08S 00047 STD 00050	- 0.94 33.030 26.58 - 1.10 33.06 26.60	00.074 1442.3			
08\$ 000\$1 \$10 00075 08\$ 00076	- 1.19 33.076 26.62 - 1.46 33.14 26.68 - 1.46 33.140 26.68	0C.109 1441.2			
085 00076 085 00081 085 00095	- 1.46 33.140 26.68 - 1.47 33.153 26.69 - 1.44 33.240 26.76	1441.2 1441.2 1441.7			
083 00015		144111			
REFID 31 6370 YEAR 1974 CONSEC 0060 MONTH 04	BCTOP GOLLS ALK TEMP 30.1 SHIP EV WET BULB 50.3	DIR HGT PER OD 3 X	MIND-DIR OI MIND-SPO 12	INST STE RECORDER TRACE CIR D	TEN SU 1306 5 SQUARE 4
LAT 46 28.00 DAY 29 LONG 048 00.00 HOUR 10.0	DATA USE 1 BANDMETR 1028-8 AREA 05 CLUUD T/A	SEA CL/TR	NIND-FOR WEATHER 24	CRIG 011 5500018	2 SQUARE 68 1 SQUARE 68
CASTNUM/TIME LYLTYP DEPTH	TEMP SAL SIGMA-T	DYNOPTH SND VEL	UXY 6 PO4	TOT P NO2 NG3	\$103 PH
\$TD 00000 10.0 085 00001	- 0.50 33.06 26.55 - 0.50 33.060 26.59	GC.000 1444.3 1444.3			
STD 00010 085 00011	- 0.51 33.06 26.56 - 0.51 33.066 26.59	00.015 1444.4			
05000 0020 085 00020	- C.51 33.00 20.55 - O.51 33.000 20.55	00.029 1444.6 1444.6			
\$70 00030 085 00030	- 0.52 33.06 26.55 - 0.53 33.060 26.55	00.044 1444.7			
OBS 00032 \$TD 00050	- 0.58 33.056 26.56 - 0.79 33.09 26.62	00.073 1443.8			
085 00051 085 00066	- 0.81 33.096 26.62 - 0.96 33.086 26.62	1443.7 1443.2			
\$TD 00075	- 1.06 33.12 20.66 - 1.68 33.13c 26.66	00.106 1443.0			
085 00091 \$70 00100	- 1.53 33.25> 20.78 - 1.41 33.30 20.61	1441.2			
085 00100 085 00108	- 1.40 33.30¢ 26.81 - 1.39 33.30¢ 26.61	1442.1 1442.3			
063 00106	20101				

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 8370 CONSEC 0041 LAY 44 23.0N LONG 047 44.5M		29	BUTDP OG SHLP EV DATA USI AREA		AIR T WET & BAAGM CL GUO	ULB 00.5 ETR 1028.1		GT PER D X	#IND-DIR WIND-SPD WIND-FOR WEATHER	09	TRA	ATIO	IA .	ORDER D OO-1 LOGIO	5	N SQ 1306 SQUARE 6 SQUARE 66 SQUARE 67
CASTNUM/T IME	LVLTYP	DEPTH	TEM	•	SAL	SIGNA-T	DYNOP TH	SMD VEL	OXY 6	P04	T 0 T	P	NO2	NO3	\$103	PH
	STO	90000	- 0.4	,	33.09	26.61	00.000	1444.7								
11.1	283	00001	- 0.4		33.090	20.61		1444.7								
•	STO	00010	- 0.4		33.07	26.55	00.014	1444.7								
	085	00011	- 0.4		33.074	26.59		1444.6								
	STD	00020	- 0.5		33.07	20.60	00.029	1444.3								
	OBS	00020	- 0.5		33.070	26.60		1444.3								
	STD	00030	- 0.7		33.09	26.62	00.043	1443.8								
	OBS	00030	- 0.7		33.090	26.62		1443.8								
	085	00049	- 0.4		33.040	26.40		1443.3								
	STD	00050	- 0.8		33.00	26.60	00.072	1443.3								
	085	00053	- 0.9		33.077	26.61	*****	1443.2								
	085	00059	- 1.0		33.096	26.63		1442.6								
	085	24000	- 1.5		33.095	26.45		1440.3								
	STO	00075	- 1.6		33.13	26.68	00.107	1440.1								
	085	00076	- 1.6		33.145	26.69		1440.1								
	085	00083	- 1.7		33.255	26,78		1440.1								
	STO	00100	- 1.4		33.28	26.80	00.140	1441.1								
	CBS	00100	- 1.6		33.280	26.80		1441.1								
	085	00118	- 1.4		33.430	26.92		1442.4								
	STD	00125	- 1.1		33.44	26.91	00.170	1443.9								
	085	00125	- ī.i		33.440	26.91		1444.0								
	085	00131	- C. 9		33.495	26.95		1444.9								
						****	*******									

REFID 31 8370 COMSEC 0062 LAT 46 20.5N LONG 047 31.0W	MONTH Q4 DAY 29	BOTDP 00219 SHIP EV DATA USE 1 AREA 05	MET BULB 02.0 BARCHETR 1027.8	90 0 x	wind-dir ob wind-spd 10 wind-for weather x4	INST STD RECORDER TRACE DIR D DURATION 00.2 ORIG DIL 5520016	TEN SQ 1304 5 SQUARE 4 2 SQUARE 64 1 SQUARE 67
CASTNUNTIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH SNO VEL	0XY	101 P NO2 NO3	\$103 PH
	STD 00000	- 0.94	33.07 26.61	00.000 1442.3			
12.4	085 00001	- 0.94	33.070 26.61	1442.3			
	085 00007	- C. 63	33.067 26.61	1442.4			
	STD 00010	- Q. 95	13.07 26.61	00.014 1442.4			
	085 00011	- 0.96	33.07G 20.61	1442.4			
	STD 00020	- C.98	33.07 24.41	00.029 1442.4			
	085 00020	- 6.99	33.070 20.61	1442.4			
	STD 00030	- 1.07	33.08 26.62	00.043 1442-1			
	DBS 00030	- 1.00	33.060 26.62	1442.1			
	DBS 00040	- 1.24	33.090 24.64	1441.5			
	STD 00050	- 1.71	33.14 24.69	00.071 1439.4			
	085 00051	- 1.75	33.15u 26.7G	1439.4			
	510 00075	- 1.45	33.29 24.81	00.103 1440.5			
	OBS 00074	- 1.64	33.300 24.82	1440.5			
	STD 00100	- 1.45	33.42 24.91	00.133 1442.0			
	085 00100	- 1.44	33.420 24.91	1442-1			
	STD 00125	- 1.17	33.49 24.96	00.141 1443.8			
	005 00125	- 1.16	33.495 26.96	1443.9			
	STO 00150	- 0.54	33.64 27.06	00.186 1447.4			
	DBS 00150	- 0.53	33.64, 27.06	1447.4			
	OBS 00177	- 0.49	33.450 27.06	1446.1			
	STD 90298	- 0.49	33.65 27.06	00.238 1448.5			
	00201	- 0.49	33.450 27.04	1448.5			
	085 00215	- 0.49	33.434 27.05	1448.7			

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 837 CONSEC 004 LAY 46 12.0 LONG 047 08.5	3 MONT N DAY	1974 IM 04 29	BOTOP 01156 SHIP EV DATA USE 1 AREA 05	WET E	8-00 BJUE 6-7501 RTBI		GT PER 0 4	wind-dir wind-spd wind-for weather		TR AC	STD RE E DIR Tion GLL 55	00.3	5 5	SQ 1306 SQUARE 4 SQUARE 66 SQUARE 67
CASTRUMTINE	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OXY 6	PQ4	TGT P	N 02	NO3	S1Q3	PH
	STD	00000	- 0.62	33.09	24.61	00.000	1443.8							
14,5		00003	- 0.45	33.087	26.61		1443.8							
	972 280	00010	- 0.63	33.08	26.61	00.014								
	082	00015	- 0.66 - 0.80	33.060 33.060	26.61 26.60		1443.6							
	STO	00020	- 0.95	33.04	24.61	00.029	1442.5							
	085	00020	- C.98	33.065	26.61	•••••	1442.4							
	STD	00030	- 1.23	33-06	26.62	00.043	1441.4							
	08\$	00030	- 1.24	33.080	26.43		1441 -4							
	065	00049	- 1.58	33.300	26.81		1440.4							
	072 280	00050 00051	- 1.58 - 1.57	33.29 33.280	26.81 26.80	00-070	1440.4							
	085	00060	- 1.22	33.496	26.96		1442.5							
	STD	00:75	- 0.71	33.73	27.14	00.097	1445.5							
	085	00u 76	- 0.66	33.750	27.15	•••••	1445 . 6							
	085	00087	~ 0.01	33.930	27.26		1449.2							
	085	00093	00.99	33.975	27.24		1453.9							
	280 570	00097	64.00	33.975	27.24		1452.4							
	280	00100	00,99	34.105	27.31 27.34	00-110	1454.1							
	085	00104	01.32	34.107	27.33		1455.8							
	280	00114	01.91	34-175	27.34		1456.4							
	085	00119	01.97	34.180	27.34		1459.0							
	085	00123	01.52	34-155	27.35	_	1457.0							
	STO	00123	01.43	34-18	27.36	90. L37	1456 - 7							
	280 072	00125 00150	01.39 01.51	34.194 34.30	27.39	00 154	1456.5							
	065	00150	01.51	34.300	27.47 27.47	00.154	1457.6							
	005	00175	01.77	34.426	27.55		1459.3							
	STD	00200	60.50	34.47	27.56	00.143								
	085	00201	02.67	34,470	27.56		1441 - 2							
	065	00224	CS*30	34.530	27.59		1442.7							
	570	00250 00253	02.34	34.53	27.55	90.210	1463.3							
	08 S 08 S	00233	02.39 02.93	34.530 34.666	27.59 27.64		1443.5							
	\$10	00300	03.04	34.67	27.44	00.235	1467.4							
	085	90300	03.07	34.676	27.64		1447.4							
	CBS	90350	03.45	34.750	27.70		1470.0							
	STD	90400	03.00	34.05	27.71	00.201								
	COS	00401	03.61	34.850	27.71		1472.5							
	08 S STD	00451 00500	03.82 03.90	34.865 34.86	27.72 27.71	00.325	1473.4							
	085	90502	93.70	34.864	27,71	04.153	1474.5							
	085	90550	05. 41	34.879	27.71		1475.4							
	STO	90400	03.91	34.67	27.71	00,369	1476.2							
	085	90603	93.91	34.870	27.71		1+76.3							
	085	00051	93.86	34.870	27.12		1476.8							
	510 085	90700	03. 06 03.86	34.87 34.87u	27.72 27.72	00.414	1477.7							
	085	00750	03.81	34.87.	27.12		1478.3							
	STO	00800	03.73	34.47	27.73	06.459	1470.8							
	065	00401	43.73	34.870	27.73		1470.0							
	085	00450	03.70	34.860	27.73		1479.5							
	STO	00900	03.66	34.86	27.73	00.504	1480.1							
	085 085	00400	03.66 03.65	34.860 34.850	27.73 27.72		1480.1							
	\$10	01000	03.70	34.80	27.73	00.550								
	085	91901	03.70	34.860	27.73		1482.0							
	08.5	01022	03.66	34.854	27.73		1482.2							

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

CONSEC 0044 MONTH 04 SHIP EV LAT 44 06-7N DAY 29 DATA USE 1 LONG 046 51.7M HOUR 17.2 AREA 05					ALK T WET I BARDI CLGU	BULB 03.0 METR 1026.8		GT PER O X	WINO-DIR WINO-SPD WIND-FOR WEATHER	06	TRAC	STD RE E DIR Tion 011 55	00.5	5	N SQ 1306 SQUARE 4 SQUARE 66 SQUARE 66	
CAS	TNUN	TIME	LVLTYP	GEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	PO4	TCT P	NOZ	NO3	\$103	PH
			STD	00000	01.02	33.27	26.48	00.000	1451.5							
		17.2	280	00003	01.02	33.274	26.68		1451.6							
			OBS STD	00005	01.03	33.270	26.68		1451.7							
			085	00010	01.01 01.00	33.28 33.285	26.68 26.69	00.014	1451.7							
			STD	00020	00.98	33.30	26.70	00.027	1451.7							
			085	00020	00.96	33.300	26.70		1451.6							
			280	00022	00-91	33.290	26.70		1451.4							
			STD 085	00030 00032	02.18 02.45	33.56 33.620	26.63 26.65	00.040	1457.6							
			OBS	0004	02.48	33.649	26.87		1459.3							
			OBS	00047	02.10	33.600	26.87		1457 -							
			STD	00050	01.57	33.70	26.96	00.064	1457							
			08S 08S	00051	01.51 01.78	33.750 33.757	27.00 27.02		.57.0 1456.7							
			280	00070	01.76	33.960	27.18		1456.9							
			280	00072	02.11	34.085	27.25		1458.7							
			STD	00075	02.32	34.09	27.24	00.088	1459.7							
			08S 08S	00089	03.13 03.32	34.200 34.310	27.26 27.33		1463.6							
			STD	00100	03.50	34.36	27.35	00.108	1465.5							
			280	00104	03.75	34.420	27.37		1466.7							
			STD	00125	03.97	34.51	27.42	00.126	1468.1							
			08S 08S	00127 00137	04.00 03.91	34.510 34.490	27.42 27.41		1468.3							
			085	00140	04.24	34.620	27.48		1468.0							
			STD	00150	04.09	34.60	27.48	00.142								
			085	00150	04.08	34.606	27.48		1469.1							
			085 085	00152	04.29 04.30	34.620 34.645	27 .48 27 .4 9		1470.1							
			085	00184	04.67	34.715	27.51		1472.3							
			085	00194	04.54	34.750	27.55		1472.0							
			510	00200	04.75	34.80	27.57	00.171	1473.0							
			085 085	00201 00218	04.79 04.67	34.810	27.57 27.59		1473.2							
			085	00226	04.77	34.820	27.58		1473.6							
			STO	00250	04.96	34.88	27.60	00.198								
			085	00251	04.97	34.880	27.60		1474.9							
			OBS STD	00276 00300	04.99 04.93	34.870 34.88	27.59 27.61	00.225	1475.3							
			085	00300	04.92	34.880	27.61	00.223	1475.5							
			OBS	00314	04.77	34.875	27.62		1475.1							
			085	00325	04.22	34.805	27.63		1472.9							
			QBS QBS	00329	04.06	34.810 34.820	27.65 27.64		1472.3							
			085	00346	03.51	34.820	27.67		1471.9							
			085	00352	03.57	34.810	27.66		1472.3							
			570 085	00400 00403	04.17	34.87	27.49	00.274	1474.0							
			085	00451	04.18 04.27	34.870 34.860	27.69 27.67		1474.1							
			STO	00500	04.40	34.89	27.68	00.321	1476.6							
			085	00500	04.40	34.890	27.60		1476.6							
			OBS STD	00550	04.31	34.000	27.68		1477-1							
			065	00400	04.25 04.16	34.89 34.89Q	27.69 27.70	00.348	1477.7							
			083	00651	04.07	34.880	27.70		1477.7							
			STO	00700	04.04	34.67	27.70	00.414	1478.4							
			085	00700	04.04 03.97	34.876	27.70		1478.4							
			STD	00890	03.70	34.880 34.88	27.72 27.74	00.401	1479.0							
			085	00803	03.77	34.880	27.74		1479.0							
			065	00850	03.17	34.880	27.74		1479.8							
			STO	00900	03.79 03.79	34.88 34.880	27.13	00.506	1480.7							
			280	00951	63.63	34.856	27.73 27.73		1480.8							
			STO	01000	63.45	34.86	27.73	00.554	1461.7							
			085	01001	03.45	34.866	27.73		1481.6							
			085	01022	03.62	34.856	27.73		1482.0							
							****	••••••	•							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIG 31 8370 CONSEC 0063 LAT 45 58.0N LONG 046 24.0W	DAY	1974 H 04 29 20-5	BOTOP 00679 SHIP EV DATA USE 1 AREA 05	BAK	TEMP 02.3 BULB 02.1 DMETR 1024.8 DD T/A		GT PER O X	wind-dir wing-spo wind-for weather	08	TR AC I		00.3	5 5	Y SO 1306 IQUARE 4 IQUARE 46 IQUARE 56	
CASTNUMTTIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	PQ4	101 P	NOZ	NO3	Stos	PH	
	STO	99999	90.62	33.15	26.60	00.000	1449.6								
20.5	085	00000	00.62	33.150	26.60	******	1449.6								
	085	00007	00.67	33.276	26.70		1450.1								
	STO	00010	01.17	33.41	26.78	00.014	1452.0								
	CBS	00011	01.48	33.484	26.82		1454.1								
	085	00017	02.93	33.624	26.81		1460.7								
	STD	00020	03.02	33.62	26.81	00.026	1461.2								
	280	00020	03.04	33.620	26.80		1461.2								
	STD	00030	02.92	33.63	26.82	00.035	1460.9								
	005	00032	02.89	33.640	26.83		1460.8								
	STD	00050	02-60	33.72	26.92	00.062	1460.0								
	QBS	00051	02.57	33.730	26.93		1459.9								
	085	00059	02.41	33.770	26.98		1459.3								
	065	00040	02.15	33.745	26.98		1458.2								
	085 085	00068	00.64	33.630	26.99		1451.4								
	OBS	00070	~ 0.36	33.730	27-12		1446.9								
	083 Q72	00074	- 0.26 00.33	33.930 33.97	27.28	00.087	1447.8								
	085	90078	02.05	34.105	27.26 27.27	00.007	1450.6								
	OBS	00005	02.90	34.235	27.31		1462.5								
	280	00087	03.46	34.290	27.30		1465.1								
	STD	00100	03.76	34.37	27.33	00.106	1466.6								
	STO	00125	04.20	34.48	27.37	00,125	1469.1								
	085	00125	04.21	34.48	27.37		1469.1								
	STO	00150	04.43	34.53	27.39	00.143	1470.5								
	280	00150	04.43	34.530	27.39		1470.5								
	085	00175	04.56	34.680	27.49		1471.6								
	STD	00200	04.61	34.67	27.48	00,177	1472.3								
	280	00201	04.61	34.670	27.48		1472.3								
	260	00226	04.59	34.785	27.57		1472.8								
	STD	00250	04.61	34.79	27.5e	00.206	1473.3								
	280	00253	04.62	34.800	27.58		1473.3								
	085	00276	04.64	34.867	27.63		1474.1								
	570	00300	04.73	34.88	27.63	00.232									
	GBS	00300	04.73	34.880	27.63		1474.7								
	510	00400	04.53	34.88	27.66	00.282	1475.5								
	08\$	00411	04.50	34.880	27-66	00 220	1475.4								
	072	00500	04.22	34.69	27.70	00.329	1475.9								
	280 280	00500 00550	04.22 04.16	34.890	27.70 27.70		1475.9								
	STD	00400	03.99	34.87	27.71	00.375	1476.6								
	085	00401	03.99	34.870	27.71	44.313	1476.6								
	085	00451	03.94	34.870	27.71		1477.2								
	085	00477	03.95	34.866	27.70		1477.6								
					2.310		•								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REF10 31 8370 CQNSEC 0046 LAT 45 49.0N LONG 045 57.3M	HONT DAY	1974 H 04 29 23.3	BOTOP 03193 SHIP EV DATA USE 1 AREA 05				GT PER G X	W INO-DIR WIND-SPD WIND-FOR WEATHER		TRAC	STO REG E DIR TION OLL 556	99.3	5	M SQ 1300 SQUARE 4 SQUARE 44 SQUARE 55
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	Oxy 6	P 04	TOT P	NOZ	NCS	\$103	m
	STD	00000	03.90	33.76	26.83	00.000	1464.8							
23.3	085	00000	03.90	33.760	26.83		1464.6							
	STO OBS	00010	03. 89 03.88	33.76 33.760	26.83 26.84	00.012	1464.9							
	085	00015	03.86	33.75	26.83		1464.8							
	STD	00020	03.63	33.76	20.84	00.024	1464.8							
	OBS	00020	03.62	33.760	26.84		1464.8							
	STO	00030	03.71	33.77	20.80	00.037	1464.5							
	OBS	00030	03.70	33.770	26.86		1464.4							
	STD	00050	03-45	33.83	26.93	00.060	1443.7							
	OB\$	00051	03.42	33.830	26.94		1463.7							
	OBS Sto	00064 00075	03.13 03.05	33.845 33.94	26.97 27.06	00.067	1462.7							
	GBS	00076	03.04	33.955	27.07	00.001	1462.6							
	065	00069	03.36	34.087	27.15		1464.4							
	OBS	00093	03.67	34.145	27.10		1465.8							
	STD	00100	03.56	34.14	27.10	00.111	1465.5							
	085	00100	03.55	34.163	27.19		1405.5							
	STO	00125	04-06	34.32	27.26	00.13ž								
	085	00125	04.07 03.95	34.32 <i>5</i>	27.26 27.26		1468.3							
	CBS CBS	00131 00135	04.18	34.364	27.20		1467.9							
	STO	00150	04.64	34.47	27.32	00.153	1471.3							
	085	00152	04.68	34.482	27.32		1471.5							
	085	00175	04-65	34.520	27.34		1471.8							
	STD	00200	05.00	34.00	27.42	00.190	1474.1							
	OBS	00201	05.09	34.665	27.42		1474.3							
	085	00226	05.38	34.777	27.47		1470.0							
	STD OBS	00250 00251	05.33 05.33	34.81 34.816	27.51 27.51	00.222	1476.2							
	085	00276	05.27	34.800	27.51		1476.4							
	STD	00300	05.19	34.88	27.50	00.252								
	085	00300	05.19	34.880	27.58	******	1476.6							
	085	00323	04.99	34.855	27.56		1476.1							
	OBS	00350	05.33	34.97C	27.63		1478.1							
	STD	00400	05-13	34.99	27.07	00.304	1478.1							
	OBS	00401	05.13	34.996	27.67		1476.1							
	08 S 08 S	00420 00458	05.11 04.52	34.990 34.886	27.68 27.66		1476.4							
	\$10	00500	04.34	34.89	27.66	03.351								
	085	00500	04.34	34.890	27.68	001331	1476.4							
	085	00550	04-12	34.876	27.69		1476.3							
	STD	00600	04.22	34.87	27.68	00.399	1477.5							
	085	10900	04.22	34.870	27.68		1477.5							
	OBS	00652	04.16	34.876	27.69		1478-1							
	STD	00700	04-11	24.87	27.65	00.447								
	C85 O85	00700 00750	04.11 04.01	34.87¢	27.65 27.70		1478.7							
	\$10	00800	04.02	34.67	27.7C	00.495	1480.0							
	STD	00900	04.03	34.88	27.71	00.543	1481.7							
	085	00978	04.04	34.880	27.71		1483.1							
	STO	01300	04.G0	34.88	27.71	00.592								
	COS	01001	C4 - 00	34.88	27.71		1463.3							
	CBS	01024	04.00	34.884	27.71		1463.7							

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

	1 6370 0067 5 39.2N 5 24.0W	PONT	1974 H 04 30 02.7	BOTOP 03563 SHIP EV DATA USE 1 AREA 05				GT PER G X	wind-dir wind-spd wind-for weather		TRAC	STO REC E DIR Tion Oll 557	99.4	1(5 2 1	N SQ 1304 SQUARE 4 SQUARE 44 SQUARE 55
CASTNUM	WT LHE	LVLTYP	DEPTH	TEMP	SAL	T-AMBI2	н т чонто	SND VEL	OXY G	P04	TOT P	NO2	NO3	\$103	PH
		570	00000	03.50	33.83	26.93	CQ.QQC	1463-2							
	02.7	00S 570	00003	03.50 03.50	33.830	26.93 26.93	00.011	1463.2							
		085	00011	03.52	33-840	26.93		1463-4							
		STD Des	00020 00020	03.71 03.77	33.96 33.980	27.01 27.02	00.022	1464.8							
		STD	00030	04.76	34.32	27.19	00.032	1469.6							
		085	00032	05.24	34.395	27.19		1471.7							
		085 085	00034 00040	05.69 05.72	34.450	27.18 27.18		1473.7							
		085	00045	04.56	34.280	27.18		1469.0							
		OBS STD	00049 00050	04.73 04.73	34.325	27.19 27.19	00.050	1469.8							
		QBS	09059	04.70	34.300	27.16	00.030	1469.8							
		085 085	00060	04.67	34.300	27.18		1469.7							
		QBS	00070	04.75 04.69	34.317	27.18 27.18		1470.1							
		STD	00075	04.03	34.20	27.17	00.073	1467.2							
		085 085	00076 00081	03 .89 03.22	34.180	27.17 27.18		1466.5							
		085	00083	03.18	34.11>	27.18		1463.6							
		OBS	00089	02.63	34-075	27.20		1461.2							
		085 085	00093 00097	03.02 02.91	34-180	27.25 27.26		1463.1							
		STD	00100	02-é2	34-18	27.29	00,094	1461.5							
		280 280	00100 00104	02.59 02.40	34-186	27.29 27.28		1461.4							
		085	00114	02.50	34.180	27.30		1461.3							
		STO	00125	02.73	34-29	27.37	00.113	1462.5							
		085 085	00125 00142	02 - 75 03 - 69	34.300	27.37 27.49		1462.6							
		085	00148	Q4.97	34-725	27.48		1473.0							
		STD OBS	00150 00152	05-05	34-74	27.48	00.130	1473.4							
		085	00132	05-17 05-42	34.760	27.49 27.50		1473.9							
		085	00196	05.44	34-850	27.53		1475.8							
		085 STD	00199 00200	05-04	34.780	27.52 27.52	00.161	1474.2							
		OBS	00201	05.13	34.820	27.54	441.01	1474.6							
		085 085	00215 00220	04.49 03.84	34.756 34.670	27.56 27.56		1472.1							
		ans.	00226	Q3. 75	34.684	27,54		1469.4							
		870 8 8 0	90250	03.69	34.66	27,57	00.189	1469.2							
		085	00255 00270	03.66	34.660	27.57 27.59		1469.2							
		085	00274	03.43	34.670	27.54		1469.4							
		OBS STD	00285 00300	04. 8 4 05.13	34.860 34.96	27.60 27.65	00.215	1474.9							
		280	00304	05.19	34.980	27.66	00.217	1476.8							
		280 072	00350	05.11	34.990	27.68		1477.2							
		DES	00400 00401	04.93 Q4.92	34.99 34.990	27.70 27.70	00.263	1477.3							
		085	00437	04.72	34.960	27.70		1477.0							
		085 085	00445 00451	04.11 03.90	34.880 34.856	27.70 27.70		1474.5							
		STD	00500	04.06	34.86	27.69	00.304	1475.2							
		085 570	00550 <i>00600</i>	04.18 <i>04.20</i>	34.876	27.65	**	1475.5							
		STO	00700	04.24	34.87 34.87	27.68 27.68	00-355 QQ.4Q4	1477.4							
		280	90706	04.24	34.870	27.68		1479.4							
		280 972	00753 00800	04.01 03.85	34.870 34.85	27.70 27.74	00.452	1479.2							
		00.5	00803	03.84	34-850	27.71		1479.3							
		280 280	00843 00850	04.08 04.04	34.875 34.876	27.70		1481.0							
		510	00900	04.07	34.89	27.70 27.71	00.500	1480.9							
		280	90906	04.07	34.890	27.71		1482.0							
		280 072	00953 01000	04.02 03.93	34.675 34.67	27.71 27.71	00.548	1482.4							
		085	01001	03.93	34.870	27.71	301344	1483.0							
		08\$	01022	03.94	34.870	27.71		1463.4							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 837 CONSEC 006 LAT 45 31.00 LONG 044 54.30	6 MONT N DAY	1974 H 04 30 05.8	BOTOP 04204 SHIP EV DATA USE 1 AREA 05	WET BARD	TEMP 04.9 BULB 03.8 METR 1022.8 D T/A		GT PER O X	WIND-DIR WIND-SPD WIND-FOR WEATHER	08	TRAC (STD REC E DIR Tion Oll 556	00.5	5	N SQ 1 SQUARE SQUARE SQUARE	44
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	OXY G	P04	TOT P	NO2	NO3	\$103	РН	
05.8	STD OBS	00000	04.09 04.09	33.50 33.497	26.60 26.60	00.000	1465.2								
٧,.٠	STD	00010	04.09	33.61	26.69	00.014	1465.5								
	OBS STD	00013 00020	04.10 04.14	33.640 33.65	26.72 26.72	00.027	1465.7								
	OBS	00022	04.15	33.654	26.72		1466.0								
	OBS OBS	00024	04.09	33.630 33.760	26.71 26.77		1465.8 1467.7								
	STD	00030	04.60	33.76	26.76	00.041	1468.2								
	OBS Std	00030 00050	04.61 04.28	33.760 33.83	26.76 26.85	00.066	1468.2								
	OBS OBS	00051 00057	04.25 04.11	33.840 33.827	26.86 26.86		1467.2								
	085	00059	04.20	33.840	26.87		1467.1								
	08 S 08 S	00062	04.20	33.835	26.86 26.87		1467.2								
	OBS	00066	03.85	33.800	26.87		1465.7								
	OBS STD	00072 00075	03.91 04.22	33.840 33.90	26.90 26.91	00.095	1466.1								
	085	00079	04.48	33.962	26.93	•••••	1468.8								
	OBS OBS	00087 00089	04.06 04.07	33.960	26.98 27.02		1467.1 1467.3								
	STD	00100	04.92	34.17	27.05	00.123	1471.2								
	OBS STD	00100 00125	04.98 05.83	34.187 34.47	27.06 27.17	00.147	1471.5								
	085	00125	05.84	34.470	27.18		1475.8								
	STD OBS	00150 00150	05.83 05.83	34.51 34.510	27.21 27.21	00.170	1476.2								
	OBS OBS	00175 00194	05.63 05.64	34.525 34.535	27.25		1475.8								
	STD	00200	05.35	34.52	27.25 27.28	00.213	1475.1								
	06S 08S	00201 00215	05.27 04.84	34.526 34.530	27.28 27.34		1474.8								
	085	00220	04.93	34.520	27.32		1473.7								
	08S STD	00226 00250	04.63 04.73	34.526 34.63	27.43	00.251	1473.4								
	085	00253	04.72	34.640	27.44	00.231	1473.5								
	OBS	00277 00281	05-03 04-41	34.67 <i>3</i> 34.593	27.43 27.44		1475.3								
	085	00287	04.59	34.650	27.47		1473.6								
	280 \$10	00293 00300	04.27 05.01	34.65> 34.80	27.51 27.54	00.282	1472.3 1475.7								
	085	00300	05.06	34.810	27.54		1476.0								
	085 085	00316	05.01 04.04	34.797 34.660	27.53 27.53		1475.9								
	085 085	00319 00323	04.16 03.97	34.660 34.660	27.52 27.54		1472.3 1471.6								
	085	00329	04.00	34.680	27.55		1471.8								
	GBS GBS	00333 00335	04.52 04.56	34.800 34.805	27.59 27.59		1474.2								
	085	00342	03.96	34.730	27.60		1472.0								
	280	00344 00350	04.40 04.68	34.79u 34.827	27.60 27.60		1473.9 1475.2								
	085	00354	04.77	34.870	27.62		1475.7								
	085 085	00369 00382	03.18 03.18	34.645 34.657	27.61 27.62		1469.0								
	OB\$ STD	00388	02.84	34.646	27.63 27.63	00 337	1467.8								
	085	00401	03.06 03.08	34.66 34.660	27.63	00.337	1469.1								
	08 S 08 S	00453 00454	03.16 03.20	34.680 34.675	27.64 27.63		1470.3								
	OBS	00468	03.72	34.797	27.68		1473.1								
	OBS STD	00470 00500	03.75 01.35	34.806 34.86	27.67 27.66	00.387	1473.3 1476.4								
	OBS	00500	04.36	34.860	27.66	•••••	1476.4								
	OBS STD	00550 00600	04.29 04.18	34.860 34.88	27.67 27.69	00.435	1477.0								
	085 085	00622 00651	04.16	34.896 34.870	27.70 27.69		1477.7								
	STO	00700	04.15 04.12	34,89	27.71	00.482	1478.8								
	085 085	00706 00750	04-11	34.894	27.71 27.71		1478.8								
	STO	00800	03.93	34.86	27.70	00.529	1479.6								
	OBS GBS	00801 00809	03.93 04.04	34.860	27.70 27.71		1479.6								
	08\$	00852	03.65	34.897	27.74		1480.2								
	STD OBS	00900	03. 79 03. 79	34.88 34.877	27.73 27.73	00.576	1480.7								
	OBS	00949	03.75	34.877	27.74		1461.4								
	OBS STD	00999 01000	03.70 02.70	34.877	27.74 27.74	00.621	1482.0								
	085	01029	03.72	34.877	27.74	·•	1402.6								

88

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 8370 CONSEC 0069 LAT 45 28.5N LONG 044 41.5M	MONT DAY	1974 H 04 30 08.3	BOTOP 04425 SHIP EV DATA USE 1 AREA 05	AIR T WET B BARON CLGUD	ULB 09.1 ETR 1002.0	DIR H 35 SEA CL/TR	GT PER 2 3	WIND-DIR WIND-SPD WIND-FOR WEATHER	23 18 X2	TR AC E		00.4	5	EN SQ 1306 SQUARE 3 SQUARE 44 SQUARE 54
CASTNUM/TEME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXY G	PO4	TOT P	NO2	N03	5103	PH
	570	00000	13.29	35.55	26.78	00.000	1502.5							
08.3	085	00001	13.29	35.550	26.78		1502.6							
	STD OBS	00010	13.32 13.33	35.55 35.54G	26.77 26.78	00.013	1502.8 1502.9							
	STD	00020	13.42	35.06	26.84	00.025	1503.4							
	OBS	00020	13.44	35.676	26.84		1503.5							
	510	00030	13.76	35.78	26.86	00.038	1504.9							
	08S 08S	00030	13.78 13.48	35.79U 35.706	26.86 26.85		1504.9 1503.9							
	085	00034	13.44	35.700	24.86		1503.8							
	085	00041	13.66	35.856	26.89		1505.5							
	\$10	00050	13.52	35.65	24.88	00.062	1505.8							
	085 570	00051	13.92 13.91	35.850 35.90	26.88 26.92	00.091	1505.8 1506.2							
	OBS	00076	13.91	35.90¢	26.92		1506.2							
	STD	00100	13.87	35.90	26.93	06.120	1506.5							
	08\$ \$10	00100	13.67	35.900	26.93 26.91	00.150	1506.5 1506.3		•					
	085	00125 00125	13.69 13.69	35.83 35.836	26.91	00.150	1506.3							
	STD	00150	13.55	35.83	26.94	00.179	1506.2							
	085	00150	13.55	35.836	26.94		1506.2							
	085 085	00178	13.30 13.19	35.820 35.800	26.98 26.99		1505.8 1505.6							
	STO	00200	12.54	35.64	27.00	00.236	1503.4							•
	085	00205	12.22	35.57C	27.01		1502.3							
	08S 08S	00222 00230	11.50 11.85	35.45G 35.54G	27.05 27.06		1500.0							
	085	30241	11.81	35.560	27.08		1501.5							
	085	00247	11.54	35.490	27.08		1500.6							
	STO	00250	11.53	35.49	27.08 27.08	00.291	1500.5							
	08S 08S	00251 00264	11.51 10.95	35.490 35.346	27.07		1500.5							
	085	00276	10.40	35.21>	27.07		1496.6							
	STO	00300	10.23	35.32	27.10	00.341	1496.6							
	08 S 08 S	00300 00314	10.23 10.20	35.325 35.310	27.18 27.18		1496.6							
	085	00325	09.77	35.210	27.17		1495.2							
	085	00327	09.72	35.210	27.18		1495.0							
	085 085	00340 00344	08.73 08.59	35.01u 34.99u	27.19 27.20		1491.3							
	085	00348	08.68	35.020	27.20		1491.2							
	280	00356	09.14	35.150	27.23		1493.3							
	STD OBS	00400 00401	08.41 08.37	35.13 35.120	27.33 27.33	00.431	1451.2							
	085	00403	08.32	35.110	27.33		1490.9							
	085	00426	07.91	35.010	27.32		1489.6							
	OBS OBS	00451 00487	07.37 06.91	34.990 34.935	27.40		1487.9							
	\$70	00500	06.54	34.97	27.48	00.507								
	085	00500	06.53	34.970	27.48		1485.4							
	280 072	00550	06.39 06.01	35.010 35.00	27.53 27.57	00.572	1485.7							
	oe s	00605	05.97	35.004	27.58	*****	1484.9							
	085	00651	05.58	35.000	27.63		1484.1							
	012 085	00700 00700	05.27 05.27	34.99 34.990	27.66 27.66	00.629	1483.7 1483.7							
	085	00750	05.01	35.005	27.70		1483.4							
	STO	00800	04.93	35.01	27.71	00.680	1484.0							
	280 280	00801	04.93 04.81	35.010 35.010	27.71 27.73		1484.0							
	STD	00900	04.65	35.00	27.74	00.728	1484.5							
	085	00900	04.65	35.000	27.74	-	1484.5							
	085 570	00951	04.47 04.45	34.970 34.99	27.73	00.774	1484.5							
	085	01001	04.45	34.990	21.75 27.75	00.114	1485.3							
	085	01020		34.973	27.75		1485.2							
					****	*******	••							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID CONSE LAT LONG	C 45	8370 0070 54.6M 42.0W	YEAR HONTI DAY HOUR	30	BOTOP 03891 SHIP EV DATA USE 1 AREA 05				GT PER L 3	Wind—dir Wind—spo Wind—for Weather	15	TRAC	STO RE E DIR TION 011 56	00.4	5 2	EN SQ 1: SQUARE SQUARE SQUARE	3
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXY G	PG4	TOT P	NO2	NO3	5103	PH	
			STD	00000	03.20	33.73	26.88	40.000	1461.8								
		11.5	085	00003	03.20	33.735	26.88		1461.8								
			065	00005	03.19	33.730	26.88		1461.8								
			STD DBS	00010 00011	03.27 03.29	33.75 33.760	26.89 20.89	00.012	1462.2								
			085	00015	04.04	33.930	26.95		1465.8								
			STO	00020 *	04.12	33.94	26.96	00.023	1466.3								
			280	00020	04.13	33.947	26.96		1466.3								
			STO	00030	04.14	33.96	26.97	00.034	1466.6								
			085 085	00030 00038	04.15	33.965	26.97		2444-4								
			085	00045	04.32 03.99	34.007 34.130	26.99 27.12		1467.5								
			085	00049	04.08	34.183	27.15		1466.9								
			STO	00050	04.12	34.19	27.15	00.055	1467.1								
			OBS	00062	04.96	34.310	27-15		1471.0								
			STD OBS	00075	05.15	34.33	27.15	00.078	1472.0								
			085	00078	05.20 04.99	34.330	27.14 27.15		1472.2								
			280	00085	04.40	34.220	27.15		1468.9								
			065	00091	04.76	34.330	27.19		1470.6								
			065	00097	04.43	34.310	27.19		1470.2								
			STD	00100	03.99	34.23	27.20	00.101	1467.4								
			085 StD	00100 00125	03.81 03.10	34.210	27.20 27.41	00.120	1466.7 1464.2								
			085	00125	03.08	34.38 34.387	27.41	00.120	1464.2								
			085	00131	02.90	34.375	27.42		1463.5								
			085	00135	02.04	34.310	27-44		1459.7								
			STO	00150	01.69	34.42	27.54	00.136	1459.5								
			085 085	00150 00173	01.89 02.34	34.420	27.54 27.54		1459.5								
			085	30175	02.30	34.450	27.53		1461.7								
			STD	00200	02.31	34.53	27.59	90.163	1462.3								
			085	00201	02.31	34.530	27.59		1462.3								
			085	00217	02.51	34.540	27.58		1463.4								
			065 065	00224	03.39 03.49	34.660 34.673	27.60 27.60		1467.5								
			STO	00250	03.17	34.66	27.62	OC.189	1467.0								
			085	90251	03.16	34.660	27.62		1467.0								
			085	00270	03.16	34.715	27.66		1467.4								
			OBS Sto	16200	04.99	35.000	27.70		1475.9								
			280	00300	05.03 05.04	35.00 35.00G	27.69 27.69	00.212	1476.1								
			σes.	00331	05.07	34.995	27.48		1476.7								
			STD	00400	04.51	34.90	27.48	00.258	1475.4								
			085	00493	04.40	34-680	27.47		1476.5								
			STO OBS	00500 00512	04.44	34.69	27.67	90.304	1476.8								
			085	00552	04.47 04.23	34.890	27.47 27.48		1477.1								
			STD	00400	04.24	34.88	27.69	00.354	1477.6								
			OBS	00911	04.24	34.880	27.69		1477.8								
			STD	00700	04.17	34-87	27.49	90.402	1478.9								
			085 085	00715 00750	04.15 04.11	34.870	27.49		1479.1								
			STD	90890	03.91	34.86	27.70 27.70	00.451	1479.5								
			COS	90801	03.91	34.855	27.70		1479.5								
			065	00850	03.95	34.870	27.71		1480.5								
			STD	00900	03.86	34 - 86	27.71	00.498	1481.0								
			08 S 08 S	00900 00951	03.86 03.81	34.855	27.7 <u>1</u> 27.72		1481.0								
			STO	01000	03.76	34.88	27.74	00.545									
			08\$	01001	03.76	34.860	27.74		1482.3								
			085	01022	03.72	34.690	27.75		1482.5								

COAST GUARD WASHINGTON DC OCEANOGRAPHIC UNIT F/G 8/12
OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND, MARCH 1--ETC(U)
JUL 78 C R WEIR, R Q ROBE, R M HAYES AD-A107 452 UNCLASSIFIED USCG-3/3-74 NL · 6 + 3 4 - 441




TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8370 CONSEC 0071 LAT 46 19.0N LONG 044 44.6W	YEAR NONTH DAY HOUR	30	BOTDP 02431 SHIP EV DATA USE 1 AREA 05	MEI Bar(TEMP 06.4 BULB 05.5 METR 1013.9 MD T/A	DIR H 22 Sea CL/TR	GT PER 1 2	H IND-DIR H IN D-SPO H IND-FOR H EA THER	07	TRACE	ION	00.8 6410009	2	N SQ 13 SQUARE SQUARE SQUARE	3
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	0xye	P04	TOT P	NG2	: NO3	\$103	PH	
	SYD	00000	01.01	33.29	26.69	00.000	1451.5								
14.4	065	00001	01.01	33.296	26.69		1451.5								
	570 085	00010 00011	01.00 00.99	33.30 33.300	26.70 26.70	00.014	1451-6								
	085	00011	00.57	33.283	26.69		1451.6								
	065	00017	00.83	33.340	26.74		1451.0								
	STO	99929	00.92	33.66	27.00	00.026									
	CBS	09020	01.61	33.735	27.05		1452.5								
	085	99924	01.72	33.920	27.15		1456.0								
	SYD	00030	01.77 01.77	33.97 33.975	27.19	00.035									
	280	00041	01.64	34.150	27.19 27.34		1456.3								
	570	00050	01.43	34.19	27,36	00-052									
	OBS	00051	01.85	34.195	27.36		1457 .3								
	STD	00075	01.47	34.28	27,43	00.069	1457.9								
	GBS	00076	01.87	34.285	27.43		1458.0								
	280 072	00079 00100	02.02 02.04	34.300	27.43	00-084	1458.7								
	085	00100	92.65	34.460	27.55 27.56	90.064	1459.4								
	072	00125	02.55	34.52	27.56	860.00	1462.1								
	085	00125	02.56	34.520	27.56	******	1462.1								
	STD	00150	02.94	34.65	27.63	00-111									
	COS	00159	03.03	34-665	27.64		1464.9								
	085 085	00175 00168	93.09 93.38	34.660	27.63 27.68		1465.4								
	085	00140	93.38	34.760	27.68		1467.0								
	STD	00200	43.49	34.77	27.68	00.134									
	085	00215	03. 65	34.790	27.68		1464.6								
	085	00224	A3.75	34,800	27.67		1469.3								
	STD	00250	03.82	34.61	27.67	00-156	1469.9								
	OBS OBS	00251 00277	93.82 93.93	34.81Q 34.87Q	27.68 27.71		1470.0								
	570	00300	03.95	34.89	27.72	00-178									
	085	20800	03.95	34.890	27.73	2002.0	1471.5								
	570	00400	03.90	34.68	27.72	00-219	1472.9								
	Ces	00461	03.90	34.880	27.72		1472.9								
	200 072	00453 00500	03. 8 6 03.82	34.890	27.73 27.73	00.261	1473.6								
	085	00500	03.82	34.880	27.73	00.261	1474.2								
	Cas	00550	93.81	34.880	27.73		1475.0								
	STD	00600	03.73	34.87	27.73	00.304	1475.5								
	OBS	0040L	93.73	34.670	27.73		1475.5								
	085 570	00452 00700	03.70	34.680	27.74		1476.2								
	085	00700	03.70 03.70	34.88 34.880	27.74 27.74	00.346	1477.0								
	085	00751	03.63	34.870	27.74		1477.5								
	STD	00800	03.56	34.87	27.75	00.389									
	OBS	00801	03.56	34.874	27.75		1478.1								
	085	00852	03.54	34.87G	27.75		1470.0								
	STO GBS	00900	03.54 03.54	34.87	27.75	00.432	1479.6								
	085	00951	03.54	34.87u 34.870	27.75 27.75		1480.5								
	STO	01000	03.54	34.07	27.75	00.475									
	OBS	01001	03,54	34.870	27.75		1441-3								
	085	01024	03.54	34.870	27.75		1481.7								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

COMSEC 0072 LAY 40 24.00 LONG 044 42.00	YAO	1974 H 04 30 18-3	SOTOP GG765 SHIP EV DATA USE 1 AREA 05	AIR T MET (BARDI CLOU		DIR H 18 Sea CL/TR	GT PER 2 3	wind—dir Wind—spd Wind—for Weather	16 05 26	TRACE DURAT		00.3	TEN SQ 1304 5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDP TH	SMD VEL	OXY 6	P04	TOT P	NOS	NO3	5103 PH
	STD	00000	00.71	33.27	24.7C	00.000	1450 - 1						
10.3	065 085	00001	00.71 00.69	33.270 33.2 4 0	24.70 24.70		1450.2						
	STD OBS	00010	00.70 00.71	33.27 33.270	26.70 26.70	00.014	1450.2						
	085	00015	00.74	53.435	24.63		1450.7						
	OBS STD	00017 00020	01.06 01.28	33.750 33.77	27.06 27.06	00.025	1452.7 1453.7						
	OBS STD	00020	01.32 01.33	33.770 33.76	27.06 27.05	00.036	1453.9						
	OBS STD	00030 00050	01.33	33.760	27.05 27.29	00.054	1454.1						
	OBS	00051	01.55	34.098	27.30		1455.9						
	STD OBS	00075	01.5 0 01.59	34.24 34.270	27.44 27.44	00-072	1456.7						
	STD	00100	01.82	34.31	27.45 27.45	00.088	1458.1 1458.2						
	STD	00125	01.89	34.46 34.460	27.57 27.57	00.103	1459.1						
	STO	00125 00150	01.89 02.03	34.53	27.61	00-116	1459.1 1460.2						
	085 085	00150 00175	02.04 02.57	34.530 34.616	27.61 27.63		1460.3						
	STD GBS	00200	03.04	34.68	27.64	00-140	1465.4						
	OBS	00207	03.04 03.02	34.68G 34.67G	27.65 27.64		1445.7						
	OBS STD	00234 00250	03.32 03.74	34.750 34.79	27.68 27.66	00-163	1467.5						
	085 085	00251	03.77 03.98	34.790	27.66 27.71		1469.7						
	STD	00300	04.04	34.87	27.70	00-185	1471.8						
	085 085	00300 00350	04.04 03.91	34.870 34.870	27.70 27.71		1471.8						
	57D 085	00400	03.84 03.84	34.88 34.880	27.73 27.73	00.228	1472.6						
	OBS	00451	03.79	34.490	27.74		1473.3						
	570 0#5	00500 00502	03.75 03.75	34.86 34.860	27.74 27.74	00.269	1473.9 1473.9						
	OBS STD	06550 00600	03.72 03.72	34.88G 34.88	27.74 27.74	00.311	1474.6						
	085	00601	03.72	34.880	27.74	******	1475.4						
	CBS STD	00451 00700	03.44	34.876 34.87	27.74 27.74	00,353	1476.0 1476.7						
	085 085	00700 00750	03.43 03.61	34.870 34.876	27.74 27.74		1476.7						
	06.5	00791	03.59	34.870	27.75		1476.0						
					*****	******	•						
46610 31 4370	YEAR	1974	BOTD9 00320	A1R	TEMP 04.0	018 +	GT PFR	M IN D-01 R	19	INST	STO REC	DADER	TEN 50 1306
AEFIO 31 6379 CONSEC 0073	MONT	1974 H 04	BOTOP 00320 SHIP EV	AIA WET	BULB 05.7	20	GT PER 2 3	WIND-DIR WIND-SPO	15	TRACE		D	TEN SQ 1306 5 SQUARE 3
	MONT DAY	1974 H 04 30 19.2		TET BARG			2 3		15	TRACE	DIA		
CONSEC 0073	MONT DAY HOUR	H 04 30	SHIP EV DATA USE 1	TET BARG	BULB 05.7 METR 1006.1	20 SEA	2 3	WIND-SPO WIND-FOR	15	TRACE	DIA .	D	5 SQUARE 3 2 SQUARE 64
CONSEC 0073 LAT 46 31.6N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR LVLTYP	H 04 30 19-2 DEFTH	SHIP EV DATA USE 1 ARSA 05 TEMP	SAL	BULB 05.7 METR 1006.1 D T/A SIGMA-T 26.70	SEA CL/TR	2 3 ShD VEL 1450.0	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.8N LONG 044 43.0N	EVLTYP STD GBS STD	H 04 30 19-2 DEFTH 00000 00000	SMIP EV DATA USE 1 ARBA 05 TEMP 00.68 00.68	SAL 33.27 33.27 33.27 33.20	BULB 05.7 METR 1006.1 D T/A SIGMA-T 26.70 26.70 26.77	20 SEA CL/TE	ShD VEL 1450.0 1450.0 1450.2	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.6N LONG 044 43.0N CASTNUM/TIME	EVLTYP STD OBS	H 04 30 19-2 DEFTH 00000 00000	SMIP EV DATA USE 1 ARBA 05	SAL 33.27 33.27	BULB 05-7 METR 1006-1 D T/A SIGMA-T 26-70 26-70	20 SEA CL/TE DYNDPTH 00.000	ShD VEL 1450.0 1450.0	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.6N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS	H 04 30 19-2 DEPTH 00000 00010 00015 00025	SHIP EV DATA USE 1 ARBA 05 TEMP 00.69 00.68 00.68 00.69 00.34	SAL 33.27 33.27 33.27 33.20 33.20 33.20	BULB 05.7 METR 1006.1 D T/A SIGMA-T 26.70 26.70 26.71 26.71 26.71 26.72	20 SEA CL/TF DYNDPTH 00.000 00.014	ShD VEL 1450.0 1450.0 1450.2 1450.3 1449.5	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.6N LONG 044 43.0N CASTNUM/TIME	EVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	H 04 30 19-2 DEPTH 00000 00010 00015 00020 00025 00033	TENP 00.68 00.68 00.68 00.68 00.68 00.68 00.68 00.68 00.68 00.68 00.79 00.34	SAL 33.27 33.27 33.27 33.27 33.28 33.27 33.27 33.27 33.27 33.27	BULB 05.7 METR 1006.1 D T/A SIGNA-T 26.70 26.70 26.71 26.71 26.72 26.72 26.72 26.72 26.72	20 SEA CL/TE DYNDPTH 00.000 00.014	ShD VEL 1450.0 1450.2 1450.3 1449.5 1448.9 1448.8	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR LVLTYP STD OBS STD OBS STD OBS STD OBS STD OBS STD	H 04 30 19-2 DEPTH 00000 00010 00015 00025 00030 00033 00033	SHIP EV DATA USE 1 ARBA 05 TEMP 00.68 00.68 00.68 00.69 00.34 00.25 00.20 00.69 00.89	SAL 33.27 33.27 33.28 33.28 33.27 33.27 33.27 33.57 33.57 33.57 33.57 33.57 33.57	BULB 05.7 METR 1006.1 D T/A SIGNA-T 26.70 26.71 26.71 26.71 26.72 26.88 20.96 27.12 27.12 27.12	20 SEA CL/TR DYNDPTH 00.000 00.014 00.027	ShD VEL 1450.0 1450.0 1450.3 1449.5 1448.8 1448.8 1491.5	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	EVITYP STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS OBS	M 04 19.2 DEFTH 00000 00010 00015 00020 00025 00033 00043 00050	SMIP EV DATA USE 1 ARSA 05 TEMP 00.68 00.68 00.68 00.69 00.34 00.25 00.20 00.69 00.39	SAL 33.27 33.27 33.27 33.28 33.280 33.27 33.47 33.97 33.85 33.85	BULB 05.7 METR 1000-1 D T/A SIGMA-T 26.70 26.70 26.71 26.71 26.71 26.72 26.96 27.12 27.15 27.15	20 SEA CL/TR DYNDPTH 00.000 00.014 00.027	ShD VEL 1450.0 1450.2 1450.3 1448.9 1448.8 1451.5 1452.6	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	LVLTYP STD OBS STD OBS STD OBS STD OBS OBS OBS OBS OBS	H 04 30 19-2 DEFTH 00000 00010 00015 00020 00025 00030 00030 00043 00050 00050 00050	SMIP EV DATA USE 1 ARSA 05 TEMP 00.68 00.68 00.68 00.68 00.68 00.25 00.20 00.99 00.99 00.99 00.99 00.99 00.99 00.99	SAL 33.27 33.27 33.27 33.28 33.29 33.27 33.27 33.57 33.57 33.57 33.60 33.85 33.85 34.061	BULB 05.7 METR 1000-1 D T/A SIGMA-T 26.70 26.70 26.71 26.71 26.72 26.80 20.96 27.12 27.15 27.15 27.32 27.35	20 SEA CL/TF DYNDPTH 00.000 00.014 00.027 00.040	ShD VEL 1450.0 1450.2 1450.3 1449.5 1448.9 1448.8 1451.5 1452.4 1452.4 1452.4	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	HOUR DAY HOUR STD OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD	# 04 30 19.2 0EPTH 00000 00010 00015 00025 00025 00030 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050 00050	SMIP EV DATA USE 1 ARSA 05 TEMP 00.68 00.68 00.68 00.68 00.25 00.20 00.69 00.89 00.89 00.99 00.99 01.99 01.99 01.99 01.99	SAL 33.27 33.27 33.28 33.28 33.27 33.27 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97 33.97	BULB 05.7 METR 1000-1 D T/A SIGMA-T 26.70 26.70 26.71 26.71 26.72 26.80 27.12 27.15 27.15 27.35 27.35 27.35	20 SEA CL/TR DYNDPTH 00.000 00.014 00.027	SAD VEL 1450.0 1450.2 1450.3 1448.9 1448.8 1451.5 1448.8 1452.4 1452.4 1452.4 1452.4	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	HONT DAY HOUR STO OBS STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	H 04 30 19-2 0EFTH 00000 00010 00015 00025 00030 00050 00050 00050 00050 00050 00050 00050 00050 00050	SHIP EV DATA USE 1 ARSA 05 TEMP 00.00 00	SAL 33.27 33.27 33.27 33.27 33.27 33.280 33.280 33.27 33.97 33.900 33.85 33.85 33.85 34.001 34.19 34.19 34.291	BULB 05.7 METR 1006.1 D T/A SIGNA-T 26.70 26.70 26.71 26.71 26.71 26.72 26.96 27.12 27.15 27.35 27.35 27.35 27.35 27.35	20 SEA CL/TF DYNDPTH 00.000 00.014 00.027 00.040	ShD VEL 1450.0 1450.2 1450.3 1449.5 1448.8 1448.8 1491.5 1452.6 1452.6 1452.7	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR STD OBS	# 04 30 19-2 DEFTH 00000 00010 00015 00020 00020 00023 00030 00030 00050	SMIP EV DATA USE 1 ARSA 05 TEMP 00.68 00.68 00.68 00.69 00.25 00.20 00.69 00.89 00.99 01.94 01.99 01.99 01.99 01.99 01.99 01.99	SAL 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.47 33.60 34.04 34.19 34.19 34.35 34	BULB 05.7 METR 1006.1 D T/A SIGNA-T 26.70 26.70 26.71 26.71 26.72 26.96 27.12 27.15 27.35 27.35 27.35 27.35 27.42 27.48	20 SEA CL/TF DYNDPTH 00.000 00.014 00.027 00.040	ShD VEL 1450.0 1450.0 1450.2 1450.3 1449.5 1448.8 1448.8 1452.6 1452.6 1452.6 1452.9 1458.3 1458.3	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR STD OBS STD OBS STD OBS OBS STD	# 04 30 19-2 0EPTH 00000 00010 00015 00020 00025 00030 00052 00052 00052 00052 00052 00052 00052 00052 00052 00052 00052 00053 00052	SMIP EV DATA USE 1 ARSA 05 TEMP 00.68 00.68 00.68 00.69 00.20 00.69 00.99 00.99 01.94 01.99 01.99 01.99 01.99 01.99 01.99 01.99 01.99	SAL 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.37 33.37 33.37 33.40 34.00	BULB 05.7 METR 1000-1 D T/A SIGNA-T 26.70 26.70 26.71 26.71 26.72 26.96 27.12 27.15 27.15 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35	20 SEA CL/TH DYNDPTH 00.000 00.014 00.027 00.040 00.061	ShD VEL 1450.0 1450.0 1450.2 1450.3 1449.5 1448.8 1448.8 1448.8 1452.6 1452.6 1452.6 1452.6 1452.6 1458.9 1458.9	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR STO OBS STO OBS OBS STO	H 04 30 19-2 DEFTH COCCO 00010 00015 00020 00015 00020 00020 00030	SMIP EV DATA USE 1 ARBA 05 TEMP 00.08 00.08 00.08 00.08 00.08 00.09 00.39 00.09 00.09 01.99 01.99 01.99 02.05 01.99 01.99 01.99 01.99 01.99 01.99 01.99	SAL 33.27 33.27 33.28 33.27 33.27 33.27 33.27 33.47 33.57 33.57 33.57 33.57 33.57 33.45 34.53 34.53 34.53 34.55 34.55 34.55	BULB 05.7 METR 1000.1 D T/A SIGMA-T 26.70 26.70 26.71 26.71 26.71 26.72 26.88 27.15 27.15 27.15 27.35 27.35 27.35 27.35 27.48 27.48 27.48 27.48 27.48 27.48 27.48	20 SEA CL/TH DYNDPTH 00.000 00.014 00.027 00.040 00.061	ShD VEL 1450.0 1450.0 1450.2 1450.3 1490.5 1948.8 1451.5 1491.5 1452.6 1452.6 1452.6 1452.6 1458.3 1458.9	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR LYLTYP STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD	H 04 30 19-2 DEFTH COCCO COC	SMIP EV DATA USE 1 ARBA 05 TEMP 00.68 00.68 00.68 00.68 00.99 00.34 00.22 00.99 00.99 00.99 01.99 01.99 01.99 02.95 01.96 01.99 02.05 01.96 01.99 02.05 01.96 01.99	SAL 33.27 33.27 33.28 33.28 33.27 33.47 33.97 33.97 34.90 34.191 34.191 34.291 34.291 34.351 34.451 34.451 34.451	BULB 05.7 METR 1000.1 D T/A SIGMA-T 26.70 26.70 26.71 26.71 26.71 26.72 26.88 27.15 27.15 27.15 27.35 27.35 27.35 27.35 27.48 27.48 27.48 27.48 27.48 27.48 27.48 27.48 27.55 27.55 27.57	20 SEA CL/TF DYNDPTH 00.000 00.014 00.027 00.040 00.061 00.081	ShD VEL 1450-0 1450-0 1450-2 1450-3 1440-3 1448-8 1451-5 1452-6 1452-6 1452-6 1452-1 1	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.0N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR LYLTYP COST OBS STD OBS STD OBS OBS OBS OBS STD	H 04 30 19-2 DEFTH COCCO COC	SMIP EV DATA USE 1 ARSA 05 TEMP 00.08 00.08 00.08 00.08 00.08 00.09 00.39 00.09 00.09 01.09	SAL 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.57 33.80 33.27 33.57 33.85 34.52 34.44 34.21 34.45 34	BULB 05.7 HETR 1000.1 D T/A SIGMA-T 26.70 26.70 26.71 26.71 26.71 26.72 26.88 26.96 27.15 27.15 27.15 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35 27.35	20 SEA CL/TF DYNDPTH 00.000 00.014 00.027 00.040 00.061 00.081	ShD VEL 1450-0 1450-0 1450-2 1450-3 1490-3 1448-8 1451-5 1482-6 1452-6 1452-6 1452-6 1452-6 1452-6 1452-6 1452-6 1452-1 1	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.6N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR STO OBS STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	H 04 30 19-2 OEFTH COCCOC 00000 00010 00015 00020 00015 00020 00020 00030 00	SMIP EV DATA USE 1 ARSA 05 TEMP 00.68 00.68 00.68 00.68 00.69 00.31 00.25 00.25 00.29 00.89 00.89 01.94 01.99 01.99 01.99 01.99 01.99 02.05 01.96 02.15 01.66 02.15	SAL 33.27 33.27 33.28 33.27 33.29 33.47 33.97 33.97 33.97 33.95 34.061 34.19 34.19 34.291 34.291 34.45 34.45 34.45 34.45 34.47 34.47	BULB 05.7 METR 1006.1 D T/A SIGNA-T 26.70 26.71 26.71 26.71 26.72 26.80 27.15 27.15 27.15 27.15 27.35 27.35 27.35 27.42 27.46 27.46 27.57 27.55 27.55 27.55 27.57	20 SEA CL/TF DYNDPTH 00.000 00.014 00.027 00.040 00.061 00.081	ShD VEL 1430.0 1450.0 1450.2 1450.3 1440.9 1448.8 1491.5 1492.6 1492.6 1492.6 1492.6 1492.6 1492.1 1497.1 1498.3 1498.3 1498.3 1498.1	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.6N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR STO OBS	H 04 30 19-2 0EFTH 00000 00010 00010 00015 00020 00013 00030 00030 00030 00030 00030 00030 00030 00100	SMIP EV DATA USE 1 ARSA 05 TEMP 00.68 00.68 00.68 00.68 00.68 00.69 00.39 00.39 00.39 00.99 00.99 00.99 01.99 01.99 01.99 02.92 01.90 01.90 01.90 01.90 01.90 01.90 01.90 01.90 01.90 01.90 01.90 01.90 01.90 01.90 01.90	SAL 33.27 34.27	BULB 05.7 BETR 1006.1 D T/A SIGNA-T 26.70 26.71 26.71 26.71 26.72 26.88 27.12 27.15 27.15 27.35 27.35 27.35 27.35 27.35 27.48	20 SEA CL/TF DYNDPTH 00.000 00.014 00.027 00.040 00.061 00.081 00.098 00.113	ShD VEL 1450.0 1450.0 1450.2 1450.3 1449.5 1448.8 1451.5 1452.6 1452.6 1452.6 1452.7 1458.8 1458.8 1458.9 1458.9 1458.9	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.6N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR STO OBS	H 04 30 19-2 DEFTH COCOCO 00010 00010 00015 00020 00020 00030 00023 00030	SMIP EV DATA USE 1 ARSA 05 TEMP 00.68 00.68 00.68 00.68 00.68 00.69 00.39 00.39 00.89 01.99 01.99 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.07 01.99 02.07 01.99 02.07 01.99 02.07 01.99 02.07 01.99 02.07 01.99 02.07 01.99	SAL 33.27 33.28 33.27 33.28 33.27 33.28 33.27 33.97 33.95 34.001 34.19 34.20 34.20 34.20 34.20 34.20 34.20 34.20 34.20 3	BULB 05.7 BETR 1006.1 D T/A SIGNA-T 26.70 26.70 26.71 26.71 26.71 26.72 26.88 27.12 27.15 27.15 27.15 27.15 27.15 27.48	20 SEA SEA CL/TS 20 SEA CL/TS 2	ShD VEL 1450.0 1450.0 1450.2 1450.3 1449.5 1448.9 1448.8 1451.5 1452.6 1452.6 1452.6 1452.7 1458.8 1458.9 1458.9 1458.9 1458.9	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.6N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR STO OBS	# 04 30 19-2	SMIP EV DATA USE 1 ARSA 05 TEMP 00.68 00.68 00.68 00.68 00.68 00.69 00.34 00.25 00.20 00.69 00.89 01.94 01.99 02.02 01.99 02.05 01.86 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05 01.99 02.05	SAL 33.27 33.28 33.27 33.28 33.27 33.27 33.28 33.27 33.57 33.85 33.85 34.061 34.19 34.20 34.20 3	BULB 05.7 BETR 1006.1 D T/A SIGNA-T 26.70 26.70 26.71 26.71 26.71 26.72 26.88 27.15 27.15 27.15 27.15 27.35 27.35 27.48 27.49 27.49 27.69 27.69 27.69 27.69 27.69	00 SEA CL/T8 DYNDPTH 00.000 00.014 00.027 00.040 00.061 00.081 00.098 00.113 00.126	ShD VEL 1450.0 1450.0 1450.2 1450.3 1449.5 1448.8 1451.5 1452.6 1452.6 1452.6 1452.7 1458.3 1458.9 1458.9 1458.9 1458.9 1458.9 1469.7 1469.7 1469.8	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64
CONSEC 0073 LAT 46 31.6N LONG 044 43.0N CASTNUM/TIME	MONT DAY HOUR LVLTYP OBS STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	H 04 30 19-2 OEFTH 00000 00010 00015 00025 00025 00030 00050	SMIP EV DATA USE 1 ARSA 05 TEMP 00.08 00.08 00.08 00.08 00.09 00.39 00.39 00.09 00.09 01.99	33.27 33.27 33.27 33.28 33.27 33.28 33.27 33.47 33.80 33.87 33.85 33.85 34.7 33.85 34.7 34.7 34.7 34.7 34.7 34.7 34.7 34.7	BULB 05.7 BETR 1006.1 D T/A SIGNA-T 26.70 26.70 26.71 26.71 26.71 26.72 26.88 27.15 27.15 27.15 27.35 27.35 27.35 27.35 27.48 27.49 27.49 27.69 27.69 27.69 27.69 27.69 27.69 27.69 27.69 27.69 27.69	00 SEA CL/T8 DYNDPTH 00.000 00.014 00.027 00.040 00.061 00.081 00.098 00.113 00.126	ShD VEL 1450.0 1450.0 1450.2 1450.3 1449.5 1448.8 1451.5 1448.7 1452.6 1	WIND-SPO WIND-FOR WEATHER	15 X4	TRACE OURAT ORIG	DIA 10N 011 563	09.2	5 SQUARE 3 2 SQUARE 64 1 SQUARE 64

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID: 31 8370 CONSEC 0074 LAT 46 45.0N LONG 044 43.0M	YEAR 1974 MONTH 04 DAY 30 HOUR 20.2	BOTDP 00146 SHIP EV DATA USE 1 AREA 05	AIR TEMP 06.0 HET BULB 05.7 BAROMETR 1001.9 CLGUD T/A	DIR HGT PER 20 2 3 SEA CL/TR	MIND-DIR 19 MIND-SPD 15 MIND-FOR MEATHER 36	INST STO RECORDER TRACE DIR D DURATION 00.1 ORIG 011 544	
CASTMUNTIME	LVLTYP DEPTH	TEMP S	AL SIGMA-T	DYNDPTH SND VEL	0XY 6 PO4	TOT P NO2 NO3	SIO3 PH
	STD 00000	01.27 33.	.43 26.79	00.000 1452.9			
20.2	CBS 00001 STD 00010		.430 26.79 .43 26.79	1452.9 00.013 1453.1			
	OBS 00011 OBS 00015		.435 26.79 .420 26.78	1453.1 1453.2			
	STD 00020 085 00020	01.55 33.	.60 26.91 .630 26.93	00.025 1454.7 1454.9			
	STD 00030 085 00034	01.61 33.	.69 26.98 .727 27.00	00.034 1455.2 1455.4			
	OBS 00045	01.06 33.	.845 27.13 .85 27.13	1453.3 00.054 1453.6			
	STD 00050 CBS 00051	01.12 33.	.850 27.14	1453.6			
	STD 00075 085 00076	01.21 33.	.980 27.23	00.079 1454.6 1454.6			
	085 00087 085 00089	01.33 34	.990 27.24 .070 27.30	1455.0 1455.5			
	STD 00100	01.70 34	.080 27.29 .09 27.29	00.099 1457.3			
	00100	01.71 34.	.090 27.29	1457.4			
			******	•••••			
REFID 31 8370	YEAR 1974	BOTOP 00145	AIR TEMP 05.3	DIR HGT PER	MIND-DIR 26	INST STD RECORDER	TEN SQ 1306
CONSEC 0075	MONTH 04 Day 30	SHIP EV DATA USE 1	MET BULS 04.5 BANCMETR 1001.9	27 3 3 SEA	WIND—SPD 30 WIND—FOR	TRACE DIR D DURATION 00.3	5 SQUARE 3 2 SQUARE 64
LONG 044 44.0M	HOUR 22.5	AREA 05	CLGUD T/A	CL/TR	WEATHER X2	ORIG 011 565	1 SQUARE 74
CASTNUM/TIME	LVLTYP DEPTH	TEMP S	AL SIGMA-T	DYNOPTH SND VEL	OXYG PO4	TOT P NO2 NO3	S103 PH
	STD 00000		.74 26.98	00.000 1456.7 1456.7			
22.5	085 00001 085 00003	02.03 33.	.739 26.98 .730 26.98	1456.7			
	STD 00010 085 00011	02.02 33.	.74 26.98 .740 26.98	1456.8			
	STD 00020 OBS 00020		.77 27.02 .7 4 0 27.02	00.022 1456.6 1456.6			
	STD 00030 085 00030	01.88 33. 01.88 33.	.85 27.08 .850 27.08	00.032 1456.7 1456.7			
	STD 00050 085 00051	01.76 33	.85 27.09 .854 27.09	00.051 1456.4 1456.4			
	OBS 00059 OBS 00060	01.98 33	.840 27.07 .940 27.16	1457.6 1456.7			
	STO 00075 085 00078	01.78 33	.97 27.19 .97• 27.19	00.075 1457.1 1457.2			
	085 00097 STD 00100	01.58 34	.037 27.25 .07 27.26	1456.7			
	OBS 00100 STD 00125	01.60 34	.040 27.29 .18 27.34	1456.9 00.116 1458.8			
	085 00125 085 00140	01.92 34	.180 27.34 .180 27.34	1458.9 1459.1			
	353			*******			
REFID 31 8370		8010b 00185	AIR TEMP 02.5	DIR HGT PER	WIND-DIR 22	INST STD RECORDER	TEN SQ 1306
CONSEC 0076	DAY 01	SHIP EV Data USE 1	MET BULB 02.5 BARDMETR 1005.8	22 3 3 SEA	WIND-SPD 32 WIND-FOR	TRACE DIR DURATION 00-1	2 SQUARE 64
LONG 045 15.0W	HOUR 02-5	AREA 05	CLUUD T/A	CL/TR	WEATHER XS	CRIG 011 566	1 SQUARE 65
CASTNUM/TIME	LVLTYP DEPTH	TEMP S	AL SIGMA-T	DYNDPTH SND VEL	0XY 6 PO4	TOT P NO2 NO3	\$103 PH
02.5	STD 00000 085 00003		.77 26.99 .776 26.99	00.000 1457.9 1458.0			
•	STD 00010 085 00011	02.29 33	.77 26.98	00.011 1458.0 1458.0			
	OBS 00015 STD 00020	02.29 33.	.767 26.98 .765 26.98	1458.1			
	08S 00020 STD 00030	02.30 33	.77 26.98 .770 26.99	1458.2			
	085 00030	02.24 33	.84 27.04 .840 27.05	00.032 1458.2 1458.2			
	085 00051	02.14 33	.96 27.15 .970 27.16	00.052 1458.3			
	STD 00075 085 00076	02.12 33.	.98 27.17 .980 27.17	00.075 1458.6			
	085 00081 570 00100	02.26 34.	.975 27.16 .09 27.24	00.097 1459.8			
	085 00100 STD 00125	02.35 34.	.090 27.24 .10 27.24	1459.9			
	085 00125 085 00137	02.66 34.	.10u 27.24 .200 27.30	1460.7 1462.3			
	00\$ 00150	02.46 34. 02.46 34.	.18 27.30 .177 27.30	00.138 1461.6 1461.6			
	085 00173	02.61 34	.305 27.39	1462.8			
			*****	•••••			00

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFIO 31 8370 CONSEC 0077 LAT 47 01.0N LONG 045 50.0W	MONT DAY	H 05 01	BOTDP 00290 Ship EV Data USE 1 Area 05	AIR TO BAROMI CLGUO	ULB 00.9 ETR 1009.4	DIR HI 28 G SEA CL/TR	GT PER	HIND-DIR HING-SPD HIND-FCR HEATHER	22	TR M	T STD REG E DIR ATION 6 DIL 561	00.1	5 2	N SQ 1306 SQUARE 4 SQUARE 64 SQUARE 75
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	OXY G	P0 4	TOT (NO2	NO3	\$103	PH
	STO	00000	00.23	32.84	26.34	00.000	1447.3							
06.1	OBS STD	00003	00.23 00.28	32.840 32.91	26.38 26.43	00.016	1447.4 1447.8							
	OBS STD	00011	00.29 00.38	32.915 32.92	26.43 26.43	00.032	1447.9 1448.5							
	CBS STD	00020	00.41 00.89	32.935 33.11	26.44	00.048	1448.6							
	085	00032	01.05	33.275	26.48	00.040	1452.2							
	08 S 08 S	00034 00036	01.19 01.55	33.446 33.50>	26.80 26.83		1453 . 1 1454 . 8							
	08 S 08 S	00041 00045	01.62 02.23	33.510 33.970	26.83 27.15		1455.2 1458.6							
	STD	00050 00051	02.82	34.04 34.066	27.16 27.17	33.072	1461.4							
	08.5	00057	02.45	34.090	27.23		1459.5							
	085 085	00060 00066	02142 03.09	34.107 34.170	27.23 27.24		1460.8							
	085 570	00070 00075	03.15 02.97	34.180 34.17	27.24 27.25	00.094	1463.3							
	OBS OBS	00076 00079	02.95	34.17u 34.175	27.25 27.25		1462.5							
	OBS	00083	02.87	34.186	27.26		1462.3							
	08 S 08 S	00091 00097	02.51 02.73	34.20c	27.28 27.29		1462.6							
	STD OBS	00100 00102	02.85 02.95	34.21 34.22s	27.29 27.29	00.114	1462.5							
	STD	00125	03.09	34.32	27.35	00.134	1464.1							
	08 S 08 S	00125 00142	03.10 03.39	34.320 34.420	27.30 27.41		1464.2							
	08 S \$ 7 D	00146 00150	03.63 02.68	34.447 34.46	27.41 27.41	00.151	1467.0							
	OBS OBS	00152	03.70	34.47G	27.42		1467.4							
	OBS	00163 00167	03.65	34.47¢ 34.45¢	27.42 27.43		1466 . 2							
	08 S 08 S	00173 00175	03.59 03.60	34.536 34.520	27.48 27.47		1467.3							
	STD OBS	00200 00205	04.39 04.50	34.73 34.76u	27.55 27.56	00.183	1471.4							
	CBS	00226	04.72	34.800	27.57	06.210	1473.3							
	STD OBS	00250 00251	04.54 04.53	34.80 34.79>	27.59 27.59	00.210	1472.9							
	OBS	00277	04.29	34.800	27.62		1472.4							
	UBS	00287	04.24	34.814	27.63		1472.3							
	OBS	00287	04.24	34.816	27.63		1472.3							
	083	00287	04.24	34.816										
accio 11 est					*****		•	HIND-DIS	••	14.5	T 5*0 85		•	
REFIO 31 831 CONSEC 001	O YEA	R 1974 ITH 05	BOTOP 0032 Ship ev	7 AIR 1 WET E	****** TEMP 01.8 BULB 01.2	DIR F	IGT PER	wind-dir wind-spo	15	TRA	T STD RE CE DIR	Đ	5	EN SQ 1306 SQUARE 4
	O YEA	R 1974 ITH 05	BOTOP 0032 Ship ev	7 AIA 1 MET E 1 BAKOP	****** FEMP 01.8 SULB 01.2 METR 1013.5	DIR F	NGT PER 3 2		15	TR A		00.2	5	EN SQ 1306 SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.6 LONG 046 09.8	O YEA O MON O MON O MOU	R 1974 ITH 05 01 IR 07.8	BOTOP 0032 SHIP EV DATA USE AREA 0	7 AIA 1 WET E 1 BAKOP 5 CLGUE	FEMP GL.8 SULB GL.2 METR 1013.5) T/A	DIR F 28 SEA CL/TF	IGT PER 3 2	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007	O YEA O MON O DAY O HOU	R 1974 ITH 05 01 R 07-8	BOTOP 0032 SHIP EV DATA USE AREA 0	7 AIR 1 WET I 1 BAKOP 5 CLGUU	TEMP 01.8 BULB 01.2 TETR 1013.5 O T/A	DIR P 20 SEA CL/TF	NGT PER 3 2 2 SNO VEL	HIND-SPO HIND-FOR HEATHER	15	TR A	CE DIR ATION G 011 56	00.2	5	SQUARE 4 SQUARE 66
CONSEC 007 LAT 47 00.6 LONG 046 09.8	O YEA O MON ON DAY ON HOU E LVLTYP STO O OBS	R 1974 ITH 05 01 R 07-8 DEPTH 00000 00001	BOTOP 0032 SHIP EV DATA USE AREA O TEMP 01.62	7 AIA 1 WET E 1 BAKOP 5 CLGUE SAL 33-38 33-380	TEMP 01.8 SULB 01-2 METR 1013-5 D T/A SIGMA-T 26.73	DIR P 28 SEA CL/TF DYNDPTH GC-GGG	NGT PER 3 2 SNO VEL 1454.4	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEA O MON	R 1974 TH 05 01 IR 07.8 DEPTH 00000 00001 00010	BOTOP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62	7 AIR 1 1 BAKO 5 CLGUG SAL 33-38 33-38 33-38 33-38	TEMP 01.8 SULB 01.2 METR 1013.5 O T/A SIGMA-T 26.73 26.73 26.73	DIR P 28 5 SEA CL/TF DYNDPTH 0C.000	SNO VEL 1454.4 1454.4 1454.5	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEARON DAY N DAY N HOU E LYLTYP STD OBS STD OBS STD OBS	R 1974 ITH 05 01 IR 07-8 DEPTH 00000 00001 00011 00020 00022	BOTOP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62	7 AIA 1 MET I 1 BAKOF 5 CLGUE SAL 33.38 33.380 33.380	SIGMA-T 26.73 26.73	DIR P 28 SEA CL/TE DYNDPTH GC.GGG GO.G13	SNO VEL 1454-4 1454-4 1454-6 1454-6 1454-7	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEA B MONIN DAY BW MOU E LVLTYP STD OBS STD OBS STD OBS STD	R 1974 ITH 05 07.8 DEPTH 00000 00001 00010 00011 00022 00022	BOTOP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62 01.62 01.62 01.62 01.62	7 AIA 1 MET I 1 BAKO 5 CLGUI SAL 33.38 33.38 33.38 33.38 33.38 33.38 33.38	SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73	DIR P 28 5 SEA CL/TF DYNDPTH 0C.000	SNO VEL 1434-4 1454-5 1454-5 1454-7 1454-7	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEA B MONIN DAY IN DAY IN HOU C LYLTYP C STD C OBS S STD C OBS C OBS C OBS	R 1974 ITH 05 OT 8 ODEPTH 00000 00001 00010 00011 00020 00022 00030 00030	BOTOP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62	7 AIA 1 WET 1 1 BACO 5 CLOU 33-38 33-38 33-38 33-38 33-38 33-38 33-38 33-38 33-38	SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73	DIR P 28 SEA CL/TE DYNDPTH GC.GGG GO.G13	SNO VEL 1454.4 1454.5 1454.7 1454.7 1454.9 1454.7 1454.9	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEA MON DAY HOUSE LYLTYP STO OBS STO OBS OBS OBS	R 1974 ITH 05 01 IR 07-8 DEPTH 00000 00001 00011 00020 00020 00030 00030 00045	BOTOP 0032 SHIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.63 01.63	7 ALA 1 BAACO 5 CLCUU SAL 33.38 33.380 33.380 33.38 33.383 33.383 33.383 33.383 33.383 33.383 33.383 33.383 33.383	SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73	DIR 128 28 5EA TL/TIP DYNDPTH 0C.000 00.013 00.027	SNO VEL 1436.4 1454.5 1454.7 1454.7 1454.9 1454.9 1455.4 1455.4 1457.5	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEARON DAY MIN DAY MIN DAY MIN DAY MIN HOU STD OBS STD OBS STD OBS OBS OBS OBS	R 1974 TH 05 01 IR 07-8 00000 00001 00010 00011 00020 00020 00030 00030 00030 00030	BOTDP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62	7 AIR 1 BAA00 5 CLCUI SAL 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38	TEMP 01.8 SULB 01.2 STF 1013.5 T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73	DIR 128 28 SEA CL/TII DYNDPTH 0C.000 00.013 00.027 00.040	SNO VEL 1456.4 1454.5 1454.7 1454.9 1454.9 1455.1 1455.1 1457.5 1459.3	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAR ADNOTED BY THE PROPERTY OF THE PROPERTY	R 1974 TH 05 01 IR 07-8 00000 00001 00010 00011 00022 00030 00041 00047 00057 00057	BOTOP 0032 SHIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.63 01.60 01.99 02.38 03.22	7 AIR 1 1 BAA00 5 CLCUI SAL 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38	TEMP 01.8 SULB 01.2 SETR 1013.5 T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 27.73 27.73 27.73	DIR 128 28 SEA CL/TII DYNDPTH 0C.000 00.013 00.027 00.040	SNO VEL 1454-4 1454-3 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1455-1 1455-1 1455-1 1455-1 1455-1 1455-1	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAR ADNOT NOT NOT NOT NOT NOT NOT NOT NOT NOT	R 1974 TH 05 01 IR 07-8 00000 00001 00010 00010 00020 00030 00041 00047 00057 00075	BOTOP 0032 SHIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.63 01.63 01.63 01.63 01.63 01.63 01.63 01.63 01.63 01.63	7 AIR 1 BAA00 5 CLCUI SAL 33.38 33.380 33.380 33.380 33.383 33.380 33.383 33.490 33.690 33.990 34.107 34.170	SIGMA-T 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 26-73 27-73	DIR 128 28 SEA CL/TII DYNDPTH 0C.000 00.013 00.027 00.040	SNO VEL 1454-4 1454-5 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7 1454-1454-7	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	VO YEAR ADNOTED BY STD OBS STD OBS OBS STD OBS OBS STD OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD	R 1974 TH 05 01 R 07-8 DEPTH 00000 00001 00011 00022 00030 00041 00047 00057 00057 00076 00091	BOTOP 0032 SHIP EV DATA USE AREA 0 TEMP 01.62	7 AIR 1 BAA00 5 CLCUI SAL 33.38 34.10 34.1	SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 27.73	DIR 128 28 SEA CL/TII DYNDPTH 0C.000 00.013 00.027 00.040	SNO VEL 1454.4 1454.4 1454.6 1454.5 1454.7 1454.7 1454.7 1454.7 1454.7 1463.3 1463.3 1463.7 1463.7 1463.7	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	VO YEAR ADAM HOUSE LVLTVP STD OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD	R 1974 TH 05 01 R 07-8 DEPTH 00000 00001 00011 00022 00030 00041 00047 00057 00075 00075 00076 00091 00100 00100	BOTOP 0032 SHIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.23 01.23 01.23 01.23 02.24 02.28 02.27	7 AIR 1 BAA00 5 CLCUI SAL 33.38 34.10 34.1	TEMP 01.8 SULB 01.2 SETR 1013.5 T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.73 27.72	DIR P 28 28 5EA CL/TIP DYNDPTH 0C.000 00.013 00.027 00.040 00.063 00.065	SNO VEL 1454.4 1454.4 1454.4 1454.5 1454.5 1454.7 1454.7 1454.7 1454.7 1454.7 1454.7 1463.3 1463.3 1463.7 1463.7 1463.7 1463.7	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAR HOND DAY HOND DAY STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	R 1974 TH 05 01 R 07-8 DEPTH 00000 00001 00011 00022 00030 00041 00047 00057 00075 00075 00075 00075 00075 00075	BOTOP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.63 01.93 01	7 AIA 1 1 BAA00 5 CLCUU SAL 33.38 34.10 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.17 34.18 34	TEMP 01.8 SULB 01.2 METR 1013.5 T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 27.73 27.71 27.22 27.22 27.22 27.22 27.27 27.27	DIR P 28 28 5EA CL/TIP DYNDPTH 0C.000 00.013 00.027 00.040 00.063 00.065	SNO VEL 1434-4 1454-5 1454-6 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1463-7 1463-7 1463-7 1461-8 1462-8	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAM HOUSE LVLTVP OBS STO OBS OBS STD OBS OBS STD OBS OBS STD	R 1974 TH 05 01 01 00 07-8 00000 00001 00010 00020 00020 00030 00041 00047 00057 00076 00091 00091 00100 00100 00100 00125 00150	BOTDP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.63 01.63 01.99 02.38 03.22 03.22 03.23 03.23 03.27 02.79 02.84	7 AIR 18 18 18 AIR 18 18 AIR 18 18 18 18 18 18 18 18 18 18 18 18 18	TEMP 01.8 SULB 01.2 RETR 1013.5 D T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 27.73 27.72 27.72 27.72 27.72 27.72 27.72 27.73 27.73 27.73 27.73 27.73	DIR P 2 26 26 26 26 26 26 26 26 26 26 26 26 2	SNO VEL 1434-4 1434-5 1434-7 1434-7 1434-7 1434-7 1434-7 1435-1 1433-7 1443-7 1443-7 1443-7 1443-7 1443-7 1443-7 1443-7	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAR MONING DAY MIN DAY MIN HOU OBS STO OBS OBS STO OBS OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS OBS OBS OBS OBS OBS OBS	R 1974 TH 05 01 IR 07-8 OEPTH 00000 00001 00010 00010 00020 00030 00047 00057 00076 00091 00100 00125 00150 00150 00157 00150	BOTDP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.23 01.23 03.23 03.23 03.23 03.27 03.27 03.27 03.27 04.27 02.88 02.89 02.84 02.84 02.84 02.84 02.84 02.84 02.84 02.84 02.84 02.84 03.34 03	7 AIR 18 18 ARA00 5 CLCUU SAL 33.38 33.380 33.38 33.380 33.38 33.385 33.400 33.38 33.385 33.400 33.990 34.107 34.170 34.170 34.170 34.170 34.170 34.470 34.470 34.470 34.470 34.470 34.470 34.470	TEMP 01.8 SULB 01.2 ETR 1013.5 T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 27.71 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.72 27.73 27.72 27.72 27.73 27.72 27.73 27.72 27.73 27.73 27.72 27.73 27.72 27.73 27.74	DIR P 2 26 26 26 26 26 26 26 26 26 26 26 26 2	SNO VEL 1454-4 1454-5 1454-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7 1464-7	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAR HONDING DAY HIM HOU DES STO OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	R 1974 TH 05 01 IR 07-8 0EPTH 00000 00001 00010 00010 00020 00030 00030 00041 00047 00057 00076 00097 00100	BOTDP 0032 SHIP EV DATA USE AREA 0 TEMP 01.62 01.63 01.64 01.64 01.64 01.64 01.64 01.64 01.64 01.64 01.65 01	7 AIR 18 18 18 18 18 18 18 18 18 18 18 18 18	TEMP 01.8 SULB 01.2 ETR 1013.5 T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 27.11 27.12 27.22 27.22 27.22 27.22 27.22 27.27 27.27 27.27 27.27 27.27 27.27 27.43 27.41 27.43	DIR 128 28 28 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	SNO VEL 1454-4 1454-5 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1462-7 1462-7 1462-1 1462-7 1462-1 1462-7 1462-1 1462-7 1462-1	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAR MONING DAY MIN DAY MIN HOU OBS STO OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	R 1974 TH 05 01 IR 07-8 0EPTH 00000 00001 00010 00011 00020 00030 00030 00047 00057 00076 00057 00076 00100 00100 00120 00127 00150 00177 00180 00184 00203	BOTDP 0032 SHIP EV DATA USE AREA 0 TEMP 01.62 01.63 01.63 03.23 03.23 03.23 03.23 03.23 03.23 03.23 03.23 03.23 03.23 03.23 03.23 03.23 03.24 03.36	7 AIR 18 18 AIR 18 18 AIR 18 18 AIR 18 18 AIR 18 18 AIR 18 18 AIR	TEMP 01.8 SULB 01.2 STGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 27.11 27.12 27.22	DIR P 2 28 5EA 5EA 5EA 5EA 5EA 5EA 5EA 5EA 5EA 5EA	SNO VEL 1454-4 1454-5 1454-5 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1463-7 1463-7 1463-7 1463-7 1463-7 1463-7 1463-7 1463-7 1463-7 1463-7 1463-1 1463-7 1463-1 1463-7 1463-1 1463-1 1463-1 1463-1 1463-1 1463-1 1463-1 1463-1 1463-1 1463-1 1463-1 1463-1 1463-1 1463-1 1469-1	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAR MONIN DAY MEM HOUSE STO OBS STO OBS STO OBS STO OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	R 1974 TH 05 01 R 07-8 0EPTH 00000 00001 00010 00011 00020 00030 00030 00047 00057 00075 00075 00075 00075 00070 00100	BOTOP 0032 SHIP EV DATA USE AREA 0 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.62 01.63 01.62 01.63 01.62 01.63 01.62 01.23 01.63 01.62 01.23 01.24 01.25 0	7 AIR 18 18 AIR 18 18 AIR 18 18 AIR 18 18 AIR 18 18 AIR 18	TEMP 01.8 SULB 01.2 ETR 1013.5 T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 27.73 27.73 27.77 27.22 27.22 27.22 27.22 27.27	DIR P 2 28 5EA 5EA 5EA 5EA 5EA 5EA 5EA 5EA 5EA 5EA	SNO VEL 1454-4 1454-5 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1455-7 1457-3 1463-7 1463-7 1463-7 1463-1 1463-3 1463-1 1471-2 1471-2	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAM HOUSE LVLTYP OBS STD OB	R 1974 TH 05 01 01 R 07-8 DEPTH 00000 00001 00010 00011 00020 00030 00041 00047 00057 00075 00075 00075 000150 00100 00100 00100 00125 00127 00150 00177 00180 00200 00125 00200 00125	BOTDP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.63 01.99 02.79 02.79 02.84 02.89 02.79 02.79 02.89 02.79 02.89 02.79 02.84 02.89 02.79 02.89 02.79 02.89 02.79 02.89 02.79 02.84 02.89 02.79 02.84	7 AIR 1 BAA00 5 CLCUU SAL 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.38 33.49 33.49 33.49 33.49 33.49 33.49 33.49 34.17 34.1	TEMP 01.8 SULB 01.2 ETR 1013.5 T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 27.11 27.17 27.22 27.22 27.22 27.22 27.22 27.27	DIR P 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	SNO VEL 1454-4 1454-5 1454-6 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1461-8 1462-6 1462-7 1461-8 1462-1	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAM HOUSE LVLTYP OBS STO OB	R 1974 TH 05 01 01 R 07-8 DEPTH 000001 00010 00011 00020 00030 00030 00041 00047 00055 00075 00075 00075 00075 00075 00075 00085 00100 00100 00125 00127 00180 00100 00126 00203 00203	BOTDP 0032 SMIP EV DATA USE AREA 0 TEMP 01.62 01.63 01.63 01.99 02.79 02.84 02.84 02.89 02.79 02.79 02.89 02.79 02.89 02.79 02.80 03.36 03.36 03.36 03.43	7 AIR 18 BAA00 5 CLCUU SAL 33.38 33	TEMP 01.8 SULB 01.2 METR 1013.5 T/A SIGMA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 27.11 27.12 27.22 27.22 27.22 27.22 27.22 27.27 27.27 27.27 27.27 27.27 27.27 27.27 27.49 27.49 27.49 27.49 27.49 27.49 27.49 27.49 27.40 27.40	DIR P 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	SNO VEL 1454-4 1454-5 1454-6 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1461-8 1462-6 1462-7 1461-8 1462-1	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 007 LAT 47 00.8 LONG 046 09.8 CASTNUM/TIME	O YEAR AND AND AND AND AND AND AND AND AND AND	R 1974 TH 05 01 R 07-8 DEPTH 00000 00001 00011 00012 00030 00041 00047 00057 00076 00087 000150 00117 00150 00117 00150 00117 00150 00127 00150 00127 00150 00127 00150 00127	BOTOP 0032 SHIP EV DATA USE AREA 0 TEMP 01.62 01.63 01.63 04.34 04.34	7 AIR 1 BAA00 5 CLCUU SAL 33.38 33.380 33.380 33.383 33.383 33.383 33.383 33.383 33.490 33.190 33.690 33.193 33.690 33.193 34.17 34.	TEMP 01.8 SULB 01.2 SETR 1013.5 T/A SIGHA-T 26.73 26.73 26.73 26.73 26.73 26.73 26.73 26.73 27.11 27.12 27.22 27.22 27.22 27.22 27.22 27.22 27.27 27.2	DIR P 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	SNO VEL 1454-4 1454-5 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1454-7 1462-7	HIND-SPO HIND-FOR HEATHER	15 X2	TR A DUR OR I	CE DIR ATION G 011 56	00.2 8	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8370 CONSEC 0079 LAT 46 59.0M LONG 046 30.0M	MONTH Day	05 01	BOTOP Q0355 SHIP EV DATA USE I AREA 05	AIN T WET S SARON CLGUD	ULB 01.4 ETR 1002.5	DIR HI 31 : SEA CL/TR	IT PER	H IND-DIR H IN D-SPO H IND-FOR HEATHER	13	TRACE		90.2	TEN SQ 1306 5 SQUARE 4 2 SQUARE 66 1 SQUARE 66
CASTNUNTINE	LVLTVP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND YEL	OXY 6	P04	TOT P	NO2	NO3	S103 PH
	STD	00000	01.50	33.30	26.73	00.000	1453.8						
09.5	065	10000	01.50	33.340	26.73		1453,9						
	STD	00010	01.50	33.34	26.73	00.013	1454.0						
	085	00011	01.30	33.380	26.73		1454.0						
	\$10	00020	01.55	33.39	26.74	00.026	1454.4						
	08.5	000Z0	01.56	33.390	26.74	00.040	1454.5						
	STD	00030	01.82	33.42	26.74	44.040	1455.5						
	QB S	00030	01.83	33.430 33.730	26.98		1457.0						
	085 085	00040	01.94 02.57	33.960	27.12		1460.1						
	085	00049	02.79	33.970	27.10		1461.1						
	STD	00050	02.79	33.99	27.12	00.062	1461.1						
	085	00053	02.74	34.100	27.21		1461.2						
	STD	00075	02.93	34.14	27.26	00.085	1462.4						
	065	00076	49.50	34-180	27.26		1462.5						
	STD	00100	03-14	34.25	27.29	00.105	1463.8						
	280	00102	03.20	34.260	27.30		1464.2						
	OB S	00112	03.46	34.320	27.32		1465.5						
	280	00118	03.14	34.300	27.34		1464.2						
	280	00121	03.22	34.320	27.34		1464.6						
	STO	00125	03-40	34.32	27.33	00.124	1465.5						
	280	00125	03-43	34.320 34.330	27.32		1465.6 1466.0						
	085	00133	03.50 03.77	34.450	27.33 27.39		1467.4						
	280 280	00137	03.86	34.460	27.39		1467.8						
	280	00144	04.25	34.536	27.41		1469.7						
	STO	00150	04.37	34.53	27.39	00.143	1470.3						
	085	00150	04.38	34.530	27.39		1470.3						
	280	00159	04.34	34.540	27.41		1470.3						
	OBS	00165	03.56	34.440	27.41		1467.0						
	QBS	00173	03.27	34.470	27.46		1465,5						
	280	00177	03.84	34.540	27.46		1448.5						
	280	00182	04.65	34.450	27.46		1472.1						
	sto	00200	04.79	34.75	27.52	00.175	1473.1						
	280	00201	04.81	34-760	27.53		1473.2						
	08\$	00205	04.74	34.780	27.55		1473.0						
	GB\$	00209	04-74	34.770	27.54		1473.1						
	08\$	00220	04-59	34-010	27.59 27.58		1473.3						
	085 STD	00228	° 04.70 04.50	34. 8 10 34. 8 0	27.50	00.204	1472.8						
	85	00251	04.50	34.800	27.6C	*****	1472.8						
	085	00276	04.33	34.860	27.66		1472.6						
	STD	00300	04.42	34.45	27.64	90.229	1473.4						
	285	00300	04.42	34.450	27.64		1473.4						
	085	00346	04.16	34.860	27.68		1473.0						
													

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

	8370 0080 7 00.5N	MONT	1974 H 05 01 11-2	SHIP EV DATA USE 1 AREA 05	HET !			GT PER 2 2	wind-dir wind-spd wind-for weather	09	TRAC	STO RE E DIA TION OIL 57	00.4	5 :	N SQ 1306 SQUARE 4 SQUARE 66 SQUARE 76
CASTMIN	MITIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	\$103	PH
		STD	00000	- 0.45	33.07	26.59	00.000	1444.5							
	11.2	065	10000	- 0.45	33.070	24.59		1444.6							
		GBS STD	00003 00010	- 0.46 - 0.44	33.07¢ 33.07	26.59 20.59	00.015	1444.6							
		085	00011	- 0.44	33.040	26.60	00.019	1444.8							
		STD	90020	- C. 13	33.14	26.64	00.029	1446.4							
		280	00020	- 0.04	33.160	26.66		1446.9							
		085	00024	00.46	33.410	20.82		1449.6							
		OBS STD	00028	0C.84 00.76	33.440 33.49	26.82 26.87	00.042	1451.4							
		CBS	90034	00.61	33.590	26.96	******	1450.7							
		085	00040	00.62	33.620	26.98		1450.9							
		085	00043	C1-10	33.40	27.10		1453.3							
		STD GBS	00050	01.63 01.76	33.91 33.9 3 0	27.15 27.16	00.063	1455.9							
		085	00057	01.78	33.930	27.15		1456.8							
		085	00062	01.14	33.950	27.21		1454.0							
		085	00066	01.55	33.980	27-21		1456.0							
		QBS QBS	00044	01.60 01.30	33.98J 33.960	27.21 27.21		1450.2							
		STD	00075	01.20	34.04	27.30	00.085	1454-7							
		085	00074	01-11	34.170	27.39		1454.4							
		DBS	00081	01.56	34.190	27.36		1456.6							
		08S STD	00100	03.18 02.98	34.43 <i>0</i> 34.44	27.44 27.46	00.102	1463.4							
		085	00105	02.95	34.454	27.47		1463.3							
		OB\$	00114	03.05	34.520	27.52		1444 . 1							
		STO	00125	02.85	34.52	27.54	00.117	1463.4							
		06 S 06 S	00127	02. 8 0 02.94	34.520 34.540	27.54 27.55		1463.2							
		OBS	00137	03.48	34.614	27.55		1466.4							
		085	00140	03.60	34.670	27.59		1467.0							
		085 STD	00146	04-45	34.770 34.77	27.58 27.58	00 131	1470.8							
		085	00161	04.43 04.42	34.790	27.40	00.131	1471.0							
		085	00175	04.56	34.814	27.40		1471.0							
		STD	00200	04.55	34.88	27.45	00.154	1472.3							
		OBS OBS	00201 00207	04.54 04.49	34.88u 34.87u	27.45 27.45		1472.3							
		085	00232	02.51	34.676	27.45		1445.4							
		085	00245	02.94	34.710	27.48		1444.0							
		STD	00250	03.05	34.73	27.49	00.179	1444.4							
		065 065	00240 00248	03.30 03.47	34.760 34.774	27.49 27.48		1467.9							
		085	00276	03.84	34.820	27.48		1470.5							
		STD	00300	03.47	34.78	27.49	00.20 L	1469.3							
		085 085	00300 00325	03.47 03.75	34.78¢ 34.800	27.49 27.47		1469.3							
		085	00374	04.22	34.664	27.49		1473.0							
		STD	00400	04.27	34.64	27.47	04.247	1474.4							
		085	00401	04.27	34.860	27.67		1474.4							
		085 570	00451 00500	04.25 04.22	34.87G 34.88	27.48 27.49	00.294	1475.9							
		085	00500	04.22	34.660	27.49	••••	1475.9							
		085	00550	03.93	34.880	27.72		1475.5							
		STD OBS	00400	03.84	34.88 34.88G	27.73 27.73	00.339	1475.9							
		065	00051	03.84 03.88	34.890	27.73		1477.0							
		STO	00700	03.75	34.66	27.74	00.362	1477.2							
		065	00700	03.75	34.000	27.74		1477.2							
		085 57D	00750	03.73 03.48	34.880 34.87	27.74 27.74	00.425	1478.0							
		065	00803	03.68	34.87	27.74		1478.4							
		085	00850	03.63	34.87G	27.74		1479.2							
		STD	00900	03.61	34.87 34.876	27.74	00.449	1470.9							
		085 085	00900	03.41 03.56	34.866	27.74 27.74		1480.4							
		STO	01000	03.52	34.87	27.75	00.513	1481 .2							
		085	01001	03.52	34.870	27.75		1401.2							
		085	01050	03.52	34.876	27.75		1401 - 0							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REPID 31 8370 CONSEC 0081 LAT 47 00.00 LONG 044 58.00	YEAR MONTH DAY HOUR	05	BOTOP 01154 SHIP EV DATA USE 1 AREA 05	WET	TEMP 06.0 BULB 04.2 DMETR 1018.3 DD T/A	OIR H 28 SEA GL/TR	-	wind-dir wind-spd wind-for weather	03	TRACE		00.7	5 2	N SQ 1300 SQUARE 6 SQUARE 66 SQUARE 76	6
CASTMUNTINE	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY 6	P 04	TOT P	NOZ	NO3	\$103	PH	
	STO	00000	- 1.01	33.09	24.63	40.000	1442.0								
13.2	085	00003	- 1.01	33.090	26.63		1442.0								
	065	00009	- 1.03	33.000	26.62		1442.0								
	STO	00010	- 1.05	33.08	26.62	00.014	1441.9								
	OBS STD	00011 00020	- 1.10 - 1.15	33.007	24.43 26.43	00.028	1441.7								
	085	00020	- 1.15	33.090	26.63	00.026	1441.6								
	STO	00030	- 1.17	33.09	26.64	00.043	1441.7								
	085	00030	- 1.17	33.095	24.44		1441.7								
	085	00041	- 1.33	33.150	26.69		1441.2								
	085	00045	- 1.57	33.247	26.80		1440.4								
	STO	00050	- 1.48	33.30	26.87	00.049									
	065	00051	- 1-45	33.400	26.89 26.98		1441.2								
	08S 08S	00040	- 1.32 - 1.05	33.510 33.577	27.02		1443.6								
	STD	00075	- 0.77	33.44	27.09	00.095	1445.1								
	085	00079	- 0.62	33.730	27.13		1446.0								
	STD	00100	- 0.07	33.92	27.26	00.118	1449.1								
	085	00100	- 0.04	33.930	27.27		1449.3								
	STD	00125	90.86	34.18	27.42	00.137									
	085	00125	00.87	34.103	27.42		1454.2								
	STO COS	00150 00150	01.09 01.09	34.30 34.305	27.50 27.50	00.152	1455.7								
	CAS	00175	01.30	34.347	27.52		1457.2								
	005	00198	01.63	34.450	27.57		1460.0								
	\$TD	00200	01.88	34.45	27.56	00.181									
	085	00207	02.02	34.460	27.56		1441.0								
	DBS	00226	02-14	34.53C	27.61		1462.0								
	STO	00250	02.24	34.54	27.60	00.207	1462.8								
	OBS DBS	00251 00283	02.25 02.45	34.540	27.61 27.64		1462.9								
	270	00300	02.40	34.64	27.45	00.231	1465.3								
	CAS	00300	02.61	34.646	27.65	001232	1465.4								
	COS	00350	02.86	34.670	27.66		1447.3								
	STO	00400	03.44	34.80	27.70	00.276	1470.0								
	DBS	00401	03.45	34.800	27.70		1470.9								
	085	00451	03.77	34.860	27.72		1473.1								
	\$70	00500	03.81	34.85	27.71	06.320									
	085 085	00504 00552	03.82 03.93	34.850	27.71 27.71		1474.2								
	STO	00600	03.95	34.88	27.72	00.364	1476.4								
	CBS	00603	03.95	34.880	27.72		1476.4								
	085	00651	03.90	34.885	27.73		1477.0								
	STD	00700	03.89	34.89	27.73	00.409									
	085	00700	03.89	34.890	27.73		1477.8								
	085	00750	03.01	34.880	27.73	00.453	1478.3								
	STD GBS	00800 00803	03.79 03.7 9	34.88	27.73 27.73	30.475	1479.0								
	085	00850	03.75	34.870	27.73		1479.7								
	STD	00900	03.72	34.87	27.73	00.498									
	085	00900	03.72	34.870	27.73		1480.4								
	085	00951	03.66	34.863	27.73	_	1481.0								
	STD	01000	03.43	34.86	27.73	00.543	1461.7								
	085	01001	03.43	34.860	27.73		1481.7								
	085	01027	03.59	34.860	27.74		1462.0								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 837 CONSEC 006 LAT 47 00.0 LONG 047 13.5	2 MONT IN DAY	1974 H 05 01 15.5	BOTOP 00445 SHIP EV DATA USE 1 AREA 05		TEMP Q3.5 Bulb Q2.5 METR 1018.9 D T/A	OO SEA CL/TR	GT PER	w in D—DIR w in D—SPO w in D—FOR w ea ther	06	TRAC	ATO 3	ECDRDER 00.2 720015	5	EN SQ 1 SQUARI SQUARI SQUARI	E 4
CASTNUM/T IN	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SAD VEL	JXY G	PQ4	TOT P	NOZ	NO3	\$103	PH	
	510	00000	- 1.03	32.94	26-51	00.000	1441.7								
15.9		00003	- 1.03	32.940	26.51		1441.7								
	085	00009	- 1.32	32.940	26.52		1440-4								
	STD	00010	- 1.32	32.93	26.51	00.015	1440.4								
	085	00011	- 1.33	32,920	26.50		1440.4								
	STD	00020	- 1.41	32.94	26.52	00.031									
	280 CT2	00030	- 1.41 - 1.42	32.940 32.94	26.52 26.52	00.044	1440.2								
	085	00030	- 1.42	32.940	26.52	00.046	1440.3								
	STO	00050	- 1.59	33.26	26.78	00.074									
	06 S ·	00051	- 1.60	33.276	26.79	944414	1440.3								
	OBS	00072	- 1.67	33.290	26.81		1440.3								
	STD	00075	- 1.65	33.37	26.87	00.104	1440.6								
	085	00076	- 1.64	33.400	26.90		1440.7								
	OBS	00087	- 1.42	33,500	26.97		1442.1								
	085	00091	- 1-17	33.510	24.97		1443.3								
	STD	00100	- 0.98	33.60	27.04	00.132									
	085	00100	- 0.96	33.610	27.05		1444.6								
	STD	00125	- 0.42	33.77	27.15	00.156									
	085	00125	- 0.41	33.770	27.15		1447.8								
	STD	00150	00.17	33.93	27.25	00-178									
	085	00152	00.22	33.940	27.26		1451.3								
	085	00175	00-65	34.090	27.36		1453.9								
	\$70	00200	01-05	34.17	27.40	00.216									
	085	00201	01.08	34.180	27.40		1456.4								
	085	00226	01-37	34.310	27.49		1450.3								
	STD OBS	00250 00251	01.75 01.77	34.41	27.54 27.54	00.248									
	085	00276	02-00	34.460	27.56		1460.6								
	STD	00300	02.20	34.53	27.60	00.275	1463,4								
	885	00300	02-21	34.530	27.60	00.213	1463.5								
	OBS	00316	02.36	34.530	27.59		1464.5								
	OBS	00350	02.66	34.630	27.64		1466.4								
	STD	00400	02.76	34.66	27.65	00.324									
	OBS	00403	02.79	34.660	27.65		1467.9								
	OBS	00453	02.98	34.680	27.65		1469.6								
	STO	00500	03.11	34.67	27.63	00.373									
	085	00500	03.11	34.670	27.43		1470.9								
	085	00555	03.75	34.870	27.73		1474.8								
	STO	00600	03.84	34.87	27.72	00.420	1475.9								
	285	10401	03.64	34.870	27.72		1475.9								
	085	00651	03.72	34.880	27.74		1476.3								
	085	00662	03.72	34.880	27.74		1476.5								

	8370 0083	YEAR	1974	BOTOP GO2 SHIP EV		A TEMP OL-		GT PER	MIND-DIR WIND-SPD		INST TRAC	STD RE	CORDER		N SQ 1 SQUARE	
LAT 47 0		DAY	01	DATA USE		ACMETA 1017.			WIND-FOR		DURA		00.1		SQUARE	
LONG 047 2			16.8			GUD T/A	CLITA	,	WEATHER	¥1		011 57			SQUARE	
20.00		11001			٠, ٠,		02,11	•	wpex	~*		• • • • • • • • • • • • • • • • • • • •	30010	•	agom.r.	••
CASTNUM/T	IME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	P04	TOT P	NO2	NO3	\$ 103	PH	
		STD	00000	- 0.71	33.0	26.60	00.000	1443.3								
1	4.8	280	00003	- 0.71	33.07	70 26.60		1443.4								
		005	00009	- 0.94	33.04	0 26.59		1442.4								
		STD	00010	- 0.97	33.09	24.59	00.014	1442.3								
		085	00011	- 1.03	33.01	/u 26.61		1442.0								
		STD	00020	- 1.09	33.00	26.62	00.029	1441.9								
		085	00020	- 1.10	33.0	10 26.62		1441.9								
		STO	00030	- 1.14	33.09	26.63	00.043	1441.9								
		085	00030	- 1.14	33.01	20.63		1441.8								
		STD	00050	- 1.40	33.14	26.68	00.071	1441.0								
		08.5	00051	- 1.42	33.15	0 24.69		1441.0								
		085	99968	- 1.73	33.21	26.80		1440.0								
		STD	00075	- 1.72	33.30	26.81	00.103	1440.1								
		085	00074	- 1.72	33.30	0 26.82		1440.2								
		STD	00100	- 1.59	33.44	26.93	00-133	1441.4								
		085	00102	- 1.49	33.49	10 26.97		1442.0								
		085	00108	- 1.23	33.62	20 27.06		1443.5								
		STO	00125	- 0.52	33.63	27.04	00.160	1447.1								
		085	00129	- 0.40	33.44	0 27.05		1447.7								
		STD	00150	- 0.24	33.70	27.14	00.184	1448.9								
		085	00150	- 0.24	33.70			1448.9								
		OBS	00175	00.01	33.43			1450.4								
		STO	00200	00.36	33.9		00.229	1452.7								
		065	10200	00.37	33.9			1452.8								
		085	00215	00.39	33.94			1453.2								
					3000											

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 831 COMSEC 000 LAT 46 59.2 LONG 047 45.0	MONTH N DAY	05 01	BOTOP GO174 SHIP EV DATA USE 1 AREA 05	WEI B	ULB 00.9 ETR 1018.6	DIR H 33 SEA CL/TR	GT PER	HIND-DIR HIND-SPD HIND-FOR HEATHER	10	TR AC	STD REC E DIR TION Oll 574	00.1	5 2	N SQ 1306 SQUARE 4 SQUARE 66 SQUARE 67
CASTNUM/TEME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	TOT P	MO2	NO3	\$103	PH
	STD	00000	- 0.08	32.95	26.48	00.000	1446.1							
10.4	STD	00000 00010	- 0.08 - 0.22	32.950 32.95	26 .48 26 .48	00.016	1445.6							
	OBS STD	00011	- 0.24 - 0.38	32.950 32.94	26.49 26.49	00.031	1445.5 1445.0							
	085 085	00020	- 0.39	32.940 32.930	26.48		1445.0							
	STD	00030	- 0.40 - 0.43	32.94	26.48	00.047								
	GBS STD	00030 00050	- 0.43 - 0.44	32.940 32.94	26.49 26.49	00.078	1444.9							
	QBS QBS	00051	- 0.46 - 1.03	32.94û 33.06u	26.49 26.60		1445.2 1443.0							
	STD OBS	00075	- 1.14 - 1.36	33.06 33.126	26.61 26.66	00.115	1442.5 1441.8							
	OBS STD	00095	- 1.49 - 1.48	33.240 33.27	26.76 26.79	00.149	1441.5							
	085	00100	- 1.48	33.280	26.80		1441.7							
	STO	00125	- 1.09 - 1.03	33.47 33.480	26.94 26.94	00.178	1444.2							
	085 085	00133 00137	- C.98 - C.98	33.480 33.480	26.94 26.94		1444.8 1444.9							
	STD DBS	00150 00150	- 0.75 - 0.75	33.48 33.480	26.93 26.93	00.206	1446.2							
REFID 31 837			BOTOP 00137	AIR T		DIR H		wINO-OIR			STD REC			N SQ 1306
CONSEC 008 LAT 47 00.0 LONG 048 00.0	N DAY	01	SHIP EV DATA USE 1 AREA 05	WET B BARGH CLGUD	ETR 1018.5	33 SEA CL/TR	3 3	HIND-SPO HIND-FOR HEATHER		DURA	E DIR TION 011 57:	00.1 00.1	2	SQUARE 4 SQUARE 68 SQUARE 78
CASTNUM/TIME		DEPTH	TEMP	SAL	SIGMA-T	HJGGNYG		OXY G	PG 4	TOT P	NO2	NO3	s ta s	PH
19.6	STD	00000	- 0.08 - 0.08	32.95 32.950	26.48 26.48	00.000	1446 • 1 1446 • 1							
		00010	- 0-22 - 0-24	32-95 32-950	26.48 26.49	00.016	1445.6							
	570 085	00020	- 0.38 - 0.39	32.94 32.940	26.49 26.48	00.031	1445.0							
	280 072	00022	- 0.40 - 0.43	32.930 32.94	26.48 26.49	00.047	1444.9							
	085 570	00030	- 0.43 - 0.44	32.940 32.94	26.49 26.49	00.078	1444.9							
	OB\$	00051	- 0.46	32.944	26.49	00.010	1445.2							
	OBS STD	00070	- 1.01 - 1.14	33.06u	26.60 26.61	00.115	1443.1							
	OBS	00085	- 1.37 - 1.49	33-120 33-240	26.66 26.76		1441.7 1441.5							
	STD DBS	00100	- 1.48 - 1.48	33.27 33.280	26.79 20.80	00-149	1441.6							
	012 2 8 0	00125	- 1.09 - 1.03	33.47 33.48u	26.94 26.94	00.178	1444.2							
	280	00133	- C.98	33.480	26.94		1444.8							
					*****	******	•							
REF10 31 837 CONSEC 008	6 MONTH	05	BOTOP 00113 SHIP EV	WET 8	ULB 00.3	26	GT PER L 2	WIND-DIR		TRAC	STO REC	0	5	N SQ 1306 SQUARE 4
LAT 47 00.0 LONG 048 22.2		01 21.8	DATA USE 1 AREA 05		ETR 1017-1	SEA CL/TR		wind-for weather	×f		TION OLL 576	00.1		SQUARE 58 SQUARE 78
CASTNUM/TIME		DEPTH	TEMP	SAL	SIGMA-T			OXY 6	PQ4	101 P	NO2	NO3	\$103	PH
21.8	STO OBS	00000	- 0.15 - 0.15	32.94 32.94	26.47	GC-000	1445.7							
	STO OBS	00010	- 0.19 - 0.19	32.94 32.940	26.48 26.48	00.016	1445.7							
	085 510	00013	- 0.19 - 0.37	32.936 32.94	26.47	00.031	1445.8							
	OBS STD	00020	- 0.36 - G.40	32.940	26.48	00.047	1445.0							
	OBS	00030	- 0.40	32.95u	26.49	00.076	1445 . 1							
	ST0 085	00050	- 0.54 - 0.56	32.93 32.93u	26.46 26.48		1444.7							
	STD 085	00078	- 1.10 - 1.15	33.05 33.070	26.62	00-115	1442.7							
	012 280	00100	- 1.46 - 1.47	33.24 33.24u	26.76 26.70	00-149	1441.7							
	OBS OBS	00102	- 1.48 - 1.46	33.250	26.77		1441.7							

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID CONSEC LAT LONG	47	8370 0087 00.0N 40.0H	YEAR HONTH DAY HOUR	05	BOTDP 00097 SHIP EV DATA USE 1 AREA 05	AIR TO WET BO BARONS CLOUD	JLB 00.5 EYR 1010.1	DIR HG OO O Sea CL/TR		HIND-DIA HIND-SPD HIND-FOR HEATHER	08	TRACE		00.1	5	N SQ 1304 SQUARE 4 SQUARE 48 SQUARE 78	
CAS	THUR	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SND VEL	OXY G	P04	TOT P	NO2	NOS	E012	PH	
					- 0.28	32.96	26.50	00.000	1445.2								
		4	STD	00000	- 0.28	32.960	26.50		1445.2								
		23.2	085 57D	90010	- 0.26	32.94	26.48	00.016	1445 -4								
			085	00011	- 0.26	32.944	26.48		1445.4								
			STD	90020	- 0.39	32.95	26.49	00.031	1445.0								
			085	00020	- 0.40	32.950	26.49		1444.9								
			972	00030	- 0.42	32.96	26.50	00.047									
			085	90030	- 0.42	32.940	26.50		1445.0								
			STO	00050	- 0.45	32.96	26.50	00.077									
			085	90051	- 0.47	32.960	26.50		1445.1								
			STO	00075	- 1.20	33.07	26.62	00.114									
			085	00076	- 1.23	33.080	26.63		1442.2								
			085	00083	- 1.41	33.140	26.48		1441.5								
			OB S	00041	- 1.39	33.150	26.69		1441.8								
REFID CONSE LAT LONG	C 46	8370 0088 59.2N 56.0N	MONT	1974 H 05 D2 00.4	BOTOP 00090 SHIP EV DATA USE 1 AREA 05	MET B	ULB 03.4	00	GT PER O X	WIND-DIR WIND-SPO WIND-FOR WEATHER	05	TRAC	E DIA	C GRDER 00.1	5 2	EN SQ 130- SQUARE SQUARE 6- SQUARE 6-	6
CAS	TNUR	/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P04	TOT P	NG2	NO3	\$103	PH	
				00000	- 0.25	32.94	26.48	00.000	1445.3								
			\$10	00000	- 0.25	32.940	26.48	******	1445.3								
		00.4	085 085	00007	- 0.24	32.930	26.47		1445.4								
			510	00010	- 0.25	32.94	26.48	00.016	1445.5								
			085	00011	- 0.25	32.940	26.48		1445.5								
			STO	00020	- 0.28	32.93	26.47	00.031	1445.4								
			OBS	90020	- 0.29	32.930	26.47		1445.4								
			STD	00030	- 0.41	32.94	26.48	00.047									
			085	00030	- 0.42	32.940	26.49		1445.0								
			\$10	90050	~ 0.57	32.95	26.50	00.078	1444.6								
			08.5	00051	- 0.60	32.960	26.51		1444.5								
			OBS	00074	- 1.42	33.140	26.48	00 114	1441.3								
			510	00075	- 1.42	33-14	26.68	00.114	1441.4								
			085	00074		33.150	26.69 26.7C		1441.5								
			OBS	90063	- 1.42	33.160	20.10										
								 .									

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID CONSEC LAT LONG	41	8370 0089 04.2N 19.5H	MONT! DAY	1974 1 06 09 02.1	BOTOP C4068 SHIP EV DATA USE 1 AREA 05	AIR T MEI B BAKOM CLGUO	ULB 08.2 ETR 1009.1	DIR HO 22 3 SEA CL/TR		wind-dir wind-spd wind-for weather		TR AC	STD REC E DIR TION 011 579	ORDER D 00.4	5 2	n 50 13 Square Square Square	00
CAS:	T NUN/	TIME	LVLTYP	DEPTH	TEMP	SAL	1-AMDIS	DYNOPTH	SAD VEL	OXY G	P04	707 P	NO2	NO3	5103	PH	
			STD	00000	18.56	36.41	26.12	00.000	1521.0								
		02.1	085	00007	10.98 12.97	36.41J 36.41	26.12 26.12	00.019	1521.1								
			STD OBS	00010	18.57	36.413	26.13		1521-1								
			,STD	00020	18.99	36.41	26.12 26.11	00.038	1521.3								
			085 570	00022	18.99 18.99	36.40> 36.40	26.11	00.057	1521.5								
			OB S	00032	18.99	36.397	26.11	00.096	1521.5								
			STD QBS	00050	18.99 18.58	36.38 36.380	26.10 26.10	00.090	1521.8								
			065	00044	18.82	36.360	26.12		1521.5								
			STD	00075	18.35 18.31	36.28 36.275	26.18 26.19	00.144	1520.2								
			085 STD	00076	17.87	36.37	26.37	00.188	1519.4								
			085	00102	17.82 17.39	36.38J 36.27	26.39 26.41	00.230	1519.3								
			STD OBS	00125	17.39	30.270	20.41	••••	1516.3								
			085	00140	17.44	36.374	26.48 26.52		1518.8								
			OBS STD	00148	17.26 17.28	36.37 36.37	26.52	00.271	1518.5								
			08\$	00150	17.28	36.374	26.51		1518.5								
			085	00175	17.06 16.85	36.390 36.36	26.58 26.61	00.348	1518.0								
			STD GBS	00201	16.63	36.360	26.62		1518-0								
			OBS	00228	16.48 15.70	36.260 36.040	26.62 26.63		1517.3 1514.7								
			085 STD	00236 00250	15.31	35.94	26.65	00.422	1513.4								
			085	00251	15.25	35.940	26.65 26.68		1513.6								
			G8 \$ 08 \$	00276 00281	15.51 15.42	36.070	26.72		1514-6								
			08.5	00289	14.94	35.91>	26.71	00.494	1513.1 1512.5								
			\$70 085	00300	14.70 14.67	35.89 35.87 <i>3</i>	20.74 26.73	00.474	1512.4								
			085	00312	14.70	35.926	26.76		1512.7 1512.1								
			085 085	0031e	14.51 14.59	35.86> 35.920	26.76 26.79		1512.0								
			085	00346	14.36	35.840	26.78		1512-1								
			065	00348	14.32 13.91	35.830 35.726	26.78 26.78		1510.6								
			OBS STD	00352	13.33	35.70	26.89	00.629	1509 -4								
			065	00401	13.30 12.76	35.706 35.67	26.89 26.98		1509-3								
			085 085	00428	12.46	35.590	26.98		1506.9								
			OBS	00453	12.09	35,526 35,470	26.99 27.04		1505 - 9 1504 - 6								
			OBS STD	00474 00500	11.64	35.34	27.11	00.747	1501 -6								
			OBS	00500	10.70	35.342	27.11		1501 -6								
			085 085	00506		35.333 35.225	27.12 27.10		1500 - 1								
			085	00525	10.22	35.230	27.11		1500 - 1 1499 - 3								
			085 085	00531 00534		35.240 35.242	27.17 27.19		1499-0								
			085	00542	09.58	35.176	27.18		1498.0								
			08\$ \$TD	00550		35.166 35.13	27.20 27.33	00.845	1494 -6								
			Q85	00601	08-41	35.126	27.33		1494.5								
			085	00616		35.04 <i>6</i> 35.08 <i>6</i>	27.31 27.40		1492.7								
			085 STD	00700	06.94	35.03	27.47	00.925	1490-4								
			085	00700		35.030 35.030	27.47 27.54		1489 - 2								
			280 STD	00800	06.02	35.02	27.59	00.993									
			085	00809	05.54	35.020 35.036	27. 59 27. 6 2		1488.3								
			Q#S Q#S	00822	04.07	35.089	27.63		1489 -3								
			085	00850	05.76	35.046	27.64 27.68	01.051	1488-2								
			STO	0090		35.03 35.030	27.48		1487 - 4								
			065	0092	05.19	34.990	27.67		1487-1								
			08 S 08 S	0095		34.990	27.71		1486 - 4	,							
			STO	0100	04.79	34.99	27.71	01.103	1486.7								
			085 085	0100	04.80	34.990	27.71 27.72		1486.9								
			000														

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID CONSEC LAT LONG	41	8370 0090 28.6N 18.7w	MONT	1974 1 06 09 05-7	BOTOP 03709 SHIP EV DATA USE 1 AREA 05	AIR T MET B BARON CLGUO	ULB 09.3 ETR 1010.0	DIR HG 28 3 SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	15	TRAC	STO REC E OIR TION 6 011 580	00.4	5	N SQ 130 SQUARE SQUARE D SQUARE 1	i
CAS1	NUH/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	OXY 6	P04	TOT F	NOZ	NO3	\$103	PH	
			STD	00000	14.93	35.33	26.26	00.000	1507.4								
		05.7	OBS	00001	14.93	35.330	26.26	00.018	1507.6								
			STD	00010	14.92	35.33 35.335	26.26 26.27	00.018	1507.7								
			085 STO	00011 00020	14.92 14.96	35.36	26.27	00.035	1508.0								
			OBS	00020	14.97	35.360	26.27	****	1508.1								
			085	00028	15.10	35.372	26.26		1508.4								
			STD	00030	14.99	35.37	26.28	00.053	1508.3 1506.5								
			085	00038	14.39 14.25	35.365 35.500	26.40 26.54		1506.3								
			085 085	00040 00045	14.45	35.590	26.56		1507.1								
			085	00049	14.47	35.590	26.56		1507.2								
			STD	00050	14.50	35-60	26.56	00.086	1507.4								
			OBS	00055	14.78	35.707	26.58		1508.5 1509.4								
			085	00072 00075	14.95 14.59	35.815 35.72	26.63 26.64	00.122	1506.2								
			STD OBS	00076	14.46	35.696	26.64		1507.8								
			570	00100	14.35	35.66	20.64	00.158	1507.8								
			OBS	00100	14.34	35.66C	26.64		1507.7								
			STD	00125	14.03	35.71	26.75 26.75	00.193	1507.2								
			OBS	00125 00127	14.Q2 14.Q3	35.710 35.70∠	26.74		1507.2								
			OBS OBS	00131	13.82	35.435	26.73		1506.5								
			STO	00150	13.76	35.60	26.72	00.227	1506.6								
			085	00154	13.73	35.550	26.72		1506.6								
			OBS	00177	13.48 13.21	35.580 35.59	26.76 26.82	00.294	1505.6								
			\$10 085	00200 00201	13.19	35.590	26.83		1505.5								
			085	00228	12.92	35.510	26.82		1505.0								
			STO	00250	13-05	35.56	26.83	00.358	1505.0								
			085	00255	13.08	35.570	26.84 26.90		1506.0 1505.3								
			085	00262	12.83 12.59	35.585 35.510	26.89		1504.5								
			085 085	00268 00276	12.45	35.510	26.92		1504.2								
			STD	00300	11.79	35.39	26.95	00.420	1502.1								
			085	00306	11.60	35.370	26.97		1501.6								
			085	00333	10.81 11.12	35.320 35.377	27.0 8 27.07		1500.7								
			065 065	00354 00392	10.24	35.240	27.12		1498.0								
			STO	00400	10.11	35.23	27.13	00.531									
			085	00401	10.09	35.225	27.13		1497.6								
			085	00407	10.01	35.240	27.16 27.25		1497.4								
			985 \$7 <i>0</i>	00451 00500	09.02 08.15	35.150 35.14	27.38	00.623	1491.9								
			085	00500	08.14	35.140	27.38		1491.9								
			085	00529	07.88	35.125	27.41		1491.3								
			OBS	00550	07.49	35.030	27.39 27.52	00.696	1490.0								
			ST0 085	00600	07.29 07.27	35.16 35.160	27.53	00.030	1490.2								
			085	00630		35.120	27.55		1489.0								
			085	00658	06.44	35.04C	27.55		1487.7								
			STO	00700		34,99	27.60	00.760	1485.7								
			085 085	00700		34.996 35.046	27.60 27.66		1485.8								
			STD	00800		34,99	27.68	00.816									
			085	00805	05.03	34.985	27.68		1484.4								
			OBS	00633	04.97	34.980	27.48		1484.6								
			085	00850		34.990 34.99	27.70 27.71	00.466									
			STO OBS	00900		34.990	27.71		1485.0								
			085	00951		34.990	27.72		1485.5								
			OBS	00982	04.60	34.980	21.73		1485.6								
			STD	01000		35.00	27.74	00.915	1486.0								
			08 S 08 S	01003		35.000 35.010	21.14 21.14		1486.6								
			003	01022													

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

CONSEC 0	370 1091 1.2N	YEAR I MONTH DAY HOUR (04 09	BOTOP SHIP E DATA U AREA	٧	AIR MET I Bard Cleu		10.3 09.3 1010.5	DIR H 28 SEA CL/TR		wind—dir wind—spo wind—for weather	15	TRAC	STD REC E DIR TION 011 581	00.4	5	n SQ 1 SQUARE SQUARE SQUARE	00
CASTNUMTE	ME L	VLTYP	DEPTH	TE	MP	SAL	SIG	IA-T	DYNOPTH	SND VEL	DXY G	P04	TOT P	NO2	NGS	\$103	PH	
		STD DBS	00000	13.		34.90 34.903	26.		00.000	1501.8								
0.		STD	00010	13. 13.	31	34.91	26 . 26 .	28	00.018	1501.9								
		085	00011	13.	32	34.910	26.	.28		1502.0								
	•	DBS STD	00017	13. 14.	28	35.013 35.32	26. 26.	39	00.035	1502.5 1505.8								
	(085	00022	15.	00	35.576	26.	43		1508.5								
		STO	00030	15. 15.		35.60 35.70	26. 26.	40 +	00.051	1509.3								
		085	00051	15.	48	35.710	26.	.43		1510.6								
		STD DBS	00075	15. 15.		35.91 35.910	26. 26.	45	00.122	1510.4								
		STO	00100	15.	16	35.92	26.	66	00.158	1510.7								
		085 085	00100 00121	15. 14.		35.920 35.835	26. 26.	66		1510.6								
		STD	00125	14.	39	35.78	26.	73	00.192	1508.5								
	•	DBS	00127	14.		35.750 35.70	26.		00.226	1508.1 1507.7								
		STD DBS	00150 00152	14. 14.	02	35.700	26. 26.	74	00.220	1507.6								
	(280	00159	14.	16	35.730	26.	.73		1506.3								
	1	08S 08S	00177	14. 14.	00	35.717 35.700	26. 26.	, 75 .75		1506.1 1506.0								
		085	00164	13.	75	د35.70	26.	80		1507.3								
	,	DBS STD	00190	13. 13.	29 25	35.582 35.58	26 . 26 .	.80 .81	00.293	1505.7 1505.7								
		OBS	00203	13.	23	35.583	26.	82	******	1505.7								
	,	DBS STD	00228	13. 13.	16	35.590 35.72	26. 26.	84	00.356	1505.9 1506.8								
		085	00251	13.		35.730	26	91	00.374	1506.9								
		OBS OBS	00258	13.	16	35.700 35.520	26.	.92		1506.5 1503.5								
		STD	00276 00300	12. 11.	26 82	35.53	26 . 27 .	.05	00.414	1502.4								
		085	00300	11.	80	35.53G	27.	06		1502.4								
		08 S 08 S	00302	11. 11.	74 22	35.503 35.370	27. 27.			1502 - 2 1500 - 3								
		085	00310	11.	19	35.380	27.	06		1500.2								
		08 S 08 S	00321	10. 10.		35.373	27 . 27 .			1499.4								
	(D8 S	00356	10.	13	35.220	27.	.12		1497.0								
		085 085	00388	09. 09.	70	35.23G 35.170	27. 27.	20		1496.0 1495.0								
		STD	00400	09.	31	35.16	27.	21	00.516	1494.6								
		DBS	00401	09. 08.	26	35.150 35.140	27	.21 .33		1494.5								
		085 085	00451	08.	79 29	35.120	27.	34		1491.6								
		OBS DBS	00472	07.		35.036 35.030	27.	. 33 . 40		1490.5								
	,	STO	00500	07. 07.		34.93	27	.38	00.603	1487.3								
		08 \$	00504	06.	71	34.886	27.	.38		1486.0								
		085 085	00596	06. 05.		34.870 34.720	27 . 27 .			1485.6								
		08 S	00523	05.	42	34.696	27.	40		1480.9								
		OBS OBS	00531	05. 05.	98	34.690 34.900	27.	50		1479.7								
	1	OBS	00548	06.	37	34,990	27.	. 52		1485.6								
		085 085	00550	06. 06.	37 35	34.990 35.016	27	.52 .54		1485.6								
	1	OBS	00582	05.	28	34.830	27.	, 53		1481.5								
		06S 08S	00588	05. 04.	27 61	34.830 34.7 8 5	27.	.53 .57		1481.6								
		STD	00400	04.	62	34.79	27.	.57	00.672	1479.0								
		085 085	00603 00635	04. 04.	67 37	34.800 34.820	27	, 5 6 , 6 3		1479.3								
		OBS	00645	04.	45	34.815	27.	61		1479.1								
		08S 08S	00652	04. 04.		34.885	27. 27.	.63		1480.6								
		STD	00700	05.	12	34.99	27.	.68	00.727	1483.0								
		085 085	00706	05.	17	35.017 35.037	27.	.69		1483.4								
		STD	00800	05.	02	35.02	27.	.70 .71	00.777	1484.3								
		085	00801	05.	01	35.020	27.	.71		1484.3								
		08S 08S	00850 00864	04. 04.		35.035 34.990	27. 27.	74		1484.5								
		STD	00900	04.	34	34.98	27.	. 76	00.824	1483.1								
		065 085	00904	04. 04.	33 39	34.98U 34.990	27. 27.	76		1443.2								
		STO	01000	04.	77	35.02	27.	.74	00.470	1486.6								
	(085 085	01003 01020	04. 04.	17 12	35.020 35.040	27. 27.	74		1486.7								
					•			.										

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID CONSEC LAT LONG			MONT	1974 H 06 09 12.2	BOTOP 03180 SHIP EV DATA USE 1 AREA 05	WE T BARE	TEMP Q8.Q BULB Q7.Q METR 1013.2 MO T/A	DIR H 23 SEA CL/TR	GT PER 3 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	12	TR AC F		00.4	5 2	n SQ 1 SQUARE SQUARE SQUARE	20
CAST	NUM/TI	ME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	P04	TOT P	NO2	NO3	\$103	РН	
	12	. ,	STD 085	00000	04.33 08.33	33.65 33.646	26.10	90.900	1482 -4								
		••	STO	00010	08.27	33.66	26.18 26.20	00.018	1482.5								
			085 570	00050	08.27 08.28	33.660	26.20 26.22	00-037	1482.4								
			085	00022	08.28	33.687	26.22	000057	1482 - 7								
			OBS STD	00036	08.43 08.77	33.765 33.62	26.26 26.25	00.055	1483.4								
			OBS OBS	00036	09.12	33.903	26.26	******	1486.3								
			085	00040	09.17 07.75	33.95u 33.650	26.29 26.27		1486.6								
			57D 085	00050	07.73	33.64	26.27	06.090	1480.9								
			OBS	00051 00060	07-64 05-48	33.640 33.545	26.2 8 26.51		1480.6								
			085 085	00068	03.00 03.27	33.310 33.430	26.56 26.65		1461-4								
			OBS	00074	04.78	33.650	26.65		1462.8 1469.5								
			STD OBS	00075	04.78 04.81	33.65	26.65 26.64	00.130	1469.5								
			085	00085	09-94	34.700	26.75		1491.2								
			STD QBS	00100	12.07 12.16	35.21	26.76 26.76	00.164	1499.6								
			085	00116	11.08	35.030	26.80		1496.2								
			085 085	00119	10.99 11.73	35.030	26.82 26.85		1495.9 1498.6								
			OBS STD	00123	11.79	35.285	26.87		1499.1								
			085	00125	11.76 11.56	35.27 35.230	26.84 26.87	00.196	1499.0								
			280 280	00131	11.42 10.59	35.230	26.90		1497.9								
			280	00140	10.31	35.070 35.020	26.92 26.93		1494.9								
			085 085	00142	10.19	34.990 34.910	26.93 26.93		1493.4								
			STD	00150	08.71	34.71	26.96	00.225	1492.0								
			280 280	00158	04.40 03.30	33.990	26.96 27.14		1469.8								
			OBS	00177	03.60	34.135	27.14		1467.8								
			STD OBS	00200 00203	03.86 03.87	34.13 34.130	27.13 27.13	00.278	1468.4 1468.5								
			085 085	00209	03.88	34-140	27.14		1468.6								
			085	00215	04.22 04.33	34.197 34.200	27.15 27.14		1470.2 1470.8								
			280 280	00224 00226	03.86	34.140	27.14 27.13		1468.8								
			085	00239	03.79	34.120	27.13		1468.7								
			280 012	00249	02.40	33.980 33.98	27.15 27.15	00.325	1462.7								
			085 085	00253	02.40	33.985	27.15	******	1462.8								
			085	00268	02.25 01.22	33.990	27.17		1462.2								
			280 280	00279 00287	01.68 01.68	33.980	27.20 27.23		1.00.1								
			STD	00300	02.04	34.13	27.30	00.369	1460.2								
			085 085	00300 00310	02.07 02.54	34.140	27.30 27.30		1462.3								
			085	00314	02.75	34.210	27.30		1464.6								
			085 085	00319	04.06 04.15	34.450	27.36 27.36		1471.6								
			085 085	00333	05.78	34.690	27.36		1479.3								
			COS	00344 00359	05.53 03.22	34.650 34.320	27.36 27.34		1478.4								
			085 085	00369	03.38 05.85	34.350	27.35 27.47		1469.4								
			065	00386	05.94	34.630	27.45		1480.6								
			OBS STD	00394 00400	06.97 07.02	35.040 35.03	27.47 27.46	00.443	1485.5 1485.7								
			QBS QBS	00403	07.05	35.030	27,46	001443	1485.5								
			OBS	00416	07.19 06.36	35.135 35.020	27,52 27,54		1486.8								
			085 085	00453 00462	06.22	35.010	27,55		1483.4								
			085	00474	05.31	34.880	27.56		1483.0								
			STD OBS	00500	04.59 04.58	34.83 34.830	27.61 27.61	00.505	1477.3								
			GBS	00552	04.76	34.890	27.64		1479.0								
			CBS STD	00565 00600	05.06 05.17	34.945	27.65 27.68	00.557	1480.5								
			OBS	00601	05.17	35.000	27,68		1481.6								
			STD	00700	05+40 05+42	35.04	27.68 27.68	00.608	1484.3								
			085	00750	05.21	35.020	27.69		1484.3								
			STO DBS	10800	05.07 05.06	35.04 35.040	27.72 27.72	00.658	1484.5								
			GBS STD	00850	04.85	35.020	27.73		1484.5								
			085	00900	04.80 04.80	35.01 35.010	27.73 27.73	00.706	1485.1								
			OBS STO	01000	04.63	35.040	27.77 27.76	00.753	1485.3								
			085	10010	04-47	35.010	27,76	*****	1485.4								
			085	01035	04-38	35.016	27.77		1485.6								
							****	*****									

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFI CONS LAT LONG	EC 4		093	YEAR MONTI DAY HOUR	4 06 09	SHIP EV DATA USE 1 AREA 05	AIR WET BARD CLGU			GT PER 0 X	WIND-DIR WIND-SPO WIND-FOR WEATHER	12	TRAC	E DIR	RECORDER 00.5 5830014	2	N SQ 1 SQUARE SQUARE SQUARE	20
CA	STNU	WT1	ME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OXY G	P04	TOT #	NO:	2 NQ3	\$ 103	PH	
				STD	00000	08.09	33.64	26.21	00.000	1461.5								
		13	-1	OBS STD	00000	06.09 07.89	33.640	26.21 26.25	00.016	1481.5								
				OBS STO	00011	07.88 07.90	33.650 33.64	26.25 26.24	00.036	1480.9 1481.1								
				OBS STO	00020 00030	07.90 07.89	33.640 33.65	26.24 26.25	00.054	1481.1								
				08 \$ 08 \$	00034 00036	07.89 07.70	33.65ú 33.60¢	26.25	******	1481.3								
				085	00040	06.81	33.535	20.31		1477.0								
				085 085	00045 00047	06.39 06.44	33.660 33.630	26.47 26.59		1475.6								
				STD OBS	00050 00051	07.65 C8.CO	34.06 34.150	26.61 26.63	00.086	1481.2								
				OBS OBS	00053 00057	C8.07 C5.54	34.210 34.320	26.66		1483.0 1485.0								
				OBS OBS	00062	09.11	34.547	26.77 26.86		1487.6								
				085	00068	10.42	34.937	26.85		1492.9								
				DBS STD	00074 00075	07.95 07.94	34.44u 34.44	26.86 26.86	00.119	1483.2 1483.2								
				OBS OBS	00078 00087	07.91 05.50	34.480 34.980	26.90 26.97		1483.2								
				OBS	00093	09.81	34.965 35.03	26.98 27.01	00.148	1491.2								
				OBS OBS	00102	10.04	35.063	27.01	001140	1492.3								
				085	00110	10.44	35.160 35.170	27.02 27.03		1494.0								
				OBS STD	00116	10.45 10.37	35.240 35.18	27.04 27.05	00.174	1494.9								
				OBS OBS	00129 00135	10.20 09.94	35.16. 35.140	27.06 27.09		1493.4								
				OBS STD	00142 00150	09.33 07.93	35.020 34.72	27.10 27.08	00.200	1490-3								
				OB S	00152	07.70	34.684	27.09	00.200	1483.9								
				085 085	0015e 00159	07.55 07.26	34.675 34.667	27.11 27.14		1483.3 1482.3								
				OBS OBS	00165 00171	06.56 06.51	34.650 34.650	27.17 27.18		1481.2 1481.0								
				OBS STD	00196 30200	08.74 C8.73	35.02. 35.03	27.20 27.20	00.248	1489.0								
				OBS OBS	00201	08.73 08.50	35.036 34.993	27.20	000240	1489.0								
				G8 S	00215	08.05	34.886	27.21 27.19		1486.5								
				OBS STD	00226	07.80 07.71	34.87	27.25 27.24	00.294	1485.7								
				065 065	00251 00268	07.70 07.52	34.870 34.880	27.24 27.27		1485.7 1485.3								
				085 085	00272 00276	07.70 07.66	34.905 34.910	27.26 27.27		1486.1								
				085 085	002 61 002 67	07.67 07.91	34.955 35.020	27.31 27.32		1486.2 1487.3								
				OBS OBS	00293 00298	07.84 05.76	34.990 34.660	27.31 27.34		1487.1								
				STD	00300	05.57	34.70	27.34	00.335	1479.5								
				085 085	00312	06.32 05.70	34.663	27.37 27.35		1481.2								
				085 085	00333	05.39 05.69	34.640 34.685	27.37 27.36		1477.6 1479.0								
				085 085	00346 00352	06.28 06.29	34.830 34.82>	27.40 27.40		1481.7								
				OBS STD	00397 00400	04.16 05.97	34.87¢ 34.83	27.45 27.44	00.410	1482.1								
				085 085	00401 00407	05.67 05.63	34.810	27.44 27.48		1480.9								
				08 S 08 S	00413 00428	06.10 06.84	34.890	27.47		1482.1								
				OBS	00447	04.25	35.000	27.49 27.54		1485.5								
				085 085	00454	06.43 06.41	35.030 35.040	27.54 27.55		1484.3								
				08 S 08 S	00462 00468	06.66 05.57	35.120 35.010	27.58 27.59		1485.5								
				OBS STO	00479	04.85 05.13	34.83u 34.94	27.58 27.63	00.471	1478.1								
				085	00500 00517	05.14 04.88	34.940	27.63		1479.8								
				00.5	00544	04.38	34.870	27.62 27.66		1477.2								
				STD	00592 00600	04.67	34.900 34.90	27.66 27.66	00.523									
				085 085	00403 00422	04.52 04.56	34. 893 34. 9 50	27.67 27.71		1478.8								
				OBS STD	00464	04. 94 04. 99	35.01ú 35.03	27.71 27.72	00.571	1481.7								
				085 085	00702 00751	04.99	35.030	27.72 27.73	•	1482.4								
				STD	00600	04.84 04.83	35.04 35.040	27.75 27.75	00.417									
				085	00850	04.72	35.030	27.75		1484.0								
				STD 085	00900	04.67 04.67	35.03 35.030	27.76 27.76	00.663	1484.6								
				OBS STO	00951 01000	04.58 04.51	35.030 35.02	27.77 27.77	00.707	1405.1								
				085 085	01001 01016	04.51 04.49	35.020 35.020	27.77 27.77		1485.6								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8370 CONSEC 0094 LAY 42 38.2N LUNG 050 19.0N	MONTH DAY	06	BOTOP G165G SHIP EV DATA USE 1 AREA G5	AIR 1 WET 1 BARON CLOUG	ULB 10.9 ETR 1005.8	OTR H 14 : SEA CL/TR	GT PER 3 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	12	TR AC	E DIR TION	00.6 940020	5	N SQ 1 SQUARE SQUARE SQUARE	20
CASTNUMTINE	LVLTYP	DEPTH	TEMP	SAL	SIGMA-J	DYNOPTH	SND VEL	DXY G	P04	TOT P	NO	. NO3-	\$103	PH	
	STD	00000	07.03	32.90	25.78	00.000	1476.4								
17.2	085 085	00007	07.03 07.06	32.900 33.060	25.7 6 25.91		1476.4								
	570 085	00010	07.64 07.89	33.36 33.480	26.06 26.12	00.021	1479.6								
	OB S	00015	08.26	33.560	26.13		1462.3								
	STD OBS	00050	08.17 08.15	33.61 33.610	26.17 26.18	00.040	1482.1								
	98\$	00024	07.93	33.613	26.22	_	1461.3								
	STD OBS	00030 00030	08.09 08.13	33.77 33.780	26.31 26.32	00.058	1482.2								
	280	00032	04.30	33.400	24.31		1463.0								
	085 085	00034 00040	07.76 07.73	33.730 33.730	26.33 26.34		1480.9								
	085	00043	09.28	34.130	26.41		1467.3								
	DBS STD	00045	09.34 09.27	34.160 34.16	26.43 26.44	00.091	1487.4								
	280 280	00051 00059	09.14 07.53	34.157	26.46		1467.0								
	085	00060	07.62	33.86. 33.930	26.47 26.51		1481.1								
	280 280	00062	08.34 08.20	34.08G 34.125	26.52 26.58		1484.1								
	OBS	00070	00.48	34.275	26.65		1485.0								
	STD OBS	00075 00076	08.37 08.34	34.31 34.34 <i>3</i>	26.70 26.73	00.128	1484.7								
	OBS	00078	06.65	34.410	26.73		1445.9								
	085 085	00079	08.73 09.00	34.440 34.510	26.74 26.75		1486.3								
	STD	00100	09.64	34.76	26.85	00.141	1450-4								
	085 065	00100	09.6 6 10.35	34.775 34.975	26.89 26.89		1490.6								
	STD	00125	10.52	34.99	26.87	00.191	1494.3								
	DBS STD	00125 00150	10.52 10.22	34.990 34.98	26.87 26.92	00.221	1494.3								
	085	00150	10-22	34.980	26.92	******	1493.6								
	085 085	00152 00156	10.20 09.59	34.98U 34.840	26.92 26.92		1493.6								
	085	00145	09.03	34.750	26.94		1489.2								
	085 085	00169 00173	08.40 08.32	34.635 34.660	26.95 26.98		1486.7								
	0 6 5	00180	09.44	34.950	27.03		1491.2								
	085 085	001 86 001 96	09.54 08.85	34.99u 34.850	27.04 27.04		1461.8								
	STO OBS	00200	96.74 98.77	34.84 34.830	27.04 27.04	00.278	1489.0								
	OBS	00203	08.77	34.660	27.07		1469.0								
	085 085	00209	09.73 09.73	35.100 35.100	27.10 27.10		1493.0								
	OBS	00215	10.07	35.200	27.12		1454.4								
	OBS STD	00224	10.02 09.39	35.180 35.12	27.11 27.17	00.326	1494.4								
	085	00251	09.36	35.120	27.17		1492.3								
	085 085	00272	08.80 08.37	35.100 34.990	27.24 27.23		1487.1								
	STD OBS	00300	07. 8 5	35.00 35.00¢	27.32 27.32	00.373	1487.3								
	085	00304	07.71	34.965	27.33		1486.8								
	085 085	00324	07.03 06.10	34.740	27.32 27.34		1484.2								
	085	00323	06.01	34.740	27.37		1480.1								
	280 280	00335 00352	05.31 05.20	34.445 34.650	27.3 0 27.40		1477.3								
	280	00304	05.09	34.750	27.49		1477.4								
	085 57 D	00397 00400	04.43 04.42	34.450 34.48	27.49 27.51	00.445	1474.8								
	085 085	00407 00451	04.44	34.750 34.800	27.56 27.60		1475.1								
	STD	00 500	03.97	34.79	27.64	00.502	1474.7								
	082	00500 00552	03.96 03.41	34.790 34.760	27.65 27.66		1474.7								
	STO	00400	03.49	34.78	27.67	00.551	1475.1								
	00 S 00 S	00401 00451	03.49 03.79	34.785 34.780	27.67 27.65		1475.2								
	STD	00700	03.44	34 . 63	27.49	00.400									
	085 085	00702 00750	03. 06 03.70	34.83 ₆ 34.860	27.69 27.71		1477.6								
	STD	00800	03.91	34.04	27.49	00.648	1479.5								
	085 085	00803	03.91 03. 8 6	34.640	27.69 27.70		1479.5								
	STD	00900	03.84 03.84	34.84	27.70 27.70	00.697	1480-9								
	085	00951	03.64	34.866	27.71		1461.7								
	OBS STD	00997	03.62 03.61	34.670 34.86	27.72 27.72	00.745	1482.4								
	OBS	01001	03.80	34.860	27.72		1482.4								
	085 085	01012	03.80 03.80	34.860 34.87ü	27.72 27.73		1442.6								
				J							•				

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID CONSE	42	8370 0095 44.5N	MONT DAY	09	BOTOP GO921 SHIP EV DATA USE 1	NET BARO	BULB 08.6 METR 1002.4	23 Sea	GT PER	WIND-DIR WIND-SPD WIND-FOR	04	TRA	CE C)]R BN	CORDER D 00.4	5 2	N SQ 1307 SQUARE 1 SQUARE 20
rome	050	18.5W	HOUR	20.1	AREA 05	CLOU	D T/A	CL/TA		WEA THER	X6	OR I	6 01	1 58	50016	1	SQUARE 20
CAS	THUN	TIME	LVLTYP	DEPTH	TEMP	SAL	S IGMA-T	DYNOFTH	SMD VEL	OXYG	P04	TOT	P	NO2	NO3	\$103	PH
		20.1	STD	00000	05.76 05.76	32.69 32.696	25.78 25.78	00.000	1471.1								
			COS	00007	05.76	32.680	25.77		1471.2								
			STO	00010	05.73 05.71	32.68 32.680	25.78 25.78	00.022	1471.1								
			STD	00020	05.54	32.71	25.82	00.044	1470.5								
			085 085	00020	05.53 05.50	32.710 32.710	25.82 25.83		1470.5								
			085	00024	05.60	32.900	25.57		1471.1								
			280 570	00028	07.34 07.43	33.4L0	26.14 26.16	00.065	1478.8								
			085	00030	07.47	33.45 33.460	20.16	VV. 043	1479.4								
			085 085	00034	07. 89 04.73	33.600	20-21		1481.2								
			005	00038	06.23	33.400 33.560	26.22 26.41		1476.5								
			280 280	00041	04-02	33.700	24.55		1474.1								
			STD	00050	10.61 10.74	34.720 34.76	26.45 26.44	00.097	1493.0 1493.6								
			085 085	00053	11.15	34.910	24.70		1495.3								
			085	00044	10.74 12.00	34.824 35.140	20.70 20.72		1493.8 1498.7								
			08 \$ 5 T D	00070 00075	12.14	35.Z1G	26.74		1459.4								
			085	00074	12.39 12.44	35.27 35.280	26.74 26.74	00.132	1500 - 4 1500 - 6								
			570 085	00100 00100	12.57	35.34	26.77	00.165	1501.5								
			065	00102	12.57 12.44	35.340 35.33G	26.78 26.78		1501.5								
			CBS	00104	12.04	35.230	26.78		1499.6								
			085	00118	11.59 11.63	35.140 35.210	26.79 26.84		1498.1								
			OBS STD	00121 00125	12.29 12.27	35.426	26.88	00.194	1501.0								
			085	00125	12.26	35.41 35.410	26.00	00.174	1500.9								
			08\$ \$70	00135 00150	12.14 11.30	35.376 35.25	26.94	00.226	1500.4								
			085	00150	11.26	35.250	26.94	00.224	1457.7								
			OBS DBS	00175	10.30 10.26	35.150 35.170	27-04 27-06		1494.5								
			OBS	00198	09.44	34.99Q	27.06		1491 .6								
			STD OBS	002 0 0 00201	09.04 C8.80	34.91 34. 86 4	27.06 27.06	00.281	1490.0								
			085	00207	08.79	34.890	27.09		1409.2								
			085 085	00211 00218	07.99 07.91	34.730 34.740	27.0 6 27.13		1486.0								
			085	00220	97.66	34.700	27.11		1484.8								
			08 S 08 S	00224	0 0. 22 08. 17	34.830	27-13 27-13		1487.2								
			085	00237	00.22	34.830	27.13		1487.4								
			STO	00250	05.49 05.35	34.390 34.35	27.13 27.14	00.332	1477.1								
			08 S	00255	04.82	34.290	27-16		1473.5								
			005	00272	04.51 04.21	34.340 34.350	27.23 27.27	•	1472.5								
			08 S 08 S	00274 00281	04.19 03.34	34.460	27.36 27.42		1471.4								
			065	00289	04.10	34.520	27.42		1471.4								
			OBS STD	00295 00300	04.22 03.96	34.550 34.55	27.43 27.45	00.373	1472.0								
			085	00300	03.95	34.550	27.44		1471.0								
			085 085	00308	04.40 04.51	34.480 34.770	27.51 27.57		1473.2								
			005	00350	03.99	34.710	27.58		1472.2								
			085 \$10	00354 00400	03.92 03.67	34.690 34.72	27.57 27.62	00.432	1472.0								
			08 S	00403	03.66	34.720	27,42		1471.7								
			STD	00451 00500	03.42 03.45	34.74G 34.76	27.64 27.65	00.482	1472.3								
			085 085	00500 00530	03.45 03.44	34.760 34.760	27,45		1473.3								
			STO	00400	03.72	34.79	27,45 27,47	00.531	1474.1								
			085 085	00601 00651	03.12 03.45	34.790	27.67 27.67		1475.3								
			STD	00700	03.94	34.83	27.44	00.560	1477.9								
			085 085	00700 00750	03.94 03.92	34.830	27.49 27.69		1477.9								
			STO	00800	03.88	34.85	27.70	00.628	1479.4								
			085 085	00850 00892	03.88 03.90	34.850 34.850	27.70 27.70		1480.2								
			STO	00900	03.90	34.85	27.70	00.477	1481.1								
			085	00900	03.90	34.850	27.70		1481-1								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REF10 31 8370 CONSEC 0096 LAY 42 50 ON LONG 050 17-0M	YEAR 1974 MONTH 06 DAY 09 HOUR 22-0	BOTDP 00252 SHIP EV DATA USE 1 AREA 05	AIR TEMP 07.5 MET BULB 07.5 BARDMETR 1000.0 CLGUD T/A	23 1 2	WIND-OIR 03 WIND-SPD 04 WIND-FOR WEATHER X5	INST STD RECORDER TEN SQ 1307 TRACE DIR D 5 SQUARE 1 DURATION 00.3 2 SQUARE 20 ORIG 011 5840019 1 SQUARE 20
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGNA-T	DYNOPTH SND VEL	0XY 6 #04	TOT P NOZ NOS SEOS PH
	STD 00000		32.51 25.69	00.000 1468.9 1469.0		
22.0	STO 00010	05.26	32.510 25.69 32.56 25.73	00.023 1469.0		
	STD 00020	05.06	32.570 25.75 32.64 25.83	00.045 1468-4		
	OBS 00020 \$TD 00030	04.75	32.650 25.83 32.71 25.91	00.067 1468.3		
	DBS 00032 DBS 00034	04.42	32.730 25.95 32.720 25.95	1466.8 1466.1		
	CBS 00036 CBS 00045		32.830 26.08 33.020 26.31	1464.6 1461.4		
	DBS 00049 STD 00050	03.42	33.040 24.31 33.16 26.33	1462.6 00.105 1465.8		
	085 00051 085 00055	05.85	33.450 26.37 33.860 20.39	1473.3 1482.7		
	OBS 00068 STD 00075	09.27	34.230 26.49 34.17 26.50	1487.8		
	085 00076	08.84	34.160 26.31	1486.3 1485.0		
	OBS 00085	05.76	33.680 26.56	1473.9		
	085 00095 085 00095	04.46	33.600 26.56 33.530 26.59	1471.7		
	OBS 00097 STD 00100		33.540 26.63 33.56 26.72	1467.3 00.182 1464.3		
	OBS 00100 OBS 00102		33.580 26.76 33.640 26.86	1463.2 1460.4		
	OBS G0108 OBS 00123	02.36 03.78	33.740 26.96 33.930 26.98	1460.0 1466.5		
	STD 00125 085 00139	04.13	33.98 26.99 34.180 26.99	00.212 1468.1 1474.2		
	DBS 00142	05.07 04.05	34.110 26.98 33.976 26.98	1472.5 1468.1		
	OBS 00146 STD 00150	03.72	33.99 27.04	00.239 1466.8		
	085 00150 085 00152		34.040 27.04 34.040 27.07	1466.9		
	085 00156 085 00159	04.37 04.13	34.130 27.08 34.090 27.07	1469.8 1468.8		
	085 00175 085 00177	04.39 04.08	34.210 27.14 34.170 27.14	1470.3 1469.0		
	085 00186 085 00188	04.20 03.83	34.250 27.19 34.200 27.19	1469.8 1468.2		
	00198 00200	03.45 02.73	34.170 27.20 34.08 27.20	00.287 1463.5		
	OBS 00201 OBS 00203	02.34 02.20	34.080 27.23 34.150 27.30	1461.6 1461.3		
	OBS 00205 OBS 00211	02.22	34.14u 27.29 34.220 27.31	1461.4 1464.0		
	085 00228 085 00234	02.93 02.91	34.260 27.32 34.260 27.32	1465.1 1465.1		
		V		,,,,,,,,,,		
REFID 31 8370		8010P 00126			WINO-DIR 29 WINO-SPO 12	INST STO RECORDER TEN SQ 1307 TRACE DIR D 5 SQUARE 1
CONSEC 0097 LAT 42 55.4N	DAY 09	SHIP EV DATA USE 1	WET BULB 06. BARDMETR 1000.		WIND-FOR WEATHER X4	DURATION 00-1 2 SQUARE 20 ORIG 011 587 1 SQUARE 20
LONG 050 18-0W	HOUR 23.0	AREA 05	CLOUD T/A	CLYTR	MCMINER AT	outh off yes
CASTMUNTINE		TEMP	SAL SIGMA-T	DYNOPTH SND VEL	OXY G PO4	TOT P NO2 NO3 \$103 PH
23.0	STD 00000 DBS 00005	05.17 05.17	32.600 25.78 32.600 25.78	00.000 1468.5		
	STD 00010 085 00011	05.15 05.14	32.65 25.82 32.660 25.83	00-022 1468-7 1468-7		
	STD 00020 085 00022	05.04 04.94	32.66 25.84 32.660 25.85	00.044 1468.4 1468.0		
	STD 00030 085 00030	04.55 04.52	32.69 25.92 32.690 25.92	00.065 1466.6 1466.4		
	085 00034 085 00038	04.25 03.10	32.690 25.95 32.690 26.06	1465.4 1460.5		
	OBS 00049 STD 00050	01.71	32.960 26.38 32.96 26.40	1455.0 00.103 1453.7		
	085 00051 085 00059	00. 74 00.44	32.970 26.45 33.050 26.53	1450.7 1449.6		
	085 00064 STD 00075		33.030 26.55 33.14 26.67	1446.3 00.140 1443.2		
	DBS 00076 DBS 00081	- 1.06 - 1.17	33.150 26.68 33.210 26.73	1443.1 1442.7		
	OBS 00089	- 0.95 00.37	33.300 26.80 33.380 26.80	1443.9 1450.2		
	085 00089 085 00091 085 00097	00-41	33.400 26.82	1450.4 1452.9		
	STD 00100	00.93 00.96	33.430 26.81 33.45 26.83	00.173 1453.1		
	085 00100 085 00104	00.98 01.23	33.440 26.83 33.560 26.90	1453.3 1454.6		
	085 00110	03.01 02.92	33.830 26.97 33.820 26.97	1462.6		
	STO 00125 005 • 00125	03.01 03.01	33.63 26.97 33.630 26.97	00.202 1463.1 1463.1		
			***	4000000000		

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 83 CONSEC 00 LAT 43 04- LONG 050 20-	98 MONTI SN DAY	1 06	BOTOP GOOTT SHIP EV DATA USE 1 AREA G5	AIR TO WET BO BANDMI CLGUD	ULB 07.2 ETR 1000.3	OIR H 21 SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	16	TRAC	STO REC E DIR Tion Oll 5##	ORDER D 00-1	5	M SQ 130 SQUARE SQUARE : SQUARE :	1
CASTNUNTIN	E LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	PO4	TOT P	NOZ	NO3	5 103	PH	
	STD	00000	05.25	32,43	25.64	00.000	1468.6								
00.	STD	00001	05.25 05.19	32.430 32.45	25.64 25.66	00.024	1468.6								
	OBS STD	00011	05.17 05.03	32.450 32.47	25.66 25.69	00.047	1468.5								
	085	00020	05.02	32.470	25.69		1468.1								
	STD OBS	00030	04.91 04.90	32.49 32.490	25.12 25.72	00.070	1467.8								
	DBS DBS	00034 00036	04.83 04.57	32.500 32.510	25.74 25.77		1467.5 1466.5								
	OBS OBS	00040 00041	03. 03 03.74	32.660 32.690	25.97 26.00		1443.6								
	085 085	00047	03.18 02.85	32.710 32.720	26.07 26.10		1461 -1								
	STO Ges	00050	02.57 01.86	32.72 32.750	26.13 20.20	00.112									
	OBS	00053	01.08	32.830	26.32		1452.1								
	085 085	00064	00.90	32.990 33.050	26.50 26.51		1448.1								
	STD 085	00075 00075	00.93 00.93	33.10 33.100	26.55 24.55	00.154	1452.1 1452.1								
					****		•								
REFID 31 03	O YEAR	1074	BCTDP 00071	AIR TI	EMP 06.4	010 W	GT PER	wIND-DIR	27	INST	STO REC	ne ne a	TE	N SQ 130	17
CONSEC 00	9 MONTH		SHIP EV DATA USE 1	WET BI		21 SEA		WIND-SPD		TRACI	E DIR	00.1	5	SQUARE 2	1
LONG 050 22-3			AREA 05	CECUD		CL/TR		WEA THER	X2		011 589			SQUARE 3	
CASTNUM/T IM	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPIH	SND VEL	OXA C	P04	TOT P	NO2	NO3	\$103	PH	
01.0	STO S OBS	00000	05.12 05.12	32.36 32.360	25.59 25.59	00.000	1468.3								
01.	STD	00010	05.07	32.34	25.59	00.024	1467.9								
	OBS STD	00011	05.05 04.80	32.340 32.37	25.64	00.048	1467.9								
	OBS STD	00020 00030		32.370 32.41	25.64 25.67	00.071	1466.9 1467.1								
	085 085	00030 00034	04.74 04.53	32.420 32.510	25.68 25.78		1467.0 1466.3								
	08 S 08 S	00036		32.440 32.510	25.77 25.89		1464.4								
	OBS STD	00041	02.42	32.65v 32.74	26.08	00.113	1457.6 1454.1								
	085 085	00051	01.44	32.760 32.87	26.24	4,	1453.6								
	083	00037	50.70	32.010			_								
REF10 31 43		1974	80TDP 00115	AIR T			GT PER	WIND-DIR			STO REC			N 5Q 130	
CONSEC 01	SN DAY	H 06	SHIP EV DATA USE 1	BARCH	ETA 1002.5	28 SEA		WIND-SPD WIND-FOR	_	TRAC!	TION	00.1	2	SQUARE 2	
LONG 049 27.	3W HOUR	05.8	AREA 05	CLEUD	T/A	CL/TR		WEA THER	XZ	ORIG	011 590		1	SQUARE 3	•
CASTNUM/TIM	E LVLTYP STO	DE P T H	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	T01 P	NO2	NO3	\$103	PH	
05.	0 005	00003	03.90 03.90	32.67 32.676	25.97 25.97	00.000	1463.4								
	STD OBS	11000	03.90	32.67 32.670	25.97 25.97	00.020	1463.5								
	08 S 08 S	00017	03.75 03.42	32.650 32.670	25.57 26.01		1462.9								
	STD 085	00020 00020	03.38 03.33	32.70 32.719	26.04 26.05	00.041	1461.5								
	085 085	00022 00024	03.16 02.74	32.710 32.700	26.07 26.10		1460.6								
	STD	00030	02.31	32.77 32.770	26.18	00.040	1457.1								
	08 S 08 S	00034 00034	02.12 01.45	32.780 32.770	26.21		1456.3								
	085 085	00041	01.00	32.870	26.36 26.39		1451 - 6								
	STD COS	00050	00.35	32.94	26.46	00.094	1448.9								
	STO	00075	00.30 - 0.28	32.970 33.06	26.48 26.57	00.132	1448.7								
	085	00076	- 0.31 - 0.93	33.060 33.140	26.58 26.67		1446.4								
	STD OBS	00100	- 0.97 - 0.99	33.16 33.170	26.68	00.167	1443.8								
	085	00102	- 1.01	33.1 8 G	26.70		1443.8								
					****	******	•								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8370 CONSEC 0101 LAT 43 23.0N LONG 049 24.5M	YEAR MONT! DAY HOUR	H 06	BOTOP 00219 SHIP EV DATA USE 1 AREA 05	BANG	TEMP 05.0 BULB 04.1 METR 1002.5 D T/A		GT PER 2 2	WI O-DIR WIND-SPD WIND-FOR WEATHER	13	TRACE DURAT		00 . 2	TEN SQ 1306 5 SQUARE 2 2 SQUARE 28 1 SQUARE 39
CASTNUM/TIME	LVLTVP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	OXY G	P 04	TOT P	402	NO3	5103 PH
	STD	00000	03.69	32.74	24.04	00.000	1462.5						
04.8	08.5	00001	03.69	32.740	26.04		1462.5						
	STD	00010	03.69	32.73	26.04	00.020	1462.7						
	085	00011	03.49	32.730	26.04		1462.7						
	STD	00020	03.45	32.74	24.05	00.040	1442.7						
	085	00020	03.45	32.740	26.05		1442.7						
	085	00026	03.62	32.730	26.04		1462.6						
	STD	00030	03.32	32.49	24.04	00.059	1461.3						
	085 085	00030	03.26	32.690	24.04		1461.2						
	085	00040	02.41	32.730	26.11		1499.4						
	085	00041	02.33 01.63	32.690	26.12		1457.2						
	STD	00050	01.56	32.840 32.86	26.29 26.31	00.094	1454.4 1454.3						
	085	00051	01.54	32.870	26.32	00.074	1454.1						
	085	00055	01.39	32.900	26.32		1453.6						
	085	00040	00.56	32.940	26.44		1450.0						
	085	00064	00.43	32.940	26.46		1449.5						
	085	00068	- 0.16	32.970	26.50		1444.9						
	085	00072	- C.56	33.030	26.56		1445.2						
	STD	00075	- 0.76	33.07	26.61	00.136	1444.3						
	085	00076	- 0.84	33.090	24.42		1444.0						
	STD	00100	- 1.32	33-18	26.71	00.170							
	065	00100	- 1.33	33.180	26.71		1442.2						
	STD	00125	- 1.44	33.26	26.78	00.203	1442.2						
	OBS	00125	- 1.44	33.260	26.78		1442.2						
	STD	00150	- 0.96	33.44	26.91	00.233	1445.1						
	065	00150	- 0.96	33.440	26.91		1445.2						
	DBS	00154	- 0.97	33.470	26.93		1445.2						
	085	00158	- 0.63	33.590	27.02		1447.0						
	085	00163	- 0-22	33.610	27.02		1449.0						
	065	00165	- 0.14	33.620	27.02		1449.5						
	085	00171	- 0.52	33.580	27.01		1447-7						
	085	00178	- 0.31	33.660	27.08		1449.0						
	085 085	00196 00199	00.21	33.750	27.11		1451.0						
	STD	00200	00.65 00.65	33.800	27.12	00 244	1453.9						
	085	00203	00.75	33.80 33.860	27.13 27.17	00.286	1453.9 1454.5						
	085	00207	01.23	33.910	27.18		1456.8						
	003	00201	*****	330710	21.10		1720.5						

110

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIO CONSEC LAT LONG	43	8370 0102 18.5N 20.0W	MONT	1974 H 06 10 07.9	BOTOP COSTS SHIP EV DATA USE I AREA DI	HET BARD		DIR H 29 Sea GL/TR		# [40-0 R # in D-SPD # inD-FOR # EA THER		TRAC	FDI		.3 2	EN SQ SQUARI SQUARI SQUARI	E 20
CAST	NUH	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY 6	PQ4	tot i		IG2 NG3	\$103	PH	
			STD	00000	03.66	32,75	26.05	00.000	1462.4								
		07.9	C8 5	00003	03.66	32,750	26.05		1462.4								
			STO	00010	03.68	32,75 32,750	26.05	OC. 020	1462.6								
			08\$ 08\$	00011	03.68 03.67	32,750	26.05 26.05		1462.7								
			085	00019	03.49	32,730	26.05		1461.9								
			STD	00020	03.41	32.75	26.07	00.039	1461.6								
			085	00020	03.34	32,760	26.09		1461-4								
			STO	00030	02.82	32,84 32,840	26.20	00.050	1459.4								
			QBS QBS	00030	02.76 02.17	32.640	26.21 26.25		1459.1								
			OBS	00034	01.66	32,870	20.30		1455.4								
			085	00041	01.08	32,840	26.33		1451.9								
			260	00049	00.43	32,990	20.49		1449.3								
			STO	00050	00.20	32.99	26.50	00.092									
			085 085	00051	- 0.36 - 1.16	32.99 <i>u</i> 33.150	26.52 26.68		1445.6								
			STD	00075	- 1.42	33.20	26.73	00.128	1441.4								
			08.5	00076	- 1.43	33.200	26.73		1441.4								
			085	00087	- 1.52	33,250	26.77		1441.2								
			STO	00100	- 1.51	33.27	26.79	00-160									
			OBS STD	00100 00125	- 1.51 - 1.42	33.27G 33.33	26.79 26.83	00.191	1441.5								
			085	00125	- 1.42	23,330	26.83		1442.4								
			STO	00150	- 1,22	33.40	26.88	00.221	1443.9								
			085	00150	- 1.22	32 '00	26.89		1443.9								
			OBS STD	00175	- 0,5%	33.64	26.93 27.05	00.275	1445.5								
			065	10200	- 2,45	33.679	27.00	00.275	1448.7								
			085	00207	- 0,23	33.800	27.17		1450.0								
			085	00209	00.11	33.840	27.23		1451.7								
			280	00211	59.75	33.940	27.25		1454.7								
			085 570	0022 6 00230	41.00	14.000	27.26 27.31	00.320	1456.2								
			085	00244	92.49	34. 260	27.36		1463.7								
			085	00276	72.92	34.380	27.42		1466.0								
			085	00279	- 9-	34.399	27.43		1466.1								
			08S 08S	00285	() \$2.47	34.370 34.410	27.43 27.44		1465.0 1466.5								
			085	0.3239	02. 2	34.410	27-46		1465.5								
			STD	00.100	02,40	34.42	27.50	00.355	1464.2								
			085	00302	02.25	34.43J	27.52		1463.6								
			085	00350	03.15	34.650	27.61		1468.5								
			OBS STD	00394	63.45	34.71u 34.71	27.63	00 411	1470.7								
			082	00401	03.45 03.47	34.710	27.63 27.63	00.411	1470.8								
			280	00451	03.43	34.760	27.65		1472.4								
			STD	00500	03.49	34.78	27-66	00.460	1473.5								
			065	00500	03.69	34.780	27.64		1473.5								
			085	00532	03.76 03.79	34.810 34.81	27.68	00.508	1474.7								
			012 280	00600 00603	03.79	34.610	27 .68 27 .68	··· >04	1475.7								
			280	00051	03.81	34.830	27.69		1476.4								
			570	00700	03.82	34.84	27.70	00.555	1477.4								
			280	00750	03.63	34.850	27.71		2478.3								
			085	00759	03.61	34.850	27.71		1478.4								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CASTMUM/TIME LVLTVP DEPTH TEMP SAL STD 00000 03.45 32.7' 09.5 085 00001 03.45 32.8' STD 00010 03.44 32.8' 085 00017 03.35 32.7' STD 00020 01.65 32.8' 085 00020 01.65 32.8' 085 00020 01.65 32.8' STD 00030 00.52 33.0' 085 00032 00.55 33.0' 085 00032 00.55 33.0' 085 00034 00.07 33.0'	79 26.11 190 26.11 100 26.11 199 26.11 11 26.24 120 26.28 130 26.41	DYNDPTH SND 1 0g.000 1461 1461 00.019 1461 1461 1461 00.038 1455 1454	5 6 7 7	04 TOT	P NG2	NO3	5103	PH
09.5 08.5 00001 03.45 32.77 STO 00010 03.45 32.87 08.5 00011 03.45 32.87 08.5 00017 03.35 32.77 STO 00020 01.65 32.87 08.5 00020 01.65 32.87 08.5 00020 01.65 32.87 08.5 00020 01.65 32.87 STO 00030 00.52 33.00 08.5 00032 00.52 33.00	790 26.11 100 26.11 100 26.11 1790 26.11 181 26.24 120 26.28 130 26.41	1461. 00.019 1461. 1461. 1461. 00.038 1455. 1454.	.6 .7 .1					
STD 00010 03.44 32.80 085 00011 03.45 32.80 085 00017 03.35 32.70 STD 00020 01.96 32.80 085 00020 01.65 32.80 085 00020 00.98 32.99 STD 00030 00.52 33.00 085 00032 00.25 33.00	00 26.11 100 26.11 170 26.11 11 26.24 120 26.26 130 26.41 10 26.49	00.019 1461 1461 1461 00.038 1455 1454 1451	,7 ,3 ,4 ,4					
085 00011 03.44 32.8 085 0017 03.35 32.7 STO 00020 01.96 32.8 085 00020 01.65 32.8 085 00020 00.98 32.9 STO 00030 00.52 33.00 085 00032 00.25 33.00	100 26-11 190 26-11 11 26-24 120 26-28 130 26-41 10 26-49	1461 1461 00.038 1455 1454 1451	.7 .4 .4					
085 00017 03.35 32.74 STD 00020 01.96 32.81 085 00020 01.65 32.81 085 00020 00.98 32.91 STD 00030 00.52 33.01 085 00032 00.25 33.01	790 26.11 31 26.24 320 26.28 330 26.41 30 26.49	00.038 1455 1454 1451	.4					
STD 00020 01.96 32.8 085 00020 01.65 32.8 085 00026 00.98 22.9 STD 00030 00.52 33.0 085 00032 00.25 33.0	11 26.24 120 26.28 130 26.41 10 26.49	00.038 1455, 1454, 1451,	,4					
085 00020 01.65 32.8 085 00026 00.98 32.9 570 00030 00.52 33.0 085 00032 00.25 33.0	20 26.28 30 26.41 30 26.49	1454. 1451.						
065 00026 00.98 32.9 STD 00030 00.52 33.00 065 00032 00.25 33.00	26.41 10 26.49	1451.						
OBS 00032 00.25 33.04	00 26.49 140 26.54							
	40 26.54	00.054 1449.						
ORS DOD'S DO-D7 23-04		1448.	.2					
		1447.						
085 00040 00.02 33.04		1447.						
STD 00050 01.01 33.12 085 00053 01.24 33.14		00.085 1452.						
STD 00075 01.51 33.29		1453. 00.120 1455.						
085 00076 01.52 33.30		1455						
\$10 00100 01.41 33.3		00,154 1455						
OBS 00102 01.38 33.30		1455						
\$TD 00125 00.93 33.54		00.185 1453						
OBS 00125 00.92 33.54		1453.						
STD 00150 00.67 33.61		00.214 1452						
085 00150 00.66 33.65 085 00171 00.32 33.76		1452.						
085 00171 00.32 33.76 085 00175 00.34 33.76		1451. 1451.						
STD 00200 00.04 33.00		00.263 1451						
DBS 00203 C0.00 33.89		1451						
085 00218 00.68 34.09		1454						
OBS 90226 01.00 34.07	70 27.32	1456.						
STD 00250 01.22 34.20		00.302 1457						
085 00251 01.24 34.21		1458.						
085 00268 01.66 34.30		1460						
085 00276 01.99 34.30 STD 00300 02.08 34.44		1461. 00.333 1462.						
085 00300 02.09 34.44		1462						
085 00352 02.74 34.59		1466						
STD 00400 02.97 34.69		00.387 1468						
OBS 0040L 02.98 34.69	50 27.63	1460	.7					
OBS 00451 03.38 34.73		1471.						
STD 00500 03.52 34.71		00.435 1472						
085 00500 03.52 34.71		1472.						
OBS 00552 03.77 34.83 STD 00e00 03.85 34.84		1474. 00.482 1475.						
085 00601 03.85 34.84		1475.						
085 00652 03.87 34.89		1476						
SYD 00700 03.90 34.87		00.528 1477						
085 00700 03.90 34.87	70 27.71	1477.						
OBS 00750 03.92 34.81		1478						
STO 00800 03.90 34.87		00.574 1479.						
085 00801 03.90 34.87		1479.						
085 00850 03.88 34.86 \$TO 00900 03.85 34.89		14 80 . 00.620 14 8 1 .						
\$TD 009QQ 03.85 34.89 085 00902 03.85 34.89		1481						
085 00953 03.81 34.89		1481						
STD 01000 03.79 34.89	9 27.74	00.665 1482						
085 01001 03.79 34.89	90 27.74	1482						
OBS 01024 03.78 34.89		1442.	•					

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 83 CONSEC 01 LAT 43 08. LONG 049 14.	04 MONT ON DAY	1974 H 06 10 11-0	BOTOP 01097 SHIP EV DATA USE 1 AREA 05	AIR WET (Baro) Cloud	BULB 03.7 METR 1005.4		GT PER 2 3	WIND-DIR WIND-SPD WIND-FOR WEATHER		TR AC E		00.5	5 2	N SQ 11 SQUARE SQUARE SQUARE	28
CASTNUNTIN	E LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	PO4	TOT P	NO2	NO3	\$ 103	PH	
	STD	00000	03.25	32.86	26.18	00.000	1460.8								
11.		00005	03.25	32.860	26.18	*******	1460.9								
	STD	00010	03.23	32.86	26.18	00.018	1460.9								
	085 085	00011	03.23	32.840	26.18		1460.9								
	STD	00013 00020	03.09 01.35	32.850 32.87	26.19 26.34	00.036	1460.3								
	085	00020	01.18	32.880	26.35	00.030	1452.1								
	STD	00030	00.30	32.97	26.47	00.052	1448.3								
	085	00030	00.27	32.970	24.48		1448.2								
	085 085	00032 00036	00.19 - 1.02	32.950 33.090	26.47 26.63		1447.8								
	085	00040	- 1.26	33.220	26.74		1441.6								
	STD	00050	- 1.39	33.26	26.78	00.081	1441.2								
	085	00051	- 1.41	33.270	26.79		1441.2								
	OBS STD	0004#	- 1.53	33.320	26.83	** ***	1440.9								
	085	00076	- 1.48 - 1.47	33.36 33.360	26.86 26.86	00.112	1441.4								
	STD	00100	- 1.25	33.46	26.94	00.141	1443.0								
	085	00102	- 1.22	33.470	26.94		1443.2								
	STD	00125	- 1.03	33.53	26.98	00.168	1444.6								
	OBS STD	00125 00150	- 1.02 - 0.73	33.530 33.60	26.98 27.03	00.195	1444.6								
	065	00132	- 0.72	33.610	27.04	00.175	1446.5								
	085	00156	- 0.72	33.430	27.05		1440.0								
	065	00163	- 0.31	33.750	27.13		1448.8								
	08 S 08 S	00173	00-07	33.780	27.14		1450.8								
	085	00178 00182	00.41 00.43	33.83u 33.810	27.16 27.15		1452.5								
	085	00186	- 0.02	33.810	27.17		1450.6								
	085	00190	00.09	33.960	27.28		1451.4								
	OBS STD	00194 00200	00.37 00.67	34.010	27.31		1452.8								
	065	00201	00.75	34.11 34.140	27.37 27.39	00.238	1454.4								
	085	00226	01.34	34.270	27.46		1458.1								
	STD	00250	01.59	34.35	27.50	00.271	1459.7								
	08 S 08 S	00251	01.61	34.350	27.50		1459.8								
	\$T0	00277 00300	02.00 02.09	34.450 34.48	27.55 27.57	00.300	1462.1								
	085	00302	02.11	34.480	27.57		1463.0								
	OBS	0035Z	02.52	34.590	27.62		1465.8								
	STD Des	00400	02.67	34.65	27.64	00.351	1468.2								
	085	00401 00451	02.88 03.26	34.650 34.740	27.64 27.68		1468.2								
	STD	00500	03.52	34.80	27.69	00.399	1472.8								
	OBS	00502	03.54	34.800	27.70		1472.9								
	065	00550	03.87	34.870	27.72		1475.2								
	STD OBS	00400 00401	03.90 03.90	34.87 34.870	27.71 27.71	00.443	1476.2								
	085	00658	03.91	34.890	27.73		1477.2								
	STO	00700	03.96	34.92	27.75	00.487	1478.1								
	065	0070Z	03.96	34.920	27.75		1478.2								
	OBS STD	00753 00800	03.90 03.81	34.910 34.91	27.75 27.76	00.530	1478.8								
	085	00801	03.61	34.910	27.76	30.730	1479.2								
	085	00856	03.79	34.910	27.76		1480.0								
	STD	00900	03.79	34.91	27.76	00.572									
	08S 08S	00900 00953	03.79 03.79	34.910 34.910	27.76		1480.7								
	STO	01000	03.78	34.91	27.76 27.76	00.616									
	085	01001	03.78	34.910	27.76		1482.4								
	280	01056	03.76	34.910	27.76		1462.7								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

CONSEC	31 43 049	8370 0105 02.2N 04.8H	MONT	1974 H 06 10 12.8		NET I	TEMP 05.2 BULB 04.5 METR 1005.5 D T/A	DIR Gl Sea CL/T		wind-dir wind-spd wind-for weather	90	TR AC	STD (E DIR Tion 011 :	LEC GRDE	D	5 SQ 2 SQ	50 1306 WARE 2 WARE 28 WARE 39
CASTN	WIV	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY 6	P04	TOT P	NO2	. NO3	SIC		PH
			STO	00000	02.91	32.97	24.30	90.000	1460 6								•••
		12.8	005	99999	02.91	32.976	24.30	00.000	1459.5								
			sto	00010	02.90	32.98	26.30	00-017	1459.6								
			085	00015	02.90	32.940	26.31		1459.7								
			OBS STD	00019	02.88	32.970	26.30		1459.6								
			\$7D	90938	02.73 01.76	32.99	24.32	00.035									
			085	00030	01.74	33.09	24.48	00-051									
			085	00034	01.65	33.090 33.100	24.48		1455.0								
			085	00040	00.84	33.210	26.50 26.64		1454.7								
			085	00049	00.41	33.410	26.82		1451.3								
			STO	00050	00.34	33.40	24.82	00.079	1449.8								
			085	00040	- 0.73	33.390	24.84	99.917	1444.7								
			085	00064	- 0.93	33.480	26.94		1443.9								
			570 085	00075	- 0.62	33.57	27.01	00-108	1444.8								
			STO	00081 00100	- 0.74	33.420	27.05		1445.3								
			005	00100	- 0.57 - 0.54	33.73	27.13	00-132	1446.6								
			COS	00110	- 0.16	33.740	27.14		1446.7								
			STO	00125	00. 15	33.810	27.18		1448.6								
			OBS	00129	00.24	33.91 33.940	27.24	00-155									
			STO	00150	00.56	34.05	27.26 27.33	00 175	1451.1								
			085	00150	00.57	34.050	27.33	04.175	1453.0								
			085	00180	00.89	34-140	27.38		1453.1 1455.1								
			STO	00200	01.05	34.19	27.41	00.210	1456.2								
			280	00209	01.17	34.230	27.44	******	1457.0								
			065 085	00230	01.56	34.350	27.51		1459.2								
			\$70	00249 00250	01.65	34-380	27.52		1460.0								
			STD	00300	01.66 02.09	34-38	27.52	00.242	1460.0								
			085	00302	02.11	34.48 34.490	27.57	00.270	1462.9								
			085	00325	03.49	34.680	27.58 27.61		1463.0								
			065	00352	04.15	34.620	27.65		1469.6								
			085	00375	04.64	34.900	27.46		1473.0 1475.6								
			005	00399	04.67	34.920	27.67		1476.1								
			STD	00400	04.67	34.92	27.67	00,320	1476.1								
			OBS STD	00449	04.76	34.960	27.69		1477.5								
			085	00500 00500	04.67	34-96	27.70	00.367	1477.8								
			005	00550	04.47	34.940	27.70		1477.8								
			085	00599	04.46	34.950	27.72		1477.9								
			STO	00400	04.44	34.950 34.95	27.72 27.72		1470.6								
			085	00649	04-40	34.960	27.73	00.413	1478.6								
			STD	00700	04.30	34.95	27.74	00.457	1479.2 1479.6								
			085	00700	04.30	34.950	27.74	00.43.	1479.6								
			005	96125	04.26	34.960	27.75		1480.3								
			085 510	007 99 00800	04-13	34.950	27.75		1480.5								
			310 D 8 5	00852	04-13	34.95	27.75	00.501	1480.6								
			STO	00900	04.10 04.05	34.950	27.76	- -	1481.3								
			005	00902	04.05	34.95 34.950			1481.9								
			D6\$	00949	03.97	34.950	27.76 27.77		1481.9								
				01000	03.96	34.95		00.587	1462.4								
				01001	03.96	34-950	27.77	44. >B (1483.2								
		•	065	01020	03.95	34.940	27.77		1483.5								
						-	******										

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID CONSEC LAT LONG	42	8370 0104 49.3N 55.1N	YEAR MONTH DAY HOUR	10	BOTOP 02983 SHIP EV DATA USE 1 ARÉA 05	WE T BAR	TEMP 09.0 BULB 08.5 OMETR 1004.6 UD T/A	20	GT PER 3 2	wind—dir wind—spd wind—for weather	08	TR AC	STD E DII TION 011	R	ORDER D OQ.5	5	N SQ 1 SQUARE SQUARE SQUARE	28
CAST	TNUN	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	OYNOPTH	SND VEL	OXY G	PO4	TOT P	N	02	NO3	\$103	РН	
			STO	00000	06.50	33.28	26.15	00.000	1474.8									
		15.5	085	00000	06.50	33.280			1474.8									
			STO	00010	06.43	33.28	26.16	00.019										
			085 085	00015	06.36 06.30	33.280			1474.5									
			STD	00020	06.27	33.26	26.17	00.037	1474.2									
			065	00024	05.90	33.200	26.17	00.031	1472.7									
			STO	00030	05.10	33.14	26.22	00.056	1469.4									
			085	00030	04.97	33.140	26.23		1468.9									
			085	00034	03.47	33.130			1463.5									
			STD DBS	00050	01.37	33.30	26.68	00.088										
			085	00060	00.95 00.68	33.420 33.590	26.80 26.95		1452.3									
			085	00074	01.21	33.710			1454.2									
			STÐ	00075	01.22	33.71	27.02	60.118										
			CBS	00079	01.25	33.760			1454.5									
			085	00087	02.06	33.900			1458.5									
			OBS STD	00089	02.06	33.910			1458.5									
			085	00100	02.22 02.24	34.02 34.030	27.19 27.20	00.142										
			005	00119	02.81	34.230			1459.6 1462.7									
			STD	00125	03.27	34.29	27.31	00.163	1464.8									
			STO	00150	04.29	34.48	27.36	00.182	1469.8									
			08 S	00150	04.29	34.480			1469.8									
			085 085	00159	04.14	34.514			1469.4									
			085	00100	04.32 04.31	34.590			1470.6									
			085	00199	03.90	34.540			1470.8									
			STD	00200	03.91	34.54	27.45	00.217										
			085	00209	04.48	34.690		*****	1471.9									
			085	00232	04.55	34.710	27.52		1472-6									
			STO	00250	04.56	34.75	27.55	00.246	1473.0									
			STD Des	00300 00304	04.61 04.61	34.82	27.60	00.275	1474.1									
			085	00350	04.51	34.830			1474.2									
			OBS	00399	04.58	34.920			1475.8									
			STO	00400	04.58	34.92	27.68	00.325	1475.8									
			065	00449	04.56	34.930	27.69		1476.5									
			STO	00500	04.48	34.93	27.70	00.371	1477.0									
			OBS OBS	0050 <i>2</i> 00550	04.48 04.40	34.930			1477 -1									
			085	00599	04.46	34.940			1477.5									
			STD	00400	04.46	34.95	27.72	00.417	1478.6									
			085	00650	04.31	34.950	27.73		1478.8									
			STD	00700	04.26	34.95	27.74	00.461	1479.4									
			085	00700	04.26	34.950			1479.4									
			085 085	00750	04-15	34.940			1479.8									
			\$TD	00799	04.10 04.10	34.940	27.75 27.75	00.505	1480.4									
			085	00850	04.03	34.940		W. 505	1461.0									
			STD	00900	03.96	34.92	27.75	00.549	1481.5									
			085	00900	03.96	34.926	27.75		1401.5									
			085	00949	03.92	34.930			1482.1									
			OBS STD	00999	03.87	34.930			1482.8									
			210	01000 01072	03.87 03.87	34.93	27.77	00.593	1482 .0									
			-	41016	V3.01	J 7.73 (27.77		1483.1									

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CASTMUNTINE LVITVP DEPTH TERM SAL SIGNAT DYNOPTH SMO VEL CIVID PQs TQI P MQ2 NQ3 S103 PH 18-2 DR 18-2	REFIO CONSEC LAT LONG	42	8370 0107 36.7N 43.0W	YEAR MONTI Day Hour		BOTOP 02930 SHIP EV DATA USE 1 AREA 05	WET BARO	TEMP 11-0 BUL6 10-0 METR 1004-0 D T/A	DIR H 27 SEA CL/TR		WIND-DIR WIND-SPO WIND-FOR WEATHER	05	TR AC	STO REC E DIR TION 011 597	00.4	5 2	N SQ L SQUARE SQUARE SQUARE	26
18-2 OBS 000000	CAST	NUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXYG	P04	101 P	NO2	NO3	\$103	PH	
085			18.2						00.000									
STID				OBS	00005	04.08	32.874	26.11		1464.4								
CBS CODIS C2.71 33.000 10.25 12.500									06.019	1463.5								
OBS 00010 01.10 33.110 20.45				OBS	00013	02.71	33.004	26.34		1458.9								
OBS OBS					00020				00.036									
085 00010 201-05 33.1.1.0 24-55 1-51.0 00010 000					00028	01.17	33.130	26.56		1452.5								
085 00052 00.77 33.2.00 26.71 14-0-1 085 00047 00.00 00.13 33.1.00 26.05 1251.1 085 00047 00.00 00.13 33.1.00 26.05 1251.1 085 00049 00.13 33.2.00 26.05 1251.1 085 00050 00.00 00.13 33.2.00 26.05 1251.1 085 00050 00.00 00.13 33.2.00 26.05 1251.1 085 00050 00.12 33.3.00 26.05 1251.1 085 00050 00.12 33.2.00 26.05 1251.1 085 00050 00.12 33.2.00 26.05 1251.1 085 00060 02.1-1 33.2.00 26.0-1 1251.1 085 00060 02.1-1 33.2.00 26.0-1 1251.1 085 00060 02.1-1 33.2.00 26.0-1 1251.1 085 00060 02.1-1 33.2.00 26.0-1 1251.1 085 00060 02.1-1 33.2.00 26.0-1 1251.1 085 00060 02.1-1 33.2.00 26.0-1 1251.1 085 00060 02.1-1 33.2.00 26.0-1 1251.1 085 00060 02.1-1 33.2.00 26.0-1 1251.1 085 00060 02.1-1 33.2.00 26.0-1 1251.1 085 00060 02.1-1 33.2.00 27.0 00.106 1402.1 085 00060 02.1-1 33.2.00 27.0 00.106 1402.1 085 00060 02.1-1 33.2.00 27.0 00.106 1402.1 085 00060 02.1-1 33.2.00 27.0 00.106 1402.1 085 00060 00.1-1 33.2.00 27.0 00.106 1402.1 085 00060 00.1-1 33.2.00 27.0 00.106 1402.1 085 00060 00.1-1 33.2.00 27.0 00.106 1402.1 085 00060 00.1-1 33.2.00 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.150 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402.1 085 00100 00.0-1 34.100 27.0 00.106 1402									00.052									
085 00064 01.11 31.40 26.66 1.52.7 085 00050 00.69 31.33 26.90 00.076 1.52.1 085 00050 01.27 31.30 26.90 00.076 1.52.1 085 00050 01.27 31.20 26.90 00.076 1.52.1 085 00050 01.27 31.20 26.90 27.90 27.10 085 00050 01.27 31.20 27.90 27.90 27.90 085 00050 01.27 31.20 27.90 27.90 27.90 085 00050 01.27 31.20 27.90 27.90 27.90 085 00050 01.27 31.20 27.90 27.90 27.90 085 00050 01.27 31.20 27.90 27.90 27.90 085 00050 01.27 31.20 27.90 27.90 27.90 085 00050 01.22 33.20 27.90 27.90 27.90 085 00050 01.23 33.20 27.90 27.90 27.90 085 00050 01.23 33.20 27.90 27.90 27.90 085 00050 01.23 33.20 27.90 27.90 27.90 085 00050 01.23 33.20 27.90 27.90 27.90 085 00050 01.23 33.20 27.90 27.90 27.90 085 00050 01.23 31.20 31.20 27.90 27.90 085 00050 01.23 31.20 31.20 27.90 27.90 085 00050 01.23 31.20 31.20 27.90 27.90 085 00050 01.23 31.20 31.20 27.90 27.90 085 00100 01.20 31.20 31.20 27.90 085 00100 01.20 31.20 31.20 27.90 085 00100 01.20 31.20 31.20 27.90 085 00100 01.20 31.20 31.20 31.20 085 00100 01.20 31.20 31.20 31.20 085 00100 01.20 31.20 31.20 31.20 085 00100 01.20 01.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 01.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 31.20 085 00100 01.20 31.20 085 00100 01.20 31.20 085 00100 01.20 31.					00032	00.37	33.260	26.71		1449.1								
085 00057 00.70 33.46.0 24.65																		
STO 00050 00.98 32.53 26.90 00.078 1452.1						00.70	33.460	26.85		1451.1								
085 00039 01.23 33.40.0 24.93 14.55.8 0085 00099 02.0 03.73.73 04.07 14.77 8 14.77 8 085 00099 02.0 03.73.73 04.0 14.77 8 14.77 8 085 00090 02.0 03.73.73 04.0 14.77 8 14.77 8 0085 00000 02.2 6 33.150 14.7				STO	00050	00.89	33.53		00.078	1452.1								
085 00059 02.0 0 33.730 16.97 1457.8 0055 00052 02.3 33.60 15.90 16.90 1										1453.8								
005 0006 02.41 33.750 26.56 is 1.69.6 is 90.6				085	00059	02.06	33.730											
OBS					00062			26.96										
085 00074 02.5 6 33.85u 26.99 0.10 1 140.2 1 1				OBS	00068	02.93	33.800	26.96										
085 00018 03-42 33-920 27.01 1404-2 1				085 STO			33.850		00.104									
085 00087 04-96 34-150 27-03 1471-2 085 00089 04-96 33-160 27-03 1471-2 085 00109 02-03 34-150 27-00 1471-2 085 00104 02-28 34-450 27-11 1476-2 085 00108 02-11 34-450 27-11 1476-2 085 00108 02-11 34-450 27-11 1476-2 085 00108 02-12 34-450 27-11 1476-2 085 00109 02-28 34-450 27-00 1477-2 085 00109 02-28 34-450 27-00 1477-2 085 00109 02-29 04-52 34-200 27-12 1476-2 085 00127 04-52 34-200 27-12 1476-3 085 00131 02-27 33-35-76 27-28 1499-3 085 00131 02-27 33-35-76 27-28 1499-3 085 00130 02-29 34-46 27-27 00-179 1476-3 085 00130 02-29 34-46 27-27 00-179 1476-3 085 00130 02-29 34-46 27-27 1476-3 085 00149 03-52 34-520 27-12 1476-3 085 00159 02-29 34-46 27-27 1476-3 085 00164 04-87 34-400 27-13 1476-3 085 00164 04-87 34-400 27-31 1476-3 085 00164 04-87 34-400 27-31 1472-8 085 00164 04-87 34-400 27-31 1472-8 085 00164 04-87 34-400 27-31 1472-8 085 00164 04-87 34-400 27-31 1472-8 085 00164 04-87 34-400 27-31 1472-8 085 00164 03-98 34-400 27-31 1472-8 085 00164 03-98 34-400 27-31 1472-8 085 00164 03-98 34-400 27-31 1472-8 085 00165 03-10 03-10 33-10 34-40 27-31 1472-8 085 00166 03-10 33-10 33-10 34-40 27-31 1472-8 085 00167 03-09 33-41 34-40 27-31 1472-8 085 00168 03-10 33-10 33-10 34-40 27-31 1472-8 085 00169 03-99 34-40 27-30 1470-1 085 00200 03-41 34-40 27-31 1472-8 085 00200 03-41 34-40 27-31 1472-8 085 00200 03-41 34-40 27-31 1472-8 085 00200 03-41 34-40 27-31 1472-8 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00200 03-40 33-40 27-30 27-30 1470-1 085 00300 03-79 34-60 27-70 27-40 1470-1 085 00300 03-79 34-60 27-70 27-40 1470-1 085 00300 03-79 34-80 27-70 27-40 1470-1 085 00300 03-79 34-80 27-70 27-40 1470-1 085 0				085	00078	03.42	33.924	27.01		1464.2								
085 00089 04.4% 38.4.160 27.0% 1471.2 085 00095 05.33 34.270 27.08 1471.2 085 00109 06.66 33 34.4.1 27.10 00.132 1476.2 085 00108 06.11 34.4.10 27.10 1476.5 085 00108 06.11 34.4.10 27.10 1476.5 085 00119 05.28 33.4.2 27.11 1476.5 085 00129 04.63 34.23 27.11 1476.5 085 00129 04.64 34.23 27.11 1476.7 085 00129 04.64 34.23 27.11 1476.7 085 00131 04.77 34.370 27.28 1490.3 085 00131 04.71 34.430 27.28 1490.3 085 00131 04.71 34.430 27.28 1490.3 085 00133 04.71 34.430 27.28 1490.3 085 00130 05.75 34.61 27.77 1490.3 085 00175 04.6 34.400 27.30 1471.2 085 00177 04.60 34.440 27.30 1471.2 085 00182 04.77 34.370 27.22 1471.2 085 00182 04.79 34.450 27.32 1471.2 085 00182 04.79 34.450 27.32 1471.2 085 00182 04.79 34.450 27.32 1471.2 085 00198 03.60 33.59 34.390 27.32 1471.2 085 00198 03.60 33.59 34.390 27.32 1490.1 085 00198 03.60 33.59 34.390 27.32 1490.1 085 00109 03.61 34.42 27.37 1471.8 085 00198 03.60 34.39 27.36 1407.7 085 00198 03.60 34.39 27.36 1407.7 085 00208 03.61 34.42 27.37 1471.8 085 00218 04.03 34.49 27.30 1471.5 085 00218 04.03 34.39 27.36 1407.7 085 00218 04.03 34.49 27.30 1471.5 085 00218 04.03 34.49 27.30 1471.5 085 00218 04.03 34.49 27.30 1471.5 085 00218 04.03 34.49 27.30 1471.5 085 00218 04.03 34.49 27.30 1471.5 085 00218 04.00 33.59 34.390 27.32 1497.1 085 00218 04.00 33.59 34.390 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 27.30 1471.5 085 00218 04.00 33.59 34.20 27.30 27.30 1471.5 085 00218 04.00 03.79 34.20 27.20 27.30 1471.5 085 00218 04.00 03.79 34.20 27																		
STD				085	00089	04.96	34.160	27.04		1471.2								
085 00104 00.28 34.460 27.11 1476.5 085 00108 00.11 34.470 27.11 1476.5 085 00119 05.28 34.280 27.12 00.156 1473.2 085 00127 04.52 34.200 27.12 100.156 1473.2 085 00127 04.60 34.170 27.10 1489.3 085 00131 04.77 34.77 27.28 1489.3 085 00133 04.73 34.170 27.28 1489.3 085 00133 04.73 34.170 27.28 1489.3 085 00133 04.73 34.170 27.28 1489.3 085 00150 05.40 34.170 27.28 1489.3 085 00150 05.40 34.170 27.28 1471.2 085 00150 05.40 34.170 27.28 1471.2 085 00177 04.20 34.450 27.27 1476.3 085 00177 04.20 34.450 27.37 1474.3 085 00184 04.27 34.490 27.31 1472.8 085 00184 04.27 34.490 27.31 1472.8 085 00180 03.40 34.390 27.32 1489.1 085 00180 03.0 34.390 27.32 1489.1 085 00180 03.0 34.390 27.32 1489.1 085 00190 03.0 34.390 27.30 00.218 1477.8 085 00190 03.0 34.390 27.30 00.218 1477.8 085 00190 03.0 34.390 27.30 1472.8 085 00190 03.0 34.390 27.30 1472.8 085 00190 03.0 34.390 27.30 1472.8 085 00190 03.0 34.390 27.30 1470.1 085 00200 03.0 34.390 27.30 1470.1 085 00									00.132									
OBS ODI19 OS-28 34-280 27-09 1473-2				085	00104	06.28	34.460	27.11	******	1477.2								
STD 00125 04.68 34.23 27.13 00.15e 1A70.7 0BS 00127 04.69 34.170 27.10 1467.8 0BS 00127 04.60 34.170 27.10 1469.8 0BS 00130 00.31 34.07 27.22 8 1469.3 0BS 00130 00.31 34.07 27.27 27.28 1469.3 0BS 00150 05.90 33.40 12.7.27 00.179 14.76.7 0BS 00150 05.90 33.40 12.7.27 00.179 14.76.7 0BS 00150 05.94 34.61 27.27 14.76.3 0BS 00150 05.94 34.61 27.27 14.76.3 0BS 00150 05.94 34.61 27.27 14.76.3 0BS 00175 04.74 34.42 27.27 14.76.3 0BS 00177 04.60 34.40 27.30 14.71.3 0BS 00177 04.60 34.40 27.30 14.71.3 0BS 00184 04.67 34.40 27.30 14.71.3 0BS 00184 04.67 34.90 27.31 14.72.8 0BS 00198 03.59 34.90 27.32 14.69.1 0BS 00198 03.59 34.90 27.32 14.69.1 0BS 00198 03.60 34.90 27.30 14.67.4 0BS 00180 03.61 34.42 27.38 00.218 1467.7 0BS 00200 03.61 34.42 27.38 14.67.6 0BS 00210 04.63 34.40 27.40 14.71.30 14.71.3 0BS 00210 04.63 34.40 27.40 0.218 1467.7 0BS 00210 04.63 34.40 27.40 0.218 1467.8 0BS 00210 03.61 34.42 27.38 00.218 1467.8 0BS 00210 04.63 34.40 27.40 14.75.1 0BS 00220 05.25 34.760 27.45 14.75.5 0BS 00220 03.74 34.60 27.45 14.75.5 0BS 00220 03.74 34.60 27.45 14.75.5 0BS 00340 03.74 34.60 27.53 1470.2 0BS 00340 03.74 34.60 27.53 1470.2 0BS 00340 03.74 34.60 27.53 1470.2 0BS 00340 03.79 34.60 27.60 27.60 14.73.6 0BS 00340 03.79 34.80 27.60 14.73.6 0BS 00340 03.79 34.80 27.60 2																		
085 00129 04.46 34.170 27.10 14.97.8 16.00.3 10.11 34.470 27.26 14.00.3 16.00.3 10.11 34.450 27.26 14.00.3 16.00.3 16.00.3 10.11 34.450 27.26 14.00.3 16.00.3				STO	00125	04.48	34.23	27.13	00.156	1470.7								
085 00131 04.77 34.70 27.28 14.71.2 085 00133 04.71 34.430 27.28 14.71.2 STD 00150 05.93 34.61 27.27 00.179 14.76.7 001 001 00150 05.93 34.61 27.27 14.71.2 002 00150 05.28 34.60 27.27 14.76.2 003 00187 04.74 34.40 27.30 14.71.2 0085 00177 04.60 34.40 27.30 14.71.2 0085 00182 04.87 34.500 27.32 14.71.8 0085 00182 04.87 34.500 27.32 14.71.8 0085 00184 04.87 34.500 27.32 14.71.8 0085 00184 03.59 34.590 27.32 14.72.8 0085 00184 03.59 34.400 27.31 14.72.8 0085 00184 03.59 34.590 27.32 14.67.8 0085 00180 03.59 34.400 27.30 14.67.8 0085 00201 03.61 34.43 27.30 00.218 16.7.7 0085 00202 03.61 34.43 34.500 27.40 14.70																		
\$10 00150 05.94 34.616 27.27 1476.8 085 00150 05.94 34.616 27.27 1476.8 085 00171 04.60 34.50 27.27 1472.0 085 00171 04.60 34.60 27.30 1477.3 085 00171 04.60 34.60 27.30 1477.3 085 00180 00181 04.70 34.60 27.30 1477.5 085 00180 00180 03.89 34.40 27.31 1472.8 085 00190 03.89 34.390 27.32 1469.1 085 00200 03.61 34.40 27.38 00.218 1467.6 085 00201 03.62 34.40 27.40 1470.1 085 00205 04.13 34.50 27.40 1470.1 085 00218 04.53 34.60 27.45 1472.2 085 00218 04.53 34.60 27.45 1472.2 085 00218 00.60 04.67 34.60 27.53 1470.1 085 00228 04.61 34.60 27.53 1470.1 085 00228 04.67 34.60 27.53 1470.4 085 00228 05.16 34.60 27.53 1470.4 085 00228 05.16 34.60 27.53 1470.4 085 00228 05.16 34.60 27.53 1470.4 085 00228 05.16 34.60 27.53 1470.4 085 00228 03.60 34.60 27.53 1470.4 085 00228 03.60 34.60 27.53 1470.4 085 00295 03.60 34.60 27.53 1470.4 085 00295 03.60 34.60 27.53 1470.4 085 00295 03.60 34.60 27.53 1470.4 085 00296 03.60 34.60 27.53 1470.4 085 00296 03.60 34.60 27.53 1470.4 085 00296 03.60 34.60 27.55 00.60 1470.4 085 00296 03.60 34.60 27.55 00.60 1470.4 085 00296 03.60 34.60 27.55 00.60 1470.4 085 00401 03.40 34.70 27.60 1470.4 085 00401 03.40 34.70 27.60 1470.4 085 00401 03.40 34.70 27.60 1470.4 085 00401 03.40 34.70 27.60 1470.4 085 00401 03.40 34.70 27.60 1470.4 085 00401 03.40 34.70 27.60 1470.4 085 00401 03.40 34.70 27.60 1470.4 085 00401 03.40 34.70 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.80 27.60 1470.4 085 00401 03.40 34.8						04.27	34.376	27.28		1469.3								
085 00150 05.94 34.500 27.27 1.76.8 085 00167 04.74 34.500 27.27 1.476.8 085 00167 04.74 34.500 27.27 1.472.3 085 00168 00.66 34.60 34.60 27.22 1.472.8 085 00168 04.67 34.60 27.31 1.472.8 085 00169 03.60 34.90 27.31 1.472.8 085 00169 03.60 34.90 27.32 1.467.6 085 00190 03.59 34.390 27.32 1.467.6 085 0020 03.60 34.390 27.40 1.467.6 085 0020 03.60 34.40 27.40 1.467.8 085 0020 03.60 34.40 27.40 1.467.8 085 0020 03.60 34.40 27.40 1.467.8 085 0020 03.60 34.70 27.46 1.475.1 085 00226 05.25 34.70 27.46 1.475.1 085 00226 05.25 34.60 27.53 1.470.4 085 00276 03.89 34.60 27.53 1.470.4 085 00276 03.89 34.60 27.53 1.470.4 085 0028 03.70 33.40 34.60 27.53 1.470.4 085 0028 03.70 33.40 34.60 27.53 1.470.4 085 0028 03.70 33.40 34.60 27.53 1.470.4 085 0028 03.70 33.40 34.60 27.53 1.470.4 085 0028 03.70 33.40 34.60 27.53 1.470.4 085 0028 03.70 33.40 34.60 27.53 1.470.4 085 0028 03.70 33.40 34.60 27.53 1.470.4 085 0028 03.70 33.40 34.60 27.54 1.475.5 085 00304 03.70 34.60 27.60 27.51 00.251 1.472.5 085 00304 03.70 34.60 27.60 27.51 00.251 1.472.5 085 00304 03.70 34.70 27.60 1.471.0 085 00400 03.40 33.40 34.70 27.61 1.473.6 085 00401 03.50 34.470 27.66 1.471.6 085 00401 03.50 34.470 27.66 1.471.6 085 00401 03.50 34.470 27.66 1.471.6 085 00401 03.50 34.80 27.60 1.474.9 085 00401 03.50 34.80 27.60 1.474.9 085 00401 03.50 34.80 27.60 1.474.9 085 00401 03.50 34.80 27.60 1.474.9 085 00401 03.50 34.80 27.60 1.475.9 085 00500 04.01 34.80 27.60 1.475.9 085 00500 04.01 34.80 27.60 1.475.9 085 00500 04.01 33.80 27.60 1.475.9 085 00500 04.01 33.80 27.60 27.60 1.475.9 085 00500 04.01 03.50 34.80 27.60 1.475.9 085 00500 04.01 03.50 34.80 27.60 1.475.9 085 00500 04.01 03.50 34.80 27.60 1.476.9 085 00500 04.01 03.50 34.80 27.60 1.476.9 085 00500 04.01 03.80 34.80 27.60 1.476.9 085 00500 04.01 03.50 34.80 27.60 1.476.9 085 00500 04.01 03.80 34.80 27.60 27.60 1.476.9 085 00500 04.01 03.80 34.80 27.60 27.60 1.476.9 085 00500 03.80 34.80 34.80 27.60 27.60 1.476.9 085 00500 03.80 33.80 27.60 27.60 1.47									00.179									
085 00175 04-74 34-42 27.27 1472.0 085 00177 04-60 34-440 27.30 1471.5 085 00182 04-87 34-500 27.32 1472.8 085 00180 03-87 34-590 27.32 1472.8 085 00180 03-87 34-990 27.32 1472.8 085 00180 03-50 34-390 27.32 1472.8 085 00180 03-60 33-63 34-390 27.32 1469.1 085 00180 03-60 33-63 34-390 27.32 1469.1 085 00201 03-62 34-42 27.30 1469.1 085 00201 03-62 34-42 27.30 1467.4 085 00201 03-62 34-42 27.4 085 00201 03-62 34-42 27.4 085 00201 03-62 34-42 27.4 085 00202 04-13 34-500 27.4 085 00202 05-25 34-700 27.4 085 00228 05-25 34-700 27.4 085 00228 05-25 34-700 27.4 085 00276 03-88 34-60 27.5 085 00276 03-88 34-60 27.5 085 00276 03-88 34-60 27.5 085 00276 03-88 34-60 27.5 085 00276 03-88 34-60 27.5 085 00276 03-88 34-60 27.5 085 00276 03-88 34-700 27.4 085 00276 03-88 34-700 27.4 085 00276 03-88 34-700 27.4 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00276 03-88 34-700 27.5 085 00380 03-7 34-62 27.5 085 00380 03-7 34-62 27.5 085 00380 03-7 34-60 27.5 085 00380 03-7 34-70 27.6 085 0040 03-9 34-770 27.6 085 0040 03-9 34-770 27.6 085 0040 03-9 34-770 27.6 085 0040 03-9 34-770 27.6 085 0040 03-9 34-770 27.6 085 0040 03-9 34-770 27.6 085 0040 03-9 34-770 27.6 085 0040 03-9 34-80 27.8 040 03-8 34-80 27.8 040 03-8 34-80 27.8 040						05.94	34.616	27.27		1476.8								
085 00182 04.87 34.500 27.32 1472.8 085 00180 05.80 34.490 27.32 1499.1 085 00190 03.69 34.390 27.32 1469.1 085 00190 03.69 34.390 27.36 1467.6 085 00190 03.61 34.42 27.38 00.218 1467.6 085 00205 03.61 34.42 27.38 1467.6 085 00205 03.61 34.42 27.40 1467.8 085 00205 03.61 34.40 27.40 1467.8 085 00218 04.53 34.60 27.40 1472.2 085 00228 05.62 34.70 27.46 1475.1 085 00228 05.65 34.70 27.46 1475.1 085 00228 05.65 34.70 27.46 1475.1 085 00276 03.88 34.60 27.53 1470.2 085 00276 03.88 34.60 27.53 1470.2 085 00300 03.76 34.60 27.53 1470.2 085 00300 03.76 34.60 27.53 1470.2 085 00300 03.76 34.60 27.53 1470.2 085 00300 03.76 34.60 27.53 1470.2 085 00300 03.76 34.60 27.53 1470.2 085 00300 03.76 34.60 27.56 1470.2 085 00300 03.76 34.60 27.56 1470.2 085 00300 03.76 34.60 27.56 1470.2 085 00300 03.76 34.60 27.56 1470.2 085 00300 03.76 34.60 27.56 1470.2 085 00300 03.76 34.60 27.56 1470.2 085 00300 03.76 34.60 27.56 1470.2 085 00300 03.77 34.60 27.56 1470.2 085 00300 03.77 34.60 27.56 1470.2 085 00300 03.77 34.60 27.66 1470.2 085 00401 03.90 34.77 27.67 00.333 1471.0 085 00401 03.90 34.80 27.66 1471.0 085 00447 03.90 34.80 27.66 1471.0 085 00447 03.90 34.80 27.66 1471.0 085 00447 03.90 34.80 27.66 1471.0 085 00401 03.90 34.80 27.66 1471.0 085 00401 03.90 34.80 27.66 1471.0 085 00401 03.90 34.80 27.66 1471.0 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 04.01 34.80 27.60 1474.9 085 00500 0500 03.80 34.80 27.60 1474.9 085 00500 0500 03.80 34.80 27.60 1474.9 085 00500 0500 03.80 34.80 27.60 1474.9 085 00500 0500 03.80 34.80 27.60 1474.9 085 00500 03.				OBS	00175	04.74	34.42u			1472.0								
085 00184 04.87 34.490 27.31 1472.8 085 00190 03.59 34.390 27.36 1409.1 081 00190 03.50 34.390 27.36 1407.6 082 00190 03.51 34.490 27.36 1407.6 083 00205 03.61 34.490 27.38 00.218 1407.7 084 00205 03.61 34.490 27.40 1407.8 085 00226 04.12 34.440 27.40 1407.8 085 00226 04.12 34.440 27.40 1472.2 085 00226 04.16 34.760 27.49 1475.1 085 00226 04.16 34.760 27.49 1475.5 STO 00200 03.47 34.60 27.48 1475.5 STO 00250 04.77 34.60 27.53 1470.4 085 00276 03.88 34.640 27.53 1470.4 085 00276 03.88 34.640 27.53 00.281 1470.2 085 00300 03.75 34.620 27.53 00.281 1470.2 085 00300 03.75 34.620 27.53 1470.2 085 00300 03.75 34.620 27.53 1470.2 085 00300 03.79 34.620 27.51 1470.2 085 00300 03.79 34.620 27.51 1470.2 085 00300 03.79 34.620 27.51 1470.2 085 00300 03.79 34.620 27.53 1470.2 085 00300 03.79 34.620 27.53 1470.2 085 00300 03.79 34.620 27.54 1470.2 085 00300 03.79 34.620 27.64 1470.2 085 00300 03.79 34.620 27.64 1470.2 085 00300 03.79 34.620 27.64 1470.2 085 00300 03.49 34.770 27.66 1470.4 085 00300 03.49 34.770 27.67 1470.4 085 00401 03.49 34.70 27.67 1470.4 085 00401 03.49 34.80 27.68 1470.4 085 00401 03.49 34.80 27.68 1470.4 085 00401 03.49 34.80 27.68 1470.4 085 00401 03.49 34.80 27.68 1470.4 085 00400 03.49 34.80 27.68 1470.4 085 00500 04.01 34.80 27.68 1470.4 085 00500 04.01 34.80 27.68 1470.4 085 00500 04.01 34.80 27.68 1470.4 085 00500 04.01 34.80 27.68 1470.4 085 00500 04.01 34.80 27.68 1470.4 085 00500 04.01 34.80 27.68 1470.4 085 00500 04.01 34.80 27.68 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.60 1470.4 085 00500 04.01 34.80 27.70 1470.4 085 00500 04.01 34.80 27.70 1470.4 085 00500 04.01 34.80 27.70 1470.4 085 00500 04.01 34.80 27.70 1470.4 085 00500 04.01 34.							34.440											
085 00198 03.60 34.390 27.36 00.218 1467.7 085 00201 03.61 34.42 27.38 00.218 1467.7 085 00205 04.13 34.50 27.40 1470.1 085 0021 03.62 34.620 27.45 1472.2 085 00218 04.53 34.620 27.45 1472.2 085 00226 05.16 34.760 27.49 1475.1 085 00228 05.25 34.760 27.48 1475.5 085 00228 05.25 34.760 27.48 1475.5 085 0028 00276 03.88 34.640 27.53 1470.2 085 00276 03.88 34.640 27.53 1470.2 085 00300 03.74 34.62 27.55 00.281 1470.2 085 00300 03.74 34.62 27.55 00.281 1470.2 085 00300 03.75 34.620 27.55 00.281 1470.2 085 00300 03.75 34.620 27.55 00.281 1470.2 085 00300 03.74 34.62 27.53 00.281 1470.2 085 00300 03.74 34.62 27.56 00.301 1470.2 085 00300 03.75 34.620 27.56 1470.2 085 00300 03.75 34.620 27.56 1470.2 085 00300 03.75 34.620 27.66 1470.2 085 00300 03.49 34.770 27.66 00.333 1471.0 085 00400 03.49 34.770 27.66 00.333 1471.0 085 00401 03.59 34.770 27.66 00.333 1471.0 085 00401 03.59 34.770 27.66 00.301 1470.2 085 00400 03.49 34.770 27.66 00.301 1470.2 085 00400 03.49 34.770 27.66 00.301 1470.6 085 00400 03.49 34.70 27.66 00.301 1470.6 085 00400 03.49 34.80 27.66 1470.6 085 00400 03.49 34.80 27.66 00.301 1470.0 085 00400 03.79 34.830 27.66 00.301 1470.0 085 00400 03.97 34.830 27.66 00.301 1470.0 085 00500 04.01 34.840 27.66 00.300 1470.0 085 00500 04.01 34.840 27.66 00.300 1470.0 085 00500 04.01 34.840 27.66 00.300 1470.0 085 00500 04.01 34.830 27.68 1470.4 085 00600 03.97 34.83 27.68 00.426 1470.4 085 00600 03.97 34.83 27.68 00.426 1470.4 085 00600 03.97 34.83 27.68 00.426 1470.4 085 00600 03.98 34.84 27.69 00.426 1470.4 085 00600 03.98 34.83 27.68 00.476 1470.6 085 00600 03.98 34.84 27.60 00.500 1470.0 085 00600 03.88 34.84 27.60 00.500 1400.0 085 00800 03.88 34.84 27.70 00.571 1400.0 085 00800 03.88 34.84 27.70 00.571 1400.0 085 00800 03.88 34.84 27.70 00.573 1400.0 085 00800 03.88 34.84 27.70 00.573 1400.0 085 00800 03.88 34.84 27.70 00.573 1400.0 085 00800 03.88 34.84 27.70 00.573 1400.0 085 00800 03.88 34.84 27.70 00.573 1400.0 085 00800 03.88 34.84 27.70 00.573 1400.0				085	00184	04.87	34.490	27.31		1472.8								
STO 00201 03.461 34.42 27.38 00.218 1467.7 085 00201 03.462 34.490 27.40 1470.1 085 00218 04.33 34.500 27.45 1472.2 085 00228 05.26 05.16 34.760 27.49 1475.1 085 00228 05.26 34.760 27.49 1475.1 085 00228 05.26 34.760 27.48 1475.5 STO 00250 04.47 34.69 27.51 00.251 1472.5 085 00276 03.88 34.640 27.53 00.281 1470.4 085 00276 03.88 34.640 27.53 00.281 1470.4 085 00300 03.75 34.620 27.55 00.281 1470.2 085 00300 03.75 34.620 27.55 00.281 1470.2 085 00300 03.75 34.620 27.53 00.281 1470.2 085 00300 03.75 34.620 27.53 00.281 1470.2 085 00340 03.94 34.770 27.66 1470.1 085 00400 03.49 34.770 27.66 1470.1 085 00401 03.50 34.770 27.66 1471.0 085 00441 03.94 34.830 27.66 1473.6 085 00440 03.49 34.830 27.68 1474.5 085 00440 03.97 34.830 27.68 1474.5 085 00450 04.01 34.84 27.67 1474.5 085 00500 04.01 34.84 27.66 00.380 1474.9 085 00550 04.01 34.850 27.68 1476.4 085 00500 04.01 34.85 27.68 1476.4 085 00500 04.01 34.85 27.68 1476.4 085 00600 03.97 34.83 27.68 1476.4 085 00600 03.97 34.83 27.68 1476.4 085 00601 03.97 34.83 27.68 1476.4 085 00601 03.98 34.830 27.68 1476.8 085 00601 03.98 34.830 27.68 1476.8 085 00601 03.98 34.830 27.68 1476.8 085 00601 03.98 34.830 27.68 1476.8 085 00601 03.98 34.830 27.68 1476.8 085 00601 03.98 34.84 27.69 0.428 1476.8 085 00601 03.98 34.84 27.69 0.428 1476.8 085 00601 03.88 34.84 27.69 0.525 1476.8 085 00600 03.88 34.84 27.70 1480.0 085 00600 03.88 34.84 27.70 1480.0 085 00600 03.78 34.86 27.72 00.521 1482.3 085 00600 03.78 34.86 27.70																		
085 00265 00266 04-13 34-500 27-40 1470-1 085 00218 04-13 34-500 27-40 1472-2 085 00226 05-16 34-704 27-49 1475-1 085 00228 05-25 34-704 27-49 1475-1 085 00276 03.88 34-60 27-51 00.251 1470-6 085 00276 03.88 34-60 27-51 00.251 1470-6 085 00295 03-69 34-620 27-55 00.281 1470-6 085 00295 03-69 34-620 27-55 00.281 1470-2 085 00300 03.75 34-62 27-53 00.281 1470-2 085 00300 03.75 34-620 27-53 00.281 1470-2 085 00300 03.76 34-620 27-53 00.281 1470-2 085 00300 03.79 34-70 27-66 1471-8 085 00364 03-90 34-70 27-66 1470-1 085 00400 03-49 34-77 27-67 00.333 1471-0 085 00441 03-59 34-77 27-67 00.333 1471-0 085 00441 03-59 34-77 27-67 00.333 1471-0 085 00441 03-90 34-820 27-66 1473-6 085 00447 03-90 34-830 27-68 1473-6 085 00447 03-90 34-830 27-68 1473-6 085 00454 04-03 34-84 27-66 1473-6 085 00454 04-03 34-84 27-66 1473-6 085 00454 04-03 34-84 27-66 1473-6 085 00450 04-01 34-84 27-66 1473-6 085 00400 03-75 34-83 27-68 1474-9 085 00500 04-01 34-84 27-66 1473-6 085 00500 04-01 34-84 27-66 1473-6 085 00500 04-01 34-84 27-66 1473-6 085 00500 04-01 34-84 27-66 1473-6 085 00400 03-75 34-83 27-68 1476-7 085 00401 03-97 34-830 27-68 1476-7 085 00402 03-98 34-830 27-68 1476-7 085 00402 03-98 34-830 27-68 1476-7 085 00401 03-97 34-83 27-68 1476-7 085 00401 03-97 34-83 27-68 1476-8 085 00500 03-88 34-840 27-69 1476-7 085 00601 03-98 34-830 27-68 1476-8 085 00601 03-88 34-84 27-69 1476-8 085 00601 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-69 1476-8 085 00801 03-88 34-84 27-70 1480-8 085 00801 03-88 34-84 27-70 1480-8 085 00801 03-88 34-84 27-70 1480-8 085 00801 03-78 34-84 27-70 1480-8 085 00801 03-78 34-84 27-70 1				570	00200	03.61	34.42	27.38	00.218	1467.7								
OBS OO226							34.500											
085 00228 05-25 34-760 27-48 1475-5 8570 00250 04-47 34-69 27-51 00-251 1472-5 085 00276 03-88 34-640 27-53 1470-4 085 00275 03-69 34-620 27-59 1460-9 \$570 00300 03-75 34-62 27-53 00-281 1470-2 085 00300 03-75 34-62 27-53 1470-2 085 00346 03-90 34-740 27-61 1471-8 085 00346 03-90 34-770 27-64 1470-1 \$570 00400 03-49 34-770 27-67 00-333 1471-0 085 00401 03-50 34-770 27-68 1471-0 085 00401 03-94 34-770 27-68 1471-0 085 00401 03-94 34-800 27-68 1473-6 085 00404 03-90 34-830 27-68 1473-6 085 00404 03-90 34-80 27-68 1473-6 085 00405 04-10 33-88 34-80 27-68 1476-9 085 00500 04-01 33-88 34-80 27-68 1476-9 085 00500 04-01 33-88 34-80 27-68 1476-9 085 00500 04-01 34-80 27-68 1476-9 085 00500 04-01 34-80 27-68 1476-9 085 00500 04-01 34-80 27-68 1476-9 085 00500 04-01 34-80 27-68 1476-9 085 00500 04-01 34-80 27-68 1476-9 085 00500 04-01 34-80 27-68 1476-9 085 00500 04-01 34-80 27-68 1476-9 085 00500 04-01 34-80 27-68 1476-9 085 00500 04-01 34-80 27-68 1476-9 085 00500 03-97 34-830 27-68 1476-9 085 00500 03-98 34-830 27-68 1476-9 085 00520 03-98 34-830 27-68 1476-8 085 00520 03-98 34-830 27-68 1476-8 085 00520 03-98 34-830 27-68 1476-8 085 00500 03-88 34-840 27-80 1477-9 085 00500 03-88 34-840 27-80 1477-9 085 00500 03-88 34-840 27-80 1477-9 085 00500 03-88 34-840 27-80 1477-9 085 00500 03-88 34-840 27-80 1477-9 085 00500 03-88 34-840 27-80 1477-9 085 00500 03-88 34-840 27-80 1477-9 085 00500 03-88 34-840 27-70 00-573 1480-0 085 00900 03-78 34-880 27-70 1480-0 085 00900 03-78 34-880 27-72 1482-3						4.53	34.620	27.45		1472-2								
085 00276 03.88 34.640 27.53 1470.4 085 00295 03.69 34.620 27.55 1469.9 \$TD 00300 03.74 34.62 27.53 1470.2 085 00300 03.75 34.620 27.53 1470.2 085 00346 03.90 34.740 27.61 1470.8 085 00346 03.90 34.740 27.61 1470.8 085 00340 03.94 34.720 27.66 1470.8 \$TD 00400 03.95 34.77 27.67 00.333 1471.0 085 00441 03.94 34.820 27.67 1473.6 085 00441 03.94 34.820 27.67 1473.6 085 00441 03.94 34.830 27.68 1473.6 085 00447 03.90 34.830 27.68 1473.6 085 00454 04.08 34.840 27.67 1474.5 \$TD 00400 03.97 34.84 27.67 1474.5 \$TD 00400 03.97 34.83 27.68 1474.9 085 00500 04.01 34.84 27.66 00.380 1474.9 085 00500 04.01 34.84 27.66 1474.9 085 00500 04.01 34.83 27.68 1476.4 085 00400 03.97 34.83 27.68 1476.4 085 00400 03.97 34.83 27.68 1476.4 085 00400 03.98 34.830 27.68 1476.4 085 00400 03.99 34.830 27.68 1476.4 085 00400 03.99 34.830 27.68 1476.4 085 00420 03.96 34.830 27.88 1476.7 085 00420 03.96 34.830 27.88 1476.4 085 00421 03.96 34.830 27.88 1476.4 085 00428 03.99 34.830 27.88 1476.4 085 00428 03.99 34.830 27.88 1476.4 085 00428 03.99 34.830 27.88 1476.8 085 00428 03.99 34.830 27.88 1476.8 085 00428 03.99 34.830 27.88 1477.4 085 00428 03.99 34.830 27.88 1477.4 085 00428 03.99 34.830 27.88 1477.4 085 00428 03.99 34.830 27.88 1477.4 085 00428 03.99 34.830 27.88 1476.8 085 00428 03.99 34.830 27.88 1477.4 085 00428 03.99 34.830 27.88 1476.8 085 00428 03.99 34.830 27.88 1476.8 085 00428 03.99 34.830 27.88 1477.4 085 00429 03.98 34.84 27.70 00.573 1480.6 085 00400 03.78 34.84 27.70 00.573 1480.6 085 00400 03.78 34.84 27.70 00.573 1480.6 085 00400 03.78 34.84 27.70 00.573 1480.6 085 00400 03.78 34.84 27.70 1480.6 085 00400 03.78 34.84 27.70 00.573 1480.6 085 00400 03.78 34.84 27.70 00.573 1480.6 085 00400 03.78 34.84 27.70 00.573 1480.6 085 00400 03.78 34.84 27.70 00.573 1480.6 085 00400 03.78 34.84 27.70 00.573 1480.6 085 00400 03.78 34.84 27.70 00.573 1480.6					00228		34.760	27.48										
085 00295 03.09 34.620 27.53 00.281 1470.2 085 00300 03.74 34.62 27.53 00.281 1470.2 085 00300 03.75 34.620 27.53 00.281 1470.2 085 00300 03.89 34.740 27.64 1470.3 085 00400 03.49 34.770 27.67 1471.0 085 00401 03.30 34.770 27.68 1471.0 085 00441 03.30 34.770 27.68 1471.0 085 00441 03.30 34.80 27.68 1473.6 085 00447 03.90 34.80 27.67 1473.6 085 00450 04.01 34.84 27.68 1474.9 085 00552 04.01 34.84 27.68 00.380 1474.9 085 00552 04.03 34.850 27.68 1475.9 5TO 00400 03.97 34.83 27.68 1476.4 085 00401 03.97 34.83 27.68 1476.4 085 00400 03.97 34.83 27.68 1476.4 085 00400 03.97 34.83 27.68 1476.4 085 00420 03.96 34.830 27.68 1476.4 085 00420 03.96 34.830 27.68 1476.4 085 00420 03.99 34.830 27.68 1476.4 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1476.8 085 00420 03.99 34.830 27.68 1477.0 085 0050 03.33 34.840 27.69 1477.0 085 0050 03.83 34.840 27.69 1477.0 085 00450 03.83 34.840 27.69 1476.4 085 00450 03.83 34.840 27.70 00.973 1480.6 085 00450 03.78 34.84 27.69 03.923 1480.6 085 00450 03.78 34.84 27.70 00.973 1480.6 085 00450 03.78 34.84 27.70 00.973 1480.6 085 00450 03.78 34.84 27.70 00.973 1480.6 085 00450 03.78 34.84 27.70 00.973 1480.6 085 00450 03.78 34.84 27.70 00.973 1480.6 085 00450 03.78 34.84 27.70 00.973 1480.6					00250	04.47			00.251									
085 00300 03.75 34.620 27.53 1470.2 085 00346 03.90 34.740 27.61 1471.8 085 00343 03.44 34.720 27.64 1471.0 085 00400 03.49 34.77 27.67 1471.0 085 00401 03.59 34.77 27.68 1471.0 085 00441 03.94 34.820 27.67 1473.6 085 00441 03.94 34.830 27.68 1473.6 085 00447 03.90 34.830 27.68 1473.6 085 00454 04.08 34.840 27.68 1474.5 570 00500 04.01 34.84 27.68 00.380 1474.9 085 00552 04.03 34.850 27.68 1475.9 570 00400 03.97 34.83 27.68 1475.9 570 00400 03.97 34.83 27.68 1476.4 085 00420 03.96 34.830 27.68 1476.4 085 00420 03.96 34.830 27.68 1476.4 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.68 1477.1 570 00700 03.92 34.83 27.68 1477.0 085 00451 03.96 34.830 27.68 1477.0 085 00451 03.96 34.830 27.68 1477.0 085 00451 03.96 34.830 27.68 1477.0 085 00450 03.83 34.840 27.69 1475.4 085 00450 03.83 34.840 27.69 1475.4 085 00450 03.78 34.840 27.69 1476.4 085 00450 03.78 34.840 27.70 1481.5 570 00700 03.78 34.84 27.69 1475.4 085 00451 03.78 34.840 27.70 1481.5				085	00295	03.69												
085 00346 03.90 34.740 27.61 1471.8 085 00401 03.49 34.770 27.68 1471.0 085 00401 03.50 34.770 27.68 1471.0 085 00441 03.94 34.820 27.67 1473.6 085 00441 03.94 34.830 27.68 1473.6 085 00447 03.90 34.830 27.68 1473.6 085 00454 04.08 34.830 27.68 1474.5 510 00500 04.01 34.84 27.66 00.380 1474.9 085 00500 04.01 34.84 27.68 1474.9 085 00552 04.03 34.830 27.68 1474.9 085 00550 04.01 34.850 27.69 1475.9 510 00000 03.97 34.830 27.68 1476.4 085 00552 04.03 34.830 27.68 1476.4 085 00601 03.97 34.830 27.68 1476.7 085 00602 03.96 34.830 27.68 1476.7 085 00624 03.96 34.830 27.68 1476.8 085 00625 03.96 34.830 27.68 1476.8 085 00626 03.96 34.830 27.68 1476.8 085 00627 03.96 34.830 27.68 1476.8 085 00628 03.96 34.830 27.68 1477.1 510 00700 33.92 34.83 27.68 1477.4 085 00651 03.96 34.830 27.68 1477.9 085 00650 03.92 34.83 27.68 1477.9 085 00650 03.92 34.83 27.68 1477.9 085 00600 03.88 34.840 27.69 1478.9 085 00800 03.88 34.840 27.99 1478.0 085 00800 03.88 34.840 27.99 1478.0 085 00900 03.78 34.84 27.70 1480.0 510 00900 03.78 34.84 27.70 00.573 1480.0 085 00900 03.78 34.84 27.70 00.573 1480.0 085 00900 03.78 34.84 27.70 1480.0 085 00900 03.78 34.84 27.70 1480.0 085 00900 03.78 34.84 27.70 1480.0 085 00900 03.78 34.84 27.70 00.621 1480.0 085 00900 03.78 34.84 27.70 1480.0 085 00900 03.78 34.84 27.70 1480.0 085 00900 03.78 34.84 27.70 1480.0								27.53 27.51	00.281									
\$\begin{array}{cccccccccccccccccccccccccccccccccccc				085	00346	03.90	34.740	27.61		1471.8								
085 00401 03.90 34.770 27.68 1471.0 085 00441 03.94 34.820 27.67 1473.6 085 00447 03.90 34.830 27.68 1473.6 085 00454 0.08 34.840 27.67 1474.5 570 00500 04.01 34.840 27.68 00.380 1474.9 085 00502 04.01 34.840 27.68 1474.9 085 00552 04.03 34.850 27.69 1475.9 570 00600 03.97 34.830 27.68 1476.4 085 00400 03.97 34.830 27.68 1476.4 085 00420 03.96 34.830 27.68 1476.4 085 00420 03.96 34.830 27.68 1476.8 085 00420 03.96 34.830 27.88 1476.8 085 00420 03.96 34.830 27.88 1476.8 085 00420 03.96 34.830 27.88 1476.8 085 00420 03.96 34.830 27.88 1476.8 085 00420 03.96 34.830 27.88 1476.8 085 00421 03.96 34.830 27.88 1476.8 085 00428 03.96 34.830 27.88 1476.8 085 00428 03.96 34.830 27.88 1476.8 085 00428 03.96 34.830 27.88 1477.1 570 00700 03.92 34.83 27.88 1477.9 085 00702 03.92 34.83 27.88 1477.9 085 00702 03.92 34.83 27.88 1477.9 085 00801 03.88 34.840 27.70 1.78.9 085 00801 03.88 34.840 27.80 1476.8 085 00801 03.88 34.840 27.70 1.80.0 085 00801 03.78 34.840 27.70 1.80.0 085 00801 03.78 34.840 27.70 1.80.0 085 00801 03.78 34.840 27.70 1.80.0 085 00801 03.78 34.840 27.70 1.80.0 085 00803 03.78 34.840 27.70 1.80.0 085 00803 03.78 34.840 27.70 1.80.0 085 00803 03.78 34.840 27.70 1.80.0					00400		34.720	27.64 27.67	00.333	1470.1								
085 00447 03.90 34.830 27.68 1473.6 085 00454 04.08 34.840 27.67 1474.5 \$TO 00500 04.01 34.84 27.68 00.380 1474.9 085 00500 04.01 34.840 27.68 1474.9 085 00500 04.03 34.850 27.69 1475.9 \$TO 00400 03.37 34.83 27.68 1476.4 083 00401 03.97 34.83 27.68 1476.4 083 00401 03.97 34.830 27.68 1476.4 085 00420 03.96 34.830 27.68 1476.8 085 00424 03.96 34.830 27.88 1476.8 085 00425 03.96 34.830 27.88 1476.8 085 00426 03.96 34.83 27.88 1476.8 085 00427 03.96 34.83 27.88 1476.8 085 00428 03.96 34.83 27.88 1476.8 085 00451 03.96 34.83 27.88 1477.1 \$TO 00700 03.92 34.83 27.88 1477.1 \$TO 00700 03.92 34.83 27.88 1477.9 085 00702 03.92 34.83 27.88 1477.9 085 00702 03.92 34.80 27.80 1477.9 085 00703 03.88 34.84 27.70 1478.6 \$TO 00800 03.88 34.84 27.70 1478.6 \$TO 00800 03.78 34.84 27.70 1480.6 085 00851 003.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6 085 00753 03.78 34.84 27.70 1480.6				085	00401	03.50	34.770	27.68		1471.0								
\$70 00500 04-01 34-84 27-68 00.380 1474-9 085 00500 04-01 34-840 27-68 1474-9 085 00552 04-03 34-850 27-69 1475-9 \$70 00400 03.97 34-83 27-68 00.428 1476-4 085 00401 03.97 34-830 27-68 1476-4 085 00401 03.97 34-830 27-68 1476-4 085 00402 03.96 34-830 27-68 1476-8 085 00402 03.96 34-830 27-68 1476-8 085 00402 03.96 34-830 27-68 1476-8 085 00402 03.96 34-830 27-68 1477-1 \$70 0050 00401 03.99 34-830 27-68 1477-1 \$70 00700 03.99 34-83 27-68 1477-1 \$70 00700 03.99 34-83 27-68 1477-9 085 00702 03.92 34-83 27-68 1477-9 085 00702 03.92 34-83 27-68 1477-9 085 00701 03.88 34-84 27-76 1478-6 \$70 00800 03.88 34-84 27-76 1478-6 085 00801 03.88 34-84 27-70 1480-0 085 00800 03.78 34-84 27-70 00.573 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0 085 00900 03.78 34-84 27-70 1480-0							34.830											
085 00502 04.01 34.840 27.68 1475.9 5TO 00400 03.97 34.830 27.68 1475.9 STO 00400 03.97 34.830 27.68 1476.4 085 00420 03.96 34.830 27.68 1476.7 085 00420 03.96 34.830 27.68 1476.7 085 00420 03.96 34.830 27.68 1476.7 085 00421 03.96 34.830 27.68 1476.8 085 00428 03.96 34.830 27.68 1476.8 085 00429 03.96 34.830 27.68 1476.8 085 00451 03.96 34.830 27.68 1477.4 5TO 00700 03.92 34.83 27.68 1477.9 085 00702 03.92 34.83 27.68 1477.9 085 00701 03.82 34.830 27.68 1477.9 085 00751 03.88 34.840 27.89 1478.4 085 00801 03.88 34.84 27.69 1478.4 085 00801 03.88 34.84 27.69 1478.4 085 00801 03.88 34.84 27.69 1478.4 085 00801 03.88 34.84 27.70 00.573 1480.6 5TO 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6							34.840	27.67	00 200	1474.5								
OBS 00552 04.03 34.850 27.69 1475.4 STO 00400 03.97 34.832 27.68 00.428 1476.4 OBS 00420 03.96 34.830 27.68 1476.7 OBS 00420 03.96 34.830 27.68 1476.8 OBS 00428 03.96 34.830 27.68 1476.8 OBS 00428 03.96 34.830 27.68 1477.1 STO 00700 03.92 34.83 27.68 1477.1 STO 00700 03.92 34.83 27.68 1477.4 OBS 00702 03.92 34.83 27.68 1477.9 OBS 00702 03.92 34.83 27.68 1477.9 OBS 00703 03.88 34.840 27.69 1478.4 OBS 00800 03.88 34.84 27.69 1478.4 OBS 00800 03.88 34.84 27.69 1478.4 OBS 00800 03.88 34.84 27.69 1478.4 OBS 00800 03.88 34.84 27.70 1480.0 STO 00800 03.78 34.84 27.70 00.573 1480.0 OBS 00900 03.78 34.84 27.70 1480.6				085					00.340	1474.9								
08\$ 00401 03.97 34.830 27.68 1476.7 08\$ 00420 03.96 34.830 27.68 1476.7 08\$ 00624 03.96 34.830 27.68 1476.8 08\$ 00628 03.96 34.830 27.68 1476.8 08\$ 00651 03.96 34.830 27.68 1477.1 57D 00700 03.92 34.83 27.68 1477.1 08\$ 00702 03.92 34.83 27.68 1477.9 08\$ 00702 03.92 34.83 27.68 1477.9 08\$ 00702 03.92 34.83 27.68 1477.9 08\$ 00702 03.92 34.83 27.68 1477.9 08\$ 00702 03.82 34.830 27.68 1677.9 08\$ 00800 03.82 34.840 27.69 1478.6 08\$ 00801 03.88 34.840 27.69 1478.6 08\$ 00800 03.78 34.840 27.70 1480.0 08\$ 00900 03.78 34.840 27.70 1480.0 08\$ 00900 03.78 34.840 27.70 1480.0									00.430	1475.9								
08\$ 00024 03.96 34.830 27.68 1476.8 08\$ 00628 03.96 34.830 27.68 1476.8 08\$ 00651 03.94 34.830 27.68 1477.1 5TD 00700 33.92 34.83 27.88 09.476 1477.9 08\$ 00702 03.92 34.83 27.88 1477.9 08\$ 00702 03.82 34.80 27.64 1477.9 08\$ 00751 03.88 34.840 27.99 1478.4 08\$ 00801 03.88 34.84 27.69 03.525 1479.4 08\$ 00801 03.88 34.840 27.00 1480.0 5TD 00800 03.78 34.84 27.70 1480.0 08\$ 00801 03.78 34.84 27.70 00.573 1480.6 08\$ 00900 03.78 34.84 27.70 1480.6 08\$ 00900 03.78 34.84 27.70 1480.6 08\$ 00900 03.78 34.84 27.70 1480.6 08\$ 00900 03.78 34.84 27.70 1480.6 08\$ 00900 03.78 34.84 27.70 1480.6 08\$ 00900 03.78 34.84 27.70 1480.6				085	00601	03.97	34.830	27.68	00.428	1476.4								
085 00428 03.94 34.830 27.48 1476.8 085 00451 03.94 34.830 27.48 1477.1 570 00700 03.92 34.83 27.68 1477.4 085 00702 03.92 34.83 27.68 1477.4 085 00751 03.88 34.840 27.69 1478.4 570 00800 03.88 34.840 27.69 1478.4 085 00801 03.88 34.840 27.69 1478.4 085 00801 03.88 34.840 27.69 1478.4 085 00800 03.78 34.840 27.70 1480.6 085 00800 03.78 34.840 27.70 1481.5 570 00700 03.78 34.84 27.70 00.973 1480.6 085 00753 03.78 74.840 27.70 1481.5							34.830											
\$70 00700 33.92 34.83 27.88 00.476 1477.9 085 00702 03.92 34.83 27.64 1477.9 085 00751 03.88 34.840 27.89 1478.4 085 00801 03.88 34.840 27.69 1478.4 085 00801 03.88 34.840 27.69 1480.6 085 00800 03.78 34.840 27.70 1480.6 085 00800 03.78 34.840 27.70 1480.6 085 00800 03.78 34.840 27.70 1480.5 085 00800 03.78 34.840 27.70 1481.5				280	00628	03.96	34.830	27.48		1476.8								
085 00702 03,92 34,83 27.48 1477.9 085 00751 03.88 34.84 27.49 1478.6 570 00800 03.88 34.84 27.69 63.525 1479.4 085 00801 03.88 34.84 27.69 1479.4 085 00805 03.83 34.840 27.60 1480.0 570 00900 03.78 34.84 27.70 04.573 1480.0 085 00900 03.78 34.84 27.70 04.573 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00901 03.78 34.84 27.70 1480.6				OBS STD					00.47A									
570 00800 03.88 34.84 27.69 03.525 1479.6 085 00801 03.88 34.840 27.69 1479.4 085 00850 03.63 34.840 27.70 1480.0 570 00900 03.78 34.84 27.70 00.573 1480.0 085 00900 03.78 34.84 27.70 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00953 03.78 34.840 27.70 1481.5 570 01000 03.78 34.840 27.72 00.621 1482.3 085 01001 23.78 34.840 27.72 1482.3				280	00702	03.92	34.036	27.68	-44-10	1477.9								
085 00801 03.88 34.840 27.69 1476.4 085 00801 03.83 34.840 27.70 1480.0 570 00900 03.78 34.84 27.70 00.573 1480.6 085 00900 03.78 34.84 27.70 1480.6 085 00953 03.78 34.840 27.70 1480.6 570 01000 03.78 34.86 27.72 00.621 1482.3					00751	33.86 03.88			63,524	1478.6								
57D 00900 03,78 34.84 27.70 00.573 1480.6 085 00900 03.78 34.840 27.70 1480.6 085 00953 03.78 24.840 27.70 1481.5 57D 01000 03.78 34.86 27.72 00.621 1482.3 085 01001 23.78 34.860 27.72 1482.3				385	00801	03.88	34.840	27.69		1479.4								
085 00900 03.78 34.840 27.70 1480.6 085 00953 03.78 74.840 27.70 1481.5 510 01000 03.78 34.86 27.72 00.621 1482.3 085 01001 23.78 34.860 27.72 1482.3				57D		03.83			00.573									
57D 01000 03.78 34.86 27.72 00.621 1482.3 085 01001 03.78 34.860 27.72 1482.3				065	00900	03.76	34.840	27.70		1480.6								
085 01001 93.78 34.860 27.72 1482.3				STD	01000				00.621									
41444 43417 344734 41411 146748				OBS	10010	23.78	34.640	27.72		1482.3								
				1003	01022	V 3. 14	3 4.43 0	21,11		4782.6								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 6370 CONSEC 0108 LAT 42 20.9N LONG 048 25.8N	MONT	1974 H 06 10 21.7	BOTOP OLOZO SHIP EV DATA USE 1 AREA 05	AIR T MET E Barde Cloud	ULB 05.2 METR 1007.6	DIR HO 28 SEA CL/TR		wino-dir Wino-spd Wind-for Weather	12	TRAC	E DIR	ECORDER D 00.3	5 2	N SQ 130 SQUARE SQUARE ; SQUARE ;	2
CASTNUM TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY 6	P 04	TQT P	NO2	N03	\$103	PH	
	STD	00000	05.24	32.77	25.91	00.000	1469.0								
21.7	085	00000	05.24	32.770	25.91		1469.0								
	STO	00010	05.22	32.84	25.96	00-021	1469.2								
	085	00015	04.96	32.880	26.02		1468.3								
	280	00019	04.46	32.820 32.89	26.01 26.09	00.041	1467.0								
	STD 085	00020 00024	04.46 04.40	33.250	26.38	00.04.	1466.6								
	510	00027	07.22	33.76	26.43	00.058	1478.8								
	085	00034	06.70	34.050	26,44	*	1484.9								
	085	00049	98.96	34-160	26.63		1462.9								
	STD	00050	07.94	34.17	26.65	00.089	1462-4								
	GBS	00059	06.18	34.220	26.94		1475.7								
	STO	00075	04.93	34.04	26.95	00.120	2470-7								
	085	00076	04.66	34.030 34.110	26.94 27.02		1470.5								
	085 085	00081	04.71 04.17	34.150	27.11		1467.9								
	STD	00100	04.63	34.32	27.20	00.144	1470.2								
	STD	00125	05.72	34.53	27.24	00.167	1475.4								
	085	00140	06.42	34.536	27.15 •		1476.5								
	STD	00150	05.98	34.48	27.17	00.190	1476.8								
	085	00150	05.96	34.480	27.17		1476.7								
	085	00159	07.97	34.840	27.17		1485.2								
	085	00169	07-97 07-27	34.830 34.766	27.17 27.21		1482.6								
	DBS STD	00180 00200	08.02	34.95	27.25	00.235	1486.2								
	285	00201	08.09	34.970	27.26		1486.5								
	085	00220	05.71	34.610	27.30		1477.0								
	OBS	00239	04.01	34.410	27.34		1470.0								
	STD	00250	03.34	34.40	27.40	00.274	1467.4								
	08.5	00274	03.06	34-380	27.41		1466.5								
	STO	00300	04- 85	34.61	27.41 27.41	90.309	1474.8								
	085 085	00300 00325	04.87 04.73	34.620 34.740	27.52		1474.9								
	085	00325	06.21	34.980	27.53		1481.7								
	065	00375	05.91	34.980	27.57		1480.9								
	STO	00400	05.44	34.89	27.56	00.375	1479.2								
	OBS	00449	04.98	34.840	27.57		1476.1								
	STD	00500	05.19	34.97	27.65	00.430	1480.0								
	OBS	00502	05.19	34.970	27.65 27.66		1480.0 1480.8								
	085	00552	05-17	34.986 34.960	27.67		1480.5								
	OBS STD	00599	04.92 04.92	34.96	27.67	00.480	1480.5								
	085	00649	04.83	34.976	27.69	000.00	1481.0								
	STO	00700	04.61	34.97	27.70	00.530	1481.7								
	085	00750	04.73	34.970	27.70		1482.2								
	DBS	00799	04.60	34.970	27.12		1482.5								
	STD	00800	04.60	34.97	27.72	00.578	1482.5								
	085	00850	04.48	34.960	27.72	00 425	1482.9								
	072	00900	04.35	34.96 34.960	27.74 27.74	00.625	1483.2								
	085	00900 00 94 9	04.35 04.24	34.960	27.75		1463.5								
	OBS STD	01000	04.15	34.95	27.75	00.671									
	085	01001	04.15	34.950	27.75		1484.0								
	085	01020	04.13	34.950	27.75		1484.2								
				_											

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

	8370 0109 04.3M 12.2W	MONT	1974 H 06 17 23-8	BOTOP 03548 SHIP EV DATA USE 1 AREA 05	AIR WET BARG CLGU		DIR H 27 SEA CL/TR	GT PER 3 2	HIND-DIA HIND-SPO HIND-FOR HEATHER	12	TRA	CE DI	IA.	ORDER D OG.5	5	n SQ SQUAR SQUAR SQUAR	
CASTMUM	TIME	LVLTV>	DEPTH	TEMP	SAL	SIGMA-T	-0YN0PTH	SND VEL	OXY 6	P04	TOT :		402	NO3	5103	PH	
		STD	00000	08.44	33.11	25.75	00.000	1482.2									
	23.0	085 \$10	00001	08.44 08.51	33.114 33.15	25.75 25.77	00.022	1462.2									
		005	00011	04.52	33.15>	25.77	00.022	1482.7									
		065	00013	C8-80	33.325	25.86		1484.0									
		08 S	00017	09.32 09.53	33.477 33.677	25.90 26.02		1486.2									
		STD	00020	10.34	34.12	26.22	00.043	1490.8									
		08 S 08 S	99924	10.98 12.80	34.440 35.050	26.36 26.49		1493.5									
		OBS	00026	14.14	35.520	26.58		1505.7									
		STD 085	00030	14.15 14.15	35.53 35.530	26.58 26.58	00.059	1505.8 1505.8									
		085	0003Z	14.02	35.525	26-61		1505.4									
		00S 08S	00038	14.08 14.33	35.570 35.667	26.63 26.65		1505.8									
		STD	00050	14.14	35.66	26.68	00.088	1506.3									
		085 085	00051 00053	14.05 13.90	35.635 35.635	26.70		1506.0									
		085	00055	13.90	35.640	26.72 26.72		1505.5									
		085 085	00062	12.95	35.435	26.76		1502.3									
		STD	00068	12.62 12.92	35.330 35.47	26.74 26.79	00.121	1501 -1 1502 -4									
		085	00078	13.00	35.517	26.81		1502.8									
		OBS Std	00099	12.68 12.50	35.450 35.40	26.82 26.82	00.153	1502.0 1501.3									
		08 S	00102	11.87	35.245	26.82	*****	1499.0									
		OBS OBS	00112	08.20 08.18	34.480	26. 8 6 26. 9 6		1484.9									
		085	00121	06.54	34.295	26.95		1478.3									
		STD OBS	00125 00127	06.75 06.84	34.35 34.380	26.97 26.97	00.183	1479.2									
		OBS	00133	06.84	34.380	26.97		1479.8									
		08 S 08 S	00137 00142	06.25 04.48	34.270 34.037	26.97 26.99		1477-4									
		STD	00150	04.48	34.08	27.03	00.210	1470.1									
		085	00150	04.48	34.090	27.03		1470.1									
		08S 08S	00152 00156	04.99 05.07	34.150 34.150	27.02 27.02		1472.3									
		08 S	00158	05.84	34.300	27.04		1476.1									
		280 280	00161 00173	07.05 06.96	34.510 34.495	27.05 27.05		1481.3									
		085	00175	07.20	34.573	27.08		1482.1									
		OBS OBS	00178 00184	07.44 08.09	34.640 34.770	27.09 27.10		1483.2									
		085	00188	08.40	34.860	27.12		1487.4									
		OBS OBS	00190	08.42 08.17	34.850 34.81>	27.11		1487.5									
		OBS	00196	08.47	34.850	27.12 27.10		1487.8									
		STD	00200	08-42	34.84	27.11	00.261	1487-6									
		085 085	00207 00237	08.31 09.28	34.830	27.11 27.12		1487.3									
		STD	00250	08.74	34.97	27.16	00.311	1489.8									
		085 085	00251 00270	C8.70 O8.52	34.970 34.990	27.16 27.21		1489.7									
		085	00272	08.25	34.960	27.22		1488.3									
		085 085	00274 00291	08.25 05.51	34.960 34.500	27.22 27.24		1488.3									
		STD	00300	05.42	34.49	27.24	00.357	1477.0									
		085 085	00300 00312	05.41 05.39	34.487	27.24 27.24		1477.0									
		280	00317	06.45	34.750	27.32		1401-8									
		08 S 08 S	00327 00333	06.34 05.48	34.735 34.620	27.32 27.34		1401.5									
		085	00350	04.99	34.537	27.33		1476.1									
		OBS	00367	05.28	34.620 34.295	27.36		1477.7									
		08 S 08 S	00382 00394	02.80 02.52	34.300	27.36 27.39		1467.1									
		STD	00400	03.16	34.40	27.41	00.435	1469.1									
		085 085	00401	03.24 03.28	34.420	27.42 27.43		1469.5									
		085	00405	03.72	34.510	27.45		1471.7									
		085 085	00407 00415	03.75 04.53	34.505 34.62>	27.44 27.45		1471.0									
		CBS	00420	04.65	34.640	27.45		1476.0									
		08 S 08 S	00422	05.12 05.23	34.760 34.760	27.49 27.48		1478.1									
		280	00428	05.65	34.840	27.49		1480-5									
		085 085	00439 00454	05.89 05.62	34.895 34.850	27.50 27.50		1481.7									
		085	00470	05.52	34.830	27.50		1480.7									
		260 260	00477 00489	05.76 06.00	34.950 34.990	27.56 27.57		1481.9									
		570	005 00	06.20	35.05	27.59	00.500	1484.2									
		OBS OBS	00506	06.27	35.080 35.076	27.60		1484 -6									
		085	00538 00563	06.12 05.60	34.973	27.61 27.60		1484.5									
		STD	00600	05.28	34.97	27.64	00.555	1482.0									
		08 S 08 S	00601	05.28 05.28	34.975 34.965	27.64 27.64		1482.0									
		OBS	00651	05.00	34.980	27.67		1482-0									
		STD 085	00700 00 70 0	04.97 04.97	34.98 34.980	27.68 27.68	00.607	1482.4									
		085	00750	04.73	34.965	27.70		1482.2									
		570 085	00800	34.45 94.65	34.97 34.970	27.71 27.7L	00.456	1482.7									
		085	00650	04.54	34.960	27.72		1463 -1									
118		STD	00900	04.31	34.94	27.73	00.704	1483.0									
110		085 085	00951	04.31 04.21	34.940 34.940	27.73 27.74		1483.0									
		570	01000	04.07	34.92	27.74	00.751	1483.4									
		085 085	31001 01020	04.07 04.09	34.920 34.93u	27.74 27.74		1483.4									
		-															

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 837 COMSEC 017 LAT 41 41.5 LONG 047 53.5	IO MONT IN DAY	1974 H 06 11 03.2	BOTOP 03845 SHIP EV DATA USE 1 AREA 05		TEMP 04.9 BULB 06.3 METR 1008.1 D T/A		GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	10	TRAC	STD RE E DIR STION OIL 60	00.5	5	N SQ 1 SQUARE SQUARE SQUARE	2 06
CASTNUM/TIM	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNOPTH	SND VEL	OXY 6	P04	TOT #	NO2	NO3	\$103	PH	
	STO	00000	12-01	34-49	26.21	00.000	1496.9								
03.2	E DOS STD	00001	12.01 12.01	34.490	26.21 26.21	00.018	1496.9								
	OBS STD	00011	12.01	34.490 34.49	26.21 26.21	00.036	1497.0								
	08 S	00020	12.02 12.03	34.490	26.21		1497.2								
	STD	00030	12.19	34.54	26.22	00.055	1498.0								
	085 085	00032 00036	12.41 12.59	34.633 34.780	26.24		1498.9								
	085 085	00040 00043	13.00	34.983 35.237	24.40 24.50		1501.5								
	085 085	00045 00047	13.94 14.13	35.473	26.58		1505.3								
	STD 085	00050 00051	14.06	35.52 35.527	26.60 26.61	00.067	1505.8								
	STD OBS	00075 00076	13.75 13.74	35.52	26.66 26.66	00.123	1505.2 1505.2								
	OBS STD	00078	14.07 13.98	35.650 35.66	26.49 26.72	00.158	1506.5								
	085	00100	13.97	35.465	26.72	00.134	1506.6								
	OBS STD	00119	13.44 13.42	35.620 35.56	26.76	00.192	1505.7								
	OBS STD	00129	13.28 13.20	35.530 35.42	26.76 26.85	00.224	1504.6 1504.8								
	08 S 08 S	00152 00156	13.16 13.07	35.623 35.620	26.86 26.88		1504.7								
	085 085	00177 00184	12.23	35.460 35.310	26.92 26.95		1501.7								
	08 S	00186 00188	11.44	35.310 35.30G	26.95 26.99		1499.0								
	STD OBS	00200 00201	11.15	35.31	27.01 27.02	00.283	1498.2								
	085	00205	10.87	35.270	27.03		1497.2								
	085 085	00211	10.39	35.195 35.170	27.06 27.04		1495.5								
	<i>085</i> 085	00215 00217	10.01	35.090 35.090	27.04 27.05		1494.1								
	085 085	00222 0022 8	10.33 10.21	35.180 35.185	27.05 27.08		1495.5 1495.1								
	085 085	00232	09.73 07.63	35.090	27.09 27.13		1493.3								
	ST0 085	00250 00251	07.28 07.20	34.64	27 - 12 27 - 12	00.335	1483.8								
	08 S 08 S	00260 00266	06.88 06.44	34.560	27.11 27.11		1482.3								
	08\$ 08\$	00261	06.52	34.510	27.12		1481.1								
	DBS	00291 002 9 7	06.40 05.91	34.425	27.13 27.13		1480.8								
	STD OBS	00300 00302	05.88 05.85	34,43 34,440	27.14 27.15	00.385	1478.7								
	085 085	00306 00312	06.19 05.63	34.497 34.425	27.15 27.17		1480.2								
	085 085	00323 00327	05.60 05.79	34.440	27.18 27.20		1478.0								
	065 065	00333 00356	06.30 06.21	34.587 34.646	27.21 27.26		1481.2								
	085 085	00357 00361	04.25 04.06	34.640	27.26 27.26		1481.5								
	08 S 08 S	00371 00373	05.27 05.23	34.497	27.27 27.20		1477.6								
	08 S	00378 00384	05.60 05.51	34.620 34.610	27.32 27.33		1479.2								
	OBS OBS	00390	05.71 05.50	34.640	27.33		1479.0								
	085	00397	05.32	34.620	27.32 27.36		1479.0								
	STD	00400 00403	05.76 06.25	34.69 34.770	27.36 27.36	00.472	1480.3								
	085 085	00413 00418	06.14 05. 84	34.740 34.720	27 .3 5 27 .3 7		1482.1 1480.9								
	08 S 08 S	00426 00432	05.94 06.36	34.770 34.630	27.40 27.39		1461.5								
	08 S 08 S	00443 00451	05.78 05.19	34.767 34.720	27.42 27.45		1481.2								
	08 S	00470 00477	05.35 05.02	34.770 34.740	27.47 27.49		1479.9								
	085 085	00481 00494	04.99 04.68	34.730 34.735	27.48 27.52		1478.5								
	STD OBS	00500 00500	04.80 04.83	34.74	27.53 27.53	00.542	1476.1								
	085	00504	05.15	34.830	27.54		1479.7								
	085 085	00506	05.21 05.66	34.840	27.55 27.54		1482.0								
	OBS STD	00550 00600	06.07 05.98 05.57	34.990 35.09	27.56 27.65	00.400	1485.0								
	08 S 08 S	00601 00652	05.59	35.095 35.070	27.65 27.68		1485.0								
	08 S 08 S	00460 00475	05.56 05.21	35.07¢	27.68 27.66		1484.3								
	STO	00700 00704	04.99 04.96	34.98	27.68 27.68	00.452	1482.5								
	OBS STD	00750 00800	04.90 04.75	34.970 34.97	27.68 27.71	00.702	1482.9								
	085	00801	04.75	34.975	27.71		1463.2								
	085 87 <i>0</i>	00900 00902	04.47 04.52	34.99	27.71 27.74	00.749	1483.7								
	085 085	00951	04.51 04.24	34.990	27.74 27.74		1403.9								•••
	\$70 00\$	01000 01001	04.28 04.28	34.97	27.75 27.75	00.795	1484.5								119
	085	01022	04.22 04.24	34.966 34.970	27.75 27.76		1484.4								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 CONSEC LAT 41 LONG 047	0111 17.8N	YEAR MONTH DAY HOUR	1 06 11	BOTOP 03777 SHIP EV DATA USE 1 AREA 05		TEMP 07.0 Bulb 05.5 Metr 1000.7 D T/A	OIR H 23 SEA CL/TR	GT PER 2 2	W IND-OLR WIND-SPD WIND-FOR WEATHER	07	TRAC (00.4	5	n sq 1 Square Square Square	06
CASTNUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY 6	P04	TOT P	NO2	NO3	\$102	PH	
	06.9	STD OBS	00000	07.73 07.73	33.11 33.115	25.86 25.86	90.000	1479.4								
•	,	STD	00010	07.73 07.73	33.11	25.84 25.86	00.022	1479.4								
		STO OBS	00020	07.78	33-12	25.85	00.043	1480.0								
		OBS	00028	07.79 07.61	33.120	25.85 25.94		1479.5								
		STD OBS	00030 00034	07-11 05-57	33.02 32.930	25.87 * 25.99	00.065	1477.4								
		08 S 08 S	00036 00041	04.89 04.31	33.125 33.125	26.22 26.29		1466.6								
		085 085	00047	02 .38 02.26	33.050	26.40 26.45		1458.0								
		STD	00050	02.16	33.11	26.47 26.50	00.102	1457.2								
		OBS OBS	00068	01.55	33.370	26.69		1456.9								
		085	00072	01.50 01.45	33.374	26.74 26.73		1454.8								
		STD OBS	00075 00076	01.63 01.72	33.44 33.465	26.77 26.79	00.138	1455.7								
		085 085	00078 00081	01.91 02.76	33.520	20.82 26.85		1457.1								
		08 S 08 S	00085	01.68 01.75	33.590	26.89 26.90		1456.3								
		\$7.0 08.5	00100	06.87 07.41	34.41 34.49u	26.99 26.98	00.167	1479.4								
		085	00112	07.56	34.505	26.57		1482.4								
		085 085	00114	07.43 06.86	34.490	26.98 26.98		1481.9								
		085 STD	00123 00125	07.06 06.91	34.467 34.46	27.03 27.02	00.194	1480.6								
		OBS OBS	00127	06.69	34.413	27.02 27.08		1479.1								
		OBS STD	00140 00150	06.00 05.95	34.410 34.43	27.11 27.13	00.220	1476.6								
		085	00152	05.54	34.430	27.13	00.220	1476.6								
		085 085	30175 00178	06.44 06.41	34.495 34.490	27.12 27.12		1479.0								
		085 085	00182 00188	07-11 06-68	34.64J 34.57J	27.14 27.14		1482.0								
		OBS OBS	00192 00196	06.53 05.85	34.597	27.19 27.18		1477.0								
		STD	00200	05.84	34.49	27.19	00-267	1477.1								
		085 085	00201	05-84	34.490	27.20 27.22		1477.1								
		08 S 08 S	00205 00209	05.61 06.14	34-490 34-590	27.22 27.23		1476.2 1478.5								
		085 STD	00228 00250	06.39 05.63	34.615	27.22 27.21	00.312	1479.9								
		085 085	00251	05.59 04.96	34.480	27.21 27.30		1476.9								
		085 085	00217	04.92 05.47	34.500	27.31 27.35		1474.6								
		STD	00300	04.77	34.51	27.34	00.354	1474.4								
		085 085	00302 00312	04.64 04.32	34.500 34.495	27.34 27.37		1473.8								
		085 085	00319 00331	04.82 04.80	34.620 34.650	27.42 27.44		1475.0								
		085 085	00335 00338	05.16 05.23	34.730 34.740	27.46 27.46		1476.8								
		OBS OBS	0034 8 00350	05.85 05.85	34.830	27.46 27.46		1480.0								
		OBS STD	00359	05.82 04.44	34.830 34.66	27.46 27.49	00.425	1480.0								
		COS	00403	04.44	34.645	27.48	00.425	1474.9								
		OBS OBS	00407 00415	04.46 04.76	34.650	27.48 27.53		1475.0								
		085 STD	00454	05.08 04.98	34.85ú 34.84	27.57 27.57	00.486	1478.6								
		085 085	00500 00550	04.98 04.96	34.840	27.57 27.65		1479.0								
		STD OBS	00600	05.15 05.16	34.99 34.990	27.67 27.67	00.541	1401.5								
		280	00654	04.90	34.970	27.68		1481.4								
		STD OBS	00700 00700	04.78 04.78	34.99 34.990	27.71 27.71	00.590	1481.4								
		085 \$10	00750 00800	04.80 04.69	34.980	27.70 27.71	00.438	1482.5								
		08 S	00801	04.49 04.50	34.970	27.71 27.74		1462.9								
		STO 085	00900	04.38 04.38	34.97	27.74 27.74	00.485	1483.3								
		085	00953	04.28	34.970	27.75	00.730	1483.0								
		STD OBS	01000	04.21 04.21	34.96	27.75 27.75	90.730	1484.2								
		065	01010	04.18	34.940	27.74	- ماد د مده د	1484.4								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID CONSE LAT LONG	43	8371 0001 04.0N 33.0W	YEAR MONTH Day Hour	106	SMIP EV DATA USE 1 AREA 05			DIR H 30 SEA CL/TR		WIND-DIK WIND-SPD WIND-FOR WEATHER	22	TRACI		00.4	5	N SQ 130 SQUARE SQUARE : SQUARE :	2 26
CAS	TNUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P04	TGT P	NOZ	NO3	\$103	PH	
			STD	00000	16.86	36.06	26.38	00.000									
		18.2	085	00000	16.86	36.060	26.38		1514.4								
			STD	00010	16.87	36.06	26.38	00.017									
			085	00010	16.87	36.065	26.38		1514.6								
			STD	00020	16.87	36.06	26.38	00.033	1514.8								
			OBS	00020	16.87	36.065	26.38		1514.8								
			STD	00030	16.87	36.07	26.38	00.050									
			085	00030	16.87	36.076	26.38		1514.9								
			STD	00050	16.88	36.07	26.38	00.083	1515.3								
			085	00050	16.88	36.070	20.38	00 194	1515.3								
			STD STD	00075	16.30	36.04	26.50	00-124	1512.8								
			085	00100	15.80 15.80	36.010	26.59	00.102	1512.8								
			STD	00125	15.41	35.96	26.59	00.199									
			STD	00150	15.09	35.91	26.64 26.67	00.235	1511.9 1511.2								
			085	00175	14.62	35.854	26.68	00.233	1510.7								
			085	00195	14.65	35.800	26.68		1510.5								
			STO	00200	14.80	35.83	26.67	00.306	1511.1								
			OBS	00200	14.80	35.836	26.67	********	1511-1								
			OBS	00215	14.54	35.775	26.69		1510.4								
			085	00225	14.50	35-846	26.75		1510.5								
			085	00240	14.55	35.882	26.77		1511.0								
			STD	00250	13.88	35.68	26.76	00.376	1506.7								
			085	00250	13.66	35.685	26.76		1508.7								
			OBS	00260	14.05	35.800	26.81		1509.6								
			STD	00300	13.50	35.71	26.86	00.443	1508.3								
			085	00300	13.50	35-710	26.86		1508.3								
			DBS	00390	11.42	35.400	27.03		1502.4								
			STD	004 Ç0	11.25	35.43	27.08	00.561	1502.0								
			OBS	00400	11.25	35.430	27.08		1502.0								
			OBS	00420	10.00	35.295	27.09		1500.0								
			065	00430	10.60	35.345	27.13		1500.0								
			OBS	00450	10.28	35.290	27.15		1499.2								
			08.5	00460	10.25	35.305	27.17		1499.2								
			STD	00500	05.39	35.11	27.16	00.667	1456.5								
			OBS	00570	08.35	35-105	27.32		1493.0								
			085	00580	08.25	35-146	27.37		1493.6								
			STD	00600	07.90	35.17	27.44	00.755	1492.6								
			085	00600	07.90	35.176	27.44		1492.6								
			STD	00700	06.73	35.08	27.54	00.827	1489.6								
			OBS STD	00700	06.73 05.96	35.080 35.07	27.54	00.889	14 8 9.6 14 8 8.2								
			065	90800	05.96	35.072	27.64 27.64	40.447	1488.2								
			510	00900	05.68	35.11	27.70	00.943	1488.8								
			085	00900	05.68	35.110	27.70	VV. 743	1488.8								
			085	00950	04.90	35.002	27.71		1486.3								
			570	01000	94.92	35.03	27.73	00.994	1487.3								
			280	01000	04.92	35.03>	27.73		1487.3								
					• • • • • •												

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

LAT 4 13.48 ORV 11 DATE 12 DATE 12 DATE 10 DAT	REFID CONSEC	:	8371 0002 13.5N	YEAR MONT DAY	1974 H 06	SOTOP 04218 SHIP EV DATA USE 1	WET	TEMP 06.5 BULB 06.3 METR 1004.5	OLR H 31 SEA	GT PER 3 3	WIND-DIR WIND-SPO WIND-FOR		TRA	CE		OADER D OO.5	5	EN SQ I SQUARI SQUARE	
23.8 035 0000 04.07 31.07 21.77 00.000 1487.8 1800.		047	06.36				CLGL	10 T/A			WEATHER	Xl						SQUARE	3
23.6 081 00003 04.00 33.07C 25.77 1000.22 140.0 081 00010 04.00 33.0 07 25.78 00.022 140.0 081 00011 07.00 33.0 082 25.78 140.0 081 00011 07.00 33.0 082 25.78 140.0 081 00011 07.00 33.0 082 25.78 140.0 081 00011 07.0 081 00011 07.0 081 00011 07.0 081 00011 07.0 081 00011 07.0 081 00011 07.0 081 00011 07.0 081 00011 07.0 081 00011 07.0 081 00011 07.0 081 00011 07.0 081 0	CAST	NUN	/TIME	LVLTYP	DEPTH	TEMP	SAL	T-AMDIZ	DYNOPTH	SND VEL	DXY G	P04	TOT	P	NOZ	NO3	\$103	PH	
STID 00010 01.07 33.04. 25.76 00.022 140.8 140.8 00011 01.07 33.04. 25.76 140.8 14							33.07	25.77	00.000										
085 00011 04.07 33.04. 25.76 140.5 1471.7 1085 00015 07.5 25.76 140.5 1471.7 1085 00017 04.13 26.51 25.77 1471.7 1471.7 1085 00017 04.13 26.51 25.78 1471.7			23.8						00.022										
081 00013					00011	08.07	33.066	25.76	******	1480.9									
OBS																			
085 00019 04-16 32-73-2 25-92 00-04 1473-2 100-05 00-0					00017	04.70	32.857	25.79											
Cold Cold				OBS	00019	06.18	32.932	25.92		1473 .4									
085 00026 04-09 31-72 32-73 00.03 140-07 140-19 140						06.13	32.94	25.93	00.044										
STD 00030								26.33											
OBS					00030	07.55	33.74	26.37	00.043	1480.0									
0615 00038 00040 00.22 33.7540 26.478 1477.7 0815 00040 00.25 33.7540 26.479 1477.4 0815 00040 00.35 33.847 26.559 00.094 1476.6 0815 00050 04.43 33.611 26.559 00.094 1476.6 0815 00051 04.02 33.743 26.559 00.094 1476.6 0815 00051 04.02 33.743 26.559 00.094 1476.6 0815 00050 04.01 33.611 26.559 00.094 1476.6 0815 00050 04.01 33.611 26.559 00.094 1476.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.51 33.611 26.759 1483.6 0815 00050 03.50 33.611 26.759 1483.6 0815 00050 03.60 33.611 36.00 27.12 1482.6 0815 00050 03.60 33.611 36.00 27.12 1482.6 0815 00050 03.60 33.613 37.54 27.15 00.155 1486.7 0815 00050 03.60 33.613 37.54 27.25 00.157 1486.7 0815 00050 03.60 33.613 37.54 27.25 00.159 1471.1 0815 00050 03.60 33.613 37.54 27.25 00.259 1476.0 0815 00050 03.60 33.613 37.54 27.25 00.259 1476.0 0815 00050 03.60 33.617 37.74 27.72 1472.1 0815 00050 03.60 33.617 37.74 27.72 1472.1 0815 00050 03.60 33.617 37.74 27.72 1472.1 0815 00050 03.60 33.617 37.74 27.72 1472.1 0815 00050 03.60 33.617 37.74 27.72 1472.1 0815 00050 03.60 33.617 37.74 27.72 1472.1 0815 00050 03.60 33.617 37.74 27.72 1472.1 0815 00050 03.60 33.60 37.74 27.72 1472.1 0815 00050 03.60 33.60 37.74 27.72 1472.1 0815 00050 03.60 33.60 37.74 27.74 1470.5 0815 00050 03.60 33.60 37.74 27.74 1470.5 0815 00050 03.60 33.60 37.75 27.74 00.25 1470.1 0815 00050 03.60 33.60 37.75 27.74 00.25 1470.1 0815 00050 03.60 33.60 37.75 27.74 00.25 1470.1 0815 00050 03.60 33.60 37.75 27.74 00.25 1470.1 0815 00050 03.60 33.60 37.75 27.74 00.25 1470.1 0815 00050 03.60 37.75 37.75 37.75 00.25 1470.1 0815 00050 03.60 37.75 37.75 37.75 00.25 1470.1 0815 00050 03.60 37.75 37.75 37.75 00.25 1470.1 0						07.94		26.38		1461.7									
0055 000-00 00-42 33-75-3 26-57 1477-7 0055 000-00 00-40 33-75-3 26-52 16-86-6 0057 0000-00 00-41 33-81 26-59 00-094 1476-0 0051 00050 00-40 33-71-2 26-58 1476-3 005 00057 00-10 33-72-2 26-58 1476-3 005 00057 00-10 33-72-2 26-58 1476-3 005 00050 00-41 33-72-2 26-58 1476-3 005 00050 00-41 33-72-2 26-58 1476-3 005 00057 00-10 33-72-2 26-59 00-127 1462-5 005 00076 00-10 33-75-2 26-59 00-127 1462-5 005 00076 00-10 33-75-2 26-59 00-127 1462-5 005 00076 00-10 33-75-2 26-59 00-127 1462-5 005 00076 00-10 33-75-2 26-59 1462-7 005 00076 00-10 33-75-2 26-59 1462-7 005 00076 00-10 33-75-2 26-59 1462-7 005 00076 00-10 33-75-2 26-59 1462-7 005 00076 00-10 33-75-2 26-59 1462-7 005 00076 00-10 33-75-2 26-59 1462-7 005 00076 00-10 33-75-2 26-59 1462-7 005 00076 00-10 33-75-2 27-15 00-15-1 1460-7 005 00010 00-10 33-6 34-15-2 27-15 00-15-1 1460-7 005 00012 00-12-9 34-15-2 27-15 00-15-1 1460-7 005 00012 00-12-9 34-15-2 27-15 00-15-1 1460-7 005 00012 00-12-9 34-15-2 27-15 00-15-1 1460-7 005 00012 00-12-9 34-15-2 27-15 00-15-1 1460-7 005 00012 00-12-9 34-15-2 27-15-2 00-19-1 1470-7 005 00020 00-10-10-10-10-10-10-10-10-10-10-10-10-1				085	00038	08.02		26.48		1462.3									
085 00040 04.56 33.647 26.59 15.56.40 27.72 1476.0 16.56 27.72 1476.0 16.56 27.72 14.5						06.92	33.750	26.47											
STD 00050							33.703												
085 00057 04.99 33.72\(\delta 24.04\) 085 00059 03.57 04.99 33.72\(\delta 24.73\) 085 00059 03.57 03.59 33.64 24.75 14.65.8 085 00060 03.51 33.61 22.75 14.65.8 085 00074 02.99 33.75\(\delta 24.73\) 085 00079 03.00 34.00 27.13 085 00070 03.00 34.00 27.13 085 00070 03.00 34.00 27.13 STO 00125 04.63 34.00 27.12 00.177 STO 00125 04.65 34.00 27.12 00.177 STO 00125 04.65 34.33 34.34 27.25 00.199 14.71.1 085 00190 03.59 34.40 27.23 STO 00200 03.63 34.35 27.20 00.199 14.71.1 085 00209 04.00 34.450 27.23 085 00209 04.00 34.450 27.23 085 00209 04.00 34.450 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.86 34.451 27.27 085 00220 05.99 34.450 27.23 14.77.1 085 00220 05.99 34.450 27.23 14.77.1 085 00220 05.99 34.450 27.27 085 00220 05.99 34.450 27.27 085 00220 05.99 34.450 27.27 085 00220 05.99 34.450 27.27 085 00220 05.99 34.450 27.27 085 00220 05.99 34.450 27.30 14.77.7 085 00250 05.99 34.450 27.30 14.77.7 085 00250 05.99 34.450 27.30 14.77.7 085 00250 05.99 34.450 27.30 14.77.7 085 00250 05.99 34.450 27.30 14.77.7 085 00250 05.99 34.450 27.47 14.77.7 085 00250 05.99 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.90 34.450 27.47 14.77.7 085 00250 05.00 05				STD	00050	06.41	33.81		00.094										
OBS 00050 02.59 02.59 33.4-64 26.73 14-65.8 OBS 00050 03.10 33.75 12 26.77 OBS 00050 03.10 33.75 12 26.77 OBS 00070 02.00 33.75 26.6-00 OBS 00070 02.00 34.030 27.13 OBS 00071 02.00 34.030 27.13 OBS 00071 02.00 34.030 27.13 OBS 00071 02.00 34.030 27.13 OBS 00071 02.00 34.030 27.13 OBS 00071 02.00 34.030 27.13 OBS 00071 02.00 34.030 27.13 OBS 00071 02.00 34.030 27.13 OBS 00071 02.00 34.030 27.13 OBS 00071 02.00 34.030 27.13 OBS 00072 04.21 34.24 27.23 OBS 00160 03.23 34.35 OBS 00160 03.25 OBS 0016						06.02	33-743												
OBS 00050 03-51 33-61 20-75 20-88 00-127 10-82-8								26.73											
OBS 00074				085	00060	03.51	33.610	24.75		1463.9									
085 00076 02.99 35.750 26.91 1462.7 085 00077 03.08 34.030 27.12 1462.7 085 00091 03.40 34.030 27.12 1462.7 085 00091 03.40 34.030 27.12 1466.7 STD 00100 03.40 34.15 27.15 00.151 1466.7 STD 00100 04.65 34.13 27.20 00.199 1476.0 085 00194 07.59 34.49 27.23 1476.1 OSS 0020 03.43 34.54 27.25 00.243 1476.7 OSS 0020 03.43 34.54 27.25 00.243 1476.7 OSS 0020 05.72 34.53 27.23 1476.7 OSS 0020 04.04 34.617 27.27 1476.1 OSS 0020 04.04 34.617 27.27 1476.1 OSS 0020 04.04 34.617 27.27 1476.1 OSS 0020 04.03 34.04 27.22 1476.7 OSS 0020 04.03 34.62 27.23 1476.7 OSS 00224 04.35 34.750 27.33 1479.7 OSS 00219 04.03 34.68 27.32 1476.7 OSS 00219 04.03 34.69 27.32 1476.7 OSS 00210 05.60 34.75 17.8 34.69 27.32 1476.7 OSS 00210 05.60 34.75 17.7 34.7 30 27.4 44.7 34.7 34.7 34.7 34.7 34.7 34.7 3								26.89	00.127	1462.8									
OBS ODO19 O3.08 34.030 27.13 1405.9						02.99	33.750												
\$70 00100 03-8+ 34-15 27-15 00.154 1-66-7 \$70 00125 04-21 34-24 21.18 00.177 1-468-8 \$70 00150 04-25 34-32 27-20 00.199 1471.1 \$70 00150 04-25 34-32 27-20 00.199 1471.1 \$70 00150 00190 07-59 34-40 27-22 00.243 1476-7 \$70 00150 00190 07-57 34-40 27-22 00.243 1476-7 \$70 00150 00200 07-57 34-40 27-20 00.243 1476-7 \$70 0015 00200 07-57 34-40 27-22 1476-7 \$70 0015 00200 04-09 34-450 27-27 1476-1 \$70 0015 00200 04-09 34-450 27-27 1476-1 \$70 0015 00200 04-09 34-450 27-32 1477-7 \$70 0015 00220 04-37 34-750 27-33 1477-9 \$70 0015 00220 04-37 34-750 27-32 1476-7 \$70 0015 00220 05-99 34-40 27-32 1476-7 \$70 0015 00220 05-99 34-40 27-32 1476-7 \$70 0015 00270 05-28 34-830 27-40 1400-4 \$70 0015 00270 06-28 34-830 27-40 1400-4 \$70 0015 00270 06-28 34-830 27-40 1400-4 \$70 0015 00270 05-83 34-750 27-43 00.321 1477-9 \$70 0015 00270 06-28 34-830 27-40 1400-4 \$70 0015 00270 06-28 34-830 27-40 1400-4 \$70 0015 00270 05-83 34-750 27-40 1400-5 \$70 001						03.08		27.13											
\$70 00125 04-21 34-24 27.18 00.177 1488.8 \$70 00150 004-65 34-33 27.20 00.199 1471.1 085 00146 05-59 34-496 27.23 1476.0 085 00200 05-43 34-496 27.23 1476.0 085 00200 05-43 34-496 27.23 1476.0 085 00200 05-47 23 34-496 27.22 1476.1 085 00202 05-40 34-496 27.23 1476.1 085 00222 05-86 34-650 27.21 1476.4 085 00222 05-86 34-650 27.30 1477.7 085 00229 04-37 34-750 27.33 1479.9 085 00229 04-37 34-750 27.32 1460.2 085 00229 04-37 34-750 27.32 1460.2 085 00229 04-37 34-760 27.32 1476.4 085 00219 04-37 34-68 27.32 00.284 1477.7 085 00250 05-99 34-68 27.32 00.284 1477.7 085 00270 05-78 34-68 27.32 1476.4 085 00270 05-83 34-750 27.30 1476.4 085 00270 05-83 34-750 27.30 1476.5 085 00210 05-79 34-68 27.32 1476.5 085 00210 05-79 34-68 27.32 1476.5 085 00210 05-60 34-750 27.30 1476.5 085 00300 05-61 34-750 27.30 1476.1 085 00300 05-60 34-750 2					00081				00.184										
\$10 00150 00150 00.65 34.33 27.20 00.199 1471.1 \$10 00200 03.63 34.340 27.23 1476.0 \$10 00200 03.63 34.540 27.25 00.243 1476.7 \$10 005 00200 03.63 34.540 27.25 1476.7 \$10 005 00200 00.00 00.00 34.630 27.26 1476.7 \$10 005 00220 00.00 00.00 00.00 1476.0 \$10 005 00220 00.00 00.00 00.00 1477.7 \$10 005 00220 00.00 00.00 1477.00 27.33 1477.7 \$10 005 00220 00.37 34.630 27.32 1477.7 \$10 005 00220 00.37 34.640 27.32 1470.7 \$10 005 00225 00.599 34.640 27.32 1470.7 \$10 005 00225 00.599 34.640 27.32 1470.7 \$10 005 00225 00.778 34.640 27.32 1470.7 \$10 005 00225 00.78 34.640 27.32 1470.7 \$10 005 00225 00.78 34.640 27.32 1470.7 \$10 005 00270 06.28 34.830 27.40 1480.4 \$10 005 00270 06.28 34.830 27.40 1480.4 \$10 005 00270 06.28 34.830 27.40 1480.4 \$10 005 00270 06.28 34.830 27.40 1480.4 \$10 005 00270 06.28 34.830 27.40 1480.4 \$10 005 00270 06.28 34.830 27.40 1480.4 \$10 005 00270 06.28 34.830 27.40 1480.4 \$10 005 00270 06.28 34.830 27.40 1480.4 \$10 005 00270 00.00 00.00 00.00 14.750 27.40 1480.4 \$10 005 00210 00.00 00.00 14.750 27.40 1470.5 \$10 005 00221 04.15 34.400 27.40 1470.7 \$10 005 00221 04.15 34.400 27.40 1470.7 \$10 005 00221 04.15 34.400 27.40 1470.7 \$10 005 00221 04.15 34.400 27.40 1470.7 \$10 005 00221 04.15 34.400 27.40 1470.7 \$10 005 00221 04.15 34.400 27.40 1470.7 \$10 005 00236 00.31 14.40 27.40 1470.7 \$10 005 00240 00.31 14.40 14.4				STD	00125	04.21		27.16	00.177										
STO 00200 03.6.3 34.54 27.25 00.243 1476.3 085 00205 06.04 34.560 27.26 1476.7 085 00205 06.04 34.617 27.27 1478.1 085 00205 06.04 34.630 27.27 1478.1 085 00202 06.04 34.630 27.27 1478.4 085 00224 06.33 34.750 27.33 1477.9 085 00224 06.03 34.60 27.32 1400.2 085 00249 06.03 34.60 27.32 1478.7 085 00255 05.78 34.60 27.32 00.284 1478.7 085 00250 06.28 34.830 27.40 1480.4 085 00276 06.28 34.830 27.40 1480.4 085 00276 06.28 34.830 27.40 1480.5 085 00280 05.80 34.750 27.40 1480.5 085 00280 05.80 34.750 27.40 1480.5 085 00280 05.80 34.750 27.40 1480.5 085 00280 05.90 34.850 27.47 1480.5 085 00280 05.90 34.750 27.40 1480.5 085 00280 05.90 34.750 27.40 1480.5 085 00320 05.40 34.750 27.40 1480.5 085 00320 05.40 34.750 27.40 1480.5 085 00320 05.40 34.750 27.40 1480.5 085 00320 05.40 34.750 27.40 1480.5 085 00320 05.90 34.850 27.47 085 00320 05.90 34.850 27.47 085 00321 04.15 34.810 27.47 085 00321 04.15 34.410 27.49 1472.3 085 00320 05.40 34.750 27.47 085 00320 05.40 34.490 27.49 1472.4 085 00320 05.40 34.490 27.49 1472.4 085 00320 05.40 34.490 27.49 1472.4 085 00320 05.40 34.490 27.49 1472.4 085 00320 05.40 34.490 27.49 1472.4 085 00320 05.40 34.490 27.49 1472.4 085 00320 05.40 34.490 27.49 1472.4 085 00320 05.40 34.490 27.49 1472.4 085 00320 05.90 34.40 27.49 1472.4 085 00420 05.40 34.490 27.49 1472.4 085 00420 05.40 34.39 34.490 27.49 1472.4 085 00420 05.90 34.490 27.49 1472.4 085 00420 05.90 34.490 27.49 1472.4 085 00420 05.90 34.490 27.49 1472.4 085 00420 05.90 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00420 05.40 34.490 27.49 1472.7 085 00							34.33	27.20	00.199	1471 - 1									
OBS 00201 05.72 34.560 27.26 1478.1 OBS 00209 04.04 34.617 27.27 1478.1 OBS 00209 04.06 34.630 27.27 1478.1 OBS 00220 05.86 34.631 27.27 1478.4 OBS 00222 05.86 34.631 27.37 1478.4 OBS 00222 05.86 34.631 27.33 1479.9 OBS 00224 06.33 34.750 27.33 1479.9 OBS 00225 06.33 34.750 27.33 1479.9 OBS 00227 06.03 34.680 27.32 1480.2 OBS 00227 06.28 34.680 27.32 1480.5 OBS 002270 06.28 34.680 27.40 1480.5 OBS 00226 05.83 34.750 27.40 1480.5 OBS 00226 05.83 34.750 27.40 1480.5 OBS 00226 05.83 34.750 27.40 1480.5 OBS 00300 05.61 34.750 27.43 00.321 1478.1 OBS 00300 05.61 34.750 27.43 00.321 1478.1 OBS 00300 05.60 34.750 27.43 1479.5 OBS 00321 04.15 34.610 27.46 1472.3 OBS 00321 04.15 34.410 27.46 1472.3 OBS 00326 05.10 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.47 1479.5 OBS 00326 07.13 34.980 27.48 1472.3 OBS 00400 07.26 34.930 27.48 1472.3 OBS 00400 07.26 34.930 27.48 1472.3 OBS 00400 07.26 34.930 27.48 1472.3 OBS 00400 07.28 34.900 27.48 1472.3 OBS 00400 07.48 34.490 27.48 1472						05.43	34.54	27.23	00.243										
085 00229 06.09 34.450 27.27 1478.4 085 00224 04.37 34.750 27.33 1477.7 085 00224 04.37 34.750 27.32 1470.2 085 00229 04.03 34.462 27.32 1478.7 085 00239 04.03 34.462 27.32 1478.7 085 00255 05.99 34.46 27.32 1477.9 085 00255 05.76 34.460 27.32 1477.9 085 00276 06.28 34.630 27.40 1480.4 085 00276 06.28 34.630 27.40 1480.5 085 00270 05.03 34.752 27.40 1470.8 37D 00300 05.41 34.75 27.43 90.31 1478.1 085 00300 05.40 34.755 27.43 90.31 1478.1 085 00300 05.40 34.750 27.47 1479.5 085 00301 05.40 34.750 27.47 1479.5 085 00302 05.40 34.50 27.47 1479.5 085 00302 05.40 34.50 27.47 1479.5 085 00304 05.30 34.650 27.49 1487.7 085 00304 05.30 34.650 27.49 1487.7 085 00304 05.30 34.60 27.49 1487.7 085 00304 05.30 34.60 27.49 1487.7 085 00304 05.30 34.60 27.49 1487.7 085 00304 07.30 34.60 27.49 1487.7 085 00304 07.30 34.60 27.49 1487.7 085 00308 05.30 34.30 27.40 1488.2 085 00308 05.30 34.30 27.40 1488.2 085 00308 05.30 34.60 27.49 1487.2 085 00308 05.30 34.60 27.49 1487.2 085 00308 07.30 34.60 27.49 1487.2 085 00308 07.30 34.60 27.40 1488.2 085 00405 07.20 34.60 27.40 1488.2 085 00405 07.20 34.60 27.40 1488.2 085 00405 07.20 34.60 27.40 1488.2 085 00405 07.20 34.60 27.40 1488.2 085 00405 07.20 34.60 27.40 1487.0 085 00405 07.20 34.60 27.40 1488.2 085 00405 07.30 34.60 27.40 1488.2 085 00405 07.30 34.67 27.60 00.442 1488.2 085 00405 07.30 34.67 27.60 00.442 1488.2 085 00405 07.30 34.67 27.60 00.442 1489.9 085 00405 07.30 34.67 27.60 00.442 1489.9 085 00405 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.67 27.60 00.442 1489.9 085 00406 07.30 34.60 27.60 1489.9 085 00406 07.30 34.60 27.60 1489.9 085 00406 07.30 34.60 27.60 1489.9 085 00406 07.30 34.60 27.60 1489.9 085 00406 07.30 34.60 27.60 1489				085	00201	05.72	34.560	27.26	*****	1476-7									
085 00222 08.86 34.63 27.30 1477.7 085 00239 04.37 34.760 27.32 1490.2 085 00239 04.37 34.760 27.32 1490.2 085 00239 04.37 34.640 27.32 1490.2 085 00250 05.99 34.68 27.32 1478.9 085 00270 06.28 34.830 27.30 1477.9 085 00270 06.28 34.830 27.40 1480.4 085 00276 06.28 34.830 27.40 1480.5 085 00276 06.28 34.830 27.40 1480.5 085 00276 06.28 34.830 27.40 1480.5 085 00276 06.28 34.830 27.40 1480.5 085 00276 06.28 34.830 27.40 1480.5 085 00276 06.28 34.830 27.40 1480.5 085 00280 05.43 34.750 27.43 90.321 1478.1 085 00300 05.40 34.750 27.43 90.321 1478.1 085 00300 05.40 34.750 27.43 90.321 1478.1 085 00301 05.40 34.750 27.43 90.321 1478.2 085 00302 04.15 34.410 27.44 1477.7 085 00320 04.15 34.410 27.44 1477.7 085 00320 04.15 34.40 27.49 1447.7 085 00350 04.13 34.490 27.49 1447.7 085 00350 04.13 34.490 27.49 1447.7 085 00350 05.11 34.400 27.49 1447.7 085 00350 05.11 34.400 27.49 1447.7 085 00450 02.26 34.500 27.55 1464.4 085 00450 02.26 34.500 27.55 1664.4 085 00450 02.26 34.500 27.55 1664.4 085 00450 02.26 34.500 27.55 1664.4 085 00450 02.26 34.500 27.55 1664.4 085 00450 02.26 34.500 27.55 1664.4 085 00450 02.26 34.500 27.50 1448.5 085 00450 02.26 34.500 27.50 1448.5 085 00450 02.26 34.500 27.50 1448.5 085 00450 02.26 34.500 27.50 1448.5 085 00450 02.26 34.500 27.50 1448.5 085 00450 02.26 34.500 27.50 1448.5 085 00450 02.53 34.673 27.60 1448.5 085 00450 02.53 34.673 27.60 1448.5 085 00450 02.53 34.673 27.60 1448.5 085 00450 02.53 34.673 27.60 1472.6 085 00450 02.53 34.673 27.60 1472.6 085 00450 02.53 34.673 27.60 1472.6 085 00450 02.53 34.673 27.60 1472.6 085 00450 02.60 34.60 27.60 1472.7 085 00450 02.53 34.673 27.60 1472.6 085 00450 02.60 34.50 27.60 1472.7 085 00450 02.53 34.673 27.60 1472.6 085 00450 02.60 34.60 27.60 1472.7 085 00450 02.50 34.67 27.60 1472.7 085 00450 02.50 34.67 27.60 1472.7 085 00450 02.50 34.67 27.60 1472.7 085 00450 02.60 34.60 27.60 34.60 27.60 1472.7 085 00450 02.60 34.60 27.60 34.60 27.60 1472.7 085 00450 02.60 34.60 27.60 34.60 27.60 1472.7 085 00450 02.60 34.60 27.60 34.60 27.60 1472.7 085						06-04		27.27											
085 00229 04.37 34.760 27.33 1479.9 085 00249 04.03 34.680 27.32 1476.9 STD 00250 05.99 34.68 27.32 00.284 1476.7 085 00250 05.78 34.680 27.32 1477.9 085 00250 05.78 34.680 27.32 1477.9 085 00250 05.78 34.680 27.32 1477.9 085 00270 06.28 34.830 27.40 1480.4 085 00265 05.83 34.750 27.40 1480.4 085 00265 05.83 34.750 27.40 1480.4 085 00300 05.60 34.750 27.43 00.321 1478.1 085 00300 05.60 34.750 27.43 00.321 1478.1 085 00300 05.60 34.750 27.43 00.321 1478.1 085 00300 05.60 34.750 27.43 00.321 1478.1 085 00300 05.60 34.750 27.43 1478.3 085 00302 05.95 34.830 27.47 1478.3 085 00302 05.95 34.830 27.47 1478.3 085 00302 05.95 34.830 27.47 1478.3 085 00302 05.95 34.830 27.49 1472.3 085 00302 05.95 34.830 27.49 1472.4 085 00303 05.95 34.830 27.49 1472.4 085 00300 05.95 34.830 27.49 1472.4 085 00300 05.95 34.830 27.49 1472.4 085 00300 05.95 34.830 27.49 1472.4 085 00300 05.95 34.830 27.49 1472.4 085 00300 05.95 34.830 27.49 1472.4 085 00300 05.95 34.830 27.49 1472.4 085 00300 05.95 34.830 27.49 1472.4 085 00300 05.95 34.830 27.49 1472.4 085 00300 05.95 34.830 27.49 1472.4 085 00400 02.40 34.90 27.40 1444.5 085 00400 02.40 34.90 27.40 1444.5 085 00400 02.40 34.90 27.40 1444.5 085 00400 02.40 34.90 27.40 1444.5 085 00400 02.40 34.90 27.40 1444.5 085 00400 02.40 34.90 27.40 1444.5 085 00400 02.40 34.90 27.40 1444.5 085 00400 02.40 34.87 27.40 00.442 1472.6 085 00400 02.40 34.87 34.70 27.40 1472.6 085 00400 02.40 34.87 34.70 27.40 1472.6 085 00400 02.40 34.87 34.70 27.40 1472.6 085 00400 02.40 34.87 34.70 27.40 1472.6 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.73 1478.2 085 00400 02.40 34.80 27.74					00222	05.86													
085 00249 04.03 34.685 27.32 1478.9 STD 00250 05.99 34.68 27.32 00.284 1478.7 085 00270 06.28 34.830 27.40 1480.4 085 00276 06.28 34.830 27.40 1480.5 085 00285 05.83 34.755 27.40 1478.8 STD 00300 05.61 34.75 27.43 00.321 1478.1 085 00300 05.61 34.75 27.43 00.321 1478.1 085 00300 05.60 34.750 27.43 1478.5 085 00300 05.60 34.750 27.43 1478.5 085 00301 05.90 34.850 27.47 1478.5 085 00321 04.15 34.610 27.48 1472.3 085 00322 03.08 34.490 27.49 1447.7 085 00336 04.31 34.490 27.49 1447.7 085 00336 02.31 34.490 27.49 1448.2 085 00336 02.25 34.503 27.55 0.346.4 STD 00400 02.64 34.50 27.54 00.386 1447.0 085 00400 02.65 34.50 27.54 00.386 1447.0 085 00430 03.31 34.490 27.54 00.386 1447.0 085 00400 02.65 34.50 27.54 00.386 1447.0 085 00400 02.65 34.50 27.54 00.386 1447.0 085 00430 03.31 34.400 27.54 1448.5 085 00430 03.53 34.67 27.60 1448.5 085 00430 03.53 34.60 27.55 14.61 1449.9 085 00450 00400 03.33 34.67 27.60 1448.5 085 00450 00400 03.33 34.67 27.60 1448.5 085 00550 00400 03.33 34.67 27.60 1448.5 085 00550 00400 04.37 34.80 27.64 1477.6 085 00550 00400 04.37 34.80 27.64 1477.6 085 00550 00400 04.37 34.80 27.64 1477.6 085 00550 00400 04.37 34.80 27.64 1477.6 085 00550 00400 04.37 34.80 27.64 1477.6 085 00550 00400 04.37 34.80 27.64 1477.6 085 00550 00400 04.37 34.80 27.64 1477.6 085 00550 00400 04.37 34.80 27.64 1477.6 085 00550 00400 04.37 34.80 27.63 1477.6 085 00550 00400 04.37 34.80 27.64 1477.6 085 00550 00400 04.37 34.80 27.63 1477.6 085 00500 00400 04.37 34.80 27.63 1477.6 085 00500 00400 04.37 34.80 27.63 1477.6 085 00500 00400 04.37 34.80 27.65 1488.3 085 00500 00400 04.37 34.80 27.65 1488.3 085 00500 00400 04.37 34.80 27.65 1488.3 085 00500 00400 04.37 34.80 27.73 00.651 1483.3 085 00500 00400 04.37 34.80 27.73 00.651 1483.3 085 00500 00400 04.37 34.80 27.73 00.651 1483.3 085 00500 00400 04.39 34.90 27.73 00.651 1483.3 085 00500 00400 04.39 34.90 27.73 00.651 1483.3 085 00500 00400 04.39 34.90 27.74 1483.9						04.35	34.750	27.33		1479.9									
085 00255 05.78 34.68 27.32 00.284 1470.7 085 00275 06.28 34.830 27.40 1480.4 085 00276 06.28 34.830 27.40 1480.5 085 00285 05.83 34.750 27.40 1480.5 085 00300 05.61 34.75 27.43 00.321 1478.1 085 00300 05.60 34.750 27.43 1478.1 085 00300 05.60 34.750 27.43 1478.1 085 00300 05.90 34.850 27.47 1478.1 085 00310 04.15 34.410 27.48 1472.3 085 00329 03.08 34.490 27.49 1467.7 085 00330 04.13 34.490 27.49 1467.7 085 00350 04.13 34.490 27.49 1467.7 085 00350 03.11 34.490 27.49 1467.7 085 00350 03.11 34.490 27.49 1467.2 085 00350 03.13 34.490 27.49 1467.2 085 00350 03.13 34.490 27.49 1467.2 085 00350 03.13 34.490 27.49 1467.2 085 00350 03.13 34.490 27.49 1467.2 085 00350 03.13 34.490 27.40 1468.2 085 00350 03.15 34.60 27.55 1468.2 085 00350 03.15 34.490 27.49 1467.0 085 00405 02.68 34.500 27.50 1468.2 085 00405 03.26 34.500 27.50 1468.2 085 00405 03.26 34.500 27.50 1467.0 085 00405 03.26 34.500 27.50 1467.0 085 00405 03.15 34.400 27.40 1467.0 085 00405 03.15 34.40 27.41 1467.0 085 00405 03.15 34.60 27.60 1467.0 085 00405 03.15 34.60 27.60 1467.0 085 00405 03.33 34.60 27.60 1473.3 085 00406 03.33 34.67 27.60 00.442 1473.3 085 00504 03.95 34.770 27.60 1473.3 085 00504 04.37 34.850 27.73 04.690 1473.3 085 00504 04.39 34.400 27.73 04.690 1473.3 086 00504 04.39 34.400 27.73 04.690 1473.3 086 00505 04.4								27.32		1480 - 2									
085 00276 06.28 34.830 27.40 1460.4 085 00276 06.28 34.830 27.40 1460.5 085 00285 05.83 34.750 27.40 1478.8 SYD 00300 05.40 34.75 27.43 00.321 1478.1 085 00300 05.40 34.750 27.43 1478.1 085 00300 05.40 34.750 27.43 1478.1 085 00302 05.00 34.850 27.44 1478.1 085 00322 03.03 34.490 27.49 1467.7 085 00322 03.03 34.490 27.49 1467.7 085 00336 03.11 34.400 27.49 1467.7 085 00350 03.11 34.400 27.49 1467.7 085 00350 03.11 34.400 27.55 1467.2 085 00350 03.11 34.400 27.55 1467.2 085 00405 02.28 34.500 27.55 1467.2 085 00405 02.28 34.500 27.55 1467.2 085 00405 02.28 34.500 27.54 1467.2 085 00405 02.28 34.500 27.54 1467.2 085 00405 02.28 34.500 27.50 1467.2 085 00405 02.28 34.500 27.50 1467.2 085 00406 03.33 34.650 27.60 1464.5 085 00430 03.13 34.400 27.60 1464.5 085 00430 03.33 34.650 27.60 1467.2 085 00430 03.33 34.650 27.60 1467.2 085 00450 03.32 34.673 27.60 00.442 1472.6 085 00450 03.32 34.673 27.60 00.442 1472.7 085 00500 03.30 34.673 27.60 1473.3 085 00500 03.30 34.673 27.60 1473.3 085 00500 03.30 34.673 27.60 1472.7 085 00500 04.31 34.83 27.40 00.492 1472.7 085 00500 04.31 34.83 27.40 00.492 1472.7 085 00500 04.37 34.83 27.40 00.492 1472.7 085 00500 04.37 34.83 27.40 00.492 1472.7 085 00500 04.37 34.83 27.40 00.492 1477.5 085 00500 04.37 34.83 27.40 00.492 1477.7 085 00500 04.37 34.83 27.40 00.492 1477.7 085 00500 04.37 34.83 27.40 00.493 1479.7 085 00700 04.37 34.83 27.40 00.491 1479.7 085 00700 04.37 34.83 27.40 00.491 1479.7 085 00700 04.37 34.83 27.40 00.491 1479.7 085 00700 04.37 34.83 27.40 00.491 1479.7 085 00700 04.37 34.83 27.40 00.491 1479.7 085 00700 04.37 34.83 27.40 00.491 1479.7 085 00700 04.37 34.83 27.40 00.491 1479.7 085 00700 04.37 34.83 27.40 00.491 1480.8 085 00700 04.21 34.85 27.60 00.401 1480.8 085 00700 04.21 34.85 27.60 00.401 1480.8 085 00700 04.21 34.83 27.40 00.491 1480.8 085 00700 04.21 34.83 27.70 00.401 1480.8 085 00700 04.21 34.83 27.70 00.401 1480.8					00250	05.99	34.68		00.284										
085 00276 06.28 34.830 27.40 1480.5 085 00285 05.83 34.750 27.43 90.321 1478.1 085 00300 05.61 34.75 27.43 1478.1 085 00300 05.60 34.750 27.43 1478.1 085 00308 05.90 34.850 27.47 1479.5 085 00321 04.15 34.410 27.49 1467.7 085 00322 03.08 34.490 27.49 1467.7 085 00326 03.11 34.490 27.49 1467.7 085 00356 03.11 34.490 27.49 1467.0 085 00356 03.11 34.490 27.49 1467.0 085 00356 02.13 34.300 27.54 00.386 1447.0 085 00356 02.25 34.30 27.55 1446.4 3570 00400 02.48 34.30 27.54 1447.2 085 00405 02.28 34.300 27.54 1447.2 085 00434 03.15 34.400 27.61 1449.9 085 00439 03.78 34.72 27.61 1473.0 085 00439 03.33 34.650 27.60 1471.1 5570 00500 03.30 34.67 27.60 00.442 1472.6 085 00500 03.52 34.70 27.60 1471.1 5570 0050 03.53 34.70 27.60 1471.1 5570 0050 03.53 34.70 27.60 1471.1 5570 0050 03.53 34.70 27.60 1471.1 5570 0050 03.52 34.873 27.60 00.442 1472.6 085 0050 0050 03.52 34.873 27.60 00.442 1472.6 085 0050 0050 03.52 34.873 27.60 00.442 1472.6 085 0050 0050 03.52 34.873 27.60 00.442 1472.6 085 0050 0050 03.52 34.873 27.60 00.442 1472.6 085 0050 0050 03.75 34.873 27.60 00.442 1472.6 085 0050 0050 03.75 34.873 27.60 00.442 1472.6 085 0050 0040 04.31 34.83 27.64 00.495 1477.6 085 0050 0050 04.37 34.83 27.64 00.495 1477.6 085 0050 0040 04.37 34.83 27.64 00.495 1477.6 085 0050 04.37 34.83 27.64 00.495 1477.6 085 0050 04.37 34.83 27.64 00.495 1477.6 085 0050 04.37 34.83 27.63 1488.7 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.65 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.85 27.66 00.651 1480.8 085 0050 04.21 34.49 27.77 1483.9							34.640	27.32											
085 00285 05.83 34.75 27.40 1478.8 STD 00300 05.61 34.75 27.43 00.321 1478.1 085 00300 05.60 34.750 27.43 1479.5 085 00306 05.90 34.890 27.47 1479.5 085 00321 04.15 34.410 27.48 1472.3 085 00322 03.08 34.490 27.49 1472.4 085 00336 04.13 34.490 27.49 1472.4 085 00336 04.13 34.490 27.49 1472.4 085 00350 03.11 34.490 27.49 1472.4 085 00350 03.11 34.490 27.49 1486.4 STD 00400 02.44 34.50 27.54 00.386 1447.0 085 00405 02.26 34.50 27.54 00.386 1447.0 085 00405 02.26 34.50 27.54 1486.2 085 00405 02.26 34.50 27.40 1488.3 085 00406 03.33 34.650 27.40 1488.3 085 00406 03.33 34.650 27.40 1472.0 085 00406 03.33 34.650 27.40 1472.0 085 00406 03.33 34.650 27.40 1472.0 085 00406 03.33 34.650 27.40 1472.0 085 00406 03.33 34.650 27.40 1472.0 085 00406 03.33 34.650 27.40 1472.0 085 00406 03.33 34.650 27.40 1472.7 085 00500 02.20 34.47 27.40 00.442 1472.6 085 00500 03.29 34.70 27.40 1472.7 085 00500 03.98 34.70 27.40 1472.7 085 00500 03.98 34.70 27.40 1472.7 085 00500 03.98 34.70 27.40 1472.7 085 00500 03.33 34.650 27.40 1470.7 085 00500 03.33 34.650 27.40 1470.7 085 00500 03.33 34.650 27.40 1470.7 085 00500 03.33 34.650 27.40 1470.7 085 00500 04.37 34.83 27.40 00.495 1477.8 085 00501 04.48 34.80 27.63 1470.7 085 00500 04.37 34.83 27.40 00.495 1477.8 085 00500 04.37 34.83 27.40 00.495 1477.8 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.21 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.40 00.401 1470.7 085 00500 04.37 34.85 27.73 1470.70 1470.7				Des	00276	06.28	34.830	27.40											
OBS 00300 05.40 34.750 27.47 1470.5 OBS 00306 05.90 34.850 27.47 1470.5 OBS 00321 04.15 34.610 27.48 1472.3 OBS 00322 03.08 34.490 27.49 1447.7 OBS 00336 04.13 34.620 27.49 1472.4 OBS 00336 04.13 34.620 27.49 1472.4 OBS 00336 04.13 34.490 27.49 1472.4 OBS 00336 04.13 34.490 27.49 1472.4 OBS 00336 02.55 34.503 27.55 1466.4 SYD 00400 02.66 34.500 27.50 00.386 1447.2 OBS 00405 02.68 34.500 27.50 1448.5 OBS 00432 03.15 34.600 27.60 1448.5 OBS 00434 03.15 34.600 27.61 1448.5 OBS 00434 03.15 34.650 27.61 1448.5 OBS 00430 03.78 34.720 27.61 1473.0 OBS 00440 03.33 34.650 27.60 1471.1 SYD 00500 02.50 34.67 27.60 00.442 1472.6 OBS 00502 03.52 34.673 27.60 1472.7 OBS 00502 03.52 34.673 27.60 1472.7 OBS 00504 03.99 34.780 27.63 1475.2 OBS 00504 03.99 34.780 27.63 1475.7 OBS 00504 03.97 34.830 27.63 1479.7 OBS 00500 04.21 34.83 27.64 00.495 1477.8 OBS 00500 04.21 34.83 27.64 00.495 1477.7 OBS 00500 04.21 34.83 27.64 00.995 1477.8 OBS 00500 04.21 34.850 27.65 1479.7 OBS 00500 04.21 34.850 27.65 1479.7 OBS 00500 04.21 34.850 27.65 1479.7 OBS 00600 04.21 34.850 27.65 1479.7 OBS 00600 04.21 34.850 27.65 1481.0 OBS 00600 04.21 34.850 27.75 1481.0						05.03	34.75>	27.40		1478.8									
OBS 00308 03.90 34.850 27.48 1472.3 OBS 00321 04.15 34.610 27.48 1472.3 OBS 00336 04.15 34.610 27.49 1467.7 OBS 00336 04.13 34.820 27.49 1472.4 OBS 00336 03.11 34.490 27.49 1482.4 OBS 00336 03.11 34.490 27.49 1482.4 OBS 00366 02.55 34.503 27.55 1466.4 SYD 00400 02.64 34.503 27.55 1466.4 SYD 00400 02.64 34.500 27.54 00.386 1467.0 OBS 00405 02.68 34.500 27.54 1467.2 OBS 00439 03.78 34.700 27.61 1469.9 OBS 00439 03.78 34.720 27.61 1499.9 OBS 00430 03.33 34.650 27.60 00.442 1472.6 OBS 00500 03.33 34.650 27.60 00.442 1472.6 OBS 00566 03.95 34.767 27.63 1475.3 OBS 00566 03.95 34.767 27.63 1475.3 OBS 00504 03.99 34.770 27.63 1475.3 OBS 00504 03.99 34.767 27.63 1475.3 OBS 00504 03.99 34.780 27.60 1472.7 OBS 00504 03.99 34.780 27.60 1472.7 OBS 00504 04.31 34.83 27.64 00.495 1477.8 OBS 00504 04.37 34.850 27.65 1479.4 OBS 00504 04.37 34.850 27.65 1481.0 OBS 00700 04.37 34.850 27.65 1481.0 OBS 00700 04.21 34.85 27.66 00.601 1400.8 OBS 00900 04.21 34.85 27.66 00.601 1400.8 OBS 00900 04.29 34.90 27.73 1483.3 OBS 00900 04.29 34.90 27.73 1483.3 OBS 00900 04.29 34.90 27.73 1483.7 STD 00000 04.29 34.90 27.73 1483.7 STD 00000 04.29 34.90 27.73 1483.7						05-61	34.75	27.43 27.43	90.321										
085 00326 03.08 34.490 27.49 1467.7 085 00336 03.11 34.490 27.49 1406.4 085 00336 02.55 34.503 27.55 1406.4 STD 00400 02.66 34.50 27.54 00.386 1467.0 085 00428 02.85 34.500 27.56 00.386 1467.0 085 00428 02.85 34.600 27.60 1466.5 085 00434 03.15 34.600 27.61 1469.9 085 00433 03.78 34.720 27.61 1473.0 085 00403 03.33 34.650 27.60 00.442 1472.6 STD 00500 03.33 34.650 27.60 00.442 1472.6 085 00500 03.52 34.673 27.60 00.442 1472.6 085 00500 03.95 34.770 27.63 1475.3 085 00500 03.95 34.767 27.63 1475.3 085 00500 03.95 34.770 27.63 1475.3 085 00500 03.95 34.78 27.60 00.442 1472.6 085 00500 03.95 34.780 27.60 1472.7 085 00500 03.95 34.780 27.63 1475.2 085 00500 04.00 04.31 34.83 27.64 00.495 1476.6 STD 00000 04.31 34.83 27.64 00.495 1477.6 085 00511 04.46 34.850 27.63 1476.7 085 00511 04.46 34.850 27.63 1476.7 085 00700 04.37 34.850 27.63 1479.7 085 00700 04.37 34.850 27.65 1479.7 085 00700 04.37 34.850 27.65 1479.7 085 00700 04.37 34.850 27.65 1479.7 085 00700 04.37 34.850 27.65 1479.7 085 00700 04.37 34.850 27.65 1479.7 085 00700 04.37 34.850 27.65 1479.7 085 00700 04.37 34.850 27.65 1479.7 085 00700 04.37 34.850 27.65 1483.3 085 00900 04.21 34.85 27.66 00.601 1480.8 085 00900 04.39 34.96 27.73 00.651 1483.3 085 00900 04.29 34.60 27.73 1483.7 STD 00000 04.29 34.60 27.73 1483.7 STD 00000 04.29 34.60 27.73 1483.7				085	00306	05.90	34.850	27.47		1479.5									
085 00350 03.11 34.490 27.49 1472.4 085 00350 03.11 34.490 27.59 1466.4 \$TO 00400 02.64 34.500 27.54 00.386 147.0 085 00405 02.68 34.500 27.54 1466.5 085 00405 02.26 34.500 27.54 1466.5 085 00434 03.15 34.600 27.60 1468.5 085 00434 03.15 34.600 27.61 1499.9 085 00430 03.78 34.720 27.61 1499.9 085 00450 03.33 34.650 27.60 1471.1 \$TO 00500 02.30 34.67 27.60 00.442 1472.6 085 00502 03.52 34.673 27.60 1472.7 085 00504 03.95 34.767 27.63 1472.7 085 00504 03.95 34.767 27.63 1475.3 085 00504 03.95 34.780 27.63 1475.5 085 00504 03.99 34.780 27.63 1475.5 085 00500 04.39 34.780 27.63 1475.6 085 00500 04.39 34.780 27.63 1475.6 085 00501 04.46 34.860 27.63 1476.7 085 00611 04.46 34.860 27.63 1479.4 \$TO 00700 04.37 34.83 27.64 1479.7 085 00714 04.37 34.830 27.64 1479.7 085 00714 04.37 34.830 27.63 1479.7 085 00714 04.37 34.830 27.63 1479.7 085 00800 04.21 34.85 27.60 00.601 1400.8 085 00800 04.21 34.85 27.63 00.544 1479.7 085 00800 04.21 34.85 27.63 1479.7 085 00900 04.37 34.830 27.63 1479.7 085 00900 04.21 34.85 27.63 00.601 1400.8 085 00900 04.21 34.85 27.60 00.601 1400.8 085 00900 04.21 34.85 27.65 00.601 1400.8 085 00900 04.21 34.85 27.65 00.601 1400.8 085 00900 04.21 34.85 27.65 00.601 1400.8 085 00900 04.23 34.850 27.73 1483.3 085 00900 04.28 34.960 27.73 1483.7 \$TO 00000 04.29 34.96 27.73 1483.7 \$TO 00000 04.29 34.96 27.73 1483.7				08\$	15600	04.15	34.410	27.48	× .	1472.3									
085 00360 02.55 34.503 27.55 1466.4 STD 00400 02.64 34.50 27.55 1466.4 STD 00400 02.64 34.50 27.54 00.386 1467.2 O85 00405 02.68 34.500 27.54 1467.2 O85 00428 02.85 34.600 27.60 1468.5 O85 00434 03.15 34.600 27.61 1469.9 O85 00439 03.78 34.720 27.61 1473.0 O85 00400 03.33 34.650 27.60 00.442 1472.6 O85 00500 03.30 34.67 27.60 00.442 1472.6 O85 00500 03.32 34.673 27.60 00.442 1472.6 O85 00500 03.95 34.767 27.63 1475.3 O85 00500 03.95 34.767 27.63 1475.3 O85 00500 03.99 34.770 27.63 1475.3 O85 00500 04.31 34.83 27.64 00.495 1477.6 O85 00500 04.31 34.83 27.64 00.495 1477.6 O85 00501 04.46 34.80 27.63 1476.7 O85 00700 04.37 34.850 27.66 1479.7 O85 00776 04.37 34.850 27.65 1490.7 O87 0080 07.80 0							34.620	27.49											
\$\begin{array}{cccccccccccccccccccccccccccccccccccc					00350	03.11	34.490	27.49		1468.2									
OBS 00405 02.68 34.500 27.60 1447.2 OBS 00426 02.85 34.600 27.60 1448.3 OBS 00434 03.15 34.600 27.61 1409.9 OBS 00406 03.35 34.650 27.60 1471.1 STD 00500 02.30 34.67 27.60 00.442 1472.6 OBS 00502 03.52 34.673 27.60 1422.7 OBS 00506 03.95 34.767 27.63 1472.7 OBS 00506 03.95 34.770 27.63 1475.3 OBS 00506 03.98 34.770 27.63 1475.3 OBS 00500 04.31 34.83 27.64 34.75.3 STD 00600 04.31 34.83 27.64 34.75.2 STD 00600 04.37 34.80 27.63 1479.7 OBS 00611 04.46 34.840 27.63 1479.7 OBS 00612 04.46 34.840 27.63 1479.7 OBS 00700 04.37 34.83 27.64 1479.7 OBS 00700 04.37 34.83 27.63 1479.7 OBS 00776 04.37 34.830 27.63 1479.7 OBS 00776 04.37 34.830 27.63 1479.7 OBS 00776 04.37 34.830 27.63 1479.7 OBS 00776 04.37 34.830 27.63 1479.7 OBS 00776 04.37 34.830 27.63 1479.7 OBS 00776 04.37 34.830 27.63 1479.7 OBS 00776 04.21 34.85 27.66 00.601 1400.8 OBS 00700 04.21 34.85 27.66 00.601 1400.8 OBS 00700 04.21 34.85 27.65 1481.0 OBS 00700 04.21 34.85 27.65 1481.0 OBS 00700 04.23 34.850 27.73 1483.3 OBS 00700 04.29 34.96 27.73 1483.7 STD 00000 04.21 34.85 27.66 00.601 1400.8 OBS 00900 04.21 34.85 27.66 00.601 1400.8 OBS 00900 04.21 34.85 27.73 1483.3							34,503		00.384										
OBS 00434 03.15 34.640 27.61 1469.9 OBS 00453 03.78 34.720 27.61 1469.9 OBS 00460 03.33 34.650 27.60 1471.1 SYD 00500 02.30 34.67 27.60 00.442 1472.4 OBS 00502 03.52 34.673 27.60 1472.7 OBS 00504 03.95 34.767 27.63 1475.3 OBS 00505 03.98 34.770 27.63 1475.3 OBS 00506 03.99 34.770 27.63 1475.5 OBS 00508 03.99 34.770 27.63 1475.5 OBS 00508 03.99 34.780 27.63 1475.5 OBS 00508 03.99 34.780 27.64 1476.7 OBS 00610 04.31 34.83 27.64 00.495 1477.6 OBS 00611 04.46 34.850 27.64 1479.7 OBS 00611 04.46 34.860 27.63 1479.7 OBS 00700 04.37 34.83 27.63 00.548 1479.7 OBS 00776 04.37 34.83 27.65 1481.0 SYD 00000 04.21 34.85 27.65 1481.0 SYD 00000 04.21 34.85 27.65 1481.0 OBS 00776 04.37 34.830 27.63 1479.7 OBS 00776 04.37 34.830 27.65 1481.0 OBS 00000 04.21 34.85 27.65 1481.0 OBS 00000 04.21 34.85 27.65 1481.0 OBS 00000 04.21 34.85 27.65 1481.0 OBS 00000 04.21 34.85 27.65 1481.0 OBS 00000 04.21 34.85 27.65 1481.0 OBS 00000 04.21 34.85 27.65 1483.3 OBS 00000 04.21 34.85 27.73 1483.3				085	00405	02.48	34.500	27.54	***********	1467.2									
OBS 00493 03.78 94.720 27.61 173.0 OBS 00400 03.93 34.65u 27.60 1471.1 SYD 00500 02.50 34.67 27.60 00.442 1472.6 OBS 00502 03.52 34.673 27.60 1472.7 OBS 00504 03.95 34.767 27.63 1475.3 OBS 00505 03.98 34.767 27.63 1475.3 OBS 00504 03.99 34.780 27.63 1475.5 OBS 00504 03.99 34.780 27.63 1475.2 SYD 00600 04.31 34.83 27.64 00.495 1477.6 OBS 00611 04.46 34.850 27.64 1478.7 OBS 00611 04.46 34.860 27.63 1479.7 OBS 00612 04.46 34.860 27.63 1479.7 OBS 00613 04.46 34.860 27.63 1479.7 OBS 00700 04.37 34.830 27.63 00.548 1479.7 OBS 00700 04.37 34.830 27.63 1479.7 OBS 00776 04.37 34.830 27.63 1479.7 OBS 00776 04.37 34.850 27.63 1479.7 OBS 00776 04.37 34.850 27.65 1481.0 SYD 00600 04.21 34.850 27.65 1481.0 OBS 00601 04.21 34.850 27.65 1481.0 OBS 00600 04.21 34.850 27.65 1481.0 OBS 00600 04.21 34.850 27.65 1481.0 OBS 00600 04.21 34.850 27.65 1481.0 OBS 00600 04.21 34.850 27.73 00.651 1483.3 OBS 00600 04.39 34.96 27.73 00.651 1483.3 OBS 00600 04.29 34.96 27.73 1483.7 SYD 01000 04.18 34.93 27.74 00.697 1483.9						02.65	34.600	27.60		1440.5									
OBS 00440 03.33 34.650 27.60 04.42 1472.6 STD 00500 02.30 34.67 27.60 00.442 1472.6 OBS 00502 03.52 34.673 27.60 1472.7 OBS 00546 03.95 34.767 27.63 1475.3 OBS 00590 03.98 34.770 27.63 1475.3 OBS 00590 03.98 34.770 27.63 1475.5 OBS 00694 03.98 34.780 27.63 1475.5 STO 00600 04.31 34.83 27.64 00.495 1477.8 OBS 00611 04.46 34.850 27.64 00.495 1477.8 OBS 00611 04.46 34.860 27.63 1476.7 OBS 00631 04.46 34.860 27.63 1479.7 OBS 00700 04.37 34.83 27.64 1479.7 OBS 00700 04.37 34.83 27.63 1479.7 OBS 00700 04.37 34.83 27.63 1479.7 OBS 00700 04.37 34.83 27.63 1479.7 OBS 00700 04.37 34.83 27.63 1479.7 OBS 00700 04.37 34.83 27.63 1479.7 OBS 00700 04.37 34.83 27.63 1479.7 OBS 00700 04.37 34.850 27.63 1479.7 OBS 00700 04.37 34.850 27.63 1479.7 OBS 00700 04.37 34.850 27.63 1479.7 OBS 00700 04.37 34.850 27.63 1481.0 STD 0080 00900 04.39 34.98 27.73 1483.3 OBS 00900 04.39 34.98 27.73 1483.3 OBS 00900 04.29 34.60 27.73 1483.7 STD 01000 04.14 34.83 27.74 00.697 1483.9				085	00453	03.70	34.720	27.61											
OBS 00502 03.52 34.673 27.60 1472.7 OBS 00504 03.95 34.767 27.63 1475.3 OBS 00504 03.95 34.767 27.63 1475.3 OBS 00504 03.99 34.780 27.63 1475.5 OBS 00504 04.31 34.83 27.64 00.495 1477.6 OBS 00611 04.64 34.850 27.64 1677.6 OBS 00611 04.64 34.850 27.64 1677.6 OBS 00611 04.68 34.860 27.63 1477.6 OBS 00700 04.37 34.83 27.83 00.504 1477.7 OBS 00700 04.37 34.83 27.83 1477.7 OBS 00700 04.37 34.850 27.63 1477.7 OBS 00710 04.37 34.850 27.65 1477.7 OBS 00710 04.37 34.850 27.65 1477.7 OBS 00710 04.37 34.850 27.65 1477.7 OBS 00710 04.37 34.850 27.65 1477.7 OBS 00710 04.37 34.850 27.65 1477.7 OBS 00800 04.21 34.85 27.66 00.601 1480.8 OBS 00800 04.21 34.84 27.73 04.85 1483.3 OBS 00900 04.39 34.96 27.73 04.81 1483.3 OBS 00900 04.39 34.96 27.73 1483.7 STD 01000 04.14 34.83 27.74 04.83.9						03.33		27.60		1471-1									
085 00546 03.95 34.767 27.63 1475.3 085 00550 03.98 34.770 27.63 1475.5 085 00584 03.99 34.780 27.63 1475.5 STO 00600 04.31 34.83 27.64 00.495 1477.6 085 00611 04.46 34.850 27.64 1478.7 085 00611 04.46 34.860 27.63 1479.7 STD 00700 04.37 34.83 27.63 00.541 1479.7 085 00700 04.37 34.83 27.63 1479.7 085 00704 04.37 34.850 27.65 1481.0 STO 00600 04.21 34.85 27.65 1481.0 STO 00600 04.21 34.85 27.65 1481.0 085 00700 04.21 34.85 27.65 1481.0 085 00852 04.58 34.894 27.73 1483.3 O85 00900 04.39 34.964 27.73 1483.3 O85 00900 04.39 34.964 27.73 1483.3 O85 00900 04.39 34.964 27.73 1483.3				085		03.50	34.673		00.442										
OBS 00584 03.98 34.780 27.64 1478.2 \$TO 00600 04.31 34.83 27.64 00.495 1477.8 OBS 00611 04.46 34.850 27.64 1478.7 OBS 00651 04.46 34.860 27.63 1479.7 STD 00700 04.37 34.830 27.63 00.546 1479.7 OBS 00776 04.37 34.830 27.63 1479.7 OBS 00776 04.37 34.850 27.65 1481.0 \$TO 00600 04.21 34.85 27.65 1481.0 OBS 00700 04.21 34.85 27.65 1481.0 OBS 00801 04.21 34.85 27.66 00.601 1480.8 OBS 00852 04.56 34.980 27.73 1483.3 OBS 00900 04.39 34.96 27.73 1483.3 OBS 00900 04.39 34.96 27.73 1483.3 OBS 00900 04.39 34.96 27.73 1483.3				085	00546	03.95	34.767	27.63		1475.3									
STO 00600 04-31 34-83 27-64 00.495 1477-8 OBS 00611 04-46 34-850 27-64 1478-7 OBS 00651 04-46 34-850 27-63 1478-7 OBS 00700 04-37 34-830 27-63 1478-7 OBS 00700 04-37 34-830 27-63 1478-7 OBS 00714 04-37 34-850 27-65 1478-7 OBS 00715 04-37 34-850 27-65 1478-7 OBS 00800 04-21 34-85 27-66 00.601 1481-0 OBS 0081 04-21 34-845 27-66 1481-0 OBS 0082 04-56 34-804 27-73 1483-3 STO 00900 04-39 34-96 27-73 00.651 1483-3 OBS 00900 04-39 34-96 27-73 1483-3 OBS 00900 04-28 34-964 27-73 1483-7 STO 01000 04-14 34-83 27-74 00.697 1483-7				085															
STD 00700 04.37 34.83 27.63 00.548 1479.7 OBS 007700 04.37 34.830 27.63 1479.7 OBS 00774 04.37 34.850 27.65 1481.0 STD 00600 04.21 34.85 27.65 1481.0 OBS 00850 00901 04.21 34.85 27.66 00.601 1480.8 OBS 00852 04.58 34.98 27.73 1483.3 STD 00900 04.39 34.98 27.73 1483.3 OBS 00900 04.39 34.98 27.73 1483.3 OBS 00900 04.39 34.98 27.73 1483.3 OBS 00900 04.39 34.98 27.73 1483.3				STO	00400	04.31	34.83	27-44	00.495										
STD 00700 04.37 34.83 27.63 00.548 1479.7 OBS 007700 04.37 34.830 27.63 1479.7 OBS 00774 04.37 34.850 27.65 1481.0 STD 00600 04.21 34.85 27.65 1481.0 OBS 00850 00901 04.21 34.85 27.66 00.601 1480.8 OBS 00852 04.58 34.98 27.73 1483.3 STD 00900 04.39 34.98 27.73 1483.3 OBS 00900 04.39 34.98 27.73 1483.3 OBS 00900 04.39 34.98 27.73 1483.3 OBS 00900 04.39 34.98 27.73 1483.3							34.850	27.64											
OBS 00700 04.37 34.830 27.65 149.7 OBS 00774 04.37 34.850 27.65 148.0 STD 00600 04.21 34.85 27.66 00.601 1480.8 OBS 00801 04.21 34.85 27.66 1480.8 OBS 00852 04.56 34.980 27.73 01.83.3 STD 09900 04.39 34.96 27.73 00.651 1483.3 OBS 00900 04.39 34.60 27.73 1483.3 OBS 00900 04.29 34.60 27.73 1483.3 STD 01000 04.13 34.80 27.73 1483.3						04.37	34.43	21.63	00.548										
OBS 00776 04.37 34.850 27.65 1481.0 STD 00800 04.21 34.85 27.66 00.601 1480.8 OBS 00801 04.21 34.85 27.66 1480.8 OBS 00852 04.56 34.980 27.73 1483.3 STD 00900 04.39 34.96 27.73 00.651 1483.3 OBS 00900 04.39 34.96 27.73 1483.3 OBS 00905 04.39 34.96 27.73 1483.3 OBS 00905 04.39 34.96 27.73 1483.3 OBS 00905 04.39 34.96 27.73 1483.7 STD 01000 04.14 34.93 27.74 00.697 1483.7				083	00700	04.37	34.830	27.63		1479.7									
OBS 00001 04.21 34.845 27.66 1400.0 OBS 00052 04.56 34.980 27.73 1483.3 SYD 00900 04.39 34.96 27.73 00.651 1483.3 OBS 00900 04.39 34.964 27.73 1483.3 OBS 00953 04.26 34.967 27.74 1483.7 SYD 01000 04.14 34.93 27.74 00.697 1483.9							34.850	27.65	00.401										
OBS 00852 04.58 34.980 27.73 1483.3 \$TO 00900 04.39 34.96 27.73 00.651 1483.3 OBS 00900 04.39 34.960 27.73 1483.3 OBS 00953 04.26 34.947 27.74 1483.7 STD 01000 04.14 34.93 27.74 00.697 1483.9				085	00801	04.21	34.845	27.66	44.44	1480.8									
OBS 00900 04.39 34.960 27.73 1483.3 OBS 00953 04.26 34.947 27.74 1483.7 STD 01000 04.14 34.93 27.74 00.697 1483.9					90452	04.58	34.980	27.73	40	1483.3									
OBS 00953 04.26 34.947 27.74 1483.7 STD 01000 04.14 34.93 27.74 00.697 1483.9									00.651										
5TD 01000 04.14 34.93 27.74 00.697 1483.9 085 01001 04.14 34.930 27.74 1483.9				085	00953	04.26	34.947	27.74		1483.7									
200 01001 07017 370730 21017 1985.7				STD		04.14	34.93	27.74	00.697										
					01001	U-7. 14	J7.730	41.19		1765.7									

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID CONSE LAT LONG	C 43	8371 0003 25.0N 38.6W	MONT	1974 H 06 12 03-9	BOTOP 03735 SHIP EV DATA USE 1 AREA 05	AIR 1 WET B BARON CLUUC	ULB 04.5 ETR 1016.3		GT PER 3 2	WIND-DIR WIND-SPD WIND-FOR WEATHER		TRAI DUR	T STO E 04 AT10A G 014	R	ORDER O OO.4	5 2	N SQ 1 SQUARE SQUARE SQUARE	24
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYMOPTH	SND VEL	OXA &	P04	TOT (P &	02	NO3	\$103	PH	
		03.9	STD	00000	05.87	33-12	26.11	00.000	1472.1									
		U3.Y	OBS STD	00005	05.87 65.87	33.120 33.11	26.11 26.10	06.019	1472.2									
			085	00011	05.87	33.110	26.10	01.019	1472.2									
			STD	00020	05.87	33.12	26.11	00.038	1472.4									
			08 S	00020	05.87	33.120	26.11		1472.4									
			OBS STD	00026	05.84 05.64	33.12.	26.11		1472.4									
			085	00032	05.34	33.10 33.075	26.12 26.13	00.058	1471.6									
			085	00036	04.58	33.030	26.18		1467.2									
			085	00038	03.27	33.053	26.33		1461.8									
			085	00043	02.22	33.082	26.44		1457.3									
			08 S 08 S	00045	02.02 01.52	33.100	26.47 26.53		1456.5									
			STD	00050	01.45	33.130 33.16	26.56	00.091	1454.4									
			085	00053	01.31	33.260	26.65	******	1453.7									
			280	00055	01.47	33.270	26.65		1454.4									
			STD	00075	00.70	33.35	26.76	00.126										
			08 S 08 S	00078	00.58 01.04	33.435 33.570	26.84 26.92		1451.1									
			085	00097	01.31	33.593	26.92		1454.9									
			STD	00100	01.18	33.61	26.94	00-156	1454.4									
			085	00100	01.18	33.620	26.95		1454.4									
			OBS STD	00106 00125	01.58 01.65	33.74,	27.02	00 103	1456.4									
			085	00125	01.66	33.93 33.940	27.17 27.17	00.182	1457.3									
			STO	00150	02.53	34.06	27.20	00.204	1461.8									
			085	00152	02.58	34.080	27.21		1462.0									
			085	00175	02.76	34.260	27.34		1463.4									
			STD OBS	00200 00205	03.13 03.22	34.39 34.430	27.41 27.43	00.244	1465.6 1466.2									
			065	00226	03.40	34.590	27.52		1468.3									
			STO	00250	03.60	34.63	27.53	00.276										
			085	00253	03.83	34.640	27.54		1469.8									
			OBS STD	00276 00300	04.05 04.20	34.750 34.77	27.60	00.303	1471 -3									
			085	00302	04.21	34.770	27.60 27.60	00.303	1472.3									
			085	00356	04.32	34.830	27.64		1473.8									
			STO	00400	04.31	34.86	27.66	00.354	1474.6									
			OBS	00405	04.31	34.860	27.66		1474.6									
			OBS STD	00451 00500	04.26 04.19	34.850 34.93	27.66 27.73	00.399	1475.2 1475.8									
			085	00500	04.19	34.930	27.73	00.377	1475.8									
			085	00553	04.05	34.937	27.75		1476.1									
			STD	00600	03.99	34.94	27.76	00.441										
			OBS OBS	00601 00651	03.99	34.940	27.76		1476.7									
			STD	00700	03.92 03.88	34.950 34.95	27.78 27.78	00.481	1477.2									
			085	00700	03.66	34.950	27.78		1477.9									
			OB S	00751	03.85	34.950	27.78		1478.6									
			STD	00800	03.61	34.95	27.79	00.520	1479.2									
			08S 08S	00803 00854	03.81 03.76	34.950 34.950	27.79 27.79		1479.3									
			STD	00900	03.74	34.95	27.79	00.560	1479.9									
			085	00900	03.74	34.950	27.79	34.200	1480.6									
			085	00951	03.70	34.950	27.80	_	1481.3									
			STD	01000	03.65	34.95	27.80	00.599	1481.9									
			08\$ 08\$	01001 01020	03.65 03.65	34.950 34.950	27.80 27.80		1481.9									
			003	41020	43.47	J4.73U	27.00		1482.2									

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIO CONSE LAT LONG	43	8371 0004 34.5N 03.3W	YEAR MONTH DAY HOUR	H 06	BOTOP 03700 SHIP EV DATA USE 1 AREA 05	WET BAND		DIR H 20 Sea CL/TR	GT PER 3 2	WIND-OLR WIND-SPD WIND-FOR WEATHER	16	TRA	ATIC		ORDER D 00.4	5 2	N SQ 1304 SQUARE 2 SQUARE 28 SQUARE 38
CAS	TNUN	TIME	LVLTYP	DEPTH	TEMP	SAL	S IGMA-T	DYNOPTH	SND VEL	DXYG	P04	TCT	P	NO2	NCB	\$103	PH
			STD	90000	05.66	33.12	26.13	00.000	1471.2								
		06.7	085	00003	05.66	33.110	26.13		1471.3								
			STD OBS	00010 00011	05.64 05.64	33.12 33.120	26.13 26.13	00.019	1471.3								
			STD	00020	05.62	33.12	26.14	00.038	1471.4								
			08 S	00020	05.62	33.120	26.14		1471.4								
			OBS STD	00028	05.60 05.30	33.165 33.15	26.17 26.20	00.054	1471.7								
			OBS	00034	04.19	33.125	26.30	*****	1465.7								
			065	00041	02.17	33.140	26.49		1457.2								
			08 S 08 S	00043	01.73 01.32	33.250 33.260	26.61 26.65		1455.4 1453.7								
			STO	00050	01.08	33.26	26.67	00.089	1452.6								
			085	00051	00.60	33.262	20.70		1450.5								
			OBS OBS	00053	00.37 00.62	33.390 33.44 <i>3</i>	26.81 26.84		1449.6								
			STD	00075	00.47	33.58	26.96	00.120	1450.7								
			08S 08S	00076 00095	00.46	33.595	26.97		1450.7								
			28U 272	00100	00.73 01.18	33.810 33.92	27.13 27.19	00.145	1452.5								
			OBS	00100	01.27	33.940	27.20	*****	1455.2								
			08S 08S	00106 00108	01.90	34.050 34.070	27.24 27.25		1458.3								
			085	00112	02.02 02.58	34.125	27.25		1458.9								
			085	00114	02.77	34.140	27.24		1462.3								
			STD	00125	02.77	34.14	27.24	00.166	1462.5								
			OBS OBS	00125 00127	02.77 02.78	34.150 34.187	27.25 27.28		1462.5								
			085	00131	03.36	34.290	27.31		1465.3								
			085 085	00135	03.59 03.65	34.407 34.40u	27.3 6 27.37		1466.5								
			085	00146	04.42	34.500	27.37		1470.4								
			STD	00150	04.52	34.57	27.41	00.105	1470.9								
			OBS OBS	00152 00156	04.62 04.62	34.605 34.640	27.43 27.43		1471.4								
			OBS	00161	05.35	34.733	27.44		1474.8								
			OBS	00175	05.51	34.747	27.44		1475.4								
			085 085	00180 00188	05.48 05.15	34.74u 34.68u	27.43 27.43		1475.6								
			COS	00192	04.95	34.640	27.42		1473.5								
			085	00194	04.86	34.630	27.42		1473.1								
			STD 085	00200 00203	05.06 05.08	34.72 34.76u	27.47 27.50	00.219	1474.2								
			OBS	00213	04.74	34.760	27.54		1473.1								
			OBS	00222	04.71	24.730	27.52	•• •••	1473.1								
			STO OBS	00250 00251	04.13 04.12	34.72 34.720	27.57 27.57	00.249	1471.1								
			085	30276	04.37	34.780	27.59		1472.7								
			STO	00300	04.66	34.82	27.60	00.276	1474.3								
			085 085	00302 00350	04.69 04.92	34.830 34.986	27.60 27.69		1474.5 1476.4								
			STD	00400	95.06	34.98	27.67	00.327	1477.8								
			085 085	00401 00426	05.06 04.76	34.98u 34.98u	27.67 27.71		1477.8								
			085	00432	04.57	34.950	27.71		1470.3								
			085	00451	04.56	34.960	27.72		1476.6								
			STD OBS	00500 00500	04.76 04.76	34.99 34.99u	27. 7 2 27.72	00.373	1478.2								
			085	00550	04.51	34.980	27.74		1478.0								
			STD	00600	04.58	34.97	27.72	00.418	1479.1								
			085 085	00601 00651	04.58 04.37	34.97u 34.99u	27.72 27.76		1479.2								
			STD	00700	04.24	34.97	27.76	00.461	1479.4								
			OBS	00700	04.24	34.976	27.76		1479.4								
			085 510	00750 00800	04.12 04.06	34.960 34.96	27.76 27.77	00.503	1479.7								
			085	00801	04.06	34.960	27.77		1480.3								
			OBS STD	00850	03.97 03.96	34.95) 34.95	27.77 27.78	00.545	1480.7								
			OBS	00900	03.96	34.952	27.78	30.743	1481.5								
			OBS	00951	03. 9 0	34.950	27.78		1482.1								
			STD OBS	01000 01001	03.67 03.67	34.95 34.950	27.78 27.78	00.587	1482.8								
			085	01018	03.87	34.955	27.79		1483.1								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 CUNSEC LAT 43 (LONG 048)	0005	YEAR MONTH DAY HOUR	12	BOTOP 02210 SHIP EV DATA USE 1 AREA 05	AIR T BARON CLLUC	BULB 06.1 METR 1021.8		GT PER 4 7	wind—dir wind—spd wind—for weather	10	TRACI	STO RECO DIR TON 011 606	DRDER D OO.5	5	N SQ 1306 SQUARE 2 SQUARE 28 SQUARE 38
CASTNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	DXY G	P04	TOT P	NO2	NO3	\$103	PH
		STD	00000	03.28	32.90	26.21	00.000	1461.0							
1	10.2	085	00003	03.28	32,900	26.21		1461.0							
		STD OBS	01000	03.28 03.28	32.90 32.900	26.21	00.018	1461.1							
		STO	00020	03.17	32.92	26.21 26.23	00.036	1461.1							
		OBS	00020	03.15	32.920	26.24		1460.8							
		STD	00030	02.60	32.92	26.27	00.054	1459.4							
		085 085	00030 00036	02.72 01.34	32.92u 32.900	26.27 26.36		1459.1							
		085	00038	01.15	33.14/	26.57		1452.6							
		STD	00050	01.06	33.24	26.65	00.086	1452.5							
		OBS	00051	01.00 00.80	33.250	26.66		1452.3							
		280 280	00055 00060	- 0.07	33.270 33.490	26.69 26.91		1451.4							
		OBS	00066	- 0.11	33.582	24.99		1447.9							
		STD	00075	- 0.11	33.69	27.08	00.116	1448.2							
		OBS STD	00076	- 0.10 00.56	33.70 <i>2</i> 33.94	27.09 27.24	00 136	1448.3							
		985	00100	00.58	33.950	27.25	00.138	1452.0 1452.1							
		STD	00125	00.76	34.08	27.34	00.158	1453.5							
		085	00125	99.77	34.080	27.34		1453.4							
		STD OBS	00150 00150	01.12 01.13	34.20 34.20u	27.41 27.42	00.176	1455.7							
		085	00175	01.52	34.265	27.46		1458.0							
		STD	00200	01.90	34.44	27.56	00.207	1460.4							
		085	00201	01.92	34.450	27.56		1460.5							
		085 085	00228 00232	02.08 02.15	34.490 34.505	27.56 27.59		1461,7							
		085	00232	02.56	34.606	27.63		1464.1							
		STD	00250	02.49	34.61	27.64	00.232	1464.0							
		085	00255	02.45	34.620	27.65		1463.9							
		DBS DBS	00260	03.15 03.40	34.700 34.73u	27.65 27.65		1467.1							
		085	00276	03.44	34.730	27.65		1468.7							
		STD	00300	03.65	34.77	27.66	00.254	1470.0							
		OBS	00300	03.65	34.770	27.66		1470.0							
		OBS OBS	00316	03.71 03.08	34.78u 34.73u	27.66 27.68		1470.5							
		085	00329	03.10	34.730	27.68		1468.1							
		OBS	00331	03.53	34.770	27.67		1470.0							
		085	00350	03.58 03.54	34.775	27.67		1470.5							
		STD DBS	00400	03.54	34.78 34.780	27.68 27.68	00.302	1471.2							
		085	00458	03.73	34.840	27.71		1473.1							
		STD	00500	03.84	34.85	27.70	00.347	1474.2							
		08S 08S	00502 00552	03.85 03.94	34.850 34.840	27.70 27.69		1474.3 1475.5							
		570	00600	03.96	34.85	27.69	00.393	1476.4							
		085	00601	03.96	34.850	27.69		1476.4							
		085	00652	04.05	34.940	27.75		1477.6							
		STD DBS	00700 00700	04.03 04.03	34.94 34.94u	27.76 27.76	00.437	1478.5							
		085	00750	03.92	34.945	27.77		1478.8							
		STD	00800	03.48	34.94	27.77	00.479	1479.5							
		085	00801	03.88	34.940	27.77		1479.5							
		OBS STD	00850 00900	03.76 03.72	34.940 34.93	27.78 27.78	00.520	1479.8							
		065	00900	03.72	34.930	27.78	******	1480.5							
		085	00955	03.69	34.930	27.78		1481.3							
		STD	01000	03.67	34.93	27.79	00.561								
		08S 08S	01001	03.67 03.65	34.930 34.91#	27.79 27.78		1482.0 1482.2							
				42.07	J										

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8371 LONSEC 0006 LAT 43 49-2N LONG 048 55-0N	YEAR MONTH DAY HOUR	1 06	BOTDP 00470 SHIP EV DATA USE 1 AREA 05	AIR TI WET BI BARDMI CLUUD	TR 1021.8	DIR HG 36 3 SEA CL/TR		wino-dir wino-spo wino-for weather	10	TRAC	STO RE E DIR ITION 6 OLL 60	00.3	5 :	N SQ 1306 SQUARE 2 SQUARE 26 SQUARE 36	2
CASTNUNZTINE	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	PO4	TGT F	NO2	N03	\$103	PH	
	STD	00000		32.78	26.10	00.000	1461.7								
12.2	085 \$10	00010		32.784 32.77	26.10 26.10	06.019	1461.3								
	OBS STD	00013	03.25 03.17	32.77u 32.77	26.11 26.12	00.038	1460.9								
	GBS GBS	00020	02.88 02.06	32.776 32.69u	26.14 26.14		1459.4 1455.7								
	085 STD	00026	00.72	32.515	26.41 26.51	00.056	1450.1 1448.7								
	085	00u 30	OC.34	33.030 33.030	26.52 26.53		1448.6								
	085 085	00034	00.23	33.050	26.57 26.57		1446.1								
	085 085	00040	- 0.47 - 1.04	33.040	26.63		1442.5								
	085 085	00047	- 1.27 - 1.54	33.10u 33.120	26.64		1441.5								
	\$7D 08\$	00050 00051	- 1.56 - 1.61	33.15 33.215	26.69 26.75	00.084	1440.3								
	085 STD	00057	- 1.63 - 1.58	33.270 33.27	26.79 26.79	00.117	1440.2								
	085	00076	- 1.58 - 1.52	33.27G 33.39	26.79 26.89	00-147	1440.8								
	\$7D 085	00100	- 1.51	33.392 33.44	26.89 26.91	00.176	1441.7								
	STC OBS	00125 00127	- 1.21 - 1.17	33.456	26.92 27.10	00.203	1443.8								
	STD OBS	00150 00152	- 0.68 - 0.64	33.69 33.70s	27.11	001203	1447.1								
	085 STD	00177	- 0.34 00.34	33.78u 33.96	27-16 27-27	00.247									
	08.5 08.5	00201 00226	00.38 00.84	33.97u 34.14u	27.28 27.35		1452.9 1455.7								
	STD 085	30250 00251	01.22	34.25 34.26u	27.45 27.46	00.284	1457.9 1458.1								
	OBS	00276	01.84	34.440	27.56 27.57	00.313	1461.3 1463.2								
	STD OBS	00300	02.16	34.490	27.57 27.64		1463.2								
	085 085	00342 00352	02.49 02.67	34.62v	27.63	00 343	1466.5								
	\$10 085	00400 00401	03.06 03.07	34.73 34.73	27.68 27.68	00.363	1469.2								
	CBS STD	00451 00500	03.49 03.73	34.78u 34.83	27.68 27.70	00.408	1471.8								
	085 085	00502	03.74 03.79	34.830 34.850	27.70		1473.8 1474.8								
	STD	00600	03.84	34.83	27.65	00.454	1475.8								
	200		03.84	34.83u	21.07		741202								
	085 085	00601 00651	03.84 03.87	34.83u 34.84u 34.85u	27.65 27.69 27.70		1476.8								
		00601		34.83u 34.84u 34.85u	27.69 27.70		1476.8								
oce10 31 A371	OBS OBS	00601 00651 00660	03.87	34.85u 34.85u	27.70 27.70	DIR H	1476.8 1476.9	#1ND-011				ec OR DER		EN SQ 130 SQUARE	
REF(D 31 837) COMSEC 0007	OBS OBS YEAR MONT	00601 00651 00660 1974	03.87 03.85	34.85u 34.85u Ain 1 Wet 1	27.69 27.70 ***********************************	DIR H	1476.8 1476.9	WIND-SPI	D Dec R	TR A	CE DIR	90.2	5	SQUARE SQUARE	2 2 8
	OBS OBS YEAR MONT	00601 00651 00660	03.87 03.85 BGTOP 30281 SHIP EV	34.85u 34.85u Alm 1 WET 1 3AnG	27.69 27.70 ***********************************	DIR H	1476.8 1476.9	WIND-SPI	D Dec R	TR A	CE DIR	90.2	5	SQUARE SQUARE	2 2 8
CONSEC 0001	OBS OBS TEAR ONT ONT ONY ONE ONE ONE	00601 00651 00660 1974 H 05	03.87 03.85 BGTOP 20281 SHIP EV DATA USE 1	34.85u 34.85u Ain 1 Wet 1	27.69 27.70 ***********************************	DIR H 26 SEA CL/TR	1476.8 1476.9	WIND-SPI WIND-FO WEATHER	0 046 R X1	TR A	CE DIR RATION G OLL 6	00.3	5	SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	OBS OBS THE VEAR THOUSE HOUR THOUSE HOUR LYLTYP SYD	00601 00651 00660 1974 H 06 12 13.9 0EPTH	03.87 03.85 BGTOP 20281 SHIP EV DATA USE 1 AREA 05 TEMP	34.85u AIN 1 WET E 3ANG CLUUM	27.69 27.70 ***********************************	DIR H 26 SEA CL/TR	1476.8 1476.9 GT PEA 3 SNO VEL 1462.3	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0001 LAT 43 54.8N LONG 049 03.8N	OBS OBS OBS YEAR HONT DAY HOUR	1974 H 06 12 13.9 0EPTH 30000 00003 00013	03.87 03.85 BGTOP 30281 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.78 03.85	34.84 34.85 AIR 1 WET E 3ANG CLUUM SAL 32.70 32.70 32.70	27.69 27.70 ***********************************	DIR H 26 SEA CL/TR	1476.8 1476.9 GT PEH 3 - SNO VEL 1462.3 1462.9	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	OBS OBS YEAR HONT DAY HOUR LVLTYP SYD OBS STD OBS	00601 00651 00660 1974 (H 06 12 13-9 0EPTH 30000 00003	03.87 03.85 BGTOP 20281 SMIP EV DATA USE 1 AREA 05 TEMP 03.78	34.84 34.85 AIN 1 WET E 3ANC' CLUUI SAL 32.70 32.73 32.737 32.75	27.69 27.70 ••••• EMP 08.5 IULB 08.0 IETR 1021.5 T/A SIGMA-T 26.01 26.04 26.05 26.05 26.07	DIR H 26 554 CL/TR DYNOPTH 00.000	1476.8 1476.9 GT PER 3 SNO VEL 1462.3 1462.9 1402.9	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	OBS OBS YEAR Y MONT HOUR HOUR STD OBS OBS STD	00601 00651 00660 1974 H 06 12 13.9 0EPTH 20000 00003 00013 00011 00017	03.87 03.85 BGTOP 20281 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.78 03.65	34.85u AIN 1 NET E 3ANC CLUUI SAL 32.70 32.73 32.73 22.76u 32.77 32.77	27.09 27.70 ••••• EMP 08.5 ULB 08.0 ETR 1021.5 T/A SIGMA-T 20.01 20.04 20.05 20.07 20.11 20.12	DIR H 26 554 CL/TR DYNOPTH 00.000	1476.8 1476.9 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	OBS OBS YEAR HONT OBS STD OBS OBS STD OBS OBS OBS	00601 00660 1974 H 06 12 13.9 0EPTH 30000 30001 00011 00017 30020 30020 30020	03.85 03.85 BGTOP 20281 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.18 03.65 03.63 02.60	34.85u AIA 1 NET 8 3AACCCLUUI SAL 32.70 32.703 32.737 32.76u 32.776u 32.776u	27.69 27.70 EMP 08.5 ULB 08.0 ETR 1021.5 T/A SIGMA-T 26.01 26.04 26.05 26.07 26.11 26.12 26.12 26.12 26.12	DIR H 26 554 CL/TR DYNOPTH 00.000	1476.8 1476.9 3 3 1 SNO VEL 1462.3 1462.9 1462.4 1462.4 1460.7 1460.3 1460.3	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	OBS OBS YEAR MONT HOUR LYLTYP STD OBS STD OBS OBS OBS OBS	00601 00660 00660 1974 H 06 12 13.9 0EPTH 30000 30003 30010 30011 30017 30020 30020 30020 30020 30020	03.85 03.85 8GTOP 00281 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.65 03.63 03.24 03.17 03.27 03.20 03.27 03.27	34.84w 34.85w AIn 1 WEI 1 3AnC CLUUI SAL 32.70 32.73 32.73 32.73 32.73 32.73 32.73 32.73 32.73 32.73 32.73	27.09 27.70 ••••• EMP 08.5 ULB 08.5 T/A SIGMA-T 26.01 26.01 26.05 26.07 26.11 26.12 26.12 26.12 26.15	DIR H 26 5 SEA CL/TR DYNOPTH 03.000 00.320	1476.8 1476.9 (GT PEA 3 SNO VEL 1462.3 1462.9 1462.4 1462.4 1460.7 1460.7	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS YEAR HOUR HOUR LVLTYP STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS	00601 00660 00660 1974 H 06 12 13.9 0EPTH 30000 00003 00011 00017 00017 00020 00020 00020 00020 00020 00030 00030	03.85 03.85 BGTOP 00281 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.78 03.65 03.63 02.60 03.17 03.17 03.17 03.17 03.17 03.17 03.17 03.17 03.17	34.84w 34.85w Ain 1 well 1 3AnCC CLUU(S&L 32.770 32.770 32.773 32.773 32.773 32.770 32.770 32.770 32.770 32.770 32.770 32.770 32.770	27.69 27.70 EMP 08.5 ULB 08.0 ETR 1021.5 T/A SIGMA-T 26.01 26.04 26.05 26.07 26.11 26.12 26.12 26.12 26.12	DIR H 26 5 SEA CL/TR DYNOPTH 03.000 00.320	1476.8 1476.9 (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 1974 H 06 12 13.9 0EPTH 30000 00003 00011 00017 10017 10020 10020 10020 10030	03.85 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.65 03.63 02.60 03.27 03.17 03.29 03.17 03.20 03.17 0	34.84w 34.85w AIn 1 well 1 33AnCC CLUU(S&L 32.77 32.773	27.69 27.70 20.21 EMP 08.5 ULB 08.0 ETR 1021.5) T/A SIGMA-T 20.01 20.04 20.05 20.07 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.21	DIR M SEA CL/TR DYNDPTH 03.000 00.320 90.335	1476.8 1476.9 (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 1974 H 06 12 13.9 0EPTH 30000 00003 00011 00017 00020 00020 00020 00024 00036	03.85 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.65 03.63 02.60 03.17 0	34.84w 34.85w AIn 1 well 1 33AnCC CLUUI SAL 32.77 32.773 32.773 32.773 32.774 32.770	27.69 27.70 20.00 EMP 08.5 ULB 08.0 ETR 1021.5 T/A SIGMA-T 26.01 26.04 26.05 26.07 26.11 26.12 26.12 26.12 26.12 26.13 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21	DIR H 26 SEA CL/TR DYNOPTH 03.000 00.320 20.335	1476.8 1476.9 (F) PEA 3 1462.3 1462.9 1462.9 1462.9 1460.9 1460.3 1450.9 1450.9 1450.9 1450.1 1450.2 1450.3	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	UNLTYP STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	00601 00660 00660 1974 H 06 12 13.9 0EPTH 30000 00003 00011 00017 00020 00020 00020 00024 00047 00051 00051 00055	03.85 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.65 03.63 03.63 02.60 03.24 03.17 03.17 03.25 03.65 03.65 03.65 03.65 03.65 03.78 0	34.84u 34.85u AIn 1 well 1 33nGCCLUUI 32.70 32.73 32.73 32.73 32.73 32.74 32.76u 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 33.03	27.69 27.70 20.21 EMP 08.5 ULB 08.5 ETR 1021.5 T/A SIGMA-T 20.04 20.05 20.07 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.15 20.60	DIR H 26 554 CL/TR 554 CL/TR 07N0PTH 03.000 00.320 90.335 03.058 00.091 00.128	1476.8 1476.9 (F) PEA 3 SNO VEL 1462.3 1462.9 1462.9 1462.4 1460.9 1460.3 1450.6 1450.6 1450.7 1450.9 1440.1 1447.2 1440.3 1440.3 1440.3	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 1974 H 06 113-9 0EPTH 30000 30013 00011 00017 30020 30022 00024 00026 30034 00047 30050 00051 00051	03.85 03.85 8GTOP 20281 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.63 03.65 03.24 03.17 03.17 03.18 02.75 02.03 02.00 03.24 0.03 - C.24 - 1.21 - 1.26 - 1.56	34.84u 34.85u AIn 1 WE1 1 33AC CLUUI SAL 32.70 32.73 32.73 32.73 32.73 32.73 32.73 32.74 32.70 32.70 33.05 33.05 33.05 33.15 33.15 33.15	27.69 27.70 20.00 EMP 08.5 08.00 ETR 1021.5 T/A SIGMA-T 20.01 20.07 20.12 20.13 20.16 20.21 20.21 20.20 2	DIR # 26	1476.8 1476.9 6 6 7 Pth 3 . 1462.3 1462.9 1462.9 1462.4 1460.9 1460.3 1450.6 1450.6 1450.7 1450.9 1440.1 1447.2 1440.3 1440.3 1440.3 1440.3 1440.3 1440.3	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS VEAR MONT HOUR LVLTYP STD GBS STD GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 1974 H 06 12 13.9 0EPTH 30000 300013 00011 00017 30020 30020 30020 40026 30030 30034 40047 50050 90051 90052	03.85 03.85 8GTOP 20281 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.63 03.65 03.63 02.60 03.24 03.17 03.18 02.75 02.63 02.00 03.24 1.21 1.26 1.56 1.56 1.56 1.56	34.84u 34.85u AIn 1 well 1 33nGC CLUUI SAL 32.70 32.73 32.73 32.73 32.73 32.73 32.73 32.74 32.76u 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 33.05 33.05 33.12 33.25 33.25 33.25	27.69 27.70 20.00 EMP 08.5 08.00 ETR 1021.5 T/A SIGMA-T 20.01 20.04 20.07 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.15 20.25 20.20 2	DIR H 26 554 CL/TR 554 CL/TR 07N0PTH 03.000 00.320 90.335 03.058 00.091 00.128	1476.8 1476.9 6 6 7 Pth 3 1462.3 1462.9 1462.9 1462.4 1460.9 1460.3 1460.3 1453.6 1453.7 1452.9 1447.2 1447.2 1447.2 1447.3 1441.3 1442.3 1441.3 1442.3	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 1974 H 06 12. 13.9 0EPTH 30000 30001 30011 00017 30020 30020 30020 30020 30020 30020 30030 30047 30051 30051 30065 30076 30100 30105 30100 30125 30125 30125	03.85 03.85 8GTOP 00281 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.65 03.63 02.40 03.17 03.10 02.75 02.63 02.00 03.24 03.17 13.08 02.75 02.63 02.00 11.36 00.42 - 0.03 - C.24 - 0.03 - C.24 - 1.26 - 1.56 - 1.56 - 1.56 - 1.44	34.84u 34.85u AIM 1 WET 1 33ACC CLUUI 32.70 32.73 32.73 32.77 33.38 33.38 33.38	27.09 27.70 20.00 EMP 08.5 ETR 1021.5 T/A SIGMA-T 20.01 20.04 20.05 20.07 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.12 20.15 20.25 2	DIA H 254 CL/TR DYNOPTH 03.000 00.320 20.035 00.091 03.128 00.101	1476.8 1476.9 1476.9 1476.9 1462.3 1462.9 1462.9 1462.4 1460.9 1460.7 1460.3 1460.9 1490.1 1491.1 14	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 00660 1974 H 06 12 13.9 0EPTH 30000 00003 00011 00017 00020 00020 00020 00020 00030 00030 00051 00051 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050	03.87 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.65 03.60 03.17 03.17 03.17 03.17 03.17 03.17 13.08 02.75 02.60 03.17 0	34.84w 34.85w AIM 1 WET 1 32.70 32.70 32.70 32.77 33.05 33.05 33.28 33.28 33.28	27.09 27.70 27.70 27.70 27.70 28.20 28.21 28.21 28.21 28.21 28.22 28.21 28.22	DIR M 26 26 26 26 26 26 26 26 26 26 26 26 26	1476.8 1476.9 1476.9 1476.9 1462.3 1462.9 1462.9 1462.4 1460.9 1460.7 1460.3 14	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS GBS GBS GBS STD GBS STD GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 00660 1974 H 06 12 13.9 0EPTH 30000 00003 00011 00017 00020 00020 00020 00024 00026 00030 00051 00051 00051 00051 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051 00050 00051	03.87 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.63 02.60 03.27 03.17 03.28 02.75 02.83 02.00 03.17 13.08 02.75 02.83 02.00 03.17 13.08 02.17 13.08 02.17 13.08 02.17 13.08 02.17 13.08 03.17 13.08 03.17 13.08 03.17 13.08 04.17 13.08 05.17 13.08 1	34.84w 34.85w AIR 1 WET 1 32A-70 32.770 32.770 32.773 32.773 32.770 33.050 33.050 33.380 33.380 33.381 33.381 33.781	27.09 27.70 27.70 27.70 28.00 EMP 08.5 ULB 08.0 ETR 1021.5 0 17/A SIGMA-T 26.01 26.04 26.05 26.12 26.65 26.65 26.66 26.67 26.68 26.67 26.88	DIR M 26 26 26 26 26 26 26 26 26 26 26 26 26	1476.8 1476.9 1476.9 1476.9 1462.3 1462.9 1462.9 1462.1 1462.4 1460.9 1460.7 1460.3 1460.3 1493.4 1493.3 1493.3 1493.3 1493.3 1493.3 1493.3 1493.3 1493.3 1493.3	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 00660 1974 H 06 12 13.9 0EPTH 30000 00003 00011 00017 00020 00020 00024 00026 00034 00047 00051 00051 00051 00052 00051 00052 00051 00052 00051	03.87 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.65 03.63 02.60 02.75 02.83 02.17 03.17 03.08 02.75 02.83 02.00 03.17 03.08 02.75 02.83 02.00 03.17 0	34.84w 34.85w AIR 1 WET 1 32ACC CLUUM SAL 32.770 32.773 32.773 32.773 32.774 32.770 33.000 33.000 33.000 33.780 33.780 33.780 33.780	27.09 27.70 27.70 20.01 EMP 08.5 ULB 08.0 ETR 1021.5 0 174 SIGMA-T 26.01 26.04 26.05 26.07 26.11 26.12 27.16 27.35	DIR M 26 26 26 26 26 26 26 26 26 26 26 26 26	1476.8 1476.9 1476.9 1476.9 1476.3 1462.3 1462.3 1462.3 1462.4 1462.9 1460.7 1460.7 1460.7 1450.1 1447.2 1460.3 1442.1 1442.3	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 00660 1974 H 06 12 13.9 0EPTH 30000 00003 00011 00017 00020 00022 00024 00026 00034 00051 00051 00010 00100 00100 00100 00100 00100 00117 00127 00127 00127	03.87 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.65 03.63 02.60 02.75 02.83 02.75 02.83 02.00 03.17 03.08 02.75 02.83 02.00 03.17 03.08 02.75 02.83 02.00 03.17 03.17 03.08 04.17 03.08 04.17 03.08 04.17 03.17 0	34.84w 34.85w AIn 1 well 1 32.70 32.70 32.73 32.73 32.73 32.73 32.77 32.76v 32.77 32.76v 32.77 32.76v 32.77 32.76v 32.77 32.76v 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 32.77 33.80 33.38	27.09 27.70 20.21 EMP 08.5 ULB 08.0 ETR 1021.5 0 T/A SIGMA-T 26.01 26.05 26.07 26.11 26.12 27.14 26.69 26.69 26.69 26.69 26.69 26.69 27.16 27.35 27.46	DIR M 26 26 26 26 26 26 26 26 26 26 26 26 26	1476.8 1476.9 1476.9 1476.9 1476.9 1482.3 1482.3 1482.3 1482.4 1482.4 1482.3 1480.3 1480.3 1480.3 1481.3	WIND-SPI WIND-FO WEATHER	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N CASTNUM/TIME	GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 1974 H 06 12 13.9 0EPTH 30000 00003 00011 00017 00020 30020 30020 30020 30034 00034 00036 00051 30000 00051 300000 300000 300000 300000 300000 300000 300000 300000 3000000	03.87 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.65 03.63 02.00 03.24 03.17 02.08 02.75 02.03 02.00 03.27 03.13 02.00 03.27 03.13 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.78 03.17 02.08 02.17 02.08 02.17 02.08 02.17 02.08 03.17 02.09 03.17 02.00 03.27 03.17 02.00 03.27 03.17 03.65 0	34.84u 34.85u AIn 1 well 1 32.70 32.70 32.73 32.73 32.73 32.73 32.77 32.75 32.77 32.77 32.77 32.77 32.77 33.00 33.05u 33.05u 33.36u	27.09 27.70 27.70 20.01 EMP 08.5 ULB 08.0 08.01 ETR 1021.5 17/A SIGMA-T 26.01 26.04 26.05 26.07 26.11 26.12 26.12 26.12 26.12 26.12 26.12 26.15 26.65 26.65 26.65 26.65 26.65 27.76 26.68 27.04 27.15 27.45 27.45 27.47	DIR H 26	1476.8 1476.9 67 PEA 3 SNO VEL 1462.3 1462.9 1462.9 1462.4 1460.9 1460.3 1456.6 1450.7 1447.1 1447.2 1444.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1450.7 1456.1	WIND-SPI WIND-FOI WEATHER GXYG	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N	UNLTYP LVLTYP STD OBS OBS OBS OBS OBS OBS OBS OB	00601 00660 00660 1974 H 06 12 12 13.9 0EPTH 30000 30003 00013 00017 30020 30022 00024 00026 00034 00037 30030 00031 30030 300	03.87 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.63 03.65 03.63 02.60 03.24 03.17 02.03 02.00 03.27 03.17 02.03 02.00 03.27 03.17 02.03 02.00 03.27 03.17 03.08 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.78 03.78 03.78 03.17 03.08 03.27 03.17 02.03 03.04 03.17 03.08 03.27 03.17 03.08 03.27 03.17 03.08 03.27 03.17 03.08 03.27 03.17 03.08 03.27 03.08 03.27 03.08 03.27 03.17 03.08 03.27 03.17 03.08 03.27 03.09 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.28 03.08 03.29 0	34.84u 34.85u AIn 1 wE1 C CLUUI SAL 32.70 32.73	27.09 27.70 27.70 28.50 EMP 08.5 08.00 ETR 1021.5 17/A SIGMA-T 26.01 26.04 26.05 26.07 26.12 26.12 26.12 26.12 26.12 26.12 26.15 26.66 26.67 26.66 26.77 26.76 26.68 27.04 27.15 27.46 27.35 27.45 27.45 27.53	DIR H 26	1476.8 1476.9 67 Pth 3 SNO VEL 1462.3 1462.9 1462.9 1462.1 1460.3 1450.3	WIND-SPI WIND-FOI WEATHER GXYG	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8
CONSEC 0007 LAT 43 54.8N LONG 049 03.8N	GBS GBS GBS GBS GBS GBS GBS GBS GBS GBS	00601 00660 1974 H 06 13.9 0EPTH 30000 00003 00013 00011 00017 00020 00020 00020 00034 00047 00047 00046 00051 00076 00107 00127 00127 00127 00127 00127 00127 00127 00127 00127 00127	03.87 03.85 SHIP EV DATA USE 1 AREA 05 TEMP 03.78 03.65 03.63 03.65 03.63 02.60 03.24 03.17 02.03 02.00 03.27 03.17 02.03 02.00 03.27 03.17 02.03 02.00 03.27 03.17 03.08 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.65 03.78 03.78 03.78 03.17 03.08 03.27 03.17 02.03 03.04 03.17 03.08 03.27 03.17 03.08 03.27 03.17 03.08 03.27 03.17 03.08 03.27 03.17 03.08 03.27 03.08 03.27 03.08 03.27 03.17 03.08 03.27 03.17 03.08 03.27 03.09 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.27 03.08 03.28 03.08 03.29 0	34.84w 34.85w AIN 1 WET 1 32.70 32.70 32.70 32.77 33.12 33.1	27.09 27.70 27.70 20.01 EMP 08.5 ULB 08.0 08.0 17/A SIGMA-T 26.01 26.04 26.05 26.07 26.11 26.12 26.12 26.12 26.12 26.12 26.15 26.66 26.67 26.67 26.68 26.69 26.69 27.49 27.49 27.45 27.45 27.45 27.53 27.53	DIR H 26	1476.8 1476.9 6 GT Pth 3 1462.3 1462.9 1462.9 1462.4 1460.9 1460.3 1450.6 1450.7 1452.9 1447.2 1447.2 1447.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1442.3 1450.6 1450.6 1450.7 1450.7 1450.7 1450.7 1450.9	WIND-SPI WIND-FOI WEATHER GXYG	0 046 R X1	TRA DUR GR I	CE DIR RATION G 011 6	00.3	5 2 1	SQUARE SQUARE SQUARE	2 2 8

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

LAT 43 56.8N LONG 049 12.0W	MONTH 06 DAY 12 Hour 15.0	SHIP EV WEI DATA USE 1 BARD	TEMP 10.3 BULB 10.1 METR 1021.2 MD T/A	DIR HGT PER 35 3 4 SEA CL/TR	WIND-DIR 26 WIND-SPD 10 WIND-FOR WEATHER XI	INST STO RECORDER TRACE DIR D DURATION 00-1 ORIG 011 6090016	TEN SC 1206 5 SQUARE 2 2 SQUARE 28 1 SQUARE 19
CASTNUM/TIME	LVLTYP DEPTH	TEMP SAL	SIGMA-T	DYNOPTH SND VEL	DXYG PO4	TOT P NO2 NO3	SEO3 PH
15.0	STD 00000 085 00001 085 00001 STD 00010 085 00011 STD 00020 085 00022 STD 00030 085 00038 085 00038 085 00045 STD 00050 085 00050 085 00045 STD 00050	04.43 32.497 04.43 32.697 04.48 32.690 04.35 32.670 04.27 32.69 04.27 32.700 04.14 32.69 03.80 32.70 03.78 32.700 02.78 32.700 02.78 32.735 02.36 32.735 02.36 32.735 02.36 33.00	25, 94 25, 94 25, 92 25, 95 25, 95 25, 96 25, 96 26, 00 26, 03 26, 12 26, 15 26, 37 26, 49 26, 51 26, 53	00.000 1465.6 1465.8 1465.3 00.021 1465.1 1465.1 00.041 1464.7 1464.4 00.062 1463.3 1462.4 1459.2 1457.4 1452.0 1450.0 1446.1	DATE PUE	TOT P NUZ NUS	2103 PH
	STD 00075 08S 00078	- 0.99 33.21 - 1.08 33.23u	26.72 26.74	00.133 1443.4 1443.1			
	OBS 00087 OBS 00091	- 1.26 33.274 - 1.26 33.260	26.78 26.77	1442.5 1442.5			
			****	*******			
REFID 31 8371 CONSEC 00-9 LAT 43 59-2N LONG 049 18-0W	YEAR 1974 MONTH 06 DAY 12 HOUR 15-4			DIR HGT PER 34 3 3 SEA CL/TR	MIND-DIR 20 MIND-SPD 08 MIND-FOR MEATHER X1	INST STD RECORDER TRACE DIR D DURATION DG-1 CRIG 011 610	
CASTNUM/TIME	LVLTYP DEPTH	TEMP SAL	SIGMA-T	DYNDPTH SND VEL	OXYG PO4	TOT P NO2 NO3	\$103 PH
15.4	STO 00000 0BS 00000 0BS 00000 0BS 00001 0BS 00011 0BS 00011 0BS 00012 0BS 00019 STD 00020 0BS 00022 0BS 00022 0BS 00022 0BS 00022 0BS 00023 0BS 00030 0BS 00030	02.00 32.63 02.00 32.63 04.47 32.643 04.43 32.66 04.41 32.667 04.39 32.69 04.08 32.69 03.05 32.627 03.30 32.60 02.99 32.570 02.37 32.77 01.76 32.87 01.73 32.88 01.63 32.907	26.10 25.85 * 25.89 25.92 25.93 25.96 25.96 25.97 26.18 26.31 26.32	00-000 1455.0 1465.8 00-020 1465.7 1465.6 1465.7 1465.5 1462.5 00-041 1461.0 1457.2 00-040 1454.8 1454.5	UATO POP	TUTP NUZ NUS	2103 hH

REFID 31 8371 CONSEC 0010 LAT 44 03.5N LONG 049 27.5W	YEAR 1974 MONTH OC DAY LL HOUR 10-8	AREA 05 CLUU	BULB 08.5 METR 1021.9 C T/A	DIR MGT PER 34 2 3 SEA CL/TR	WIND-DIR 20 WIND-SPD 08 WIND-SPD 08 WIND-SPD 08 WEATHER XI	INST STD RECORDER TRACE DIR DURATION 00-1 CRIG 011 011	2 SQUARE 45 1 SQUARE 41
CASTNUM/TIME	STD DEPTH	TEMP SAL 04.83 32.06	\$1GMA-T 25.67	00.300 1467.2	UXTG PU4	TCT P NO2 NO3	\$103 PH
16.6	C85 00001 C85 00001 C85 0001 C85 0001 C85 0001 C85 0002 C85 0002 C85 0002 C85 0002 C85 0002 C85 0002 C85 0002 C85 0002 C85 0003 C85 0003 C85 0003 C85 0003 C85 0003	04.63 32.064 04.53 32.006 04.46 22.00 04.40 32.07 04.00 32.09 03.00 32.09 03.00 32.09 04.87 32.05 04.87 32.78 02.80 32.78 02.80 32.78 02.80 32.78 02.80 32.78	25.87 25.69 25.50 25.51 25.97 25.98 26.00 26.15 26.15 26.15 26.15	00.021 1465.2 1466.0 00.021 1465.5 1465.8 00.042 1464.0 1462.8 1462.8 1462.8 1459.5 1459.5 1459.5 1459.5			

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIO 31 8371 CONSEC 0011 LAT 44 46.5N LONG 049 21.8M	YEAR 1974 MONTH 06 DAY 13 HOUR 06.8	BOTDP GGO64 SHIP EV DATA USE 1 AREA 05		.5 19	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER	14	TRACE		DADER D 00.1	TEN SQ 130 5 SQUARE 2 SQUARE 4 1 SQUARE 4	2
CASTNUM/TIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	TGT P	NG2	NO3	5103 PH	
	STD 00000	03.96	32.71 25.99	00.000	1463.6							
96.8	085 00000 STD 00010	03.96	32.710 25.99 32.71 26.00	00.020	1463.6							
	085 00010 085 00015	03.91 03.36	32.710 26.00 32.650 26.00	** ***	1461.2 1461.1							
	05 000 20 08 000 20	03.30 03.30	32.73 26.07 32.730 26.07	00.040	1461.1							
	08S 00025 S7D 00030 08S 00030	03.21 02.03 02.03	32.750 26.10 32.67 26.13 32.670 26.13	00.059	1455.7							
	085 00035 085 00040	00.63	32.860 26.37 32.950 26.48		1449.8							
	STD 00050 OBS 00050	- 0.56	33.07 26.60 33.070 26.60	00.093	1444.8							
	OBS 00055		33.140 26.66 33.150 26.67		1443.9							
	0007	••••										
REFID 31 8371 CONSEC 0012	YEAR 1974 Month 06	BOTOP 00064 SHIP EV		.5 DIR #	GT PER 1 3	WIND-DIR WIND-SPD	14	TRACI	STO REC E DIR	D	TEN SQ 13 5 SQUARE	2
LAT 44 45.5N LONG 049 14.2W	DAY 13 HOUR 07.9	DATA USE 1 AREA 05	BAKOMETR 1023 CLUUD T/A).8 SEA CL/TR		wind-for Weather		DURAT GR 1G	011 413	00.1	2 SQUARE 1 SQUARE	
CASTNUMVTIME	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNDPT H	SMD VEL	OXY G	PO 4	TOT P	MOS	NG3	5103 PH	
07.9	00000 00000 280	03.51 03.51	32.81 26.08 32.810 26.08	00.000	1463.5							
	085 00005 STD 00010	03.92 03.72	32.810 26.08 32.82 26.10	00.019	1463.7							
	085 00010 085 00015	03.72 02.99	32.82v 26.10 32.80v 26.15		1462.9							
	STD 00020 085 00020	02.86	32.81 26.17 32.81u 26.17	00.038	1459.4 1459.4							
	OBS 00025 STD 00030	02.38 02.05	32.780 26.19 32.79 26.22	00.056	1457.3							
	085 90030 085 90035	01.71	32.790 26.22 32.900 26.33		1455.9							
	085 00040 085 00045	~ 0.20	32.850 26.37 33.070 26.58		1449.3							
	STD 00050	- 0.33	33.05 26.57 33.050 26.57	00.089	1445.9							
	085 00055 085 00060		33.136 26.66 33.150 26.68		1442.7 1442.7							
			•••	•••••	•							
#EFID 31 8371	YEAR 1974	60TDP 00284	AIN TEMP	Die +	IGT PER	MIND-DIF	1 1 9	INST	STD REC	CADER	TEN SG 1:	304
REFID 31 8371 CONSEC 0013 LAT 44 44.0N	MONTH 06	SHIP EV	WET BULB BANOMETR 102	19		WING-SPE WIND-FOR	72	TRAC	E DIR Tion	00.1	5 SQUARE 2 SQUARE	2
LONG 049 03.0h		AREA 05		CLŽTE	t	WEA THER			011 614		1 SQUARE	40
CASTNUM/TIME			SAL SIGMA-		SND VEL	OXY G	P04	TCT P	NQ2	NO3	\$103 PH	•
08.8	STD 00000	02.52	32.78 26.10 32.785 26.10 32.787 26.10		1461.8 1461.9 1461.9							
	085 00005 STD 00010 GBS 00013	03.10	32.77 26.12	00.019	1460.4							
	STD 00020 CBS 00020	02.82	32.765 26.13 32.76 26.14 32.765 26.14		1455.1							
	STD 00030	92.66	32.75 26.15 32.75 26.18	00.057								
	CBS 00034	01.62	32.726 26.18 32.910 26.47		1454.9							
	085 00043 570 0005	- 0.86	32.910 26.48 33.10 26.65		1443.1							
	08\$ 0005 08\$ 0005	- 1.56	33.125 26.67 33.126 26.67		1440.3							
	STD 00075	- 1.07	33.23 26.76 33.23 26.76	00.123	1440.3							
	STD 00100	- 1.67	33.25 26.77 33.250 26.78	00.155	1440.7							
	STD 00125	- 1.58 - 1.58	33.38 26.88 33.386 26.88	00.186	1441.7							
	OBS 00140 STD 00150	1.44	33.410 26.90 33.46 26.94	00.215	1442.7							
	CBS 00150	- 1.28	33.465 26.94 33.60u 27.02		1443.7							
	OBS 0019	00.38	33.800 27.17 33.850 27.18		1450.0							
	STD 0020	01.56	33.93 27.19 33.966 27.19		1456.6							
•	083 0021	02.92	34.105 27.20		1464.5							
	OBS 0022	02.36	34.156 27.28									
	STD 00256	01.89	34.16 27.33 34.166 27.33	00.306	1460.8							
128	STD 0025	01.89	34.16 27.33 34.16 27.33 34.16 27.33	00.306	1460.8 1460.7 1461.0							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REPID CONSE LAT LONG	44	837L 0014 41.0N 56.3H	MONT	1974 H 06 13 12-5	BOTOP 00252 SHIP EV DATA USE 1 AREA 05	WÉT Bard		DIR H 19 SEA CL/TA		HIND-DIR HIND-SPD HIND-FOR HEATHER	12	TRAC I		00.1	TEN SQ 1304 5 SQUARE 2 2 SQUARE 48 1 SQUARE 48
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	1-AMDI 2	DYNOPTH	SND VEL	OXYG	P 04	TOT P	NO2	NO3	\$103 PH
			STD	00000	02.85	32.88	26.23	00.000	1459.1						
		12.5	OB S	00001	02.85	32.875	26.23		1459.1						
			085	00009	02.63	32.876	26.22		1459.1						
			STD	00010	02.78	32.87	26.23	00.01#	1458.9						
			OBS	00017	02.34	32.865	26.26		1457.1						
			STD	00020	02.33	32.87	26.26	00.036	1457.1						
			OBS	00020	02.33	32.870	26.26		1457.1						
			085	00026	02.02	32.876	26.29		1455.5						
			STO	00030	00.45	32.61	26.34	00.053	1448.8						
			085	00032	- 0.25	32.776	26.34		1445.6						
			085	00036	- C.66	33.020	26.56		1444.1						
			OBS	00038	- 1.06	33.003	26.56		1442.2						
			085	00040	- 1.31	33.076	26.62		1441.2						
			STD	00050	- 1.59	33.11	26.66	00.084							
			OB S	00051	- 1.62	33.120	26.67		1440.0						
			STD	00075	- 1.70	33.23	26.76	00.117	1440.2						
			OBS	00076	- 1.70	33.235	26.76		1440.2						
			085	00063	- 1.72	33.250	26.78		1440.2						
			STD	00100	- 1.69	33.26	26.79	00.149	1440.6						
			OBS	00100	- 1.69	33.265	26.79		1440.7						
			STO	00125	- 1.44	33.37	26.87	00.180	1442.4						
			085	00127	- 1.42	33.380	26.87		1442.5						
			08.5	00139	- 1.35	33.400	26.89		1443.1						
			085	00146	- 1.20	33.460	26.93		1444.0						
			STD	00150	- 1.13	33.46	26.93	00.209	1444.4						
			280	00152	- 1.09	33.460	26.93		1444.6						
			OBS	00175	- 0.92	33.565	27.01		1445.5						
			STD	00200	- 0.61	33.59	27.02	00.263	1447.8						
			085	00201	- 0.59	33.600	27.02		1448.0						
			OBS	00226	- 0.26	33.735	27.12		1450.1						
			085	00245	00.57	33.960	27.26		1454.5						
			STD	00250	00.59	33.96	27.25	00.309	1454.6						
			085	00251	00.59	33.950	27.25		1454.7						
							****	******							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8371 CONSEC 0015 LAT 44 40.5N LONG 048 48.0W	MONT	1974 H 06 13 13.7	BOTOP 02169 SHIP EV DATA USE 1 AREA 05	AIR I HET E Bard Cluud	OLB 06.7		GT PER 3 2	wind-dir wind-spd wind-for weather	16	TRAC	STD REC E DIR TION 011 616	00.4	5 5	00E1 DZ P S SAMPO 84 SAMPO 84 SAMPO
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	PQ4	TOT 8	NO2	NO3	\$103	PH
	STO	00000	03.29	32,78	26.11	60.000	1460.8							
13.7	085	00000	03.29	32.780	26.11		1460.8							
	085 570	00007	03.24 02.84	32.770 32.72	26.11 26.11	06.019	1460.7							
	085	00011	02.67	32.710	26.11	06.019	1458.3							
	085	00017	02.49	32.780	26.18		1457.7							
	085	00019	02.24	32.774	26.19		1456.6							
	510 085	00020	01.89	32.74	26.20	00.038	1455.0							
	285	00026	01.59 - 0.11	32.736 32.915	26.21 26.45		1453.7							
	DBS	0002B	- 0.29	33.020	26.54		1445.7							
	STO	00030	- C.40	33.01	26.54	00.055	1445.2							
	OBS	00032	- 0.84	32.987	26.54		1443.1							
	08 S 08 S	00034	- 1.40 - 1.47	33.050 33.130	26.61 26.68		1440.6							
	085	00040	- 1.43	33.130	26.66		1439.8							
	085	00049	- 1-71	33.25u	26.78		1439.7							
	570	00050	- 1.70	33.25	26.78	00.082	1439.7							
	OBS STD	00051 00075	- 1.69 - 1.66	33.250 33.33	26.78 26.84	00.113	1439.8							
	085	00079	- 1.65	33.354	26.86	40.113	1440.6							
	STD	00100	- 1-17	33.45	26.92	00.143	1443.4							
	OBS	00100	- 1-15	33.455	26.93		1443-5							
	ST0 280	00125 00125	- 0.87 - 0.86	33.55 33.590	27.03 27.03	00.170	1445.4							
	STD	00150	- 0.66	33.60	27.02	00.196	1446.8							
	085	00150	- 0-66	33.597	27.03		1446.8							
	OBS	00175	- 0.52	33.620	27.04		1447.9							
	\$7 <i>0</i> 085	00200 00201	- 0.35 - 0.32	33.72 33.735	27-11	00.246	1449.2							
	085	00226	00-30	33.93y	27.12 27.25		1452.9							
	STD	00250	00-63	34.05	27.33	00.288	1455.0							
	280	00251	00.71	34.060	27.33		1455.4							
	08S 08S	00257 00260	01.16	34.090 34.110	27.33 27.34		1457.5							
	085	00266	01-12 01-33	34.145	27.36		1458.5							
	280	00270	C1 - 25	34.150	27.37		1458.2							
	200	00279	02.36	34.280	27.39		1463.5							
	08\$ 08\$	00283 00289	02.46 01.86	34.285 34.260	27.38 27.41		1464.0							
	085	00297	01-48	34.240	27.42		1459.8							
	STD	00300	01-44	34.26	27.45	00.324	1459.7							
	OB\$	00300	01.43	34.270	27.45		1459.7							
	08\$ 06\$	00321 00350	01.48 01.91	34.30ú 34.43ú	27.47 27.54		1460.3							
	OBS	00373	02.36	34.490	27.56		1465.3							
	085	00386	03·63	34.630	27.55		1471 -2							
	STD 085	00400 00401	03.67	34.62	27.54	00.386	1471 .6							
	085	00403	03.68 03.67	34.620	27.54 27.54		1471.6							
	085	00413	03.85	34.725	27.60		1472.7							
	085	00426	04.33	34.7Bu	27.60		1475.0							
	OBS STO	00451 00500	03.90 03.73	34.770 34.77	27.64 27.66	00.440	1473.6							
	085	00502	03.72	34.775	27.66	00.440	1473.7							
	GBS	00550	03.90	34.83¢	27.68		1475.3							
	STO	00600	03.97	34.85	27.65	00.488	1476.4							
	DBS OBS	00603 00651	03.97 03.90	34.850 34.83u	27.69 27.68		1476.5							
	STO	00700	03.96	34.85	27.69	00.535	1478.0							
	085	00700	03.96	34.850	27.69		i478.1							
	OBS STD	00750 00800	03.96	34.845 34.86	27.69	00 502	1478.9							
	085	00863	03.92	34.86	27.70 27.70	00.583	1479.6							
	085	00854	03.85	34.860	27.71		1480.2							
	STD	00900	03.79	34.86	27.72	00.630	1480.7							
	08\$ 08\$	00900 00951	03.79 03.74	34.86 L 34.85 u	27,72 27,72		1480.7							
	\$10	01000	03.72	34.85	27.72	00.677	1462.0							
	GBS	01001	03.72	34.850	27.72		1482.1							
	085	01026	03.71	34.850	27.72		1482.4							

TABLE 1. CGC EVERGREEN, April-June 1974-(Continued)

REFID CONSEC LAT LONG	44	8371 0016 32.0N 18.0W	YEAR MONTH DAY HOUR	13	BOTOP 030 SHIP EV DATA USE AREA	05 05	Alm 1 Wei E Baron Cluus	OLB 06.5		GT PER	wind-dir wind-spd wind-for weather	14	TA, CU:	AC E	STO REC : 01R 11CM 011 617	00.4	5	N SQ 1 SQUARE SQUARE SQUARE	48
CAST	NU HZ	3M1T	LVLTYP	DEPTH	TEMP		SAL	SIGMA-T	DYNOPTH	SNC VEL	CXY G	P0 4	TOT	P	NO2	NG3	2103	PH	
			STO	00000	03.16		32,91	20.23	00.000	1460.5									
		16.4	280	00001	03.16		32.907	26.23		1460.5									
			570	00010	02.77		32.90	26.25	00.018	1458.5									
			085	00011	02.72		32.900	26.26	00.074	1456.7									
			STD OBS	00020 00020	02.54 02.51		32.910	26.28 26.28	00.036	1458.0									
			280	00022	02-43		32.900	26.28		1457.7									
			OBS	30024	01.70		32.900	26.34		1454.5									
			510	00030	- 0.21		33.07	26.5€	00.052										
			280	00030	- C-37		33.070	26.55		1445.4									
			085	00032	- C.95		33.060	26.60		1442.7									
			085 085	00034	- 1.34		33.12J 33.250	26.66 26.78		1441.3									
			STD	00050	- 1.65 - 1.57		33.31	20.82	00.079	1440.5									
			OBS	00051	- 1.55		33.327	26.84		1440.0									
			STD	00075	- 1.49		33.37	26.87	00.109	1441.3									
			280	00078	- 1.42		33.40u	26.85		1441.8									
			OBS	00081	- 1.31		33.450	26.53		1442.4									
			085	00085	- 0.77		33.484	26.93		1445.0									
			085 085	00093 30097	- 0.93 - 0.77		33.48v 33.61v	26.94 27.04		1444.4									
			\$10	00100	- 0.60		33.68	27.05	00-136	1440.4									
			CBS	00102	- 0.47		33.72v	27.12		1447.0									
			085	00106	- C.36		33.740	27.13		1447.6									
			OBS	00114	- 6.67		33.800	27.16		1449.2									
			210 280	00125	00.23 00.25		33.89 33.90	27.22	00-159	1450.9									
			210	00150	01.00		34.05	27.23 27.33	00.179	1455.0									
			OBS	00150	01.01		34.085	27.33		1455.1									
			CBS	00177	01.16		34.16.	27.36		1456.3									
			STD	00200	01.52		34.26	27.44	00.214	1458.4									
			DBS DBS	00203 0022 6	01.56		34.270	27.44		1456.7									
			570	00250	02.03		34.44	27.54	03.245										
			Ces	00251	02.04		34.446	27.54		1461.8									
			385	30276	02.18		34.460	27.50		1462.9									
			STD	00300	02.39		34.50	27.56	00.273										
			085	00300	02.40		34.534	21-50		1464.3									
			085 085	00336 00361	02.59		34.510 24.836	27.55 27.63		1465.7									
			570	20+00	04.74		34.65	27.01	00.327										
			085	00401	04.74		34.050	27.61		1470.4									
			065	00451	04.69		34.854	27.6L		1477.0									
			570	00503	04.62		34.00	27.63	00.381	1477.5									
			085 085	00500	34.62 04.55		34.00u	27.63		1477.5									
			510	00600	04.41		34.85	27.05	00.433										
			DBS	00658	04.30		34.050	27.00		1476.8									
			OBS	00005	04.26		34.85v	27.66		1476.7									
			STO	00700	04.15		34.8	27.66	00.484	1478.8									
			085 085	00715 00750	04.11		34.833 34.843	27 .66 27.68		1478.9									
			STD	00890	04.01		34.84	27.08	03.535										
			085	20801	04.01		34.640	27.08		1479.9									
			OBS	00850	03.99		34.84.	27.68		1480.7									
			STO	00900	02.57		34.83	27.48	20.586	1481.4									
			085	00900	03.57		34.630	27.68		1481.4									
			DBS Sto	00951 01000	03.52		34.84 34.83	27.69 27.09	00.636	1482.1									
			280	01001	03.81		34.83.	27.69	30,230	1482.4									
			280	01020	03.79		34.83.	27.65		1482.6									

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REF! CONS LAT LONG	EC 44	8371 0017 27.0N 44.8W	MONT	1974 + 06 13 19.8	BOTOP 02458 SHIP EV DATA USE 1 AREA 05	ALA MET CLUU		DIR H 23 SEA CL/TR	GT PER 1 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	Q3	TRACE DURAT		ORDER D OO.4	5	N SQ 1306 SQUARE 2 SQUARE 46 SQUARE 47
CA	S TNUM	/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	TOT P	NO2	NO3	\$103	PH
		19.8	STD OBS	00000 00003	10.25 10.25	34.27 34.270	26.36 26.36	00.000	1490.4 1490.4							
			STD OBS	00010 00011	10.27 10.27	34.29 34.300	26.38 26.38	00.017	1490.4							
			085	00013	10.22	34.287	26.38		1450.5							
			OBS OBS	00015	09.87 09.65	34.270	26.42 26.44		14 89. 2 1488.5							
			STD OBS	00020 00020	09.65 09.65	34.26 34.27u	26.45 26.46	00.033	1488.5 1488.5							
			280	00026	05.75	34.296	26.46		1489.0							
			OBS STD	00028	10.13 10.44	34.572 34.69	26.62 26.62	00.048	1490.8							
			085 085	00030	10.78	34.730	26.62		1453.4							
			OBS	00036	11.16 12.30	34.836 35.186	26.63 26.69		1494.9 1499.3							
			OBS STD	00045 00050	13.22 13.28	35.465 35.46	26.73 26.71	00.076	1502.9 1503.2							
			085	00051	13.29	35.462	26.71		1503.3							
			STD OBS	00075 00076	13. 15 13. 14	35.46 35.466	26.74 26.74	00.110	1503.2 1503.2							
			085	00081	13.06	35.462	26.76		1503.0							
			085 085	00085 00091	12.62 12.78	35.397 35.514	26.79 26.85		1501.5							
			085 570	00095 00100	12.39 10.75	35.420 35.00	26.86 26.84	00.142	1500.9 1494.7							
			DBS	00102	09.96	34.840	26.85		1461.7							
			08\$ 08\$	00104 00114	09.49 08.74	34.763 34.757	26.87 26.99		1489.9 1487.3							
			STD	00125 00125	08.61	34.77 34.77s	27.02 27.02	00.171	1487.0							
			OBS OBS	00139	08.60 08.37	34.780	27.07		1486.3							
			085 085	00146 00148	08.55 08.56	34.837 34.855	27.08 27.09		1487.2 1487.4							
			STD	00150	08.65	34.87	27.09	00.197	1487.7							
			085 085	00154 00161	08.77 08.43	34.910	27.10 27.14		1487.9							
			08S 08S	00173 00175	08.73 08.58	34.967	27.16 27.16		1488.5							
			STD	00200	08.23	34.94	27.21	00.244	1487.0							
			280 280	00205	08.15 08.18	34.946	27.22 27.24		1467.0							
			08 S	00211	08.45 06.19	34.990	27.22 27.23		1488.1 1487.2							
			OBS	00222	07.48	34.850	27.25		1484.4							
			085 085	00226	07.41 07.43	34.83u 34.930	27.25 27.32		1484.1							
			OBS STD	00241	07.81 07.56	34.990	27.31 27.34	00.287	1486.2							
			OBS	00251	07.54	34.980	27.35	******	1485.3							
			085 085	00262 00272	07.54 06.66	34.970	27.34 27.34		1485.4							
			085 085	00276	06.55	34.850	27.38 27.40		1481.6							
			CBS	00298	06.45 05.80	34.770	27.42		1478.9							
			STD DBS	00300 00300	05.75 05.71	34.76 34.760	27.42 27.42	00.324	1478.7							
			085	00304	05.46	34.750	27.44		1477.6							
			065 065	00314 00317	04.94 05.03	34.730 34.740	27.49 27.49		1475.6							
			085 085	00319 00325	05.26 05.55	34.780 34.860	27.49 27.52		1477.0							
			085	00340	05.30	34.830	27.53		1477.6							
			OBS STD	00350 00400	05.19 05.05	34.840 34.83	27.55 27.56	00.389	1477.3							
			085 085	00403 00426	05.03 04.92	34.830	27.56 27.58		1477.6							
			OB5	00439	05.17	34.930	27.62		1478.9							
			085 STD	00454	05.10 04.85	34.966 34.95	27.65 27.67	00.443	1478.6							
			085 085	00500 00550	04.85 04.65	34.950	27.67 27.69		1478.6							
			STO	00600	04.65	34.96	27.70	00.490	1479.4							
			085 085	00601	04.64	34.960 34.930	27.71 27.49		1479.2							
			085 STD	00666	04.17	34.900	27.71	00.536	1478.4							
			085	00700	04.38 04.38	34.950	27.73 27.73	00.336	1479.9							
			085 570	00750	04.30 04.17	34.945 34.94	27.73 27.74	00.581	1480.4							
			CBS	00801	04.17	34.940	27.74		1480.7							
			085 510	00850 00900	04.2 8 04.26	34.96u 34.97	27.75 27.76	00.625	1482.0							
			085 085	00900	04.26 04.11	34.970	27.76 27.76		1462.0							
			OBS	00999	03.68	34.930	27.76		1482.8							
			STD OBS	01000 01001	03. 89 03.90	34.93 34.930	27.76 27.76	00.669	1482.8							
			085	31022	03.94	34.940	27.77		1483.4							

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 8371 CONSEC 0018 LAT 44 22.0N LONG 047 14.9M		06 13	BOTOP 03831 SMIP EV DATA USE 1 AREA 05	AIR T HET B BANCM CLUUD	ULB 10.2 ETR 1029.5	DIR HO 30 (SEA CL/TR	ST PER D 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	24 05 X1	TRA	KE (TD REC DIR DN L1 619	00.4	5 2	n SQ 1 SQUARE SQUARE SQUARE	4
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OXY G	P04	TOT	P	NO2	NQ3	\$103	РН	
23.1	STD OBS	00000	10.71 10.71	34.42	26.40 20.40	00.000	1492.2									
43.1	085	00007	10.44	34.35	26.39		1491.3									
	072 085	00010	10.24	34.36	20.43	00.016	1490.6									
	STO	00011	10.16 10.31	34.37u 34.39	26.45 26.44	00.032	1490.3 1451.1									
	OBS	00020	1C.33	34.400	26.45	******	1491.2									
	085 085	00022	10.18 10.25	34.417 34.487	26.49 26.53		1490.7									
	OBS	00028	10.78	34.730	26.62		1493.3									
	072 280	00030	16.92 10.90	34.74 34.750	26.61 26.61	00.047	1493.9 14 94. 0									
	OBS	00036	11.05	34.797	26.63		1494.5									
	OBS STD	00041	11.95	35.047	20.05		1498.0									
	085	00051	11.57 11.99	35.07 35.085	26.67 26.6 8	00.076	1498.3 1498.4									
	085	00066	12.64	35.350	26.75		1501.2									
	STD OBS	00075	12.48 12.46	35.32 35.32	26.76 26.77	00.110	1500.8									
	STO	00100	11.92	35.32	26.87	00.141	1499.2									
	06S 06S	00100	11.91 11.85	35.317 35.377	26.87 26.93		1499.2 1459.3									
	STD	00125	11.62	35.32	26.93	00.171	1498.6									
	08\$ 08\$	00125	11.60	35.324	26.93		1458.5									
	085	00133	11.24 10.75	35.290 35.188	26.98 26.99		1497.4									
	085	00148	10.49	35-180	27.03		1454.8									
	STD OBS	00150 00154	10.39 05.57	35.15 35.046	27.02 27.01	00.199	1494.4									
	OBS	20159	09.12	34.880	27.02		1489.6									
	OBS	00175	07.82 07.63	34.76G 34.780	27.13 27.18		1484.8									
	STO	00200	07.89	34.84	27.10	00.249	1485.6									
	085 085	00201	07.99 08.07	34.860 34.885	27.19 27.19		1486.0									
	OBS	00224	67.79	34.835	27.20		1485.6									
	OBS GBS	00228	07.18	34.745	27.21		1483.2									
	085	00234	07.04 07.82	34.78u 34.950	27.26 27.28		1482.8 1486.2									
	085	00247	07.97	34.990	27.2 9		1486.9									
	STO CBS	00250	08.22 08.29	35.05 35.07¢	27.30 27.30	00.293	1487.9 1488.2									
	OBS	00260	07.68	34,950	27.30		1485.9									
	OBS CBS	00266 00276	07.54 07.93	34.94U 34.990	27.32 27.30		1485.5 1487.2									
	CIBS	00295	07.25	34.930	27.35		1484.8									
	STD OBS	00300	06.14 06.07	34.73 34.73u	27.35 27.35	00.334	1480.2									
	OBS	00302	06.02	34.750	27.37		1479.8									
	085 085	00308 00350	05.33 05.07	34.630 34.770	27.36 27.51		1476.9 1476.8									
	085	00354	05.02	34.776	27.51		1476.6									
	085 085	00341 00376	04.39 04.72	34.688	27.52 27.54		1474.0									
	DBS	00388	04.99	34.810	27.55		1477.1									
	OBS STD	00397 00400	04.73	34.770	27.55	00.402	1476.1									
	085	00401	04.73 04.73	34.78 34.780	27.55 27.55	00.402	1476.2									
	OBS OBS	00420	04.37	34.770	27.59		1475.0									
	OBS	00451	04.24 04.17	34.760 34.770	27.61 27.61		1474.9									
	085	00464	04.13	34.780	27.62		1474.8									
	OBS OBS	00474	03.83 03.58	34.740 34.75u	27.62 27.65		1473.6									
	STD	00500	03.68	34.76	27.65	00.457	1473.4									
	OBS	00502 00508	03.83 04.35	34.78U 34.850	27.65 27.65		1474.1									
	DBS	00550	04.45	34.930	27.68		1478.5									
	OBS OBS	00578	04.64 04.97	34.940 34.973	27.65 27.68		1479.0 14 8 0.7									
	STO	00600	04.94	34.97	27.68	00.506	1480.6									
	OBS OBS	00605	04.90 04.78	34.97U 34.980	27.68		1480.5									
	STD	00700	04.65	34.97	27.71	00.554	1481.1									
	OBS OBS	00700	04.45 04.70	34.970 34.940	27.71 27.70		1481.1									
	STD	00800	04.62	34.99	27.73	00.601	1482.7									
	OBS OBS	00801	04.62	34.990	27.73		1482.7									
	STO	00900	04.52 04.42	34.985 34.98	27.74 27.75	00.647	1463.5									
	085	00900	04.42	34.980	27.75		1463.5									
	OBS STD	00951	04.34 04.22	34.970 34.96	27.75 27.75	00.692	1484.0									
	OB S	01003	04.22	34.960	27.75	-	1484.3									
	GBS	01022	04.22	34.971	27.76		1484.7									

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8371 CONSEC 0019 LAT 44 14.5N LONG 046 40.3N	DAY	1974 H 06 14 02.2	BOTOP 03891 SHIP EV DATA USE 1 AREA 05	WET BAKO	TEMP 09.7 BULB 09.0 DMETR 1029.4 DD T/A		IGT PER O X	WIND-DIR WIND-SPD WIND-FOR WEATHER	00	TRAC DUR	T STO RE SE DIR ATTOM S OLL 62	00.5	5	n SQ 1 Square Square Square	46
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SNO VEL	OXY 6	P04	TOT I	P NO2	NG3	\$103	PH	
	STD	00000	08.16	33.12	25.80	00.000	1481 - l								
02.2	OBS STD	00010	98.16 98.13	33.120 33.12	25.80 25.80	00.022	1481.2								
	OBS STD	00011	08.12	33.120	25.80	•• •••	1481-1								
	OBS	00020 00020	08.04 07.97	33.12 33.120	25.81 25.82	00-044	1481.0								
	08 S 08 S	00024	07.55 96.30	33.047 33.186	25.83 26.10		1479.0								
	STD	00030	96.17	33.20	26.13	00.065	1474.3								
	08S 08S	00030 00032	06.12 05.90	33.20 <i>a</i> 33.455	26.14 26.37		1473.7 1473.2								
	OBS	00034	96.02	33.460	26.36		1473.7								
	085 085	00036 00038	96.05 96.29	33.47¢ 33.70¢	26.36 26.51		1473.8 1475.1								
	085	00041	06.38	33.715	26.51		1475.4								
	085 085	09043 00047	95.42 94.09	33.580 33.41	26.52 26.54		1471.4								
	OBS	00049	03.36	33.436	26.62		1462.8								
	STO OBS	00050 00051	03.19 03.08	33.44 33.486	26.65 26.65	00.098	1462.1 1451.7								
	085 085	00053 00057	03.78	35.776	26.85		1465 .1								
	OB 5	00059	03.98 04.48	33.863 34.005	26.91 26.97		1466.2								
	OBS OBS	00070 00072	03.29	33.985	27.07 27.08		1463.6								
	STD	00075	04.60	34.040 34.17	27.09	00.127	1465.4								
	OB\$ OB\$	00078 00079	05.11 05.16	34.260 34.280	27-16 27-11		1471.8								
	085	00061	05.64	34.350	27.11		1472.0								
	STD OBS	0010C	05.90 05.57	34.42 34.436	27.13 27.13	00.152	1475.5 1475.9								
	085	90119	96.60	34.540	27.13		1478.8								
	085 STD	00123 00125	06.96 07.03	34.597 34.61	27.13 27.13	00.176	1480.4								
	085	00127	07.13	34.620	27.12	001110	1481 -2								
	OBS STD	00133 00150	07.11 06.56	34.626 34.53	27.13 27.13	00.200	1481 -2								
	085	00120	96.56	34.530	27.13	00.200	1479.2								
	085 085	00156 00159	06.55 06.91	34.547 34.62>	27.14 27.16		1479.2								
	085	00161	06.55	34.635	27.16		1481.0								
	OBS OBS	00167	04.76 04.65	34.277 34.286	27.15 27.17		1471.8								
	085	00175	03.69	34.250	27.24		1467.4								
	STO OBS	00507	03.67 03.67	34.28 34.280	27.27 27.27	00.245	1467.8								
	OBS OBS	00203 00207	03.67	34.270	27.26		1467-8								
	OBS	00511	03.16 03.24	34.21 <i>s</i> 34.240	27.26 27.28		1465 - 6 1466 - 1								
	08\$ 08\$	00218 00226	03.15 03.82	34.245 34.355	27.29 27.31		1465.8								
	OBS	00234	04.35	34.430	27.32		1471.4								
	OBS STD	00243 00250	04.55 04.70	34.510 34.51	27.36 27.34	00.285	1472.5								
	08 S 08 S	00255	04.77	34.533	27.35	******	1473.6								
	085	00260 30264	04.78 04.37	34.580 34.500	27.39 27.37		1473.8								
	085 085	00276 00293	04.17	34.507	27,40		1471 -4								
	STD	00300	04.43 04.74	34.60ú 34.62	27.44 27.42	00.322	1472.9 1474.4								
	085 085	00314 00329	04.99 04.69	34.667 34.740	27.43 27.53		1475.7								
	085	00333	05.38	34.837	27,52		1477.8								
	OBS OBS	00336 00365	05.49 05.71	34.847 34.860	27.52 27.50		1478.4								
	STD	90400	05.68	34.65	27.50	00-389	1480-2								
	085	00403 00451	05.66 04.94	34.850 34.840	27.50 27.58		1480 - 1 1478 - 0								
	OBS STD	00472 00500	04.75 05.52	34.850	27.61		1477.6								
	280	00519	05.64	34.96 34.990	27.60 27.61	00.450	1481.3								
	085 570	00550 00600	05.12 05.02	34.96J 34.99	27.45 27.69	00.502	1480.5								
	085	00601	05.01	34.990	27.65	001702	1481.0								
	OBS STD	00651 00700	04.57 04.43	34.967 34.97	27.72 27.73	00.549	1479.9								
	OBS OBS	00700	04.43	34.962	27.73	JV. 347	1460.2								
	STD	00750 008 0 0	04.37 04.30	34.970 34.97	27.74 27.75	00.594	1480.6								
	08 S 08 S	00801 00850	04.30	34.976	27.75		1481.3								
	STD	00900	04.12	34.96u 34.98	27.76 27.76	00.638	1481.4								
	085 085	00900	04.33	34.98.	27.7e		1463.1								
	STD	01000	04.35 04.33	34.98	27.75 27.76	00.683	1484.0								
	085 085	01020	04.33 04.31	34.98u 34.98u	27.76 27.76		1464.4								
				~ ~ • 7 • 7	41.10		1485.0								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFIE CONSI LAT LONG	EC 44	#3/1 0020 08.8N 08.4W	MONT	1974 H 06 14 05.8	BOTOP 03860 SHIP EV DATA USE 1 AREA 05	WET BARD			GT PER G X	H IND-DIA H IND-SPO H IND-FOR HEA THER	04	TRAC	F STD (E DIR ATION 5 011 (00.	D 5	SQUARE 2 SQUARE 46 SQUARE 46 SQUARE 46
CA:	STNUN	TIME	LVLTYP	DEPTH	TEMP	SAL	S IGMA-T	DYNDPIN	SND VEL	a vxo	P04	TOT 1	P NO:	2 NO3	5103	P H
			STO	00000	10.22	33.01	25.38	00.000	1484.4		•				*****	• • •
		05.8	DB 5 DB 5	00000	10.22	33.010	25.38 25.39		1488.6							
			085	00005	09.66	32.900	25.39		1486.5							
			OBS STD	00007 00010	09.50 05.40	32.960 33.07	25.46 25.54	00.025	1486.1							
			085 085	00011	09.61 05.12	33.120	25.57 25.63		1486.7							
			STD	00020	08.92	33.12	25.64	00.049	1484.3							
			085 085	00022	08.47 08.01	33.186	25.80 25.82		1482.7							
			STD	00030	07.24 07.01	33.06 33.050	25.88 25.90	00-071	1477.9							
			08\$	00034	06.07	33.270	26.20		1477.0							
			280 280	00040	06.16 05.61	33.35u 33.29ú	26.25 26.27		1474.2							
			OBS STD	00047 00050	05.19 05.48	33.370 33.54	26.38 26.49	00-108	1470.4							
			085	00051	05.59	33.600	26.52	001100	1472.4							
			08S 08S	00055 00059	05.68 06.18	33.616	26.52 26.62		1472.8							
			085 085	00072 00074	03.22 03.66	33.47u 33.5 0 u	26.67 26.71		1462.7							
			STD	00075	03.48	33.57	26.70	00.145	1464.8							
			OBS OBS	00076	03.69 03.75	33.570 33.600	26.70 26.72		1464.9							
			OBS OBS	00081	04.31 04.75	33.720 33.800	26.76 26.77		1467.8							
			085	00087	04.50	33.770	26.74		1468.7							
			085 085	00091	04.54 05.08	33.83e 33.960	26.83 26.86		1469.1							
			CBS OBS	00095	05.92 05.07	34.080	26 . 84 26 . 8 4		1475.1							
			STD	00100	05.02	33.94	26.86	00.177	1471.4							
			08 S 08 S	00100	05.02 05.12	33.943 33.995	26.86 26.89		1471.3							
			085 085	00106	05.73 05.71	34.090 34.086	26.89 26.89		1474.5							
			STD	00125 00125	05.90 05.93	34.23	26.98 26.98	00-206	1475.7							
			OBS	00129	06.13	34.290	27.00		1476.8							
			085 085	00133 00139	06.86 06.84	34.44 <i>6</i> 34.435	27.02 27.02		1479.9							
			DBS DBS	00144	07.83 07.94	34.634	27.03 27.03		1484.2							
			STD	00150	08.33	34.74	27.04	00.233	1486.3							
			OBS OBS	00152 00161	08.53 08.76	34.785 34.845	27.04 27.05		1487.2 1488.3							
			08 S 08 S	00165	08.04 07.98	34.720 34.745	27.07 27.10		1485.4							
			085	00180	06.32	34.440	27.09		1478.6							
			OBS OBS	00184 00190	06.35 06.05	34.500 34.467	27.13 27.15		1476.8							
			08\$ 08\$	00194 00198	06.30 06.33	34.505 34.506	27.14 27.14		1478.8							
			STD	00200 20201	06.50 06.64	34.54 34.580	27.15 27.16	00.283	1479.8							
			085	00226	06.79	34.646	27.19		1481.5							
			STD OBS	00250 00253	06.71 06.69	34.635	27.19 27.19	00.330	1481.4							
			085 085	00270 00281	06.50 06.79	34.650 34.740	27.23 27.26		1481.1							
			085	00287	06.77	34.774	27.29	00.374	1482.6							
			STD OBS	00300 00308	06.29 06.05	34.68 34.650	27.29 27.29	00.314	1479.5							
			085 085	0032 9 00352	05.73 05.01	34.645 34.560	27.33 27.35		1478.9							
			OBS OBS	00357 00373	05.37 04.96	34.63G 34.60Q	27.36 27.30		1477.9							
			STD	00400	04.99	34.64	27.41	00.452	1477.1							
			OBS OBS	00401 00405	05.01 05.04	34.65¢ 34.690	27.42 27.44		1477.2							
			OBS OBS	00415 00416	05.84 05.96	34.835 34.850	27.46 27.46		1461.0							
			OBS	00424	06.57	34.975	27.48	•	1484.3							
			085 085	00451 00493	06.64 06.08	34.99u 34.96±	27.48 27.53		1485.0							
			STD 085	00500 00504	05.44 05.20	34.88 34.850	27.55 27.55	00.519	1480.9							
			085 085	00517 00534	05.21	34.852	27.56		1480.2							
			OBS	00536	05.69 05.76	34.975 34.984	27.59 27.59		1442.9							
			085 510	00550 00600	05.90 P 05.74	34.97u 34.98	27.569° 27.59	00.579	1443.9							
			08 S 08 S	00603	05.71	34.980	27.59 27.68		1463.8							
			STD	00700	04.57	34.93	27.49	00.633	1480.7							
			085 085	00700 00750	04.57 04.78	34.93Q 34.990	27.69 27.71		1480.7							
			STD OBS	00800 20801	04.85 04.85	34.98 34.980	27.70 27.70	00.483	1483.6							
			OBS STD	00850	04.84 04.55	34.970	27.69 27.72	00.731	1404.4							
			085	00900	04.55	34.970	27.72		1484.0							
			DBS STD	01000	04.37 04.37	34.990 34. 96	27.74 27.74	00.779	1485.0							
			085	01001	04.37 04.38	34.960 34.970	27.74 27.74		1484.9							
																198

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 83 CONSEC 00	21 MONT	1974 H 06	BOTOP 03700 SHIP EV	Alm 1	UL9 09.5	00	GT PER	wind-dir	31 04	TRAC	STD RE	٥	5	N SQ I SQUARE	2
LAT 44 32. LONG 046 04.		09.2	DATA USE 1 AREA 05	CLLUC	T/A	SEA CL/TR		WIND-FOR WEATHER	XI		TICN 62.	2	2	SQUARE SQUARE	
CASTNUM/TEM	E LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SAD VEL,	OXY 6	P04	TOT P	NO2	NOS	\$103	PH	
09.	STD 2 OBS	00000	07.16 07.16	33.31 33.307	25.85 25.85	00.000	1477.1								
•	OBS	00003	36.97	33.007	25.88		1470.4								
	OBS OBS	00007 00009	Ce.51 06.36	32.92u 32.963	25.87 25.92		1474.5								
	STO	00010	06.25	32.95	25.92	00.021	1473.5								
	08S 08S	00011	05.99 05.76	32.925 32.910	25.94 25.95		1472.5								
	DBS Std	30019 30320	05.70 05.56	33.044	26.07 26.08	00.042	1471.6								
	085	20020	05.44	33.035	26.09										
	08\$ 08\$	00024 00026	05.05 04.44	33.050 33.090	26.15 26.25		1470.5								
	OBS STD	00028	04.35	ذ12.33	26.28	00.060	1466.3								
	CBS	30030	04.02	33.12 33.120	26.30 26.31	00.000	1465.4								
	085 085	00032 00034	03.42 03.17	33.13e 33.157	26.38 26.42		1462.4								
	085	03036	02.18	33.125	26.48		1457.1								
	08S 08S	00038 00040	01.63 01.31	33.09¢	26.50 26.52		1454.6								
	085 085	00041	01.26	33.295	26.68		1453.3								
	085	00047	02.43	33.425 33.450	26.68 26.72		1459.6								
	08\$ \$10	00049 00050	02.45 02.61	33.600 33.62	26.84	00.089	1459.1								
	OBS	00053	03.45	ر 33.75	26.87	******	1463.7								
	085 085	00055 00057	03.78 04.34	33.805 33.947	26.8 8 26.94		1465.2								
	085	J0059	04.52	34.015	26.97		1468.7								
	08S 08S	000 0 6 20072	06.13 06.37	34.282	20.99 27.00		1475.7								
	STD OBS	30075	06.27	34.31	27.00	00.118	1476.5								
	OBS	3007 8 00089	06.16 05.68	34.297 34.250	27.00 27.02		1474.3								
	085 510	00095	05.12 04.96	34.160 34.16	27.02 27.03	00.145	1472.0								
	OBS	00100	04.93	34.155	27.04	*****	1471.3								
	08\$ 08\$	00102	04.87 04.59	34.150 34.133	27.04 27.06		1471-0								
	085	00108	04.48	34.140	27.07		1469.5								
	OBS OBS	00110 00114	04.66 04.64	34.15u 34.137	27.06 27.05		1470.3								
	085 STD	00118 00125	04.16 04.26	34.070 34.15	27.05 27.11	00.170	1468.2								
	085	00125	04.27	34.157	27.11		1468.9								
	STD OBS	00150 00150	04.19 04.19	34.17 34.176	27.13 27.13	00.194	1469.0 1469.0								
	08 S	00163	04.42	34.285	27.20		1470.3								
	DBS	00167 00169	04.05 04.40	34.254	27.21 27.21		1468.8								
	08\$ 08\$	00175	04.05 04.41	34.265 34.310	27.22 27.22		1469.0								
	STD	00200	05.42	34.48	27.24	00.240	1475.3								
	08S 08S	00205 00218	05.51 05.37	34.504 34.490	27.24 27.25		1475.8								
	08 S S T D	00226 00250	05.51 05.49	34.510 34.64	27.25 27.35	00.281	1476.2								
	085	00251	05.49	34.645	27.36	00.201	1476.7								
	08 S 08 S	00268 00272	05.58 06.00	34.705 34.760	27.39 27.38		1477.4								
	085	00276	06.05	34.760	27.38		1479.5								
	08 S 08 S	00283 00289	06.12 05.59	34.827 34.740	27.42 27.42		1480.0								
	C \$ 2 280	00300 00300	05.58 05.58	34.74 34.74>	27.42 27.43	00.317	1478.0								
	08.5	00306	05.59	34.765	27.44		1478.2								
	08 S 08 S	00319 00329	07.14 07.36	35.027 35.07u	27.44 27.44		1484.9 1486.0								
	280 280	00348 00350	06.88	34.970 34.975	27.43 27.44		1484.3								
	085	00354	06.71	34.965	27.45		1443.7								
	08 S 08 S	00357 00363	06.36 06.30	34.940 34.950	27.48 27.50		1482.2								
	085	00376	05.40	34.78 P	27.470*										
	08 S \$ 1 D	00382 00400	05.16 05.25	34.774 34.82	27.50 27.53	00.383	1477.7								
	085 085	00403 00447	05.26 05.19	34.830 34.81>	27.53 27.53		1478.5 1478.9								
	DBS	00454	04.78	34.78>	27.55		1477.3								
	STD 085	00500 00502	04.37 04.35	34.83 34.835	27.63 27.64	00.440	1476.4								
	OBS STD	00550 00600	05.04	34.99G 34.99	27.48 27.70	00-490	1480.2								
	CBS	00401	04.90	34.996	27.70		1480.5								
	OBS STD	00651 00700	04.71 04.87	34.97 <i>6</i> 34.99	27.71 27.70	00.538	1480.5								
	OBS OBS	00700 00750	04.87 04.69	34.990	27.70		1482.0								
	STD	00800	04.62	34.99	27.72 27.73	00.585	1402.1								
	08\$ 08\$	00801	04.62 04.53	34.99¢ 34.99¢	27.73 27.74	•	1482.7								
	STO	00900	04.30	34.98	27.76	00.630	1483.0								
	OBS	00951	04.30 04.08	34.98¢ 34.97¢	27.76 27.70		1482.9								
	STO OBS	01000	04. 05 04. 05	34.97 34.97u	27.78 27.78	00.674	1483.6								
100															

136

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID CONSE LAT LONG	C 44	8371 0022 56.0N 02.0M	YEAR MONTH DAY HOUR	1 06 14	BOTOP 03554 SHIP EV DATA USE 1 AREA 05	MET Bakc			GT PER 0 2	wind-dir wind-spd wind-for weather	00	TR AC DURA	STD REI E DIR TION QLI 62	90.3	5 5	SQ 1306 SQUARE 2 SQUARE 46 SQUARE 46
CAS	TNUK	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY 6	P 04	101 P	NG2	NO3	\$103	PH
			STD	00000	05.10	33.12	26.20	00.000	1467.9							
		12.4	08.5	00001	05.10	33.120	26.20		1469.0							
			OBS	00005	05.14	33.117	26.19		1469.2							
			085 570	00009	04.76 04.73	33.110 33.11	26.23 26.23	00.018	1467.7							
			065	00011	04.64	33.120	26.25		1467.2							
			OBS STD	00017	04.40	33.175	26-32	00 015	1466-4							
			085	00020 00020	04.94 05.16	33.37 33.447	26.42 26.45	00.035	1468.9 1469.5							
			085	00024	06.36	33.816	26.59		1475.4							
			STD Des	00030	03.62	33.29	26.49 *	00.051	1463.4							
			085	00034 00034	01.96 01. 39	33.240 33.325	26.59 26.70		1456.2							
			085	00038	01.28	33.43ú	26.79		1453.5							
			005	00040	01-47	33.456	26.79		1454.4							
			085 085	00047 00049	01.10 01.32	33.462 33.57ú	26.83 26.90		1452.9 1454.1							
			STD	00050	01.24	33.56	26.89	00.078	1453.8							
			280 280	00051	01-16	33.543	26.89		1453.4							
			085	00055	01.88 01.30	33.614 33.544	26.89 26.88		1456.7							
			085	00068	01.26	33.695	27.00		1454.3							
			085 085	00070	01.52	33.740 33.776	27.02		1455.6							
			STD	00074 00075	01.56 01.80	33.80	27.04 27.05	00.106	1455.9							
			085	00079	02.85	33.954	27.08		1461.8							
			085 085	00083	03.13	33.995 34.094	27.09		1463.2							
			085	00091	03.62 03.59	34.090	27.12 27.13		1465.5							
			STO	00100	03.79	34.14	27.16	00.130	1466.5							
			OBS OBS	90100 90102	03.81 03.85	34.160 34.160	27.16 27.16		1466.6							
			085	00110	04.64	34.297	27.10		1470.4							
			STD	00125	04.59	34.29	27.18	00.153	1470.4							
			065 065	00125 00129	04.55 04.19	34.296 34.310	27.19 27.24		1470.3 1468.9							
			085	00137	04.89	34.444	27.27		1472.1							
			STD	00150	04.71	34.44	27.26	00.175	1471.5							
			085 085	00150 00163	04.70 04.10	34.432 34.40u	27.2 0 27.32		1471.5							
			065	00165	03.63	34.39¢	27.34		1466.0							
			085	00177	03.56	34.410	27.36		1467.1							
			085 085	00184	04.31 04.39	34.514 34.500	27.39 27.37		1470.5							
			085	00194	05.35	34.646	27.37		1475.2							
			STD OBS	90200	05.95 04.53	34.74 34.850	27.38 27.39	00.213	1477.8							
			085	00226	06.34	34.860	27.42		1480.0							
			STD	90250	06.06	34.03	27.43	00.249	1479.2							
			085 085	00251	06.05 06.19	34.830 34.966	27.43 27.52		1479.2							
			085	00287	06.03	34.944	27.52		1479.8							
			STO	00300	05.43	34.82 34.780	27.51	00.282	1477.5							
			085 085	00306 00354	05.17 04.40	34.774	27.50 27.58		1476.5							
			STD	00400	04.38	34.65	27.65	00.338	1474.8							
			085 085	00403 00451	04.3 8 04.42	34.850 34.856	27.65		1474.9							
			Des	00460	04.71	34.935	27.64 27.68		1477.3							
			STD	00500	04.73	34.96	7.70	00.386	1478.1							
			085 085	90500	04.73 04.44	34.960 34.935	ć 1		1478.1							
			STO	90400	04.39	34.95	21	00.432	1478.3							
			085	0060L	04.39	34.950	27.73		1478.3							
			OBS STD	00451 00700	04.21 04.16	34.93¢ 34.95	27.73 27.75	00.475	1478.4							
			085	90700	04.16	34.950	27.75		1479.0							
			085	00750	04.06	34.930	27.75		1479.4							
			STO CBS	00800 00864	03.88	34.93 34.930	27.76 27.77	00.517	1479.5							
			STO	00900	03.97	34.95	27.77	00.560	1481.5							
			885 885	00900 00951	03.97 03.91	34.950	27.77		1481.4							
			STD	01000	03.92	34.74	27.77 27.77	90.602	1443.0							
			08 \$	01001	03.92	34.940	27.77		1483.0							
			OB S	01024	03.66	34.940	27.77		1483.2							

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID CONSE LAT LONG	45	8371 0023 20.4N 01.5W	MONT:	1974 H 06 14 15.7	BOTOP 03424 SHIP EV DATA USE 1 AREA 05	MET BAND	TEMP 13.5 BULB 12.5 METR 1030.0 O T/A		GT PER O 2	Wind-Dir Wind-Spd Wind-For Weather	03	TRAC	STD REC E DIR Tion Oli 624	00.4	5 :	I SQ 1306 SQUARE 4 SQUARE 46 SQUARE 54
CAS	TNUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY 6	P04	TOT P	NG2	NO3	\$103	PH
			STD	00000	06.84	33.58	26.34	00.000	1476.6							
		15.7	OBS STD	00003 00010	06. 84 06. 75	33.576 33.59	26.34	00.017	1476.6							
			08.5	00011	06.69	33.596	26.38		1476.2							
			OBS STD	00015	06.43 06.44	33.610 33.60	26.42 26.41	00.033	1475.2 1475.3							
			OBS	00020	06.45	33.600	26.41	00.033	1475.4							
			085 085	00026 00028	06.59 06.78	33.80e 34.15u	26.56 26.80		1476.3							
			STD	00030	08.19	34.46	26.85	00.048	1477.5							
			OBS	00030	08.50	34.540	26.86		1484.7							
			08S 08S	00036 00040	04.82 04.98	34.040 34.150	26.96 27.03		1469.6							
			OBS	00041	05.46	34.230	27.03		1472.6							
			STD OBS	00050 00051	05.67	34.26	27.03	00.070	1473.6							
			085	00070	05.68 05.07	34.265 34.240	27.03 27.09		1473.7							
			STD	00075	04.83	34.21	27.09	00.096	1470.5							
			OBS STD	00093 00100	04.64 05.12	34.197 34.25	27.10 27.09	00.120	1470.0 1472.1							
			OBS	00106	05.43	34.294	27.09	444124	1473.6							
			085	00118	05.40 05.69	34.310	27.11		1473.7							
			OBS STD	00121 00125	05.76	34.410 34.41	27.15 27.14	00.145	1475.0 1475.4							
			OBS	00125	05.77	34.415	27-14		1475.4							
			08S 08S	00137 00148	06.22 06.21	34.492 34.516	27.14 27.16		1477.5							
			STD	00150	06.35	34.56	27.18	00.168	1478.4							
			085	00152	06.53	34.615	27.20		1479 - 2							
			OBS OBS	00156 00161	06.70 07.09	34.665 34.740	27.22 27.22		1480.0							
			085	00178	96.50	34.630	27.22		1479.5							
			08\$ 085	00182 00184	06.15 06.06	34.620 34.600	27.25 27.25		1470.2							
			085	00186	05.57	34.510	27.24		1475.8							
			085 085	00188	05.51	34.490	27.23		1475.5							
			STD	00190 00200	04.75 04.52	34.42U 34.43	27.27 27.30	00-211	1472.3							
			085	00201	04.50	34.440	27.31		1471.5							
			085 085	00209 00220	04.51 05.08	34.490 34.600	27.35 27.37		1471.7							
			085	00228	04.46	34.490	27.35		1471.9							
			STO OBS	00250 00251	03.95 03.92	34.50 34.500	27.42 27.42	00.248	1470.1							
			085	00253	03.94	34.490	27.41		1470.1							
			085	00276	04.57	34.63C	27.45		1473.3							
			085 085	00279 00283	04.81 04.87	34.677 34.74U	27.46 27.51		1474.4							
			085	00287	05.19	34.770	27.49		1476.2							
			STD OBS	00300 00300	05.05 05.04	34.81 34.81>	27.54 27.55	00.281	1475.9							
			OBS	00350	04.66	34.800	27.58		1475 -1							
			STD OBS	00400 00401	04.45 04.44	34.84 34.840	27.63 27.63	00.336	1475.1 1475.1							
			085	00451	04.82	34.976	27.69		1477.7							
			085	00491	04.76	34.960	27.69		1478.1							
			08 S 08 S	00494 00498	04.47 04.46	34.935 34.930	27.71 27.70		1476.9							
			STD	00500	04.43	34.93	27.70	00.384	1476.0							
			085 085	00525 00550	04.19 04.49	34.90J 34.97U	27.71 27.73		1476.2 1477.9							
			STD	99400	04.42	34.97	27.74	00.428	1478.5							
			08\$ 08\$	00601 00651	04.42 04.37	34.970 34.970	27.74 27.74		1478.5							
			\$7D	00700	04.30	34.97	27.75	00.471	1479.6							
			085 085	00700	04.30	34.97	27.75		1479.6							
			STD	00750 00800	04.18 04.08	34.975 34.96	27.77 27.77	00.513	1480.0							
			085	00801	04.08	34.940	27.77		1480.4							
			OBS STD	00850 00900	04.08 03.94	34.976 34.95	27.70 27.77	00.555	1461.2							
			085	00900	03.94	34.950	27.77 27.77		1481.4							
			DBS STD	01000	03.94 03.87	34.960 34.96	27.78 27.79	00.597	1402.3							
			085	01003	03.86	34.965	27.79	VV. 771	1462.6							
			085	01016	03.63	34.950	27.79		1482.9							
			065	01024	03.65	34 .9 60	27.79		1483.1							

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID COMSE LAT LONG	C 45	8371 0024 35.2N 27.0M	MONT	1974 H 06 14 19.2	BOTOP 03044 SHIP EV DATA USE 1 AREA 05		TEMP 13.4 BULB 12.6 METR 1030.8 D T/A	DIR H 31 SEA CL/TR	GT PER O 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	00	TRA DUR	T STO REC CE DIR ATION G OLL 62:	00.4	5	N SQ 1 SQUARE SQUARE SQUARE	46
CAS	TNUN	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	P04	TOT	P NO2	NQ3	\$103	PH	
			STD	00000	03.77	33.16	26.37	00.300	1463.4								
		19.2	085 085	00001 00007	03.77 03.55	33.15e 33.117	26.37 26.36		1462.5								
			065	00009	03.10	33.100	26.38		1460.6								
			STD	00010	03.08	33.10	26.39	00.017	1460.5								
			OBS STD	00011	03-01 02-79	33.115 33.12	26.40 26.43	00.033	1460.3								
			085	00020	02.74	33.120	26.43	000033	1459.3								
			085 085	00022	02.41	33.120	26.44		1456.7								
			085	00024 00024	01.37 05.65	33.225	26.62 26.73		1453.4								
			STD	00030	00.18	33.56	26.96	00.046	1448.6								
			085 085	00030 00034	00-16	33.565	26.98 27.03		1448.6								
			085	00034	00.46 00.73	33.667 33.710	27.05		1451.4								
			085	00038	01.17	33.732	27.04		1453.5								
			085 085	20045 00049	01.77 01.14	33.790 33.750	27.04 27.05		1456.3								
			STD	00050	01.10	33.75	27.06	00.068	1453.4								
			OBS	00053	00.91	33.782	27.09		1452.6								
			STO OBS	00075 0007e	01-52 01-53	33.94 33.942	27.18 27.18	00.091	1455.9								
			CBS	00078	01.54	33.950	27.19		1456.1								
			085	00081	02.28	34-110	27.27 27.28		1459.6								
			085 085	00083	02.46 03.20	34.155	27.33		1464.0								
			085	00091	03.65	34.410	27.37		1466.1								
			08 S 08 S	00093	03.72 04.74	34.41u 34.537	27.37 27.36		1466.4								
			005	00099	04.88	34.555	27.36		1471.6								
			STD	00100	05. C8	34.59	27.36	00.112	1472.4								
			085 085	00110	05.23 05.27	34.610	27.36 27.36		1473.1								
			STD	00125	03.79	34.44	27.38	00.130	1467.3								
			OBS STD	00125	03.75	34.432	27.38	00.148	1467.1								
			085	30150 00150	03.90 03.90	34.50 34.500	27.42 27.42	00.148	1468.2								
			085	30156	03.66	34.510	27.45		1467.3								
			085 085	00161 00165	04.04 03.42	34.560	27.45 27.44		1469.1								
			085	00171	03.69	34.510	27.45		1467.7								
			085	00175	03.49	34.500	27.46		1466.9								
			085 085	00176	03.25 03.40	34.51a 34.61u	27.50 27.56		1466.0								
			085	00199	03.20	34.590	27.56		1466.2								
			STD 005	00200 00213	03.19	34.59 34.552	27.56 27.58	00.178	1466.2								
			085	00222	C2.70 02.72	34.580	27.60		1464.5								
			005	00226	02.93	34.620	27.61		1465.5								
			STD OBS	00250 00251	03.08 03.09	34.63 34.635	27.61 27.61	00.205	1466.6								
			085	00276	03.35	34.750	27.67		1448.3								
			57 D 08 S	00300 00302	93.59 93.62	34.78 34.78u	27.67 27.67	00.229	1469.8								
			085	00350	04.06	34.840	27.67		1472.7								
			STO	00400	04.03	34.86	27.69	00.274	1473.4								
			280	00401 00451	04.03 03.92	34.860 34.850	27.69 27.70		1473.4								
			STO	00500	03.94	34.84	27.69	00.320	1474.6								
			085 085	00515 00550	03.95 03.97	34.840	27.69 27.69		1474.9								
			STD	90400	03.90	34.65	27.70	00.366	1476.1								
			280	00401	03.90	34.850	21.70		1476.2								
			OBS STD	00651 00700	03.87 03.85	34.845 34.85	27.70 27.70	00.412	1476.8								
			065	90700	03.85	34.85u	27.70	******	1477.6								
			085	00750	03.81	34.845	27.70	00 480	1478.2								
			STD OBS	90800 90801	03.74	34.84 34.840	27.71 27.71	00.459	1478.8								
			065	00850	03.78	34.86G	27.72		1479.0								
			STD OBS	00900	03.49	34.85 34.85u	27.72 27.72	00.506	1480.2								
			065	00953	03.74	34.955	27.80		1481.4								
			570	01000	03.79	34.94	27.78	00.550	1482.4								
			08 S 08 S	01001 01020	03.79 03.77	34.940	27.78 27.78		1482.5								
				-1410	430	-40,740	4,1,0		. 704 . /								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

CONSEC	45	8371 0025 45.0N 52.1W	YEAR MONT! DAY HOUR	1 06	BOTOP 01922 SHIP EV DATA USE 1 AREA 05	AIM T MET (BAMO) CLGUC	BULB 09.9 WETR 1030.9		GT PER O X	wind-dir wind-spd wind-for weather	04	TR AC	STD RE E DIR Tion 011 62	00 -4	5 2	N SQ 130 SQUARE SQUARE 4 SQUARE 5	4
CAST	NU N/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	OXY 6	P0 4	TOT P	NO2	NO3	\$103	PH	
			STD	00000	04-21	33.26	26.40	00.000	1465.4								
		22.0	280 280	00003	04-21 04-06	33.260 33.244	26.40 20.41		1465.5								
			STD	00010	04.06	33.25	26.41	00.016	1464.9								
			C8 S	00011	04.06	33.255	26.42		1444.9								
			STO	00020	04-03	33.26	26.43	00.033	1465.0								
			280	00020	04.02	33.265	26.43		1465.0								
			OBS STD	00028	03.96 03.85	33.260 33.26	26.43 26.44	00.049	1464.8								
			OBS	00032	03.64	33.253	26.46	00.044	1463.5								
			CBS	00034	03.44	33.250	26.47		1462.7								
			085	00036	01.96	33.574	26.85		1456.8								
			OBS STD	00049 00050	01.27	33.763	27.06	90.075	1454.1								
			OBS	00051	01.27 01.28	33.810	27.07 27.09	44.045	1454.2								
			OBS	00053	01.32	33.800	27.09		1454.5								
			OB S	00059	01.70	33.945	27.17		1456.8								
			STD	00075	02.01	34.08	27.26	00.097	1450.3								
			OBS STO	00076	02.03 02.60	34.087 34.26	27.26 27.35	00.117	1458.4 1461.5								
			085	00100	02.42	34.265	27.35	00.11.	1461.6								
			STD	00125	02.47	34.40	27.44	00.135	1463.3								
			085	00125	02.88	34.400	27.44		1463.3								
			STD OBS	00150	03.28	34.49	27.48	00.151	1465.6								
			085	00150 00175	03.29 03.56	34.495	27.48 27.54		1465.6								
			085	00194	03.98	34.656	27.53		1469.5								
			STD	00200	04.00	34.67	27.54	00.181	1469.7								
			085	00201	04.00	34.673	27.55		1469.7								
			08 S 5 T D	00226	04.07 04.19	34.750 34.77	27.60 27.61	00.208	1470.5								
			085	00255	04-21	34.780	27.61	00.20	1471.6								
			085	00279	C4.30	34.830	27.64		1472.5								
			STO	00300	04.20	34.85	27.66	00.233	1472.5								
			08\$ 08\$	00300	04-20	34.841	27.66		1472.4								
			OBS	00338	03.87 04.06	34.830 34.84u	27.69 27.67		1471.7								
			STD	00400	04-11	34.85	27.68	00.279	1473.7								
			085	00401	04.11	34.850	27.66		1473.7								
			085	00451	04-00	34.850	27.69		1474.1								
			STD OBS	00500 00500	04.02 04.02	34.83 34.830	27.67	00.327	1475.0								
			085	00550	03.50	34.850	27.67 27.70		1475.3								
			STO	00600	04.02	34.92	27.74	00.372	1476.7								
			085	00609	04.05	34.936	27.75		1477.0								
			OBS STD	00651	04.24	34.952	27.75	00 414	1478.5								
			085	00700 00700	04 • 12 04 • 12	34.95 34.95u	27.76 27.76	00.414	1478.9 1478.9								
			085	00750	04.15	34.960	27.76		1479.8								
			STD	00800	04.10	34.96	27.77	00.456	1480.4								
			085	00803	04-10	34.960	27.77		1480.5								
			DBS STD	00850	04.13 03.96	34.980 34.96	27.78 27.78	00.498	1481.4								
			085	00900	03.96	34.960	27.78	00.778	1481.5								
			085	00953	03.89	34.956	27.78		1482.1								
			STD	01000	03.79	34.94	27.78	00.539	1482.5								
			085	01001	03.79	34.940	27.78		1482.5								
			OBS OBS	01022 01024	03.73	34.930	27.78		1482.6								
			003	01024	03.74	35.180	27.98		1443.0								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

	8371 0026 56.0N 14.0W	MONTE	1974 4 06 15 00.7	BOTDP 01760 SHIP EV DATA USE 1 AREA 05	Aln T WET B Bancm Cluud	ULB 08.0 ETR 1031.5	DIR HG OO C SEA CL/TR		HIND-DIR HIND-SPD HIND-FOR WEATHER		TR DU	AC E	DIR		RDER D 00.4	5	N SQ I SQUARI SQUARI SQUARI	E 46
CASTNU	VTIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	OYNDPTH	SND VEL	OXYG	P04	tot	P	NO	2	NO3	\$103	PH	
02011101				00.39	22.10	26.37	00.000	1461.2										
		570	00000	<i>03.28</i> 03.28	33.10 33.104	20.37	20,000	1461.3										
	00.7	085	00003 00005	02.50	33.050	26.36		1459.6										
		OBS STD	00010	02.73	33.11	26.42	00.016	1459.0										
		CBS	00011	02.69	33.117	26.43		1458.5										
		570	00020	02.71	33-12	26.43	00.033	1459.1										
		085	00020	02.71	33.120	26.43		1459-1										
		085	00026	02.45	33.110	26.45		1458-1										
		STD	00030	01.59	33.25	26.60	00.048	1450 - 3										
		DBS	00030	01.62	33.260	26.61		1455.6										
		085	00032	06.91	33.257	26.67		1448.0										
		085	00034	00.05	33.460	20.88		1446-2										
		085	00047	- 0.43	33.60	27.02	00.073	1446.3										
		STO	00050	- 0.41	33.60	27.02	00.073	1446.4										
		CBS	00051	- 0.39	33.600	27.02 27.19	00.097	1449.3										
		STO	00075	00.69	33.84 33.800	27.20		1449.6										
		OBS	00076	00.96	34.127	27.37		1453.9										
		08\$	00091	01.55	34.260	27.44		1456 .8										
		085	00099	01.84	34.310	27.45		1458-2										
		OBS STD	00100	02.28	34.35	27.45	00.116	1460.3										
		085	00100	02.63	34.390	27.45		1461 -8										
		085	00106	03.81	34.520	27.45		1467 - 2										
		CBS	00114	04.14	34.585	27.46		1468.8										
		STD	00125	04.30	34.62	27.47	00.132	1469.7										
		085	00125	04.31	34.620	27.47	00-147	1469-7										
		STD	00150	04.93	34.76	27.51	00-141	1472.9										
		085	00150	04.54	34.760	27.51 27.53		1470.8										
		GB S	00171	04.37	34.697			1471.3										
		085	00177	04.40	34.737 34.83	27.55 27.58	00.176	1473.3										
		STD	00200	04.80 04.82	34.830	27.58	****	1473 -4										
		085	00201 00226	04.90	34.835	_7.5E		1474.1										
		OBS STD	00250	04.54	34.84	27.63	00.202											
		085	00251	04.53	34.842	27.63		1473.0										
		085	00262	04.51	34.830	27.62		1473 - 1										
		085	00270	04.26	34.79∠	27.61		1472-1										
		DBS	00276	04.18	34.780	27.61		1471.9										
		STD	00300	03.92	34.76	27.63	00.227	1471-1										
		08\$	00300		34.760	27.63	00.276	1474.1										
		STD	30400		34.84	27,66 27,66	00.2.0	1474.2										
		G8 \$	00407	04.21	34.84J 34.860	27.07		1475.0										
		OBS	00451		34.86	27.68	00.324											
		STD	00500		34.852	27.68		1475.3										
		08\$	00500		34.850	27.69		1475-8										
		285 STD	60600		34.86	27.70	00.370	1476.3										
		085	00601		34.860	27.70		1476.3										
		085	00651		34.850	27.70		1476-9										
		\$10	00700		34.86	27.71	00.416											
		OBS	00702	03.87	34.860	27.71		1477.7										
		08.5	00750		34.650	27.72	00.462											
		STD	00800		34.65	27.72	00.402	1478.7										
		08\$	0080		34.850	27.72 27.72		1479.4										
		280	00850		34.850	27.73	00.508	1480-3										
		STD	00900		34.86 34.86¢	27.73	55,500	1480 - 3										
		085	0090		34.860	27.73		1461-4										
		280	0097		34.86	27.73	00.554	1481 - 5	1									
		STD OBS	0100		34.855	27.73		1481 -6										
		083	0104		34.860	27.74		1482.2	!									
		204																

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REF1D 31 83 CONSEC 00 LAT 46 01. LONG 047 23.	27 MONT 5N DAY	1974 H 06 15 02-7	BOTDP 01345 SHIP EV DATA USE 1 AREA 05				GT PER O X	WIND-DIR WIND-SPD WIND-FOR WEATHER	04	TRACE		DADER D 00.4	5 2	N SQ 1306 SQUARE 6 SQUARE 66 SQUARE 67	6
CASTNUM/TIM	E LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	DXY 6	P04	TOT P	NO2	NO3	\$103	PH	
	STD	00000	02.76	33.25	26.53	00.000	1459.2								
02.	7 08S STD	00003 00010	02.76 02.56	33.250 33.21	26.53 26.52	00.015	1459.3 1458.4								
	085	00011	02.51	33.214	26.52	******	1458.2								
	STD	00020	02.22	33.25	26.58	00.030	1457-1								
	085	00020	02.19	33.257	26.58		1457.1								
	STD OBS	00030 00034	01.99 01.91	33.30 33.340	26.63 26.67	00.045	1456.4								
	OBS	00041	01.79	33.452	26.77		1455.5								
	085	00049	00.44	33.457	26.86		1450.0								
	STD	00050	00.42	33.46	26.86	00.071	1449.9								
	085 085	00051 00055	00.39 00.52	33.460 33.460	26.87 26.86		1449.8								
	085	00057	- 0.52	33.470	26.92		1445.7								
	OBS	00059	- 0.69	33.597	27.03		1445.1								
	OBS	00060	- 0.63	33.600	27.03		1445.4								
	OBS OBS	00068	- 0.38 - C.45	33.610	27.02		1446.7								
	STD	00075	- 0.25	33.757 33.78	27.13 27.15	00.097	1446.6								
	085	00076	- 0.16	33.780	27.15		1448.1								
	OBS	00079	00.25	33.794	27.14		1450.1								
	STD	00100	00.54 00.55	34.00	27.29	00.119	1452.0								
	OBS STD	00100 00125	0C.97	34.01u 34.12	27.30 27.37	00.137	1452.1 1454.5								
	085	00127	01.02	34.140	27.37		1454.8								
	STD	00150	01.55	34.31	27.47	00.154	1457.8								
	085	00150	01.56	34.310	27.47		1457.9								
	OBS S7D	00175 00200	01.81 01.94	34.405 34.41	27.53 27.52	00.184	1459.5								
	OBS	00201	01.95	34.410	27.52		1460.6								
	OBS	00228	02.06	34.485	27.57		1461.6								
	STO	00250	02.39	34.59	27.63	00.211	1463.5								
	08\$ 08\$	00251 00276	02.40 02.56	34.550	27.63 27.65		1463.6								
	STD	00300	02-67	34.45	27.66	00.235	1465.6								
	085	00302	02.68	34.650	27.66		1465.7								
	085	00384	03-13	34.750	27.70		1469.2								
	STD OBS	00400 00413	03.23	34.75 34.760	27.65 27.69	00.280	1470.4								
	OBS	00451	03.49	34.785	27.69		1471.8								
	085	00462	03.52	34.785	27.65		1472.2								
	085	00491	03.71	34.83C	27.70		1473.5								
	570 085	00500 00500	03.74 03.74	34.83 34.83u	27.70 27.70	00.325	1473.8								
	085	00550	03.77	34.840	27.70		1474.7								
	STD	00600	03.84	34.84	27.70	00.370	1475.5								
	085	00622	03.85	34.845	27.70		1476.3								
	085 STD	00651	03.85 03.79	34.840 34.84	27.70 27.70	00.417	1476.8								
	085	00700	03.79	34.840	27.70	00.72	1477.3								
	OBS	00750	03.76	34.840	27.71		1478.0								
	STD	00800	02.73	34.64	27.71	00.463									
	08S 08S	00801 00852	03.73 03.70	34.840 34.84u	27.71 27.71		1478.8								
	STD	00900	03.65	34.84	27.72	00.510	1400.1								
	085	00900	03.65	34.840	27.72	•	1480.1								
	085	00951	03.62	34.845	27.72		1480.8								
	\$10 085	01000	03.60	34.85	27.73	00.556	1481.5								
	08 S 08 S	01001 01020	03.60 03.60	34.850 34.850	27.73 27.73		1481.5								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8371 CONSEC 0028 LAT 46 06-0N LONG 047 34-0N	MONT	1974 H 06 15 04.5	BOTOP 00365 SHIP EV DATA USE 1 AREA 05	AIR Y WET B BAHON CLGUT	2.50 BJUE 1.1E01 ATB	DIR H QO SEA CL/TR	GT PER G X	HIND-DIR HIND-SPD HIND-FOR HEATHER	09	DURA	STO REG E DIR TICN OII 629	S-00	5	N SQ 1306 SQUARE 4 SQUARE 66 SQUARE 67	
CASTNUM/TEME	LVLTYP	DEPTH	TEMP	SAL	SIGHA-T	HTGGNYG	SND VEL	OXY G	P04	101 P	NO2	NO3	5103	PH	
	STD	00000	03.19	32.76	26.12	00.000	1460-4								
04.5	085	00003	03.19	32.780	26.12	20.000	1460.5								
*****	280	00005	03.17	32.780	26.12		1460-4								
	085	00009	02.25	32.710	26.14		1456.4								
	STD	00010	02.20	32.72	26.15	00.019	1456 . 2								
	QBS	00013	01.94	32.780	26.22	******	1455.2								
	STO	00020	01.93	32.90	26.32	00.037	1455.4								
	280	00020	01.93	32.910	26,33		1455.4			•					
	STD	00030	01.83	33.04	26.44	90.053	1455.3								
	OBS	00030	01.82	33.050	26.45		1455.3								
	570	00050	01.46	33.09	26,50	00.085	1454.1								
	OBS	00051	01.43	33.090	26,51		1454.0								
	085	00055	00.06	33.090	26,58		1447.8								
	085	00057	- 0.34	33.278	26.75		1446.3								
	STD	00075	- 1.23	33.39	26.87	00-119	1442.6								
	OBS	00076	- 1.27	33.394	26.88		1442.4								
	OBS	00079	- 1.38	33.400	26.89		1442.0								
	OBS	00087	- 1,08	33.454	20.92		1443.6								
	STD	00100	- 0.98	33.5€	27.OZ	00.146									
	08 S	00100	- C.97	33.590	27.03		1444.5								
	STO	00125	- 0.24	33.82	27.18	00.171	1448,6								
	QBS	00125	- 0.22	33.820	27.19		1448.7								
	STD	00150	00.35	33.95	27.26	00.192	1451.9								
	OBS	00150	00.36	33.950	27.26		1452.0								
	085	00175	00.83	34.145	27.39		1454.0								
	STD	00500	01.13	34.15	27.38	00.230	1450.5								
	280	00501	01.15	34-166	27.38		1456.7								
	085	00226	01.47	34-297	27.47		1450.7								
	STD	00250	01.64	34.29	27.45	00.244									
	085	16500	01.65	34.290	27.45		1459.9								
	OBS	94200	01.82	34.410	27.53		1461.2								
	510	00300	01.99	34.42	27.53	00.295	1462.4								
	085	00300	02.00	34.420	27.53		1462.4								
	085	00350	02.22	34.490	27.57		1464.3								
	085	19£00	02.33	34.505	27.57		1465.0								
					*****	*******									

REFID 31 8371 CONSEC 0029 LAT 46 10.0N LONG 047 39.0N	MONT	1976 H 06 15 05-3	BOTOP 00212 SHIP EV DATA USE I AREA 05				GT PER O X	WING-DIR WINC-SPD WIND-FOR WEATHER	09	TRACE DURAT		00.1	5 SQ 2 SQ	SQ 130 UARE UARE 6 UARE 6	*
CASTNUNTINE	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	TOT P	NO2	NO3	\$103	PK	
	STO	00000	32.51	32.71	24.12	00.000	1457.4								
05. <i>3</i>	OB S	10000	02.51	32.716	24.12		1457.4								
	085	20003	02.50	32.700	26.12		1457.4								
	085	20009	01.54	32.680	26.17		1453.2								
	012	00010	01.52	32.09	26.18	00.019	1453.1								
	OBS	COOLL	31.46	32.707	26.20		1452.9								
	OB S	00017	01.42	32.77.	26.25		1452.9								
	072	00020	00.88	32.77	26.28	00.037	1450.5								
	085	00050	00.64	32.770	26.30		1449.5								
	085	00022	00.03	32.740	26.30		1440.7								
	085	92000	- 1.16	33.337	26.59		1441.6								
	STD	00030	- 1.42	33.09	26.64	00.052	1440.5								
	085	30030	- 1.45	33.39.	20.64		1440.4								
	\$10	00050	- 1.65	33.26	26.78	00.079	1440.0								
	Q8 S	20051	- 1.66	33.260	26.78		1440.0								
	QBS	00055	- 1.68	33.250	26.78		1439.9								
	510	00075	- 1.61	33,39	26.89	00.110	1440.8								
	Q85	00076	- 1.60	33.393	20.49		1440.9								
	STD	90100	- 1.37	33.46	26.94	00.138	1442.5								
	085	02100	- 1.35	33.474	26.95		1442.6								
	085	00112	- 1.11	33.600	27.05		1444.1								
	OBS	90121	- 0.25	33.824	27.19		1448.5								
	STD	00125	- 0.22	33.61	27.18	00.164									
	085	00125	- 0.22	33.805	27.17		1440.7								
	510	00150	- 0.07	33.82	27.18	00.186									
	085	30150	- 0.07	33.620	27.16		1449.8								
	08 S	30175	00.07	33.90u	27.24		1451.0								
	STO	00200	00.10	33.92	27.25	70.229	1451.5								
	085	30501	00.15	53.936	27.26		1451.8								
	O6 S	30203	00.21	33.943	27.26		1452 - 1								
					****		•								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8371 CONSEC 0030 LAT 46 11.2N LONG 047 42.8M		06 15	BOTOP 00184 SHIP EV DATA USE 1 AREA 05	AIR T WET B BARON CLUUD	ULB 04.5 ETR 1031.0	DIR HI OO (SEA CL/TR	GT PER	WIND-DIR WIND-SPD WIND-FOR WEATHER		TRACE		RDEA D 00.1	3 2	N SU 1306 SQUARE 4 SQUARE 66 SQUARE 67
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY 6	P04	TOT P	NO2	NO3	\$103	PH
A. 7	STD	00000	02.27	32.70	26.13	00.000	1456.3							
06.7	OBS STD OBS	00011	02.27 01.86 01.76	32.700 32.69 32.685	26.13 26.15	00.019	1456.4							
	STD OBS	00020	01.61 01.48	32.71 32.710	26.16 26.19 26.20	00.037	1454.2 1453.7 1453.2							
	OBS STD	00022	01.13	32.667 32.90	26.19 26.44	00.055	1451.6							
	08 S 08 S	00030	- 0.29 - 0.84	32.910	26.46 26.58	*******	1445.6							
	OBS STD	00040	- 1.22 - 1.62	33.095 33.25	26.64	00.083	1441.6							
	08 S 08 S	00051 00059	- 1.65 - 1.72	33.255	26.78 26.79		1440.0							
	STD OBS	00075	- 1.70 - 1.70	33.35 33.360	26.86 26.87	00.114	1440.3							
	STO OBS	00100	- 1.57 - 1.56	33.45 33.450	26.93 26.94	00.143	1441.5							
	STD OBS	00125	- 1.07 - 1.06	33.62 33.620	27.06 27.06	00.170	1444.5							
	STD OBS	00150 00150	- 0.58 - 0.58	33.73 33.735	27.13 27.13	00.194	1447.3							
	OBS	00169	- 0.56	33.738	27.13		1447.8							
					*****	*****								
REFID 31 8371 CONSEC 0031			BOTOP 00137 Ship ev	Alk T	BULB	00	GT PER O X	wind-dir wind-spd	06	TRAC	STO REC E DIR	ORDER D	5	N SQ 1306 SQUARE 4
LAT 46 15.8N LONG 047 52.2W		15 07.5	DATA USE 1 AREA 05	CLLU	METR 1031.0	SEA CL/TR		WIND-FOR WEATHER	X4		TION 011 632	00.1		SQUARE 66 SQUARE 67
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	TOT P	NC2	NO3	\$103	PH
07.5	STO OBS	00000	02.57 02.57	32.75 32.753	26.15 26.15	00.000	1457.7 1457.7							
	08 S 08 S	00001	02.61 01.88	32.780 32.73	26.17 26.19		1457.9 1454.7							
	08\$ \$10	00005	01.75 01.83	32.71u 32.77	26.18 26.22	00.018	1454.1 1454.6							
	08S 08S	00011	01.85 01.88	32.78u 32.79u	26.23 26.23		1454.7							
	OBS STD	00019	00.80	32.87G 32.89	26.37 26.39	00.036	1450.3							
	OBS STD	00020	00.58	32.900 33.00	26.41 26.53		1449.4							
	08 S 08 S	00030	- 0.23 - 0.27	33.007	26.53 26.53		1446.0							
	085 085	00034	- 0.68 - 1.07	33.055 33.10u	26.59 26.64		1444.0							
	STD 085	00050 00051	- 1.67 - 1.72	33.23 33.24u	26.76 26.77	00.060	1439.8							
	STD OBS	00075 00076	- 1.63 - 1.63	33.26 33.26u	26.78 26.78	00.112	1440.5 1440.5							
	OBS STD	00097 00100	- 1.60 - 1.44	33.394 33.42	26.89 26.90	00.142	1441.2							
	OBS STD	00104 00125	- 1.24 - 1.13	33.45u 33.46	26.93 26.93	00.170								
	085 085	00125 00129	- 1.13 - 1.13	33.462 33.46u	26.94 26.93		1444.0							
					****		•							
REF10 31 8371	YEAR	1974	BCTDP 00124	Aln 1	EMP 04.8	Ote H	GT PER	wind-Dir	00	INST	STD REC	Lande B	TE	N 5Q 1306
CONSEC 0032	MONTH		SHIP EV DATA USE 1	wEi 6	SULB 04.7	00 SEA		WIND-SPD WIND-FOR	00		E DIA	00.1	5	SQUARE 4
LONG 047 56.1W	HOUP		AREA 05	CLLUC		CL/TR		WEATHER	X4		611 633		1	SQUARE 67
CASTNUM/TIME		DEPTH	TEMP	SAL		DYNOPTH		OXY 6	P04	TOT P	MOZ	NQ3	\$103	PH
08.0		22001	02.90	32.89 32.89J	26.23	00.000	1459.3							
	51D 085	30011	02.76 02.72	32.67 32.87u	26.23	00.018	1458.7							
	085 085	00015	02.59 02.18	32.072	26.25		1458.2							
	570 085	00020 30020	02.16	32.68 32.68	26.28	00.034	1456.5							
	OBS CBS	00022	02.09	32.677	26.29		1456.1							
	STD 085	00030 00030	01.34	32.92	26.36	00.053	1452.9							
	OBS OBS	00034	01.19 0C.54	32.905	26.37	00.084	1452.4							
	STD DBS	00050	- 0.39 - 0.60	33.027	26.54 26.56	00.084	1444.6							
	985 \$70	00075	- 1.26 - 1.74	33.25	26.61 26.78	00.119	1441.7 1440.0 1440.0							
	085 570	00076	- 1.75 - 1.68	33.252	26.78	00.150	1440.8							
	08 \$ 08 \$	00119	- 1.67 - 1.31	33.36u 33.455	26.87 26.54		1440.9							
					*****	******	•							

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 6371 CONSEC 0033 LAT 47 DO.5N LONG 045 52.0W	YEAR 1974 MONTH 06 DAY 15 HOUR 17.1	BOTOP 00227 Ship ev Data USE 1 Area 05	AIN 1 HET E Bakop Cluud	ULB 07.8	DIR H 25 SEA CL/TR	GT PER 1 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	05	TR A	T STD (CE DIR ATION G GII	00.1	TEN SQ 1306 5 SQUARE 4 2 SQUARE 64 1 SQUARE 75
CASTNUM/TIME	LVLTYP DEPT	H TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P04	TOT	P NO	2 NG3	\$103 PH
	STD 0000		33.19 33.195	26.27	00.000	1468.4						
17-1	OBS 0000		33.230	26.27 26.29		1468.9						
	OBS 0000		33.112 33.110	26.29		1465.1						
	STD 0001	0 03.93	33.12	26.31 26.32	00.017	1464.2						
	OBS 0001		33.120 33.18	26.33 26.38	00.034	1464.0						
	\$TD 0003	0 03.76	33.21	26.41	00.051	1463.9						
	OBS 0003		33.215 33.210	26.42 26.43		1463.9						
	OBS 0004	3 02.76	33.260	26.54		1459.9						
	OBS 0004		33.363 33.590	26.70 26.89		1456.8						
	DBS 0004	9 01.56	33.665	26.96	00.076	1455.3						
	STD 0005		33.69 33.75u	26.98 27.02	00.078	1455.4						
	QBS 0004 STD 0007		34.00> 34.06	27.21 27.21	00.102	1457.2						
	DBS 0001	6 02.42	34.067	27.21	00.102	1460.1						
	OBS 0008		34.080 34.080	27.22 27.23		1460.3						
	STD 0010	02.21	34.09	27.25	00.124	1459.0						
	085 0010 STD 0012		34.096 34.27	27.25 27.37	00.143	1459.6 1461.2						
	085 0012	5 02.47	34.274	27.37		1461.4						
	OBS 0012 STD 0015		34.286 34.40	27.36 27.44	00.160	1462.5						
	085 0015	0 02.81	34.40u 34.506	27.45 27.48		1463.4 1465.8						
	085 0015 085 0017		34.636	27.52		1469.1						
	STD 9020		34.77 34.77	27.5E 27.58	00.190	1471.6						
	085 0021		34.760	27.57		1471.8						
				*****		•						

REFIO 31 8371 CONSEC 0034 LAT 47 00.9N LONG 046 06.5H	YEAR 1974 MONTH 06 DAY 15 HCUR 18.2	BOTOP 00322 SHIP EV DATA USE 1 AREA 05	WET E	SULB 07.3 METR 1031.5	SEA CL/TR		WIND-DIR WIND-SPO WIND-FOR WEATHER	09	TR	SI SIU ACE DIR RATION IG GII	00.2	TEN SQ 1306 5 SQUARE 4 2 SQUARE 66 1 SQUARE 76
CASTNUM/TIME	LVLTYP DEPT	H TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	TOT	P NO	12 NO3	\$103 PH
	STD 0000		33.12	26.26	00.000	1466.5						
18.2	085 0000 \$70 073		33.126 33.11	26.26 26.31	00.017	1466.5 1464.3						
	085 0001	1 03.54	33.110	26.31		1464.2						
	DBS 0001		33.19¢ 33.24	26.36 26.41	00.034	1465.2						
	085 0002 STD 0003	0 03.99	33.25¢ 33.25	26.42 20.43	00.050	1464.8						
	085 0003	0 03.96	33.255	26.43	00,030	1464.8						
	085 0003 085 2004		33.245 33.220	26.43		1464.5						
	085 0004	1 03.38	33.250	26.48		1462.6						
	085 0004 085 0004		33.245 33.217	26.48 26.51		1462.2 1459.8						
	DBS 0004	7 02.02	33.486 33.626	26.78 26.90		1457.1						
	STD 0005	0 01.84	33.67	26.94	00.078	1456.6						
	OBS 0005		33.787 33.890	27.03 27.11		1456.9						
	OBS 0004	6 01.55	33.946	27.18		1455.5						
	OBS 0007		34.005	27.22 27.25	00.102	1456.8						
		5 02,29	34.10									
	085 0001	6 02.49	34.146	27.27		1460.5						
	085 0001 870 0010 885 0010	6 02.49 0 02.54 0 02.54	34.14L 34.15 34.156		00.123	1460.5						
	08S 0001 STD 0010 08S 0010 08S 0010	02.49 0 02.54 0 02.54 0 02.54	34.14L 34.15 34.15G 34.26G	27.27 27.27 27.27 27.33		1460.5 1461.1						
	085 0007 \$TO 0010 085 0010 085 0011 085 0011	0 02.54 0 02.54 0 02.54 0 02.81 0 03.26	34.14L 34.15 34.15G 34.26G 34.29G 34.28G	27.27 27.27 27.27 27.33 27.32 27.33	00.123	1460.5 1461.1 1461.1 1462.5 1464.6 1463.8						
	085 0007 \$TO 0016 085 0016 085 0016 085 0017 085 0017 \$TD 0018	6 02.49 0 02.54 0 02.54 14 02.81 0 03.26 11 03.04 15 03.16 5 03.20	34.14L 34.15 34.15G 34.26G 34.29L 34.28C 34.3G 34.3O5	27.27 27.27 27.27 27.33 27.32 27.33 27.33	00.123	1460.5 1461.1 1461.1 1462.5 1464.6 1463.8 1464.5						
	085 0001 STO 0010 085 0010 085 0011 085 0012 STO 0012 085 0012	6 02.49 0 02.54 0 02.54 0 02.81 0 03.26 1 03.04 5 03.12 5 03.20 7 03.26	34.14L 34.15 34.15C 34.26G 34.29L 34.28C 34.30 34.305 34.43G	27.27 27.27 27.27 27.33 27.32 27.33 27.33 27.33	00.123	1460.5 1461.1 1461.1 1462.5 1464.6 1463.8 1464.5 1464.6						
	085 0007 \$TO 0010 085 0010 085 0011 085 0012 \$TO 0012 085 0013 085 0014 085 0014	02.49 00 02.54 00 02.54 04 02.81 0 03.26 11 03.04 15 03.18 5 03.18 7 03.20 7 03.26 0 03.56	34.14L 34.15 34.26L 34.29L 34.28L 34.30 34.305 34.430 34.49L 34.49L	27.27 27.27 27.27 27.33 27.32 27.33 27.33 27.43 27.45	00.123	1460.5 1461.1 1461.1 1462.5 1464.6 1463.8 1464.5 1464.6 1465.2 1464.5						
	OBS 0001 STD 0016 OBS 0011 OBS 0011 OBS 0011 STD 0012 OBS 0013 OBS 0013 OBS 0014 STD 0015	0 02-49 0 02-54 00 02-54 14 02-81 15 03-26 11 03-04 15 03-20 17 03-26 0 03-53 0 03-50 0 03-61	34.14L 34.15 34.26U 34.26U 34.28L 34.30 34.30 34.49C 34.49C 34.49C	27.27 27.27 27.33 27.33 27.33 27.33 27.33 27.43 27.45 27.45	00.123	1460.5 1461.1 1461.1 1462.5 1464.6 1463.8 1464.5 1464.6 1465.2 1466.5 1466.8						
	OBS 0001 STO 0016 OBS 0016 OBS 0011 STO 0016 STO 0012 OBS 0011 STO 0012 OBS 0013 OBS 0014 STO 0018 GBS 0018 STO 0018 OBS 0018 STO 0018 OBS 0018	16 02.49 10 02.54 10 02.54 10 03.26 11 03.04 15 03.16 15 03.20 17 03.26 10 03.53 10 03.53 10 03.61 10 03.61 10 03.61 10 03.61 10 03.61	34.14.34.15.0 34.26.0 34.29.0 34.28.0 34.28.0 34.30.5 34.49.0 34.49.0 34.49.0 34.49.0 34.49.0	27-27 27-27 27-27 27-33 27-33 27-33 27-33 27-43 27-45 27-45 27-45 27-45 27-45 27-45	00.123	1460.5 1461.1 1462.5 1464.6 1463.8 1464.6 1465.2 1466.8 1467.0 1467.0						
	OBS 0001 085 0016 085 0016 085 0011 085 0011 085 0012 085 0012 085 0012 085 0014 085 0016 085 0016 085 0018 085 0018	02.49 02.54 02.54 02.54 4 02.81 0 03.26 11 03.04 5 03.16 5 03.26 7 03.26 0 03.53 8 03.56 0 03.61 2 03.68	34.14.34.15.34.26.34.26.36.30.34.30.34.49.49.49.49.49.49.49.49.49.49.49.49.49	27.27 27.27 27.32 27.32 27.33 27.33 27.33 27.43 27.45 27.45 27.45 27.45 27.45 27.45	00.123	1460.5 1461.1 1462.5 1464.6 1464.5 1464.5 1465.2 1466.8 1467.0 1467.0 1467.3						
	OBS 0000 0010 0010 0010 0010 0010 0010 00	16 02.49 10 02.54 10 02.54 10 02.54 10 02.54 10 03.26 11 03.04 15 03.18 15 03.26 03.26 03.26 03.26 03.26 03.26 03.26 03.26 03.26 03.26 03.26 03.26	34.15 34.15 34.264 34.284 34.286 34.30 34.496 34.496 34.495 34.495 34.495 34.75 34.75 34.75	27.27 27.27 27.27 27.33 27.32 27.33 27.33 27.43 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.56 27.56	00.123	1460-5 1461-1 1462-5 1464-5 1464-5 1464-5 1464-5 1466-8 1467-0 1467-3 1467-3 1467-3 1467-3 1467-3 1467-3						
	OBS 0000 1	16 02.49 10 02.54 10 02.54 10 02.54 10 03.26 11 03.06 15 03.16 5 03.20 7 03.23 8 03.56 0 03.56 0 03.66 0 03.66 0 03.66 0 03.66 0 03.66 0 03.66 0 03.66 0 03.66	34.14 34.15 34.26 34.26 34.27 34.27 34.49 34.49 34.49 34.49 34.49 34.49 34.49 34.75 34.75 34.75	27.27 27.27 27.27 27.33 27.33 27.33 27.33 27.43 27.45 27.45 27.45 27.45 27.45 27.45 27.56 27.56 27.56	00.123	1460-5 1461-1 1462-5 1464-6 1463-8 1464-5 1465-2 1467-3 1467-3 1467-3 1467-3 1467-6 1471-8 1471-8 1471-8						
	OBS 0000 001 001 001 001 001 001 001 001 0	16 02.49 10 02.59 10 02.59 10 02.59 10 02.51 10 03.26 11 03.06 15 03.26 10 03.26 0 03.53 10 03.53 10 03.61 12 03.66 13 04.65 14 04.65 10 04.77 10 04.65 10 04.65 10 04.66	34.145 34.156 34.264 34.286 34.286 34.305 34.496 34.496 34.495 34.495 34.775 34.775 34.775	27.27 27.27 27.27 27.33 27.32 27.33 27.33 27.43 27.45 27.45 27.45 27.45 27.45 27.45 27.51 27.56 27.56 27.56 27.56	00.123 00.142 00.160 00.191	1460-5 1461-1 1461-1 1462-5 1464-6 1463-6 1465-5 1466-6 1465-7 1467-8 1467-8 1467-8 1471-8 1471-8 1471-8 1471-8						
	OBS 0000 0010 0010 0010 0010 0010 0010 00	16 02.49 10 02.54 10 02.54 10 02.51 10 03.26 11 03.26 11 03.26 12 03.26 0 03.53 0 03.53 0 03.61 2 03.61 2 03.61 0 04.75 10 04.65 10 04.67 0 04.77 0 04.67	34.14. 34.156 34.256 34.286 34.286 34.305 34.496 34.496 34.496 34.497 34.495 34.475 34.775 34.775 34.845 34.77	27.27 27.27 27.27 27.33 27.32 27.33 27.33 27.43 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.46 27.56 27.63 27.63 27.63 27.63 27.63 27.63	00.123	1401-1 1401-1 1401-1 1402-3 1404-3 1404-3 1404-3 1404-3 1406-3 1406-3 1407-3 1407-3 1407-3 1471-4 1471-4 1471-3 1471-3 1471-3 1471-3 1471-3						
	OBS 0000 0015 0015 0015 0015 0015 0015 001	16 02.49 10 02.54 10 02.54 10 02.51 10 03.26 11 03.26 11 03.26 12 03.26 0 03.53 0 03.53 0 03.61 2 03.61 2 03.61 0 04.75 10 04.65 10 04.67 0 04.77 0 04.67	34.16- 34.15- 34.15- 34.26- 34.26- 34.26- 34.30- 34.49- 34.49- 34.49- 34.49- 34.75- 34.75- 34.84- 34.85- 34.85- 34.85- 34.85- 34.85-	27.27 27.27 27.27 27.33 27.33 27.33 27.33 27.43 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.46 27.62 27.62 27.62 27.62 27.63	00.123 00.142 00.160 00.191	1400.5 1401.1 1401.1 1402.5 1404.5 1404.5 1404.5 1404.6 1409.5 1409.6 1407.3 1407.3 1471.7 1471.8 1471.8 1471.8 1471.8						

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFIO 31 8371 CONSEC 0035 LAT 47 00.5N LONG 046 16.5W	YEAR MCNT: DAY HOUR	1 06	BCTDP 01304 SHIP EV DATA USE 1 AREA 05	AIR 1 HEI E Banga Cllut	ULB 07.0	DIR H 24 Sea CL/TR	GT PER 1 2	WIND-DIR WING-SPO WIND-FOR WEATHER	05	TR	ACE (00.2	5 2	N SQ 1306 SQUARE 4 SQUARE 66 SQUARE 76
CASTNUNTINE	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	PQ4	TOT	P	NOS	NO3	-5103	PH
19.4	STD	00000	04.60	33.21 33.210	26.32 26.32	00.000	1467.0								
-,,,	085	00003	04.48	33.230	26.35		1466 . 6								
	08S 87D	00010	04.33 04.61	23.165 33.19	26.35 26.37	00-017	1464.7								
	OBS STD	00011	03.90	33.240	20.41 26.44	00.033	1464.5								
	065	00020	C3.66	33.260	26.44	00.033	1464.4								
	OBS STD	00026 00030	03.77 03.16	33.276 33.45	26.66	00.048	1464.0 1461.7								
	OBS	00030	03.06	33.486	26.65 26.93		1461.3								
	085 085	00036	02.07	33.815	27.04		1457.5								
	OBS STD	00041	02.04 02.15	33.930 34.05	27.13 27.22	00.071	1457.7 1458.5								
	OBS	00051	02.17	34.376	27.24	00.092	1458-6								
	STD CBS	00075	02.30 02.31	34.14 34.146	27.28 27.28	00.092	1459.7								
	DBS CBS	00095 00099	02 .54 02 .86	34.205 34.250	27.31 27.32		1461-1								
	STD	00100	02.85	34.26	27.33	00.111	1462.6								
	08\$ 08\$	00100	02.85 02.84	34.260 34.295	27.33 27.36		1462.6								
	STD	00125	02.50 02.96	34.32 34.340	27.37 27.38	00.130	1463.3								
	085	00144	03.49	34.430	27.41		1466.3								
	57D 085	00150	03.51 03.51	34.43 34.435	27.41 27.41	00.147	1466.5								
	085 085	00175	03.35 03.71	34.510 34.630	27.48 27.54		1466.4								
	STD	00200	03.86	34.64	27.53	00-179	1469.1								
	08\$ 08\$	00201	03.92 03.81	34.650	27.53 27.55		1469.4								
	08 S 08 S	00232	03-61	34.645	27.57 27.42		1468.6								
	STD	00250	03.85	34.77	27.64	00.206	1470.0								
	08\$ 08\$	00251	03. 8 5 03.76	34.77G 34.787	27.66 27.66		1470.1								
	280	00285	03.89	34.845	27.70 27.68		1470.9								
	003	00276	434,74	344030		********									
					*****	*******	•								
REFID 31 8371		1974	BOTDP 00371	AIR '			GT PER	WIND-DIR				D REC			N SQ 1306
CONSEC 0036	MONT	1974 H 06 15	BOTDP QO371 SHIP EV DATA USE 1	WET		90	GT PER	WIND-DIR WIND-SPD WIND-FOR		TR	ST ST ACE E) I R	DRDER D 00.1	5	N SQ 1306 SQUARE 4 SQUARE 66
	MONT DAY	H 06	SHIP EV	WET I	BULB 07.0			WIND-SPD	10	TR /	ACE E) I R	D	5 2	SQUARE 4
COMSEC 0036 LAT 47 01.0N	MONT DAY HOUR	H 06 15 21.0 DEPTH	SHIP EV DATA USE 1 AREA 05	MET I BARGI CLGUI	BULB 07.0 METR 1031.2 D T/A SIGMA-T	OO SEA CL/TR DYNDPTH	O X	WIND-SPD WIND-FOR	10	TR /	ACE E RATIO IG 01	N N	D	5 2	SQUARE 4
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAY HOUR LVLTYP STD	H 06 15 21.0	SHIP EV DATA USE 1 AREA 05	WET I BARON CLGUI SAL 33.26	BULB 07.0 METR 1031.2 D T/A SIGMA-T 26.29	SEA CL/TR	0 X	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01.0N LONG 046 33.2M	LVLTYP STD OBS	H 06 15 21.0 DEPTH 00000 00001 00001	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 C5-20	WET 1 BARON CLGUI SAL 33.26 33.260 33.260	SULB 07.0 METR 1031.2 D T/A SIGMA-T 26.29 26.30	OO SEA CL/TR DYNDPTH	SNO VEL 1469.8 1469.8 1469.0	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAY HOUR LYLTYP STD OBS OBS OBS STD	H 06 15 21.0 DEPTH 00000 00001 00001 00007 00010	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 65-20 04-51 04-35	SAL 33.26 33.260 33.260 33.263 33.224 33.224	SULB 07.0 HETR 1031.2 D T/A SIGMA-T 26.29 26.29 26.30 26.34 26.38	OO SEA CL/TR DYNDPTH	SNO VEL 1469.8 1469.8 1469.0 1466.7 1466.1	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAY HOUR LYLTYP STD OBS OBS	H 06 15 21.0 DEPTH 00000 00001 00001 00007	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-20 04-51	SAL 33.26 33.26 33.260 33.260	SIGMA-T 26.29 26.39 26.34	DYNDPTH	SND VEL 1469.8 1469.8 1469.6	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAY HOUR STD OBS OBS STD OBS STD OBS STD OBS	H 06 15 21-0 DEPTH 00000 00001 00007 00010 00010 00020 00020	TEMP 05-26 05-26 05-26 05-26 05-26 05-26 05-26 04-51 04-35 04-25 04-25	SAL 33.26 33.260 33.262 33.25 33.263 33.263 33.260 33.260	SIGMA-T 26.29 26.30 26.34 26.40 26.40 26.40	00 SEA CL/TR DYNDPTH 00.000	SNO VEL 1469.8 1469.8 1469.6 1466.7 1466.1 1465.9 1465.9	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAY HOUR STD OBS OBS STD	H 06 15 21.0 DEPTH 00000 00001 00007 00010 00020 00020 00030	SHIP EV DATA USE 1 O5 TEMP 05-26 05-26 C5-20 04-51 04-28 04-25 04-24 04-21 04-15	SAL 33.26 33.26 33.26 33.26 33.26 33.26 33.26 33.26 33.36 33.36	SIGMA-T 20-29 20-29 20-30 20-30 20-30 20-40 20-40 20-40 20-40 20-40	OO SEA CL/TR DYNDPTH OG.000	SND VEL 1469.8 1469.0 1466.7 1466.7 1465.9 1465.9 1465.9 1465.9	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAY HOUR LYLTYP STD OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD	H 06 15 21.0 DEPTH 00000 00001 00001 00010 00010 00020 00020 00030 00034 00034	TEMP 05-26 05-26 05-26 05-26 04-35 04-28 04-29 04-21	SAL 33.26 33.260 33.262 33.263 33.263 33.263 33.263 33.263 33.3643 33.37	SIGMA-T 20-29 26-29 26-30 26-34 26-40 26-40 26-49 26-59 26-59	00 SEA CL/TR DYNDPTH 00.000	SNO VEL 1469-8 1469-0 1466-7 1466-7 1465-9 1465-9 1465-9	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	LVLTYP STD OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS STD OBS OBS STD OBS OBS	DEPTH 00000 0001 0001 00010 00010 00010 00030 00030 00030 00030 00030	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-25 04-27 04-11 03-88 02-21 02-15	SAL 33.26 33.260 33.262 33.263 33.263 33.264 33.264 33.364 33.360 33.37 33.380	SIGMA-T 26-29 26-29 26-30 26-34 26-38 26-40 26-40 26-49 26-59 26-59 26-59 26-79	00 SEA CL/TR DYNDPTH 00.000 00.017 00.033 00.049	SNO VEL 1469.8 1469.0 1466.7 1466.7 1465.9 1465.9 1465.9 1465.0 1465.0 1465.1	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR STD COS COS COS COS COS COS COS COS COS COS	B 06 15 21.0 DEPTH 00000 00001 00007 00010 00011 00020 00030 00034 00050 00051 00062 00062	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-28 04-29 04-21 04-13 03-88 02-21 02-15 02-01	SAL 33.26 33.26 33.26 33.26 33.26 33.26 33.26 33.26 33.36 33.40 33.40 33.40 33.40 34.03 34.03	SIGMA-T 26-29 26-29 26-30 26-34 26-38 26-40 26-40 26-40 26-40 26-59 26-59 26-79 26-79 26-79 26-79 26-79 26-79 26-79 27-22	00 SEA CL/TR DYNDPTH 00.000 00.017 00.033 00.049	SNO VEL 1409.8 1409.0 1406.7 1406.7 1405.9 1405.9 1405.9 1405.9 1405.9 1405.9 1405.9 1405.9	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	LYLTYP STD OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	B 06 15 21.0 DEPTH 00000 00001 00001 00000 00000 00000 00000 00000 00000 0000	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 C5-20 04-51 04-35 04-25 04-26 04-21 04-15 03-68 02-21 02-15 02-01	SAL 33.26 33.260 33.222 33.263 33.264 33.264 33.360 33.360 33.360 33.403 33.360 34.037 34.034 34.034	SIGMA-T 26.29 26.29 26.30 26.34 26.38 26.40 26.40 26.40 26.40 26.49 27.22 27.22 27.22 27.22	00 SEA CL/TR DYNDPTH 00.000 00.017 00.033 00.049	SMO VEL 1469.8 1469.8 1469.0 1466.7 1466.7 1465.9 1465.9 1465.0 1465.0 1465.3 1458.3 1458.3	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR LVLTYP STD OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS STD OBS	B 06 15 21 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	SHIP EV DATA USE 1 AREA 05 TEMP 05.26 05.26 C5.20 04.51 04.35 04.25 04.25 04.25 04.21 04.15 03.48 02.21 02.15 02.01 02.20 02.05	SAL 33.26 33.26 33.26 33.26 33.26 33.27 33.26 33.26 33.26 33.25 33.26 33.26 33.26 33.26 33.40 33	SIGMA-T 26-29 26-29 26-30 26-30 26-40 26-	00 SEA CL/TR DYNDPTH 00.000 00.017 00.033 00.049	SND VEL 1469.8 1469.8 1469.7 1466.1 1466.1 1465.9 1465.9 1465.6 1465.6 1466.1 1458.3 1458.3 1458.3 1458.3 1458.3	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY DAYY HOUR STD OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS	DEPTH 00000 00001 04463 00001 00010	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-35 04-28 04-28 04-29 04-21 04-15 03-80 02-21 02-01 02-04 02-05 02-06 02-43 02-73	SAL 33.26 33.26 33.26 33.26 33.26 33.26 33.26 33.27 33.36 33.36 33.37 33.40 33.37 33.40 33.40 34.03 34.03 34.03 34.03	SIGMA-T 26-29 26-29 26-30 26-34 26-34 26-40 26-40 26-40 26-40 26-40 26-40 26-40 26-40 27-22 27-22 27-22 27-23 27-23 27-27 27-37	00 SEA CL/TR DYNDPTH 00.000 00.017 00.033 00.049 00.076	SNO VEL 1469-8 1469-8 1469-9 1466-1 1465-9 1465-9 1465-9 1465-8 1465-8 1468-1 1458-3 1458-1 1458-1 1458-4 1458-4 1458-4 1458-4 1458-4	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAY HOUR STD CBS CBS STD CBS CBS CBS CBS CBS CBS CBS CBS CBS CBS	H 06 15 21-0 DEPTH 00000 00001 00001 00001 00020 00030 00034 00051 00067 0007 0007 0007 0007 0007 0007 00	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-28 04-29 04-21 04-15 03-98 02-21 02-21 02-04 02-05 02-05 02-06	SAL 33.260 33.260 33.262 33.263 33.25 33.364 33.364 33.403 33.403 33.403 34.037 34.040 34.057 34.064	SIGMA-T 26.29 26.29 26.29 26.30 26.34 26.40 26.40 26.40 26.40 26.49 27.22 27.22 27.22 27.23 27.24 27.23	00 SEA CL/TR DYNDPTH 00.000 00.017 00.033 00.049 00.076	SNO VEL 1469-8 1469-8 1469-7 1466-7 1466-7 1465-9 1465-9 1465-9 1465-8 1468-1 1458-3 1458-1 1458-1 1458-1 1458-4 1458-4 1458-4 1458-4 1458-4 1458-4 1468-7 1462-1 1462-1	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR STO CRS CRS STO CRS STO CRS STO CRS STO CRS STO CRS STO CRS STO CRS STO CRS STO CRS STO CRS CRS CRS CRS CRS CRS CRS CRS CRS CRS	H 06 15 21-0 DEPTH COCCO COC	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-28 04-25 04-21 04-15 03-40 02-21 02-10 02-21 02-04 02-05 02-04 02-05 02-06 02-33 02-79 02-45	SAL 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 33.260 34.260 34.260 34.260 34.260 34.260 34.260 34.260 34.260 34.260 34.260 34.260 34.260	SIGMA-T 26.29 26.29 26.30 26.34 26.38 26.40 26.40 26.40 26.49 27.02 27.22 27.22 27.22 27.23 27.24 27.37 27.38 27.38 27.38	00 SEA CL/TR DYNDPTH 00.000 00.017 00.033 00.049 00.076	SNO VEL 1409.8 1409.8 1409.8 1409.7 1405.9 1405.9 1405.9 1405.9 1405.8 1405.0 1405.0 1405.0 1405.0 1405.0 1406.0 1406.0 1408.0 1408.0 1408.0 1408.0 1408.0 1408.0 1408.0 1408.0 1408.0 1408.0	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	H 06 15 21-0 DEPTH COCCO COC	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-25 04-25 04-21 02-15 03-98 02-21 02-10 02-01 02-02 02-03 02-03 02-79 02-85 02-82 02-82 02-82	SAL 33.260 33.260 33.260 33.262 33.25 33.262 33.263 33.263 33.260 33.403 33.403 33.403 33.403 33.403 34.037 34.0360 34.037 34.0360 34.360 34.363 34.260 34.363	SIGMA-T 26.29 26.29 26.29 26.39 26.34 26.36 26.40 26.40 26.40 26.49 26.59 27.02 27.02 27.02 27.02 27.02 27.02 27.02 27.02 27.02 27.02 27.02 27.02 27.03 27.03 27.03 27.03 27.03	00 SEA CL/TR DYNOPTH 00.000 00.017 00.033 00.049 00.076	SNO VEL 1409.8 1409.8 1409.8 1409.7 1405.9 1405.9 1405.9 1405.9 1405.9 1405.0 1405.0 1405.1 1405.8 1408.1 1408.3 1408.3 1408.3 1408.3 1408.3 1408.3 1408.3 1408.3 1408.3 1408.3 1408.3 1408.3 1408.3 1408.3	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY DAYY HOUR STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	H 06 15 21.0 DEPTH OCOCO 10001 00001 00010 00010 00010 00010 00020 00030 00030 00030 00030 00030 00030 00030 00030 00010 00010 00010 00100 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120 00120	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-28 04-21 04-11 03-98 02-21 02-10 02-01 02-02 02-03 02-03 02-79 02-89 02-89 02-09 03-02	SAL 33.260 33.260 33.262 33.253 33.262 33.263 33.263 33.260 33.263 33.26	SIGMA-T 26.29 26.29 26.39 26.34 26.40 26.40 26.40 26.49 26.59 27.02 27.02 27.02 27.02 27.02 27.02 27.02 27.03 27.03 27.03 27.03 27.03 27.03 27.03 27.03 27.03 27.04 27.05	00 SEA CL/TR DYNDPTH 00.000 00.017 00.033 00.049 00.076	SNO VEL 1409-18 1409-18 1409-18 1409-17 1405-19 1405-19 1405-19 1405-19 1405-19 1405-19 1405-19 1406-10 1406-10 1406-10 1406-11 1406-11 1406-11 1406-11 1406-11 1406-11	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR STD OBS OBS STD OBS OBS STD	H 06 15 21-0 DEPTH 00000 00001 0001 00020 000300	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-25 04-25 04-21 02-15 03-98 02-21 02-10 02-01 02-02 02-03 02-03 02-77 02-85 02-69 03-02 03-02 03-02 03-02 03-02 03-03 03-02 03-02 03-03 03-02 03-03	SAL 33.260 33.260 33.260 33.262 33.262 33.26 33.26 33.360 33.37 33.360 34.037 34.040 34.07 34.080 34.07 34.080 34.310 34.310 34.328 34.384 34.384	SIGMA-T 26.29 26.29 26.29 26.34 26.34 26.40 26.40 26.40 26.49 26.59 27.02 27.02 27.02 27.02 27.02 27.02 27.02 27.02 27.03	00 SEA CL/TR DYNOPTH 00.000 00.017 00.033 00.049 00.076	SNO VEL 1409.8 1409.8 1409.8 1409.7 1405.7 1406.1 1405.9 1405.9 1405.9 1405.9 1405.9 1405.1 1406.0 1459.1 1458.4 1458.6 1458.6 1458.6 1458.6 1468.7 1402.1 1402.1 1402.1	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR STO OBS OBS STO OBS STO OBS STD	B 06 15 21-0 DEPTH 00000 00001 00001 00001 00000 00001 00000 0000 0000 0000 0000 0000 0000 0000	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 05-26 04-51 04-35 04-28 04-21 04-15 03-48 02-21 02-21 02-21 02-21 02-21 02-22 02-69 02-79 02-43 02-79 02-43 02-79 02-49 02-69 02-69 02-69 02-69 03-01 03-02 02-85 03-10	SAL 33.260 33.260 33.260 33.262 33.262 33.263 33.263 33.260 33.360 33.37 33.403 33.77 34.084 34.07 34.084 34.084 34.084 34.084 34.383 34.383 34.383 34.383 34.383 34.383	SIGMA-T 26.29 26.29 26.30 26.34 26.38 26.40 26.40 26.40 26.40 26.40 27.40 27.42 27.22 27.22 27.22 27.22 27.23 27.24 27.37 27.37 27.37 27.37 27.37 27.37 27.45 27.45 27.45 27.45 27.45	00 SEA CLITR DYNDPTH 00.000 00.017 00.033 00.049 00.076 00.119 00.137	SNO VEL 1409.8 1409.8 1409.8 1409.7 1406.1 1405.9 1405.9 1405.9 1405.3 1405.3 1405.3 1405.3 1405.3 1405.3 1405.3 1406.1 1408.3 1408.3 1408.3 1408.3	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR LYLTYP STD OBS OBS STD	B 06 15 21-0 DEPTH OGOGO QUOGT QUO	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 05-26 04-51 04-35 04-28 04-21 04-19 03-08 02-21 02-21 02-21 02-21 02-22 02-04 02-22 02-04 02-23 02-79 02-43 02-79 02-45 02-69 03-01 03-02 03-02 03-03 03-03 03-03 03-03 03-12 03-38	SAL 33.260 33.260 33.260 33.262 33.262 33.263 33.260 33.263 33.260 33.360 33.360 33.360 33.360 33.360 33.403 33.403 33.403 34.031	SIGMA-T 26.29 26.29 26.30 26.34 26.38 26.40 26.40 26.40 26.40 26.40 27.40 27.42 27.22 27.22 27.22 27.22 27.23 27.24 27.37	00 00 00 00 00 00 00 00 00 00 00 00 00	SNO VEL 1409.8 1409.8 1409.8 1409.8 1409.7 1406.7 1406.7 1406.9 1405.9 1406.0 1405.9 1406.1 1408.3 1406.3 1408.3	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR STO OBS OBS STO OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	H 06 15 21.0 DEPTH 00000 00001 00001 00001 00000 00010 00000 00000 00000 00000 00000 00000 0000	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-28 04-21 04-15 03-98 02-21 02-10 02-01 02-02 02-03 02-03 02-73 02-79 02-85 02-02 02-09 02-01 03-02 02-85 03-10 03-12	SAL 33.26 33.260 33.260 33.262 33.25 33.263 33.263 33.263 33.263 33.37 33.803 34.03	SIGMA-T 26.29 26.29 26.29 26.30 26.34 26.40 26.40 26.40 26.40 26.49 26.59 27.02 27.02 27.02 27.02 27.02 27.03 27.42 27.43 27.43 27.45 27.45 27.45 27.45 27.45 27.45 27.45	00 00 00 00 00 00 00 00 00 00 00 00 00	SNO VEL 1409.8 1409.8 1409.8 1409.7 1405.7 1406.1 1405.9 1405.9 1405.9 1405.9 1405.9 1406.0 1458.9 1458.9 1458.9 1458.9 1458.9 1458.9 1458.9 1458.9 1458.9 1469.7 1462.1 1	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR LYLTYP OBS OBS STD OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	H 06 15 21.0 DEPTH 00000 00001 00001 00001 00001 00010 00010 00010 00010 00010 00010 00010 00110 00125 00125 00177 00201 00177 00201 00277 00278	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-28 04-21 04-15 03-88 04-22 04-11 02-15 02-06 02-07 02-09 02	SAL 33.26 33.260 33.260 33.262 33.25 33.263 33.263 33.263 33.360 33.360 33.403 33.403 33.403 33.403 34.403 34.404 34.264 34.4383	SIGMA-T 26.29 26.29 26.29 26.30 26.34 26.38 26.40 26.40 26.40 26.49 26.59 27.02 27.02 27.02 27.02 27.02 27.03 27.42 27.43 27.43 27.45 27.45 27.45 27.45 27.45 27.45 27.462 27.62 27.62 27.62 27.62 27.62 27.62 27.62 27.62	00 00 00 00 00 00 00 00 00 00 00 00 00	SNO VEL 1469-8 1469-8 1469-7 1466-7 1466-7 1465-9 1465-9 1465-0 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1460-7 1470-7 1470-	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR DAYY HOUR STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	H 06 15 21.0 DEPTH 00000 00001 00020 00010 00020 00030 00030 00030 00030 00030 00030 00030 00010 00100 00110 00125 00127 00100 001100	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-28 04-21 04-15 03-88 04-22 04-11 02-15 02-06 02-07 02-09 02	SAL 33.26 33.263 33.263 33.263 33.263 33.263 33.263 33.3603 33.3603 33.3603 33.3603 33.403 33.403 33.403 33.403 33.403 33.403 34.430	SIGMA-T 26.29 26.29 26.29 26.30 26.34 26.38 26.40 26.40 26.40 26.40 26.40 26.40 27.02 27.02 27.02 27.02 27.02 27.02 27.03	00 00 00 00 00 00 00 00 00 00 00 00 00	SNO VEL 1409.8 1409.8 1409.8 1409.7 1406.7 1406.7 1406.9 1405.9 1405.9 1405.9 1406.0 1405.9 1406.0 1405.9 1406.1 1406.0 1	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76
CONSEC 0036 LAT 47 01-0N LONG 046 33-2M	MONT DAYY HOUR LYLTYP STD OBS OBS STD OBS	B 06 15 21.0 DEPTH 00000 10001 1000200 100020 100020 100020 100020 100020 100020 100020 100020 10000	SHIP EV DATA USE 1 AREA 05 TEMP 05-26 05-26 05-26 04-51 04-35 04-28 04-21 04-15 03-40 02-21 02-10 02-21 02-04 02-21 02-04 02-21 02-04 02-05 02-08 02-73 02-79 02-45 02-69 02-01 03-02 02-85 03-10 03-02 02-85 03-10 03-02 03-12 03-18 04-48 04-44	SAL 33.260 33.403 34.07 34.080 34.07 34.080 34.080 34.080 34.080 34.080 34.080 34.080 34.080 34.080 34.080 34.080 34.080 34.080 34.080 34.080 34.080	SIGMA-T 26.29 26.29 26.30 26.34 26.38 26.40 26.40 26.40 26.40 26.40 27.02 27.02 27.02 27.02 27.02 27.03	00 00 00 00 00 00 00 00 00 00 00 00 00	SNO VEL 1409.8 1409.8 1409.8 1409.7 1406.7 1406.7 1406.9 1405.9 1406.0 1405.9 1406.1 1405.8 1405.9 1406.0 1405.9 1406.0 1	WIND-SPD WIND-FOR WEATHER	10 X4	TR/ DUI OR I	ACE E RATIO IG 01	DIR DN 11 637	00.l	5 2 1	SQUARE 4 SQUARE 66 SQUARE 76

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFLO CONSE LAT LONG	¢ 47	8371 0037 00.8h 41.8H	YEAR MONT) DAY HOUR	1 06	BOTOP 01097 SMIP EV DATA USE 1 AREA 05	AIH T WET I Bakoi Cluud	SULB 06.8 4ETR 1031.0		GY PER O X	w [ND-D1 R w [ND-SPD w [ND-FOR weather	00	TR A	C E A T I	TO RECO DIR ION DII 638	ROER D OO.3	2	en sq Squar Squar Squar	E 66
CAS	THUR	TIME	LVLTYP	DEPTH	TEMP	SAL	T-AMDIZ	DYNDPTH	SND VEL	OXA &	PG4	TCT	Þ	NGS	NG3	\$103	Рн	
			STO	00000	04-15	33.17	26.34	00.000	1445.0									
		21.6	OBS STO	00003	04.15 03.86	33.172	24.34 24.44	00.016	1465.1 1464.1									
			280	00011	03.83	33.276	24.45		1464.0									
			STD	00020	04.00	33.35	26.50	00.032	1465 .0									
			06 \$	00020	04.01	33.354	26.50		1465.0									
			57D 08S	00030	04.90 03.94	33.34 33.346	26.49 26.50	00.048	1465.1									
			085	00036	02.74	33.300	26.57		1459.8									
			280	90038	02.61	33.385	26.65		1459.3									
			280	00041	01.77	33.320	26.67		1455.6									
			510	00050	00.68	33.54	26.91 26.95	00.075	1451.2									
			08\$ 08\$	00055	00.52 00.11	33.666	27.04		1448.8									
			085	00060	00.30	33.836	27.17		1450.0									
			083	90064	00.84	33.860	27.16		1452.6									
			085	8 4000	00.87	33.910	27-20		1452.9									
			065 085	00070	01.12	33.967 33.99u	27.23 27.25		1453.8									
			570	00075	01.38	34.02	27.25	00-099	1455.4									
			085	00076	01.45	34.040	27.27		1455.8									
			085	00076	01.50	34.090	27.30		1456.1									
			065 STD	00079 00100	01.76 02.32	34.107	27.30 27.34	00.119	1457.3									
			085	00102	02.40	34.230	27.35	001117	1460.7									
			085	00108	01.29	34.170	27.38		1455.8									
			085	00112	02.67	34.346	27.41		1462-1									
			OBS STD	00118 00125	03.93	34.38u 34.41	27.42 27.44	00.137	1463.4									
			085	00125	03.04	34.415	27.44		1464.1									
			085	00131	03.11	34.436	27.44		1464-5									
			CBS	00137	02.09	34.330	27.45		1460.0									
			STD OBS	00150	02.14 02.14	34,43 34,43?	27.53	00.152	1460.6									
			085	00175	01.91	34.460	27.57		1460.0									
			972	90200	01.92	34.49	27.59	00.180	1460-5									
			065	30201	91.92	34.494	27.59		1440.5									
			08 S	00226	02.25 02.54	34.596 34.624	27.64 27.64		1462.5									
			085	00249	02.82	34.660	27.45		1465.5									
			STD	99250	02.84	34.67	27.65	00.204	1465.6									
			085 085	00253	02.92 03.18	34.692	27.67 27.66		1446 - 0									
			\$10	00300	03.33	34.75	27.67	00.227	1448.6									
			280	00300	03,34	34.750	27.66		1448.7									
			085	00350	03.71	34.830	27.70		1471+2									
			510 985	00400 00401	04.00 04.01	34.89 34.890	27.72 27.72	00.271	1473.3									
			085	00451	04. GB	34.900	27.72		1474.5									
			STD	30500	03.93	34.91	27.14	00.312	1474.7									
			085	00502	03.92	34.910	27.74		1474.7									
			085 STD	00550	03.47 03.43	34.916 34.91	27.75 27.75	00,353	1475.3									
			085	00601	03.83	34.910	27.75	••••	1475.9									
			085	00651	03.81	34.910	27.76		1476.7									
			\$10	00700	03.79	34.91	27.74	00.395	1477.4									
			280 280	00700 00750	03.7 9 03.76	34.910	27.76 27.76		1477.4									
			STD	00800	03.71	34.91	27.77	00.436	1478.7									
			OBS	00801	03.71	34.910	27.77	•	1478.8									
			085	00850	03.67	34.914	27.77	00 477	1479.4									
			ST0 985	00900	03.63 03.63	34.91 34.910	21.17 27.17	00.477	1480.1									
			085	90951	03.62	34.914	27.78		1440.9									
			570	91900	03.61	34.91	27.76	88.519	1481.7									
			085 085	01001 01024	03-61 03-59	34.910	27.78 27.78		1481.7									
			mp?	41424	V3+77	J7471V	21.10		-405 ·O									

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8371 CONSEC 0038 LAT 47 00.8N LONG 047 06.CM	YEAR MONTH DAY HOUR	06 16	BOTDP 01097 SHIP EV DATA USE 1 AREA 05	AIR T WET B BANOM CLUUD	ULB 06.8 ETR 1033.1	DIR HO OO (SEA CL/TR		HIND-DIR HIND-SPD HIND-FOR HEATHER	08	TR AC	STD E DI TION Oll		RDER D 00 •4	5 2	N SQ 1 SQUARE SQUARE SQUARE	4
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPIH	SAC VEL	DXY G	P04	TOT F		02	NO3	\$103	PH	
	STD	00000	03.45	33.02	26.29	00.000	1461.9									
00.1	GBS STD	00005	03.45	33.017 32.9¢	26.29	00.017	1461.9 1459.4									
	08 S 08 S	00011	02.43	32.947 32.976	26.30 26.35		1458.4									
	STD	00020	02.15	35.11	26.47	00.034	1456.7									
	OBS STD	00020	02.13	33.136 35.28	26.49 20.62	00.049	1456.6									
	085 085	00030	02.02	33.290 33.342	26.62 26.68		1456.5									
	085	00043	00.02	33.350	26.60	00.075	1447.8									
	STD OBS	00050	00.09	33.46 33.51J	26.90 20.92	00.015	1446.5									
	OBS STD	00070 00075	- 0.71 - 0.67	33.707 33.71	27.12 27.11	00.101	1445.4 1445.7									
	OBS	00076	- 0.65 00.11	33.714 33.94	27.12	00.123	1445.8									
	STO OBS	00100	00.13	33.945	27.27		1450.1									
	STD OBS	00125 00125	00.56	34.06 34.08u	27.35 27.35	00.143	1452.6									
	STD	00150	00.98	34.19 34.193	27.42 27.42	00.160	1455.1									
	085	00175	01.43	34.33.	27.53	00.191	1457.7									
	STD OBS	00200 00201	01.73 01.75	34.40 34.410	27.54 27.54	00.141	1459.7									
	OBS STD	00226 00250	02.46	34.497	27.59 27.63	00.218	1461.5									
	085	00251	02.47	34.600	27.63		1463.5									
	GBS STD	00276 00300	02.53 02.68	34.052 34.00	27.67	00.241	1465.7									
	C85 085	00300 00350	02.68 02.61	34.662 34.72u	27.67 27.76		1465.7									
	STD OBS	00400	03.24	34.75 34.75	27.72 27.72	00.284	1469.9									
	085	00451	03.65	34.665	27.73	20 201	1472.8									
	STD CBS	00500 00500	03.78	34.86 34.86>	27.74 27.74	00.326	1474.0									
	OBS STD	00550	03.91 03.67	34.91 34.91	27.75 27.75	00.367	1475.4 1476.1									
	08.5	00601	03.67	24.910	27.75	•••••	1476.1 1476.7									
	OBS STO	00651	03.82 03.78	34.91 34.91	27.75 27.76	90.409	1477.4									
	OBS OBS	00702 00750	03.78 03.72	34.91u 34.91u	27.76 27.77		1477.4									
	STD	00800	03.67	34.91	27.77 27.77	00.450	1478.6									
	OBS OBS	00801 00850	03.67 03.63	34.91u 34.91u	27.77		1479.3									
	STD	00500	03.ec	34.91	27.76	00.491	1479.9									
		00500	€3.€ 0	34.510	21.15		441767									
	OBS CBS	00900	63.60 03.56	34.92u 34.92u	27.78 27.79 27.79	00.531	1480.7									
	CBS STD OBS	00951 01000 01001	03.56 03.56 03.56	34.92u 34.92 34.92u	27.79 27.79 27.79	00.531	1480.7 1481.5 1481.5									
	CBS STD	00951 01000	03.56	34.92 34.92	27.79 27.79 27.79 27.79		1480.7 1481.5 1481.5 1481.8									
REFID 31 837	CBS STD OBS OBS	00951 01000 01001 01020	03.56 03.56 02.56 03.55	34.92 34.92 34.92 34.92 6 Alk	27.79 27.79 27.79 27.79 27.79	**************************************	1480.7 1481.5 1481.5 1481.8	W [ND-D [R					OR DER_	Ţſ	EN SQ 1	306
CONSEC 003	CBS STD OBS OBS OBS	00951 01000 01001 01020	03.56 03.56 02.56 03.55 BOTDP 0037 SHIP EV	34.92u 34.92 34.92u 34.92u	27.79 27.79 27.79 27.79 27.79	**************************************	1480.7 1481.5 1481.5 1481.8	W INO-DIR WIND-SPO W IND-FOR	05	TRA	T STO	R	ORDER D 00.2	5	EN SQ 1 SQUARE SQUARE	4
	CBS STD OBS OBS OBS	00951 01000 01001 01020	03.56 03.56 02.56 03.55 BOTDP 0037 SHIP EV	34.92 34.92 34.92 34.92 6 AIR WET 1 BAND	27.79 27.79 27.79 27.79 27.79 TEMP 05.2 BULB 05.2	**************************************	1480.7 1481.5 1481.5 1481.8	WIND-SPD	05	TR A	CE DI	R V	0	5	SQUARE	66
CONSEC 003	CBS STD OBS OBS 1 YEAR 9 MONT N DAY M HOUR	00951 01000 01001 01020	03.56 03.56 02.56 03.55 BOTDP 0037 SHIP EV DATA USE	34.92 34.92 34.92 34.92 6 AIR WET 1 BAND	27.79 27.79 27.79 27.79 27.79 TEMP 05.8 BULB 05.8 METR 1029.	2 DIR F 2 OO 1 SEA	1480.7 4481.5 1481.5 1481.8 H	WIND-SPD WIND-FOR	05	TR A	CE DI ATION G 011	R V	0	5 2	SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS 1 YEAR 9 MONT N DAY HOUR LVLTYP	00951 01000 01001 01020 1974 H 06 16 01-8	03.50 03.56 02.50 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0	34.920 34.920 34.920 34.920 6 AIK WEI 1 BAND 5 CLUU SAL 32.81	27.79 27.79 27.79 27.79 27.79 ***********************************	2 DIR P 2 OO 1 SEA CL/TF	1480.7 1481.5 1481.5 1481.8 He GT PER O X	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS 1 YEAR 9 MONT N DAY H HOUR LVLTYP STD OBS OBS	00951 01000 01001 01020 1974 H 06 16 01.8 DEPTH 00000 00000	03.56 03.56 03.55 03.55 BOIDP 0037 SMIP EV DATA USE AREA 0 TEMP 02.47 02.47	34.92 34.92 34.92 34.92 6 AIK WET 1 BAND 5 CLUU SAL 32.81 32.81 32.81	27.79 27.79 27.79 27.79 27.79 57.79 57.79 55.88 801.8 05.8 801.8 1029.0 0 T/A 51GMA-T 26.21 26.21	2 DIR P 2 OO 1 SEA CL/TF DYNDPTH	1480.7 1481.5 1481.8 1481.8 1481.8 SND VEL 1457.3 1457.3	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS P YEAR 9 MONT N DAY HOUR LVLTYP STD OBS	00951 01000 01001 01020 1974 H 06 16 01.8	03.56 03.56 02.56 03.55 BOIDP 0037 SMIP EV DATA USE AREA 0 TEMP 02.47 02.48 02.11	34.92 34.92 34.92 34.92 6 AIR WEI 1 BAND 5 CLUU SAL 32.81	27.79 27.19 27.19 27.19 27.19 50.00 1TEMP 05 BULB 05 METR 1029 D T/A SIGMA-T 26.21	2 DIR P 2 OO 1 SEA CL/TF	1480.7 1481.5 1481.5 1481.8 MGT PER O X SND VEL 1457.3 1457.3	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS 1 YEAR 9 MONT N DAY H HOUR LVLTYP STD OBS OBS STD OBS STD	00951 01000 01001 01020 1974 H 06 16 01.8 DEPTH 00000 00001 00010 00010	03.50 03.50 03.55 03.55 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 TEMP 02.47 02.47 02.48 02.11 02.04 01.58	34.92 34.92 34.92 34.92 34.92 6 AIR WEI 1 BAND 5 CLUU SAL 32.81 32.81 32.81 32.81 32.81 32.81 32.81 32.81	27.79 27.79 27.79 27.79 27.79 27.79 5.00 5.00 6.00 6.00 6.00 6.00 6.00 6.00	DYNDPTH OC.000	1480.7 1481.5 1481.5 1481.8 16 O X SNO VEL 1457.3 1457.3 1457.3 1457.4 1455.9 1455.9	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS 1 YEAR 9 MONT N DAY HOUR LYLTYP STD OBS STD OBS STD OBS OBS	00951 01000 01001 01020 1974 H 06 16 01-8 DEPTH 00000 00001 00010 00010 00010 00010 00010	03.56 03.56 02.56 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 TEMP 02.47 02.47 02.47 02.47 02.48 02.11 02.04 01.58 01.55	34.920 34.920 34.920 34.920 6 AIR WET 1 BAND 5 CLUU SAL 32.810 32.810 32.810 32.820 32.830 32.830 33.020 33.020	27.79 27.79 27.79 27.79 27.79 50.00 1EMP 05.3 METR 1029.0 0 T/A 51GMA-T 26.21 26.21 26.21 26.21 26.25 26.44 26.46	2 DIR + 2 00 1 SEA CL/TF DYNDPTH 0C.000 00.016	1480.7 1481.5 1481.8 1481.8 1481.8 1487.3 1457.3 1457.3 1457.3 1455.7 1455.7 1453.9	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS STD	00951 01000 01001 01020 1974 H 06 101-8 DEPTH 00000 00001 00011 00010 00011 00020 00020 00020 00030 00030	03.56 03.56 02.56 03.55 BOTDP 0037 SMIP EV DATA USE AREA 0 1EMP 02.47 02.47 02.48 02.11 02.04 01.58 01.55 01.45 00.28	34.92 34.92 34.92 34.92 6 AIR WET 1 BAND 5 CLUU SAL 32.81 33.81 33.81 34	27.79 27.79 27.79 27.79 27.79 50.00 1EMP 05.3 METR 1029.0 0 T/A 51GMA-T 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21	2 DIR + 2 00 1 SEA CL/TF DYNDPTH 0C.000 00.016	1480.7 1481.5 1481.6 1481.8 16 1657 PER O X 1457.3 1457.4 1455.9 1455.7 1454.0 1453.9 1453.9 1453.9 1463.1	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS 1 YEAR 9 MONT 9 MONT 9 MONT 10 DAY 10 OBS OBS OBS STD OBS STD OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 01-8 DEPTH 00000 00001 00010 00011 00010 00020 00020 00024 00030 00030	03.56 03.56 03.55 03.55 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 1EMP 02.47 02.48 02.11 02.04 01.58 01.55 01.45 00.28 0C.19	34.92 34.92 34.92 34.92 34.92 6 AIR NEI 1 BAND 5 CLUU SAL 32.81 32.81 32.81 32.81 32.85 33.04 33.04 32.94 33.04 33.94 33.94	27.79 27.79 27.79 27.79 27.79 27.79 37.79 38.00 39.00 30 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30 30.00 30 30.00 30 30 30 30 30 30 30 30 30 30 30 30 3	2 DIR + 2 00 1 SEA CL/TF DYNDPTH 0C.000 00.016	1480.7 1481.5 1481.5 1481.8 1601 PER 0 X SND VEL 1457.3 1457.3 1457.4 1455.9 1455.7 1453.9 1453.2 1443.2 1443.2	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 01.8 DEPTH 00000 00001 00010 00010 00010 00010 00020 00020 00020 00020 00020 00030 00030 00030 00030 00030 00030 00030	03.50 03.55 03.55 03.55 03.55 BOTDP 0037 SMIP EV DATA USE AREA O 12.47 02.47 02.48 02.11 02.04 01.58 01.55 01.45 02.28 01.55 01.65 01.65	34.92 34.92 34.92 34.92 34.92 6 AIR WET 1 BAND 5 CLUU SAL 32.81 32.81 32.81 32.81 32.81 32.85 33.01 33.02 33.02 33.02 33.02 33.13 33.13 33.29	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 25.20 26.21	2 DIR P 2 00 1 SEA CL/TF DYNDPTH 0C.000 00.016 00.035	1480.7 1481.5 1481.5 1481.8 1601 PER 0 X SND VEL 1457.3 1457.4 1455.7 1455.7 1455.7 1455.2 1443.2 1444.2	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 01.8 DEPTH 00000 00001 00011 00010 00010 00020 00020 00020 00020 00030	03.50 03.55 03.55 03.55 03.55 BOTDP 0037 SMIP EV DATA USE AREA 0 22.47 02.47 02.48 02.11 02.04 01.58 01.55 01.45 00.28 00.28 00.28	34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 32.81 32.81 32.81 32.81 32.81 32.82 33.02 33.02 33.02 33.02 33.02 33.29 33.29 33.27 33.27 33.27 33.27 33.27 33.27	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 25.20 25.20 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.25 26.27 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.65 26.60 26.77	2 DIR + 2 00 1 SEA CL/TF DYNDPTH 0C.000 00.016	1480.7 1481.5 1481.5 1481.8 160T PER 0 X 1457.3 1457.3 1457.4 1455.7 1455.7 1455.7 1453.9 1453.9 1453.9 1453.2 1444.9 1443.2	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 101.8 DEPTH 00000 00001 00010 00010 00010 00010 00020 00020 00030 00030 00030 00030 00030 00053 00053	03.50 03.50 03.55 03.55 03.55 BOTDP 0037 SMIP EV DATA USE AREA 0 2.47 02.47 02.47 02.48 02.11 02.04 01.58 01.55 01.45 00.28 01.59 01.59 01.59 01.59	34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 32.81 32.81 32.81 32.81 32.94 32.94 32.94 32.94 32.94 32.94 32.97 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.27 33.32 33.40 33.40 33.40 33.40 33.40 33.32 33.32 33.32 33.32 33.32 33.32 33.32 33.32 33.32 33.33 33.32 33.33 33.32 33.33 33.32 33.33 33.32 33.33 33	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.80 55.46 25.26 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.25 26.27 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40	2 DIR + 2 00 1 SEA CL/TF DYNDPTH 0C.000 00.035 00.035 00.080	1480.7 1481.5 1481.5 1481.8 166T PER 0 X 1457.3 1457.3 1457.4 1455.7 1455.7 1455.7 1455.2 1447.8 1443.2 1444.0 1442.0	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	00951 01000 01001 01020 1974 H 06 16 101-8 DEPTH 00000 00001 00010 00010 00010 00010 00020 00020 00020 00030 00030 00030 00030 00030 00051 00055 00055 00055	03.50 03.50 02.50 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 1EMP 02.47 02.48 02.11 02.04 01.58 01.55 01.45 04.28 06.28	34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.92 34.94	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.89 27.89 27.89 27.89 26.21 26.21 26.21 26.21 26.21 26.21 26.27 26.43 26.40	DYNDPTH 0C.000 00.035 00.051 00.080	1480.7 1481.5 1481.5 1481.8 1667 PER 0 X 1457.3 1457.3 1457.4 1455.7 1455.7 1455.7 1455.7 1456.2 1447.8 1443.2 1447.8 1443.2 1447.8 1441.7	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS 1 YEAR 9 MONT 9 MONT 1 HOUR 1 STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 101-8 DEPTH 00000 00001 00010 00011 00010 00010 00010 00010 00010 00010 00010 00010 00010 00051 00051 00051 00055 00055 00055 00055	03.50 03.50 03.55 03.55 03.55 BOTDP 0037 SNIP EV DATA USE AREA 0 1EMP 02.47 02.48 02.11 02.04 01.58 01.55 01.45 01.55 01.45 01.55 01.45 01.55 01.45 01.55 01.45 01.56 01.57 01.68	34.92 34.93 34.93	27.79 27.19 27.19 27.79 27.79 27.79 27.79 27.89 27.89 27.89 27.89 27.89 28.89 28.89 28.99 28.99	2 DIR + 2 00 1 SEA CL/TF DYNDPTH 0C.000 00.035 00.035 00.080	1480.7 1481.5 1481.5 1481.8 1481.8 1481.8 1481.8 1481.8 1481.3 1481.3 1491.4 1491.3 1491.3 1491.3 1491.3 1491.3 1491.3 1491.3 1491.3 1491.3 1491.3 1491.3 1491.3 1491.3 1491.3	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 16 101.8 DEPTH 00000 00001 00010 00011 00010 00010 00010 00010 00051 00051 00053 00053 00055 00055 00055 00055 00055 00055 00056	03.50 03.50 03.55 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 1EMP 02.47 02.48 02.11 02.04 01.58 01.55 01.55 01.45 02.28 06.19 0.86 0.54 0.58 0.59 0.59 0.59 0.59 0.59 0.68 0	34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,93,33,48,	27.79 27.19 27.19 27.19 27.19 27.19 27.19 27.29 27.20 20.21 20.21 20.21 20.21 20.21 20.21 20.25 20.43 20.40 20.40 20.65 20.40 20.77 20.70 20.77 20.89 20.99 20.99 27.09 27.09 27.09 27.25	DYNDPTH 0C.000 00.035 00.051 00.080	1480.7 1481.5 1481.5 1481.8 1601 PER 0 X 1457.3 1457.3 1457.4 1455.9 1455.7 1453.9 1455.7 1453.9 1453.9 1453.9 1453.9 1443.2 1444.9 1443.2 1444.9 1443.1 1443.2 1443.1 1443.2	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS OBS OBS OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 101.8 DEPTH 00000 00001 00010 00010 00010 00010 00010 00020 00020 00020 00030 00030 00030 00050	03.50 03.50 02.50 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 1EMP 02.47 02.48 02.11 02.04 01.58 01.55 01.55 01.45 01.55 01.45 01.55 01.45 01.45 01.55 01.55 01.65	34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,92,34,94,32,94,32,29,33,27,32,27,32,27,27,27,27,27,27,27,27,27,27,27,27,27	27.79 27.19 27.19 27.19 27.19 27.19 27.19 27.29 27.29 27.29 27.20 26.21 26.22 26.40 26.40 26.77 26.80 26.90 27.00 27.00 27.25 27.25 27.25	DYNDPTH OC.000 00.016 00.035 00.051 00.080 00.109 00.136	1480.7 1481.5 1481.5 1481.8 1601 PER 0 X 1457.3 1457.3 1457.4 1455.7 1455.7 1455.7 1455.7 1453.9 1455.7 1443.0 1442.0 1441.7 1443.0 1441.7 1443.1 1443.1	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS STD OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 101-8 00000 00000 00001 00010 00010 00010 00020 00020 00030 00030 00030 00051 00051 00055 00050	03.50 03.50 02.50 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 1EMP 02.47 02.48 02.11 02.04 01.58 01.55 01.55 01.45 01.55 01.45 01.55 01.45 01.45 01.55 01.55 01.65	34.92 34.92 34.92 34.92 34.92 6 AIR WET 1 BAMO 5 CLUU SAL 32.81 32.81 32.81 32.81 32.81 32.81 32.81 32.85 33.02 33.02 33.02 33.02 33.02 33.27 33.27 33.27 33.27 33.27 33.27 33.37 33.49 33.67 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.29 27.29 27.29 27.29 27.29 27.25 27.25 27.28 27.28	2 DIR # 2 00	1480.7 1481.5 1481.5 1481.8 1487.9 1487.3 1487.3 1487.3 1487.3 1487.4 1485.7 1485.7 1485.7 1485.7 1485.7 1484.9 1483.0 1483.0 1483.0 1484.0 14	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS OBS OBS STD OBS OBS OBS STD OBS OBS OBS STD OBS OBS STD OBS OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 101-8 00000 00000 00001 00010 00010 00010 00020 00020 00030 00030 00030 00031 00051 00051 00053 00051 00052	03.50 03.50 03.55 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 1 EMP 02.47 02.48 02.11 02.04 01.58 01.55 00.28 01.55 00.28 01.55 00.28 01.55 00.28 01.55 00.28 00.19 0.88 0.54 0.87 1.02 0.87 1.02 0.87 1.02 0.87 1.02 0.87 0.88 0.04 0.01 0.00	34.92 34.92	27.79 27.79 27.79 27.79 27.79 27.79 27.79 **** **** **** *** *** *** *	2 DIR # 2 00	1480.7 1481.5 1481.5 1481.8 1481.8 1487.9 1487.3 1457.3 1457.3 1457.3 1457.3 1457.4 1453.9 1453.9 1453.9 1443.0 1443.0 1441.0 1441.0 1441.0 1441.0 1441.0 1441.0 1441.0 1441.1 1441.0 1441.1	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS STD OBS OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS STD OBS OBS OBS STD OBS OBS OBS STD OBS OBS OBS STD OBS OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	00951 01000 01001 01020 1974 H 06 16 101-8 00000 00000 00001 00010 00010 00010 00010 00010 00010 00051 00051 00055 00055 00056	03.50 03.50 03.55 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 02.47 02.47 02.48 02.11 02.04 01.58 01.55 00.28 01.55 00.28 00.19 0.88 0.54 0.54 0.58 0.54 0.58 0.58 0.54 0.68	34.92 34.92	27.79 27.79 27.79 27.79 27.79 27.79 27.79 ***** **** **** *** *** *** *** ***	2 DIR P 2 00 1 SEA 1 CL/18 DYNDPTH 0C.000 00.016 00.035 00.051 00.080 00.109 00.136 00.179	1480.7 1481.5 1481.5 1481.8 1481.8 1487.3 1487.3 1457.3 1457.3 1457.3 1457.4 1457.3 1457.4 1453.9 1453.9 1453.9 1443.0 1441.8 1443.0 1441.8 1444.8 1445.2 1446.2 1447.8 1441.8 1445.2 1449.7 1441.8 1451.5 1452.7 1443.8	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STO OBS OBS OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS STO OBS OBS STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	00951 01000 01001 01020 1974 H 06 16 201-8 00000 00000 00001 00010 00000 00000 00000 00000 00000 00000 0000	03.50 03.50 03.55 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 02.47 02.47 02.48 02.11 02.04 01.58 01.55 00.28 01.55 00.28 01.55 00.88 0.54 0.54 0.58 0.54 0.58 0.58 0.57 0.68 0.68 0.79 0.88 0.79 0.88 0.79 0.88 0.79 0.88 0.79 0.88 0.79	34.92 34.92	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 28.40	DYNDPTH OC.000 00.016 00.035 00.051 00.080 00.109 00.136 00.179	1480.7 1481.5 1481.5 1481.5 1481.8 66T PER 0 X SND VEL 1457.3 1457.3 1457.3 1457.4 1455.7 1453.9 1443.2 1444.9 1443.2 1444.9 1441.8 1444.9 1445.2 1441.8 1445.2 1449.7 1441.8 1455.2 1445.2 1447.8 1455.2 1455.2 1455.3 1457.3	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	09951 01000 01001 01020 1974 H 06 16 101-8 00100 00000 00000 00001 00010 00010 00020 00030	03.50 03.50 03.55 03.55 BOTDP 0037 SHIP EV DATA USE AREA 02.47 02.47 02.47 02.47 02.47 02.47 02.11 02.04 01.58 01.55 01.45 00.28 00.19 - 0.86 - 0.58 - 0.54 - 1.62 - 1.54 - 1.42 - 0.87 - 1.64 - 0.87 - 1.64 - 0.87 - 1.64 - 0.87 - 1.64 - 0.87 - 0.86 - 0.87 - 1.64 - 0.87 - 0.87 - 0.87 - 0.87 - 0.87 - 0.87 - 0.86 - 0.97 - 0.86 - 0.97 - 0.87 - 0.88 - 0.02 - 0.88 - 0.02 - 0.88 - 0.02 - 0.88 - 0.02 - 0.88 - 0.02 - 0.88 - 0.02 - 0.03 - 0.03 - 0.04 - 0.02 - 0.03 - 0.03 - 0.04 - 0.03 - 0.04 - 0.05 - 0	34.92 34.92	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 20.20 20.21 20.21 20.21 20.21 20.25 26.21 20.25 26.27 20.40 20.40 20.77 20.80 20.77 20.80 20.77 20.80 27.09 27.25 27.28 27.28 27.28 27.28 27.33 27.33 27.33 27.340 27.440 27.54	2 DIR P 2 00 1 SEA 1 CL/18 DYNDPTH 0C.000 00.016 00.035 00.051 00.080 00.109 00.136 00.179	1480.7 1481.5 1481.5 1481.8 1481.8 1487.3 1497.3 1497.3 1497.3 1497.3 1497.4 1495.9 1495.9 1495.9 1496.2 1493.9 1496.2 1447.8 1441.7 1441.8 1441.7 1441.8 1445.2 1449.7 1441.8 1451.5 1498.0 1499.7 1491.8	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS OBS OBS STD OBS STD OB	09951 01000 01001 01020 1974 H 06 16 101-8 00000 00001 000001 00001 00001 00001 00001 00001 00001 00001 00001 00000 00000 00000 00000 00000 00000 0000	03.50 03.50 03.55 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 1 EMP 02.47 02.47 02.47 02.47 02.47 02.47 02.47 02.48 02.11 02.04 01.58 01.55 01.45 00.28 01.55 01.45 00.28 01.55 01.45 00.28 01.55 01.45 00.28 00.58	34.92 34.92	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.29 27.29 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.21 26.27 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.40 26.77 26.80 26.40 26.40 26.40 26.77 26.80 27.25 27.28 27.28 27.28 27.28 27.30 27.33 27.340 27.340 27.340 27.340 27.354 27.56	DYNDPTH OC.000 00.016 00.035 00.051 00.080 00.109 00.136 00.158 00.179 00.217	1480.7 1481.5 1481.5 1481.8 1487.9 1487.3 1457.3 1457.3 1457.3 1457.4 1457.9 1455.7 1455.7 1455.9 1445.2 1447.8 1444.8 1441.7 1441.8 1441.7 1441.7 1441.7 1441.8 1451.5 1445.1 1445.2 1447.8 1455.3 1456.3	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 033 LAT 46 59.2 LONG 047 20.0 CASTNUM/TIME	CBS STD OBS OBS STD	00951 01000 01001 01020 1974 H 06 16 101-8 00000 00000 00001 00010 00000 0000 0000 00000 00000 00000 0000	03.50 03.50 03.50 03.55 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 1EMP 02.47 02.48 02.11 02.04 01.55 01.245 01.55 01.25 01.26 01.55 01.20 01.57 00.21	34.92 34.92 34.92 34.92 34.92 6 AIR MET 1 BAMO 5 CLUU SAL 32.81 32.81 32.81 32.85 33.02 33.02 33.02 33.02 33.02 33.02 33.27 34.27 34.27 34.27 34.27 34.27 34.27 34.27 34.27 34.27 34.27 34.27 34.27 34.27 34.27 34.27	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 28.20 28.21 26.21 26.21 26.21 26.21 26.21 26.27 26.40 26.45 26.46 26.46 26.46 26.47 26.46 26.47 26.48 26.46 26.77	DYNDPTH OC.000 00.016 00.035 00.051 00.080 00.109 00.136 00.158 00.179 00.217	1480.7 1481.5 1481.5 1481.5 1481.8 66T PER 0 X SNO VEL 1457.3 1457.3 1457.3 1457.4 1455.9 1455.9 1453.9 1453.9 1453.9 1443.0 1441.0 1441.0 1441.0 1441.0 1441.0 1441.0 1441.0 1441.0 1455.2 1495.2 1495.2 1497.0 1491.0	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66
CONSEC 003 LAT 46 59.2 LONG 047 20.0	CBS STD OBS OBS STD OB	00951 01000 01001 01020 1974 H 06 16 101-8 00000 00000 00001 00010 00000 0000 0000 00000 00000 00000 0000	03.50 03.50 03.50 03.55 BOTDP 0037 SHIP EV DATA USE AREA 0 1EMP 02.47 02.48 02.11 02.04 01.58 01.55 01.45 00.28 01.55 01.45 00.28 01.55 01.45 00.28 00.28 00.57 00.86 00.67 00.68 00.67 00.68 00.67 00.68 00.67 00.68	34.92 34.92	27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 27.79 28.20 28.21 26.21 26.21 26.21 26.21 26.21 26.27 26.43 26.46 26.45 26.46 26.45 26.46 26.45 26.46 26.47 26.67 26.77	DYNDPTH OC.000 00.016 00.035 00.051 00.080 00.109 00.136 00.158 00.179 00.217	1480.7 1481.5 1481.5 1481.5 1481.8 *** *** *** *** ** ** ** ** *	WIND-SPD WIND-FOR WEATHER	05 X4	TRA DUR OR I	CE DI ATION G 011	R V 640	00 . 2	5 2 1	SQUARE SQUARE SQUARE	66

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

		YEAR MONTH DAY HOUR	1 06 16	BOTOP 00212 SHIP EV DATA USE I AREA 05	WET BAR	TEMP 06.0 BULB 05.8 CMETR 1027.4 UD T/A		IGT PER O X	WIND-DIR WIND-SPD WIND-FOR WEATHER	14	TRACE		00.1 D	2	EN SQ 1 SQUARE SQUARE SQUARE	66
CASTNUM/T	l ME	LVLTYP	DEPTH	TEMP	SAL	S IGMA -T	DYNOPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	\$103	PH	
		STD	00000	02.85	32.65	26.05	00.000	1458.8								
0	3.0	085	00001	02.85	32.650	26.05	•••••	1456.6								
		085	00005	02.85	32.650	26.05		1458.9								
		STD	00010	02.04	32.57	26.05	00.020	1455.3								
		065	00011	01.85	32.560	26.05		1454.4								
		STO	00020	01.64	32.63	26.12	00.039	1453.7								
		DBS	20022	01.58	32.640	26.14		1453.5								
		STD	00030	01.49	32.64	26.14	00.058	1453.3								
		085	00030	01.44	32.645	26.15		1453.1								
		DBS	00032	01.19	32.663	26.18		1452.0								
		OBS	00036	00.57	32.700	26.25		1449.3								
		085	00040	- 1.01	33.000	26.56		1442.5								
		085	00041	- 1.39	33.055	26.61		1440.8								
		STO	00050	- 1.63	33.23	26.76	00.090	1440.0								
		OBS	00051	- 1.66	33.245	26.77		1440.0								
		085	00064	- 1.73	33.284	26.80		1439.9								
		570	00075	- 1.69	33.32	26.83	00.121	1440.3								
		085	00078	- 1.68	33.327	26.84		1440.4								
		STD	00100	- 1.57	33.41	26.90	00.151	1441.4								
		QBS	00100	- 1.56	23.415	26.91		1441.5								
		STO	00125	- 1.21	33.52	26.98	00.179	1443.7								
		085	00125	- 1.20	33,525	26.99		1443.7								
		STD	00150	- 0.51	33.74	27.13	00.204	1447.7								
		085	00150	- 0.50	33,740	27.13		1447.7								
		OBS	00177	00.11	33.88	27.22		1451.2								
		570	00500	00.12	33.88	27.22	00.249	1451.6								
		OBS	00501	00-12	33.880	27.22		1451.6								
		OBS	00205	00.12	33.88>	27.22		1451.7								
						*****	*******	•								

REFID 31 8371 CONSEC 0041 LAT 47 00.5N LONG 047 53.3W	YEAR 1 MONTH DAY MOUR 0	06	BOTOP GOLGO SHIP EV DATA USE 1 AREA 05	HET BANC	TEMP 06.0 BULB 05.8 METR 1324.5 D T/A	90	GT PER O X	WIND-DIR WIND-SPD WIND-FOR WEATHER	14	TRAC!		00-1	5	N SQ 13 SQUARE SQUARE SQUARE	4
CASTNUM/TIME	VLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNG VEL	OXY G	P04	TOT P	ND2	NO3	5103	PH	
		20000	02.85	32.76	20.13	00.000	1458.5								
04.7		00000	02 - 85	32.764	26.13		1458.9								
		00009	02.61	32.75¢	26.13		1458.9								
		00010	02.71	32.74	26.13	00.019	1458.5								
		00013	02.22	32.710	26.15		1456.3								
		00020	02.11	32.76	26.21	00.037	1456.0								
		00020	02.69	32.790	26.22		1456.0								
		00022	02.13	32.810	26.23		1456.2								
		00024	02.36	32.845	26.24		1457.3								
		00030	02-23	32.85	26.26	90-055	1456.8								
		00030	02.22	32.650	20.26		1456.8								
		00034	02-13	32.850	26.26		1456.5								
		00036	00.98	32.79.	20.30		1451.3								
		00040	30.50	32.907	26.42		1449.3								
		00050	00.06	32.76	26.48	00.089	1447.6								
		00051	~ 0.04	32.97G	20.49		1447.1								
		00053	- 0.19	32.947	26.48		1446.4								
		00074	- 1.66	33.225	20.76		1440.3								
		30075	- 1.65	33.23	26.76	00.124	1440.4								
		00076	- 1.63	33.246	26.77		1440.5								
		00100	- 1.59	33.28	26.79	00.156	1441.1								
		00100	- 1.58	33.280	26.80		1441.2								
		00125	- 1.03	33.50	26.96	00.186	1444.5								
		00125	- 1.02	33.50v	26 .96		1444.6								
		00150	- C.72	33.57	27.00	00.213	1446.4								
		20150	- 0.72	33.576	27.01		1446.5								
	085	00159	- 0.73	33.660	27.08		1446.7								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8371 CONSEC 0042 LAT 47 01.8N LONG 048 07.0N	MONTH DAY	16	BOTOP GO135 SHIP EV DATA USE 1 AREA 05	AIH TE BARGME CLOUD	JLB 05.8 ETR 1024.5		GT PER O X	wind-dir wind-spd wind-for weather		TRACE		MDER D 00,1	2	M SQ 1300 SQUARE 4 SQUARE 68 SQUARE 78
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	OXY G	P04	TCT P	NO2	NO3	\$ 103	241
	510	00000	03.67	32.44	26.16	00.000	1462.6							
06.2	085	00000	03.67 03.66	32.860 32.860	26.16 26.16		1462.6							
	STO	00011	02.93 02.60	32.85 32.835	26.20 26.22	00.016	1459.5							
	STD OBS	00020 00020	02.43 02.41	32.87 32.875	26.26 2 0.26	00.036	1457.6							
	STD OBS	00030	02.19	32.89 32.89,	26.29 26.30	00.054	1456.7							
	08S 08S	00036	02.10 01.97	32.860 32.860	26.29		1456.4							
	085 085	00040	01.75 01.20	32.860 32.827	26.30 26.31		1454.9							
	OBS STD	00045	00.42	32.81.5	26.34 26.51	00.067	1448.9							
	OBS STD	00051	- 0.68 - 1.63	33.007 33.21	26.55 26.74	00.122	1444.2							
	OBS STD	00076	- 1.65 - 1.51	33.217 33.35	26.75 26.85	00.154	1440.4							
	OBS OBS	00100	- 1.49 - 1.13	33.360	26.86	00.174	1441.7							
	280	00114	- Q.SO	33.500	26.96 26.96		1443.8							
	STD OBS	00125	- 0.88 - 0.88	33.51 33.515	26.97 26.97	00.182	1445.2							
	085	00133	- 0.86	33.510	26.96		1445.3							
REFID 31 8371 CONSEC 0043	YEAR MONTH		SHIP EV	ALK TE			GT PER X O	WIND-DIR WIND-SPD		INST TRACE	STO REC	PADER D		N SQ 1304 SQUARE 4
LAT 47 01.4N LONG 048 20.0W	HOUR	16	DATA USE 1 AREA 05	CLCUD	ETR 1024.3	SEA CL/TR	• •	MIND-FOR WEATHER		DURA		00.1	2	SQUARE 48 SQUARE 78
CASTNUM/TIME	_	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH		OXY 6	P04	TOT P	MO2	NO3	\$103	PH
07.3	STD OBS	00000	03.67	32.880 32.880	26.16 26.16	00.000	1462.6							
	OBS STD	00009	03.64 03.38	32.862 32.84	20.15 26.15	00.019	1462.6							
	GBS STD	00011	02.75 02.48	32.786 32.90	26.16 26.28	00.037	1458.7 1457.8							
	280 072	00020 00030	02.40	32.907 32.91	26.28 26.30	00.054	1457.8							
	08\$ 08\$	00032	02.28	32.910 32.876	26.30 26.30		1457.2							
	072 083	00050	01.29	32.81	26.34	00.089	1453.0							
	085 570	00053	- 0.51 - 1.33	33.046	2. 57 26.75	00.126	1445.1							
	OBS STD	00076	- 1.35 - 1.01	33.240 33.45	26.76	00.156	1441.8							
	085 085	00100 00114	- 1.01 - 1.02	33.480 33.487	20.94	*******	1444.2							
	083	00114	- 1.02	331401		*******								
REFIO 31 8371	YEAR	L974	B010P 0010S	Aln T	EMP 05.8	DIR H	GT PER	winD-Dia	10	INST	STO REC	OR DEA	TE	IN 50 1304
CONSEC 0044		16	SHIP EV DATA USE I	BANCH	ULB 05.6 ETR 1024.2	OO SEA	U X	HTND-SPO HIND-FOR	16		E DIN	00.1	5	SQUARE 4
LONG 048 35.2M			AREA 05	CLEUD	T/A	CL/TR		WEA THER		ORIG	011 645		ĭ	SQUARE 70
CASTNUMFTIME		DEPTH	TEMP	SAL	SIGMA-T		SNO VEL	OXY 6	P04	TOT P	NO2	MO3	\$ 103	PH
08.6	STD OBS	00000	03.76 03.76	32.88 32.877	26.15 26.15	00.000	1463.0							
	OBS OBS	00005	03.73 02.77	32.870 32.840	20.15 26.21		1462.9							
	072 085	00010	02.75	32.85	26.22	00.018	1458.8							
	\$10 085	00020	02.54	32.91	26.28	00.036	1458.1							
	STD 065	00030	02.37	32.91 32.907	26.29 26.29	00.054	1457.5							
	085 085	20041	02.31	32.90	26.29 26.41		1457.4							
	STD	30050 30051	- 0.04 - 0.27	32.92 32.94	20.45	00.087								
	085 STD	00066	- 1.36 - 1.33	33.205	26.73	02.125	1441.6							
	085	00076	- 1.33	33.27	26.78 26.79	00.122	1442.0							
	STD OBS	00100	- 1.14 - 1.14	33.45	26.92 26.92	00.153	1443.5							
	OBS	00104	- 1.13	33.456	20.53		1443.6							
					*****	•••••••	•							

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8371 CONSEC 0045 LAT 47 31.7N LONG 052 21.0M	YEAR 1974 MONTH 06 DAY 16 HOUR 23.5	BOTOP 00119 SHIP EV DATA USE 1 AREA 05	AIR TEMP 05.9 WET BULB 05.9 BARCHETR 1023.9 CLOUD T/A	DIR HGT PER 00 0 X SEA CL/TR	WIND-DIR 06 WIND-SPD 08 WIND-FOR WEATHER X4	INST STO RECORDER TRACE DIR D OURATION 00-1 ORIG 011 646	TEN SQ 1307 5 SQUARE 3 2 SQUARE 62 1 SQUARE 72
CASTNUM/T INE	LVLTYP DEPTH	TEMP	SAL SIGMA-T	DYNOPTH SND VEL	DXYG PO4	TOT P NO2 NO3	S103 PH
23.5	STD 00000 08S 00003	04.02	32.71 25.99 32.710 25.99	00.000 1463.9			
4343	OBS 00003 OBS 00005 STD 00010	04.02 03.04 02.75	32.670 26.05	1463.9 1459.7 0C.019 1458.7			
	085 00011 085 00019	02.67 02.42	32.79 26.16 32.810 26.19 32.820 26.22	0C.019 1458.7 1458.4 1457.4			
	STD 00020 OBS 00020	02.30 02.20	32.82 26.23 32.820 26.24	00.038 1456.9 1456.5			
	STD 00030 085 00030	01.69	32.86 26.30 32.860 26.31	00.055 1454.5 1454.3			
	085 00036 085 00041	01.29 00.25	32.873 26.34 32.933 26.45	1452.8 1448.3			
	STD 00050 DBS 00051	- 0.07 - 0.14	32.94 26.47 32.945 26.48	00.088 1446.9 1446.6			
	085 00057 085 00040	- 0.45 - 1.02	32.927 26.48 32.910 26.48	1445.3 1442.7			
	STD 00075 08S 00076	- 1.50 - 1.52	33.10 26.65 33.110 26.66	00.125 1440.9 1440.8			
	OBS 00063 STD 00100 OBS 00100	- 1.61 - 1.37 - 1.36	33.160 26.70 33.26 26.78 33.265 26.78	1440.6 00.159 1442-2			
	085 00112	- 1.35	33.265 26.78 33.305 26.81	1442.2 1442.5			
			*****	*******			
REFID 31 8371 CONSEC 0046	YEAR 1974 Month 06	BOTOP 00172 SHIP EV	AIR TEMP 06.5 WEI BULB 05.5	DIR HGT PER	WIND-DIR OF WIND-SPD OB	INST STD RECORDER TRACE DIR D	TEN SQ 1307 5 SQUARE 3
LAT 47 31.3N LONG 051 47.2W	DAY 17 HOUR 01.7	DATA USE 1 AREA 05	BANOMETR 1024-0 CLGUD T/A	SEA CL/TR	WIND-FOR WEATHER X4	DURATION 00-1 ORIG 011 647	2 SQUARE 60 1 SQUARE 71
					-		
CASTNUM/TIME		TEMP		DYNDPTH SND VEL	OXYG PO4	TOT P NO2 NO3	\$103 PH
01.7	STD 00000 085 00003 085 00007	04.89 04.89 03.02	32.42 25.67 32.425 25.67 32.360 25.80	00.000 1467.1 1467.2 1459.2			
	STD 00010 085 00011	02.89	32.36 25.80 32.38 25.83 32.400 25.85	00.023 1458.8 1458.5			
	STD 00020 DBS 00020	02.34	32.53 25.99 32.540 26.00	00.044 1456.7 1456.5			
	STD 00030 085 00030	01.99 01.82	32.57 26.05 32.570 26.06	00.063 1455.4			
	085 00034 085 00034	00.02 - 0.68	32.405 26.20 32.785 26.37	1446.6 1443.7			
	OBS 00038 STD 00050	- 1.04 - 1.46	32.840 26.43 32.94 26.52	1442.1 00.098 1440.5			
	085 00053 STD 00075	- 1.54 - 1.65	32.965 26.54 33.06 26.62	1440.2 00.135 1440.2			
	00100 CTD	- 1.65 - 1.72	33.060 26.62 33.15 26.70	00.170 1440.3			
	OBS 00100 STD 00125 OBS 00125	- 1.72 - 1.68 - 1.68	33.155 26.70 33.22 26.75 33.220 26.75	00.203 1441.0 1441.1			
	STD 00150 085 00150	- 1.55 - 1.55	33.220 26.75 33.29 26.80 33.290 26.81	00.235 1442.1 1442.2			
	OBS 00163	- 1.34	33.387 26.88	1443.5			
			*****	*******			
REFIO 31 8371	YEAR 1974	BOTOP 00157	AIR TEMP 05-7	DIR HGT PER	WIND-DIR OO	INST STO RECORDER	TEN SQ 1307 5 SOMRE 3
CONSEC 0047 LAT 47 31.0N	MONTH 06 DAY 17 HOUR 04.3	SMIP EV DATA USE 1 AREA 05	WET BULB 05.7 BARDMETR 1024.2 CLUUD T/A	OO O X Sea Cl/Tr	WIND-SPD 00 WIND-FOR WEATHER X4	TRACE DIR D DURATION 00-1 DRIG 011 648	2 SQUARE 62 1 SQUARE 72
LONG 052 09.8M	MUUK U4.3	AREA U7	CECOU 17A	CLYTK	WEATHER AS	CA16 011 040	f secure 11
CASTNUM/TIME		TEMP		DYNOPTH SND VEL	0XY 6 PO4	TOT P NO2 NO3	S103 PH
04.3	STD 00000 08S 00000	02.90	31.79 25.36 31.790 25.36	00.00G 1457.8 1457.8			
	085 00005 085 00007 085 00009	02.43	31.74e 25.36 31.75u 25.36 31.71s 25.35	1456.2 1455.8 1454.6			
	STD 00010 085 00011		31.01 25.44 32.057 25.66	00.026 1454.1			
	085 00017 085 00017	01.81 01.98	32.31u 25.86 32.35u 25.88	1454.0 1454.8			
	STD 00020 065 00020	01.88 01.82	32.38 25.91 32.390 25.92	00.049 1454.5 1454.2			
	DBS 00028 STD 00030	00.60 00.07	32.50u 26.08 32.58 26.18	1449.0 00.069 1446.7			
	OBS 00030 OBS 00036	- 0.10 - 1.27	32.61g 26.21 32.902 26.46	1446.0			
	STD 00050 OBS 00051	- 1.58 - 1.60 - 1.70	33.04¢ 26.60	00.102 1440.0 1440.0 1439.9			
	085 00072 STD 00075 085 00076	- 1.70 - 1.70 - 1.70	33.12J 26.67 33.12 26.67 33.12G 26.67	00.137 1440.0 1440.0			
	STD 30100 DB\$ 00100	- 1.70 - 1.70	33.17 26.71 33.176 26.71	00.171 1440.5			
	STD 00125 OBS 00125	- 1.70 - 1.70	33.22 26.75 33.220 26.75	00.204 1440.9			
	OBS 00148	- 1.50	33.340 26.84	1442.5			164
			*****	*****			151

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID CONSE LAT LONG	C 47	8371 0048 04.5N 53.5W	MONT	1974 N 06 21 17.3	BOTOP 0115- SHIP EV DATA USE I AREA 01	WEI BARG	TEMP 07.0 BULB GG.8 IMETR LOGG.7 ID T/A		GT MER 2 3	wind-olr wind-spd wind-for weather		TRA	STO REC E DIR TION OIL 650	00.4		N 50 1306 Square 4 Square 46 Square 76
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	S EGMA-T	DYNOPTH	SNO VEL	OXA e	704	TOT 1	NOS	MD3	\$103	PH
			STD	00000	05.12	33.64	20.02	00-000	1449.7							
		17.3	085 STD	00005	05.12 05.07	33.660 33.66	26.62 26.63	00.014	1449.8							
			OBS	00011	05.03	33.660	26.63	40000	1469.5							
			OBS STD	00017	04.80	33.650	26 - 65		1446.7							
			085	00050	04.41 04.35	33.70 33.70u	26.71 26.74	00.024	1468.0							
			OBS	20022	03.48	33.480	50 * G T		1445.2							
			OBS STD	00024 00030	03-14	33.790	26.93 26.97	00.040	1442.0							
			08\$	00030	03.09	33.83 33.840	26.77	00.040	1461.9							
			085	00034	03.21	33.934	27.05		1462.6							
			D95 095	00036	03.72 03.76	14.020 34.020	27.06		1445.0 1445.2							
			065	00047	03.33	34.044	27.05 27.11		1463.5							
			STD	00030	03.27	34.07	27-14	00.061	1443.5							
			OBS OBS	00051	03.25 03.29	34.090	27.16 27.24		1443.5 1443.6							
			OSS	00062	02.81	34.14G	27.24		1441.7							
			085	00046	02.44	34.130	27.26		1440.2							
			085 G65	00048	02.78	34.270 34.325	27.34 27.43		1441.8							
			STO	00075	02.33	34,33	27.43	00-081	1440.0							
			280	00079	02.71	34.377	27.44		1441.0							
			08S 08S	18000	02.92 02.91	34.42 <i>s</i>	27.45 27.45		1442.8							
			OBS	00095	02.55	34.390	27.46		1441.4							
			STO OBS	00100	02.45	34.43	27.48	00.097	1442.0							
			085	00102	02.65 02.64	34,43 <i>u</i> 34,425	27 .48 27 .48		1462.0							
			OBS	00108	02.39	34,447	27,52		1461.0							
			OBS OBS	00110	02.59	34.480	27.53 27.55		1441.9							
			510	00123 00125	02.48 02.53	34.497 34.51	27.56	00-111	1461.7							
			085	00129	02.64	34.545	27.54	******	1462.6							
			085 085	00133	02.44	34.553 34.520	27.50 27.56		1462 . 6							
			O#S	00144	02.40 02.27	34.537	27.60		1461.7							
			STO	00150	02.31	34.54	27.60	00.124	1461.4							
			085 085	00150 00175	02.31 02.49	34.544 34.590	27.60 27.62		1461.5							
			STO	90299	02.68	34.64	27.65	00.149	1464.0							
			085	00203	C2.70	34.645	27.65		1464.2							
			OBS SYD	00226	02.77 02.82	34.660 34.68	27.66 27.67	00.172	1464.9							
			OBS	00251	02.83	34.686	27.67		1465.6							
			08S 510	00276	03.22	34.740	27.68	00.194	1467-7							
			085	00300	03-42 03-42	34.77 34.77g	27.68 27.68	00-174	1469.0							
			CBS	00350	03.53	34.790	27.69		1470.4							
			STD	00400	03.43 03.63	34.82 34.82u	27.70 27.70	00.23#	1471.6							
			065	00453	03.75	34.847	27.71		1473.1							
			STD	00500 00500	03.79	34.84	27.72	00.282	1474.0							
			08\$ 08\$	90550	03.79 03.78	34.860 34.867	27.72 27.72		1474.0							
			STD	00400	03.74	34.87	27.73	00.325	1475.5							
			285 280	00601 00651	03.74 03.74	34.870 34.876	27.73 27.73		1475.5							
			\$70	90799	03.69	34.87	27.74	90.369	1476.3							
			280	00700	03.69	34.870	27.74	• • • • • • • • • • • • • • • • • • • •	1476.9							
			08\$ \$70	99750	03.67 03.63	34.870 34.87	27.74 27.74	90-411	1477.7							
			280	00801	03.63	34.870	27.74	45441	1478.4							
			OBS	00850	03.60	34.870	27.75	-4 . *-	1479.1							
			570 085	00900 00900	03,5# 03.5#	34.87 34.870	27.75 27.75	00-454	1479.8							
			085	00953	03.56	34.870	27.75		1400.6							
			510 965	01000	03.56	34,88	27 - 76	00.498	1441.4							
			085	01022	03.56 03.55	34.889 34.880	27.76 27.76		1481.4							
							•		J							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8371 CONSEC 0049 LAT 47 05.0N LUNG 047 06.5W	YEAR MONTH DAY HOUR	1 06	BOTOP JO984 SHIP EV DATA USE 1 AREA 05	AIK T WET 8 BANCH CLGUO	ULB 06.0 ETR 1008.8	DIR H 26 SEA CL/TR	GT PER 2 3	WIND-DIR WIND-SPD WIND-FOR WEATHER	12	TR A	AT LO	IR.	ORDER D OO.4	5 2	EN SQ 1306 SQUARE 4 SQUARE 66 SQUARE 77
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SAD VEL	OXY 6	PG4	TOT	P 1	102	NO3	\$103	PH
19.2	STD OBS	00000 00001	03.81 03.81	32.96 32.96u	26.21 26.21	00.000	1463.3 1463.3								
	OBS STD	00009	03.82 03.81	32.940 32.94	26.19 26.19	00.018	1463.5								
	085 085	00011	03.78 03.44	32.94u 33.02u	26.19 26.29		1463.3								
	STD	00020	02.98	32.98	26.30 26.30	00.036	1460.1								
	OBS	00024	02.83 02.17	32.97u 33.170	26.52		1456 . 9								
	STD OBS	00030	02.23 02.23	33.33 33.34u	26.64 26.65	00.052	1457.5								
	08 S 08 S	00034	02.20	33.356	26.66		1457.4								
	085	00041	00.75	33.410	26.01		1451.2								
	08S 08S	00045 00047	00.00 - 0.55	33.430 33.500	26.86 26.94		1447.9								
	OBS STD	00049	- 0.74 - 0.74	33.60U 33.60	27.03 27.03	00.076	1444.7								
	085 085	00051	- 0.74	33.610	27.04 27.15		1444.8								
	085	00064	- 0.41 00.25	33.776 33.820	27.16		1449.9								
	OBS STD	00068	00.34 00.06	33.82u 33.85	27.16 27.20	00.100	1450.3								
	OBS	00076	- 0.04	33.860	27.21		1448.8								
					*****	******	•								
REFID 31 8371 CONSEC 0Q50 LAT 47 04.8N LONG 047 21.0M	MONT	1974 H 06 21 21-1	BUTDP 00263 SHIP EV OATA USE 1 AREA 05	AIR 1 HET E Band! Cluuß	SULB 05.7 METR 1007.5	DIR F 29 SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	12	TR.	CE D	[R	ORDER D 90.2	2	EN SQ 1306 SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N	MONTO DAY HOUR	H 06 21 21-1 DEPTK	SHIP EV DATA USE 1 AREA 05	HET E BAND! CLLUE SAL	SULB 05.7 METR 1007.5) 1/A SIGMA-T	29 SEA CL/TR	2 3	NIND-SPD NIND-FOR	12	TR.	CE D ATID G 01	IR N	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTO DAY HOUR LVLTYP STD OBS	DEPTE:	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50	#ET E BAND! CLUUI SAL 32.75 32.75	SULB 05.7 METR 1007.5) 1/A SIGMA-T 26.07 20.07	29 SEA CL/TR DYNDPTH OG-006	SND VEL 1461.7 1461.7	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTO DAY HOUR LVLTYP STD	H 06 21 21-1 DEPTE 00000	SHIP EV OATA USE 1 AREA 05	MET E BAND CLUUI SAL 32.75	SULB 05.7 METR 1007.5) T/A SEGMA-T 26.07	29 SEA CL/TR	2 3 SND VEL 1461.7	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTO DAY HOUR LVLTYP STD OBS STD OBS OBS	06 21 21-1 0EPTE: 00000 00001 00010 00011	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.40 03.38 03.40	SAL 32.75 32.75 32.79 32.790 32.790	SULB 05.7 METR 1007.5) T/A SIGMA-T 20.07 20.07 20.11 20.11	29 SEA CL/TR DYNDPTH OG-006	SND VEL 1461.7 1461.7 1461.5 1461.4	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTO DAY HOUR STD OBS STD OBS OBS OBS OBS	06 21 21-1 DEPTK 00000 00001 00010 00011 00013 00017	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.40 03.38 03.40 02.76 02.59	SAL 32.75 32.75 32.79 32.79 32.79 32.79 32.79 32.79 32.76	SULB 05.7 SETR 1007.5) T/A SIGMA-T 20.07 20.11 20.11 20.11 20.13 20.16	29 SEA CL/TR DYNDPTH OG-006	SND VEL 1461.7 1461.7 1461.5 1461.4 1461.5 1458.7	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTO DAY HOUR LVLTYP STD OBS STD OBS OBS OBS STD OBS STD OBS STD	DEPTE: 00000 00001 00010 00013 00015 00017 00019	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.40 02.76 02.76 02.59 02.13 01.99	SAL 32.75 32.75 32.79 32.79 32.79 32.79 32.79 32.79 32.79 32.79 32.79 32.79 32.79	SULB 05.7 RETR 1007.5) T/A SIGMA-T 26.07 26.11 26.11 26.11 26.13 26.16 26.36 26.36	29 SEA CL/TR DYNDPTH OG-006	SND VEL 1461.7 1461.7 1461.5 1461.4 1461.4 1458.7 1458.1 1456.4	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTO DAY HOUR LVLTYP STD OBS STD OBS OBS OBS STD OBS OBS STD OBS OBS STD OBS	DEPTK: 00000 00001 00011 00013 00017 00019 00020	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.50 03.40 02.76 02.75 02.13 01.99 01.87	SAL 32.75 32.75 32.79 32.79 32.790 32.790 32.760 32.760 32.973 32.99	SIGMA-T 20.07 20.07 20.07 20.11 20.11 20.11 20.13 20.10 20.36 20.36	29 SEA CL/TR DYNDPTH OC.OOC OC.J19	SND VEL 1461.7 1461.7 1461.5 1461.5 1458.7 1458.1 1450.4 1455.8	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTO DAY HOUR STD OBS STD OBS OBS OBS OBS OBS STD OBS STD OBS	DEPTE: ODEPTE: ODEP	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.40 03.40 02.76 02.59 02.13 01.99 01.87 01.17 0C.51	SAL 32.75 32.75 32.79 32.790 32.794 32.766 32.766 32.973 32.766 32.99 33.00 33.13	SIGMA-T 26.07 26.07 26.11 26.11 26.11 26.12 26.12 26.13 26.16 26.39 26.41 26.55	29 SEA CL/TR DYNDPTH OC.OOC OC.J19	2 3 SND VEL 1461.7 1461.7 1461.5 1461.5 1458.1 1455.8 1455.8 1455.3 1452.5	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR STD OBS STD OBS OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	DEPTE: 00000 00001 00010 00015 00015 00017 00019 00020 00020 00020 00030 00038 00038	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.40 02.76 02.79 02.13 01.99 01.87 01.17 0C.51 - 0.27 - 0.83	#ET 6 8Anor CLUUK SAL 32.75 32.75 32.79 32.79 32.79 32.76 32.76 32.97 33.03 33.11 33.05 33.15	SIGMA-T 20.07 20.07 20.07 20.11 20.11 20.11 20.11 20.12 20.13 20.16 20.30 20.39 20.41 20.55 20.57	29 SEA CL/TR DYNDPTH 00.000 0C.019	2 3 SAD VEL 1461-7 1461-7 1461-5 1461-5 1450-7 1458-1 1450-6 1455-3 1455-3 1450-0 1450-0 1450-0 1443-0	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	DEPTK: 00000 00001 00010 00011 00013 00015 00017 00019 00020 00020 00028 00038 00038	SHIP EV OATA USE 1 AREA 05 1 TEMP 03.50 03.50 03.40 02.76 02.59 02.13 01.09 01.67 01.17 0C.51 - 0.27 - 0.83 - 1.25	#ET E BANG CLUUK SAL 32.75 32.75 32.79 32.79 32.79 32.79 32.79 32.79 32.30 32.31 33.30 33.30 33.15 43.33 33.15 4	SIGMA-T 20-07 20-07 20-07 20-11 20-11 20-11 20-13 20-13 20-14 20-30 20-30 20-55 20-57 20-72 20-74	29 SEA CL/TR DVNDPTH 0C.00C 0C.319	2 3 SND VEL 1461-7 1461-5 1461-5 1461-6 1458-7 1458-1 1455-3 1452-5 1458-0 1448-0 1441-3	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR STD DBS OBS OBS OBS OBS OBS OBS OBS OBS OBS O	DEPTE: 00000 00001 00010 00015 00015 00017 00019 00020 00020 00028 00038 00049 00050 00050	SHIP EV OATA USE 1 AREA 05 1 1 AREA 05 05 03.50 03.50 03.40 02.76 02.59 02.13 01.99 01.87 01.17 0C.51 - 0.27 - 0.83 - 1.25 - 1.40 - 1.51	#ET 6 8AnOrCLUUK SAL 32.75 32.790 32.790 32.794 32.794 32.993 33.003 33.133 33.004 33.154 33.154 33.154 33.154	SIGMA-T 20.07 20.07 20.07 20.11 20.11 20.13 20.13 20.30 20.39 20.39 20.55 20.57 20.77 20.77	29 SEA CL/TR DYNDPTH 00.000 0C.019	2 3 SND VEL 1461-7 1461-5 1461-5 1461-5 1450-7 1458-7 1458-3 1455-3 1455-3 1455-3 1441-3 1441-3 1441-1	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR STO DBS OBS OBS OBS OBS OBS OBS OBS OBS OBS O	DEPTE: 00000 00001 00010 00011 00013 00015 00017 00020 00020 00020 00030 00036 00035 00049 00050 00051	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.50 03.40 02.76 02.59 02.13 01.99 01.67 01.17 0C.51 -0.27 -0.63 -1.25 -1.40 -1.51 -1.56 -1.28	WET 16 8AnOO CLUUK SAL 32.75 32.79 32.79 32.79 32.79 32.79 32.79 32.79 33.13 33.05 33.15 33.30 33.15 33.30 3	SIGMA-T 20.07 20.07 20.07 20.11 20.11 20.13 20.13 20.30 20.30 20.30 20.55 20.57 20.77 20.77 20.77	29 SEA CL/TR DVNDPTH 0C.00C 0C.319	SND VEL 1461-7 1461-7 1461-5 1461-5 1458-1 1458-1 1458-1 1455-8 1455-8 1455-8 1462-5 1464-0 1441-3 1441-1 1440-1 1440-1	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR LYLTYP STD OBS STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	DEPTH: OCOUNTY OCOU	SHIP EV OATA USE 1 AREA 05 105 105 105 105 105 105 105 105 105	WET 16 8AnO/CLUUK SAL 32.75 32.75 32.79 32.79 32.79 32.79 32.76 32.99 33.00 33.11 33.05 33.15 33.15 33.15 33.12 33.27	SIGMA-T 26.07 26.07 26.11 26.11 26.13 26.16 26.39 26.41 26.55 26.57 26.57 26.74 26.74 26.74	29 SEA CL/TR DYNDPTH 0C.00C 0C.J19 0J.037 0J.053	2 3 SND VEL 1461.7 1461.5 1461.5 1450.7 1461.5 1450.4 1455.3 1455.3 1451.3 1440.6 1441.3 1440.7	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR STO DBS DBS OBS OBS OBS OBS OBS OBS OBS OBS OBS O	DEPTE: 00000 00001 00010 00011 00013 00015 00020 00020 00020 00030 00050	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.40 02.76 02.59 02.13 01.99 01.87 01.17 0C.\$1 - 0.27 - 0.83 - 1.25 - 1.40 - 1.51 - 1.56 - 1.26 - 0.68 - C.61	#ET #6 AADO SAL 32.75 32.75 32.79 32.79 32.79 32.76 32.97 32.76 32.97 33.00 33.11 33.05 33.15 33.15 33.15 33.22 33.27 33.29 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.30	SIGMA-T 20-07 20-07 20-11 20-11 20-11 20-11 20-13 20-10 20-39 20-41 20-50 20-57 20-67 20-72 20-74 20-75 20-75 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77 20-77	29 SEA CL/TR DYNDPTH 0C.00C 0C.019 00.053 00.061 00.111	2 3 SND VEL 1461.7 1461.7 1461.5 1450.4 1450.4 1450.4 1455.3 1455.3 1451.3 1440.7 1440.7 1440.7 1440.7	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR STO DBS OBS OBS OBS OBS OBS OBS OBS OBS OBS O	B 06 21 21-1 DEPTE: 00000 00001 00010 00017 00017 00020 00020 00030 0005000000	SHIP EV COATA USE 1 AREA 05 TEMP 03.50 03.50 03.40 02.76 02.59 02.13 01.99 01.87 01.17 0C.11 - 0.27 - 0.83 - 1.25 - 1.40 - 1.25 - 1.26 - 0.68 - 0.08 - 0.00	#ET #6 AADO SAL 32.75 32.75 32.79 32.79 32.79 32.76 32.76 32.97 32.37 32.13 33.11 33.05 33.19 33.19 33.27 33.39 33.39 33.39 33.39 33.39 33.39 33.39 33.39 33.39 33.39 33.39 33.39 33.39 33.39 33.39	SIGMA-T 26-07 26-17 26-17 26-17 26-11 26-11 26-11 26-13 26-16 26-36 26-57 26-57 26-67 26-77 26-77 26-77 26-77 27-10 27-20	29 SEA CL/TR DYNDPTH 0C.00C 0C.019 00.053 00.081 00.111 00.137 0C.160	SND VEL 1401.7 1401.7 1401.5 1401.6 1401.6 1458.1 1458.6 1455.3 1455.3 1455.3 1441.3 1441.1 1440.6 1442.3 1440.6 1442.4	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR STO DBS OBS OBS OBS OBS OBS OBS OBS OBS OBS O	DEPTE: OCOUNTY: SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.50 03.30 03.40 02.76 02.99 01.87 01.17 0C.51 - 0.27 - 0.63 - 1.25 - 1.40 - 1.51 - 1.56 - 1.28 - 1.28 - 0.08	#ET #6 BANDO CLUUK SAL 32.75 32.79 32.79 32.794 32.764 32.765 32.97 33.00 33.15 33.05 33.15 33.27 33.32 33.32 33.37 33.32 33.37 33.32 33.37 33.32 33.37	SIGMA-T Z0-07 20-07 20-11 20-11 20-13 20-13 20-13 20-13 20-15 20-72 20-77	29 SEA CL/TR DYNDPTH 0C.00C 0C.019 00.053 00.061 00.111	SND VEL 1401.7 1401.7 1401.5 1401.6 1401.6 1458.1 1458.8 1455.3 1451.3 1441.3 1441.3 1441.1 1440.6 1440.6 1440.6 1440.6 1440.6 1440.6 1440.6 1440.6 1440.6 1440.6 1440.6	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77	
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR HOUR STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	H 06 21 21 1 21 1 21 1 21 1 21 1 21 1 21	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.50 03.40 02.76 02.59 02.13 01.99 01.87 01.17 0C.51 - 0.27 - 0.83 - 1.55 - 1.40 - 1.51 - 1.56 - 1.28 - 1.28 - 0.08 - 0.07 00.51 00.02 00.52 00.08	#ET #6 8An00 CLUUE SAL 32.75 32.79 32.79 32.79 32.76 32.76 32.76 33.00 33.13 33.05 33.15 33.15 33.15 33.15 33.15 33.27 33.32 33.27 33.32 33.27 33.32 33.27 33.32 33.27 33.32 33.27 33.32 33.27 33.32 33.27 33.32 33.27 33.32	SIGMA-T 20.07 20.07 20.07 20.11 20.11 20.11 20.13 20.13 20.14 20.30 20.30 20.30 20.55 20.57 20.72 20.72 20.74 20.74 20.74 20.74 20.74 20.74 20.74 20.74 20.74 20.74 20.74 20.74 20.74 20.74 20.74 20.77	29 SEA CL/TR DYNDPTH 02.00C 0C.J19 03.037 03.053 00.081 00.111 00.137 0C.160	2 3 SND VEL 1461-7 1461-7 1461-5 1461-5 1461-5 1452-7 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1440-0 1441-3 1440-0 144	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR HOUR STD OBS OBS OBS OBS OBS OBS OBS OBS OBS OBS	H 06 21 21 1 21 1 21 1 21 1 21 1 21 1 21	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.50 03.40 02.76 02.59 02.13 01.97 01.87 01.17 0C.51 - 0.27 - 0.83 - 1.35 - 1.40 - 1.51 - 1.56 - 1.56 - 1.28 - 0.08 - 0.07 00.51 00.52 00.68 - 0.07 00.51 00.52 00.68 01.26	#ET #6 BANDO CLUUK SAL 32.75 32.79 32.79 32.79 32.79 32.79 32.79 32.79 32.93 32.97 33.00 33.13 33.05 33.19 33.30 33.31 33.05 33.19 33.32 33.27 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.30 33.40 33.40 34.24	SIGMA-T 20.07 20.07 20.07 20.11 20.11 20.11 20.13 20.13 20.14 20.30 20.30 20.55 20.57 20.72 20.74 20.74 20.74 20.74 20.75 20.75 20.72 20.77 27.44	29 SEA CL/TR DYNDPTH 0C.00C 0C.019 00.053 00.081 00.111 00.137 0C.160	2 3 ShD VEL 1461-7 1461-5 1461-5 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1458-1 1460-1 146	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77
CONSEC 0050 LAT 47 04.8N LONG 047 21.0M	MONTI DAY HOUR STO OBS OBS OBS OBS OBS OBS OBS OBS OBS OB	H 06 21 21 -1 DEPTH: OCOUNTY OCOUNT	SHIP EV OATA USE 1 AREA 05 TEMP 03.50 03.50 03.40 03.38 03.40 02.76 02.59 02.13 01.09 01.87 00.17 00.51 - 0.27 - 0.83 - 1.25 - 1.40 - 1.50 - 1.26 - 0.08 - 0.07 00.51 - 0.08	#ET #6 AADU SAL 32.75 32.79 32.79 32.79 32.79 32.79 32.79 32.76 33.00 33.15 33.15 33.15 33.15 33.27 33.20 33.39 33.27 33.39 33.49 33.40 33.40 33.40 33.40 33.40 33.40 33.40 33.40 33.40 33.40 33.40 34.30 34.30	SIGHA-T 20.07 20.07 20.11 20.11 20.13 20.13 20.13 20.13 20.10 20.77	29 SEA CL/TR DYNDPTH 02.00C 0C.J19 03.037 03.053 00.081 00.111 00.137 0C.160	2 3 SND VEL 1401.7 1401.7 1401.5 1401.6 1401.6 1450.7 1458.1 1450.8 1455.3 1451.3 1441.1 1440.7 1440.6 1440.6 1440.6 1440.6 1440.6 1440.6 1440.6 1440.6	NIND-SPD HIND-FOR WEATHER	12 X4	TRA DUR CR I	CE D ATID G 01	IR N 1 652	90.2	2	SQUARE 4 SQUARE 66 SQUARE 77

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

E	MSEC T	47	8371 0051 04.8N 34.0W	YEAR MONT DAY HOUR		BOTOP 00212 SHIP EV DATA USE 1 AREA 05	WET Bari	TEMP 07-1 BULB 07-1 DMETR 1007-1 DD T/A		-	w ind—o i r w in d— sp d w ind—for w ea ther	16	INST TRACE OURAT ORIG	TON	t	MDER D 00.1	5 2	EN SQ 130 SQUARE SQUARE 6 SQUARE 7	•
	CAST	NUN/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY 6	P04	TOT P	NC	12	NQ3	\$103	PH	
				STO	00000	03.26	32.68	26.04	00.000	1460.7									
			82.6	OBS	00001	03.28	32.683	26.04		1460.7									
				085	00005	03.27	32.675	26.03		1460.7									
				072	00010	03.07	32.70	26.07	00.020	1440.0									
				085	00011	02.99	32.710	26.08		1459.6									
				085	00017	02.55	32.793	26.19		1457.9									
				STO	00020	02.34	32.77	26.18	00.039	1457.0									
				065	00020	02.27	32.765	26.19		1456.7									
				QBS	00028	01.41	32.910	26.36		1453.3									
				STO	00030	00.64	32.49	26.39	90.056	1449.8									
				280	00034	- C.79	32.826	26.40		1443.2									
				085	00036	- 0.98	33.043	26.59		1442 -6									
				085	00040	- 1.41	33.160	26.70		1440 .8									
				CBS	00041	- 1.33	33.175	26.71		1441.3									
				STO	00050	- 1.64	33.23	26.76	00.085	1440.0									
				085	00051	- 1.67	33.235	26.76		1439.9									
				085	00064	- 1.72	33.270	26.79		1439.9									
				STD	00075	- 1.71	33.30	26.81	00.117	1440 .2									
				085	00076	- 1.71	33.300	26.82		1440.2									
				STO	00100	- 1.61	33.30	26.88	00.147	1441.2									
				085	00100	- 1.60	33.342	26.88		1441.3									
				STD	00125	- 1.40	33.48	20.95	00.174	1442.7									
				OBS	00127	- 1.36	33.495	26.97		1443.0									
				STD	00150	- 0.76	33.69	27.10	00.202	1446.4									
				085	00150	- 0.75	33.690	27.10		1446.5									
				085	00175	- 0.15	33.835	27-19		1449.9									
				STO	00200	00.23	33.94	27 - 26	00.246	1452.2									
				085	00201	00.24	33.940	27.26		1452.2									
				280	00205	00.26	33.944	27.26		1452.4									
								****	*******	•									

REFID 31 8371 COMSEC 0052 LAT 47 05.5N LONG 047 52.0W	YEAR MONTH DAY HOUR	06 21	BOTOP COLT SHIP EV DATA USE AREA	HET !		DIR H OB 1 SEA CL/TR		W IND-DIR W1N D-SPD W IND-FOR WEATHER	20	TRAC (STD REG E DIR FIOM 011 654	00.1	9	N SQ 13 SQUARE SQUARE SQUARE	66
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-1	DYNOPTH	SND VEL	OXY 6	P04	TOT P	MOZ	NOS	\$103	PH	
	STO	00000	03.01	32.62	26-01	00.000	1459.4								
23.9	085	00000	03.01	32.620	26.01		1459.4								
	085	00003	03.01	32-610	26.00		1459.5								
	STO	00010	99.05	32.62	24.01	00.020	1459.6								
	OBS	00011	03.02	32.620	26.01		1459.6								
	085	00015	03.02	32.620	26.01		1459.7								
	DBS	00019	02.68	32.620	26.04		1458.3								
	STD	00020	02.68	32.62	26.04	06.040	1458.3								
	085	00020	02.68	32.630	26.05		1458.3								
	085	00028	02.37	32.840	26.24		1457.4								
	STD	00030	02.07	32.85	26.27	00.059	1456.1								
	085	00030	01-88	32.860	26.28		1455.7								
	085	00041	01.33	33.086	26.50		1453.3								
	085	00045	- 0.02	33.040	26.55		1447.2								
	085	33347	- 0.14	33.160	26.65		1446.9								
	STD	00050	00.68	33.24	26.67	00.090	1450.8								
	QBS	00053	01.04	33-290	26.69		1452.5								
	085	00060	- 1.52	33-164	26.70		1440.7								
	08S 08S	00072	- 1.70	33-250	26.78		1440.1								
	STD	00075	- 1.70 99.55	33-260	26.78	00 134	1440.2								
	065	00076	01.70	33.27 33.2 0 ,	26.70 ° 26.64 °	00.124	1455.8								
	085	00076	- 1.65	33.300			1440.5								
		00079			26.82										
	OBS OBS	00087	- 1.36 - 1.38	33.310 33.345	26.82		1441.9								
	065	00093	- 0.77	33.305	26.85 26.86		1445.0								
	065	00095	- 0.74	33.400	26.87		1445.2								
	065	00099	- 1.36	33.365	26.86		1442.3								
	STO	00100	- 1.37	33.36	26.85	00.156	1442.3								
	085	00100	- 1.36	33.350	26.85	001170	1442.2								
	510	00125	- 1.18	33.52	26.98	00.184	1443.6								
	085	00125	- 1.17	33.520	26.98	000104	1443.9								
	STO	00150	- 0.02	33.68	27.10	00.210	1446.1								
	282	00150	- 0.77	33.685	27.10	40.210	1446.4								
	085	00152	- 0.49	33.730	27.13		1447.6								
	085	00165	- 0.35	33.751	27.14		1448.7								
	5 9	4010>	- 0.37				. 7 70 11								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8371 COMSEC 0053 LAY 47 04.2N LONG 048 03.5H	MONT:		BOTOP 00148 SHIP EV DATA USE 1 AREA 35				GT PER O X	wind-dir wind-spd wind-for weather	16	TRACE	STD REG E DIR Tich 011 659	00.2	5 2	N SQ 1: SQUARE SQUARE SQUARE	68
CASTNUNTINE	LVLTYP	DEPTH	TEMP	SAL	SIG4A-T	DYNOPTH	SND VEL	OXY G	P04	TOT P	NOZ	N03	\$103	PH	
	STD	00000	03.59	32.74	26.01	00.000	1463.8								
01.5	08\$	00000	03.59	32.744	26.01		1463.8								
	STO	00010	03.53	32.72	26.01	00.020	1463.7								
	OBS	11000	03.92	32.720	26.01		1463.6								
	OBS	00013	03.54	32.730	26.01		1463.8								
	085	00015	33.32	32.665	26.02		1461.1								
	STO	00020	02.66	32.77	26.16	06.039	1458.4								
	OBS	00020	02.57	32.79u	26.18		1458.1								
	CBS	00028	02.20	32.862	26.27		1456.7								
	STD	30030	02.08	32.85	26.26	00.058									
	085	00030	02.04	32.844	26.26		1456.0								
	STD	00050	- 9.42	32.88	26.43	00.091									
	OBS	00051	- 0.50	32.920	26.47		1444.5								
	CBS	00053	- 0.59	32.990	26.53		1444.7								
	085	00055	- 1.06	32.990	26.55		1442.5								
	STO	30075	- 1.58	33.14	26.68	00.128	1440.6								
	885	00076	- 1.59	33.146	26.65		1440.6								
	085	30045	- 1.66	33.245	26.77		1440.5								
	STD	00100	- 1.57	33.31	26.82	00.161	1441.3								
	065	00100	- 1.56	33.310	26.82	,	1441.3								
	STD	00125	- 1.28	33.41	26.90	00.191	1443.2								
	085	00125	- 1.27	33.417	26.90	,	1443.3								
	085	00135	- 1.00	33.474	26.94		1444.8								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8371 CONSEC 0054 LAT 44 39-5N LONG 046 00.3M	YEAR 19 HONTH DAY HOUR 16	06 SH 29 DA	TOP 03698 IP EV TA USE 1 EA 05	AIR TEM MET BUL BARQMETI CLGUD T	1016-9	DIR NG 34 3 SEA CL/TR	T PER 3	HIND-DIR HIND-SPD HIND-FOR HEATHER	15	TRAC	STO REC E DIR TION Oll 654	00.÷	5 2 1	n SQ 130 SQUARE SQUARE 4 SQUARE 4	2
		DEPTH	TEMP	SAL \$	IGMA-T	DANDBIH	SNC VEL	OXY G	P04	TOT F	NO2	NO3	\$103	PH	
CASTNUMITIME	••••	00000	10.07		25.45 25.45	00.000	1488.2								
16.2	065	00001	10.06	33.045	25.44	00.025	1488.2								
	570	00010	10.08	33.050	25.44 25.44	001011	1486.4								
		00017	10.0+	33.183 33.247	25.55		1463.4								
	570	00020	08.66 08.70	33.56 33.7 8 0	26.23	00.048	1484.3								
	08 \$ 08 \$	00020	08.82 12.38	33.925	26.33 26.36	00.066	1485.0								
	57 <i>0</i> 085	00030	12.63	34.90	26.41		1500.0								
	08\$ 08\$	00032 00034	13.57	35.580	26.67		1505.2								
	085 085	00040 00045	12.98 12.98	35.380	26.71		1502.0								
	OBS STD	00049 00050	13.35	35.507	24.74	00-096	1503.5								
	GBS STD	00051	13.36 12.98	35.520	26.74	00. LZ9	1502.6								
	085	00076	12.5B 13.00	35.483 35.465	26.77		1502.8								
	280	00087	12.63	35.375 35.394	24.78 26.81		1501.3								
	OBS STD	00100	12.33	35.35 35.334	26.82 26.82	00.161	1500.3								
	085 085	00100	12-13	35.337 35.255	26.84 26.84		1500 -1 1458 - 9								
	085 085	00110	11.54	35.176	26.83		1497.9	!							
	085 085	00118	10.51	35.03¢ 35.090	26.93	00.191	1454.7								
	STD	00125	09.97	34.99 34.980	26.97	******	1492.1								
	CBS	00129 00131	05.88 09.10	35.000 34.850	27.00		1488.0	3							
	085 065	00140	08.95 08.38	34.815	27.00 27.01	00,21	1486	•							
	STD DBS	00150	06.36 38.36	34.72 34.72 <i>3</i>	27.02	00,21	1486.	4							
	08S	00154 00158	08.32 67.99	34.706 34.678	27.01		1485	1							
	085	00175 00178	08-25 08-24	34.790 34.82b	27.09 27.12		1486 -	5							
	06S 08S	00186	09.45	35.12C 35.12	27.16 27.16	00.26	9 1491.	.8							
	ST0 D85 O85	00201 00211	09.49 09.78	35.126 35.206	27.15 27.16		1492 •	3							
	065 065	00215 00222	09.79	35.20u 35.07¢	27.16 27.16		1493. 1491. 1487.	.2							
	085	00232 00236	08.11 07.61	34.85¢ 34.765	27.16 27.15		1485	.0							
	285 570	00250	07.14	34.75 34.75 <i>3</i>	27.23 27.23		1463	.2							
	06 S 06 S	00258 00268	07.28 07.19	34.813 34.795	27.25		1484	. 9							
	085 085	00272	06.54 06.48	34.675 34.690	27.25		1481 1481	.1							
	DB\$ 085	00276	00.34	34.657	27.26		1480	-1							
	08\$ 08\$	002 8 5	05.46	34.536	27.27	l .	1477	-1							
	DBS STD	00296	05.62	34.62	27.3	2 00.3 5	1480								
	085 085	00306	06.19	34.750	27.3	5	1480	.7							
	085 085	00325	07.18	35.026	27.4	3	1465 1465								
	095 370	00400	06.79	35.04	27.5	0 00.4	1484								
	085 085	00401	06.27	35.00	27.5	4	148								
	085 ST (00450	0 05.48	34.94	27.5	9 00.4	148 148								
	085 085	9050	2 05.4	6 34.99		.3	148 547 148								
	510 085	0060	05.57	7 35.03	27.0	6	148	3.3 3.4							
	085 085	00649	6 04.8	5 34.93	27.0	b6	148 598 146	11.1							
	\$10 085	0070	0 04.6	7 34.94	27.4 5 27.4 27.4	5 6	148	12.3							
	085 576	0075	0 04.4	0 34.92	27.	70 OO.	646 146	11.6							
	08\$ 08\$	0080	04.3	9 34.92 4 34.91	U 27.	71		11.0							
	51; 085	0090	0 04.1 2 04.1	5 34.90	0 27.	71	341	12.3 13.4							
	085	0095	1 04.2	1 34.94	U 27.	73	14	13.5 13.6							
	57: G85	0 0100	04.0	17 34.92 17 34.92	u 27.	74	14	83.0 84.1							
	085			8 34-92	0 27.	*******									

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIO 31 8371 YEAR 1' CONSEC 0055 MONTH LAT 44 53.8N DAY LONG 046 35.5W HOUR 20	06 SHIP EV 29 DATA USE	WET BULB	DIR HGT PER 35 2 2 0 SEA CL/TR	WIND-DIR 31 HIND-SPD 06 HIND-FOR HEATHER X1	INST STD RECORDER TRACE DIR 0 DURATION 00.4 ORIG 011 457	TEN SQ 1306 5 SQUARE 2 2 SQUARE 46 1 SQUARE 46
CASTNUM/TIME LVLTYP	ОЕРТН ТЕМР	SAL SEGMA-T	DYNOPTH SAD VEL	L 0XYG P04	TOT P NO2 NO3	\$103 PH
	00000 05.72 00001 05.72	32.98 26.01 32.977 26.01	00.000 1471.3			
065	00005 05.74	32.975 26.01	1471.4			
012 280	00010 05.59 00011 05.55	32.97 26.02 32.970 26.03	0C.020 1470.9 1470.8			
570	00020 05.35	32.99 26.06	00-040 1470-1			
	00020 05.33 00022 05.28	32.990 26.07 32.98> 26.07	1470.3 1469.9			
085	00024 04.84	33.045 20.17	1446.2			
	00028 04.82 00030 03.30	33.06. 26.18 32.95 26.25	1466.1 00.058 1461.6			
085	00030 02.93	32.914 20.25	1460.0			
OBS (00032 02.31 00036 02.31	33.195 26.53 33.230 26.55	1457.7 1457.6			
Q8\$ (00038 01.18	33.160 20.56	1452.7			
DBS (00041 01.12 00043 00.60	33.260 20.06	1452.7			
STD	00050 00.11	33.287 26.72 33.49 26.90	1450.4			
OBS (00051 00.03	33.520 26.53	1448.2			
CBS C	000 66 - 0.04 00070 - 6.29	33.03: 27.03 33.020 27.03	1448.3 1447.2			
ans a	00074 - C.18	33.754 27.16	1448.0			
	00075 - 0.10 00085 00.e1	33.79 27.16 33.850 27.17	00.114 1448.4			
08\$	00087 00.68	33.870 27.18	1452.3			
OBS (00091 01.23 00097 00.30	33.930 27.19 33.650 27.18	1454.9 1450.7			
STO	00100 00.91	33.89 27.18	00.137 1453.6			
	0011C 02.00 00112 02.01	34.04. 27.23 34.11. 27.28	1456.8 1458.9			
OBS :	02.21	34.195 27.33	1460.0			
	00116 02.72 00118 02.61	34.250 27.33 34.270 27.34	1462.3 1462.7			
OBS (00121 03.65	34.400 27.37	1466.6			
QB\$ (\$70 (00123 03.87 00125 03.76	34.440 27.38	1467.6			
085 (00148 03.07	34.43 27.38 34.34. 27.37	00.157 1467.1 1464.5			
STD (00150 03.10	34.34 27.37	00.175 1464.6			
CBS (00150 02.13 00156 04.64	34.346 27.37 34.590 27.41	1464.7 1471.5			
OBS 0	00165 05.08	34.63. 27.46	1473-4			
	00175 03.54 00177 03.53	34.450 27.42 34.400 27.43	1467-1 14e7-1			
280	00180 02.76	34.360 27.42	1463.7			
Q8\$ (Q8\$ (00188 03.36 00190 03.65	34.480 27.46 34.556 27.45	1466.5			
085 (00194 04.15	34.01. 27.46	1470-2			
	00196 04.17 00199 04.74	34.626 27.45 34.696 27.48	1470.3 1472.8			
570	04.74	34.69 27.48	00.209 1472.8			
	00201 04.76 00226 (4.80	34.69û 27.48 34.742 27.52	1472.9 1473.6			
280	04.70	34.734 27.52	1473.5			
0 28g	00250 04.49 00253 04.30	34.72 27.53 34.710 27.55	00.239 1472.4 1471.9			
085 (00268 04.53	34.790 27.58	1473.2			
	00277 03.46 00300 03.53	34.656 27.58 34.70 27.62	1468.7			
08\$ 0	00300 03.53	34.705 27.62	1469.4			
280 280	00342 03.71 00350 03.28	34.755 27.64 34.715 27.65	1470.9 1469.2			
\$10	03.44	34.78 27.69	00.314 1470.8			
	00401 03.45 00453 03.42	34.78v 27.69 34.817 27.70	1470.9 1472.5			
\$10 (00500 03.86	34.88 27.73	00.358 1474.3			
085 C	00502 03.87 00550 04.C2	34.88u 27.73 34.90u 27.73	1474.4 1475.5			
\$70	30400 04.03	34.90 27.73	00.402 1476.7			
	04.03 00651 04.07	34.900 27.73 34.950 27.76	1476.8 1477.8			
\$70 (00703 04.04	34.93 27.75	00.445 1478.5			
	00702 04.03 00710 03.59	34.930 27.75 34.92> 27.75	1478.5			
085 0	04.19	34.946 27.74	1479.4			
QBS (00750 03.90 00793 04.19	34.920 27.75	1478.7			
\$10 0	04.17	34.94 27.75	1480.7 00.488 1480.7			
085 (04.04	34.915 27.74	1481.2			
085	00900 03.99	34.92 27.74 34.920 27.75	00.533 1481.6			
085	00953 03.51	34.540 27.77	1482.2			
\$10 (085 (01000 03.78 01001 03.78	34.92 27.77 34.920 27.77	00.577 1482.4			
	1024 03.76	34.924 27.77	1482 - 8			

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIC CONSE LAT LONG	45	8371 0056 05.2N 04.8H	MONT DAY	1974 H 06 30 00-1	BUTDP 03017 SMIP EV DATA USE 1 AREA 05				GT PER O X	WIND-DIR WIND-SPO WIND-FOR WEATHER	09	TRACE		00.5	5	N SG 1 SQUARE SQUARE SQUARE	46
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P04	TOT P	NO2	NO3	5103	PH	
			\$10	00000	06.16	33.01	25.98	00.000	1473.1								
		1.00	08\$ \$70	00003	06.16 05.77	33.010 33.03	25.98 26.05	00.020	1473.2								
			08.5	00011	05.71	33.036	26.06		1471.5								
			085 \$10	00017	05.60	33.040	26.08	F 2 040	1471-1								
			085	00020 00020	05.40 05.02	32.99 32.95u	26.06 26.07	63,040	1468.7								
			085	00022	03.72	32.830	26.11		1463.1								
			OBS STD	00024	03.08 02.40	33.08c 33.22	26.37 26.54	00.057	1460.8								
			085	00030	02.36	33.230	26.55		1457.9								
			OBS OBS	00036 00036	02-13	33.250 33.270	26.58 26.62		1457.0 1455.8								
			085	00040	01.68	33.310	26.66		1455.2								
			OBS STD	00041	01.61	33.320	26.68	00.084	1454.9								
			085	20051	00.41	33.46 33.460	26.87 26.89	00.084	1449.8 1449.5								
			085	00055	00.26	33.52v	26.92		1449.3								
			085 085	00059 00064	00.12	33.510 33.620	26.92 21.03		1448.7								
			OBS	00068	- 0.06	33.700	27.08		1448.3								
			STD OBS	00075 00076	00.01 00.02	33.75 33.77u	27.12 27.13	00.111	1448.8 1448.9								
			OBS	00078	00-27	33.800	27.15		1450.1								
			GBS	00097	00.64	33.955	27.25	00.133	1452.4								
			STO 085	00100	00.82 00.89	33.97 33.983	27.25 27.25	00.133	1453.2								
			OBS	00104	00.88	33.990	27.26		1453.6								
			08 S 08 S	00110	01.04 01.52	34.053 34.196	27.30 27.35		1454.5								
			085	00121	02.38	34.250	27.36		1460.9								
			\$70 085	00125	02.42	34.25	27.36	00.153	1461.1								
			085	00127	02.45	34.25u 34.29u	27.36 27.39		1461.2								
			085	30129	02.79	34.350	27.41		1462.9								
			08 S 08 S	00131	02.85	34.36u 34.40ɔ	27.41 27.41		1463.3								
			STD	00150	03.42	34.44	27.42	00.170	1466.1								
			08 \$ 08 \$	00150 00152	03-45 03-62	34.455 34.533	27.43 27.48		1460.3								
			OBS	00158	04.21	34.616	27.48		1469.8								
			08S 08S	00161	04.58 04.56	34.656	27.48 27.47		1471.5								
			085	00177	04-15	34.610	27.48		1469.9								
			085 085	00178 00184	04.13 04.56	34.60u	27.48 27.48		1469.8								
			0 8 S	00188	04.44	34.632	27.47		1471.3								
			085	00192 00198	03.96	34.590	27.49		1469.3								
			085 \$10	00500	03-85 03-62	34.58u 34.50	27.49 27.49	00.203	1468.9 1467.9								
			085	00203	03.36	34.540	27.51		1466.9								
			085 085	00207 30209	03.34 03.68	34.560	27.52 27.54		1466.9 [468.4								
			OBS	00513	03.72	34.643	27.55		1468.7								
			085 085	00555	04+22 04+22	34.703	27.55 27.55		1471.0 1471.1								
			085	00226	04-47	34.750	27.56		1472.2								
			STO DBS	00250	04.72 04.73	34.80 34.79#	27.57 27.57	00.232	1473.7								
			OBS	00266	04.50	34.790	27.59		1473.1								
			085 085	00276 00277	04.23 04.30	34.763 34.79u	27.60 27.61		1472.0								
			085	00287	04.05	34.752	27.61		1471.5								
			STO OBS	00300 00300	03.99 03.99	34.76 34.760	27.62 27.62	OC. 259	1471.4								
			OBS	00336	04.27	34.810	27.63		1473.3								
			08 S 08 S	00340	04.05	34.790	27.64		1472.4								
			STD	00350 00400	04.06 04.18	34.81u 34.86	27.65 27.67	00.308	1472.6								
			085	00401	04.18	34.857	27.68		1474.0								
			OBS STD	00500	04.17 04.08	34.880 34.87	27.69 27.70	00.354	1475.3								
			085	20500	04.08	34.870	27.70		1475.3								
			085 570	00552	04.11 04.21	34.895	27.71 27.71	00.395	1476.3								
			∪8 S	10900	04.21	34.91)	27.71	00.397	1477.2								
			DBS STD	30651	04.06	34.900	27.72	22.414	1477.7								
			085	00700 00700	04.65 04.05	34.92 34.920	27.74 27.74	00.444	1478.5								
			085	00750	03.99	34.910	27.74		1474.1								
			072 085	J0800 00801	03.52	34.91 34.91	27.74 27.74	30.487	1479.0								
			∪8 \$	00850	C3.63	34.900	27.75		1480.1								
			5 T D 0 8 S	30 9 00	03.78 03.78	34.90 34.90	27.15	33.531									
			GB S	30951	C3. 80	34.400	27.15 27.16		1481.0								
			STD	21030	03.74	34.90	21.10	00.575	1482.2								
			∴85 782	01001	03.74	34.400	27.76 27.16		1462.2								

TABLE I. CGC EVERGREEN, April—June 1974--(Continued)

REFID 31 8371 CONSEC 0057 LAT 45 13-0N LONG 047 31-3M	DAY	1974 H 06 30 03.5	BOTDP 02743 SHIP EV DATA USE 1 AREA 05	AIR T HET B BARCH CLGUD	ULB 06.2 ETR 1020.0		GT PER O X	WIND-DIR WIND-SPD WIND-FOR WEATHER	04	TR/	LE C	D REC 118 10 11 659	DRDER D OO.3	5 2	N SQ 1306 SQUARE 4 SQUARE 46 SQUARE 57
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXYG	P04	TOT	P	NQ2	NQ3	\$103	PH
	STO	00000	06.51	33.04	25.96	00.000	1474.5								
03.5	085	00003	06.51	33.040	25.96		1474.6								
	STO	00010	06.44	33.04	25.57	00.020	1474.4								
	085 085	00011	06.43	33.040	25.57		1474.4								
	STO	00013 00020	06.07 05.52	33.000 33.10	25.99 26.13	00.040	1472.9								
	OBS	00020	05.44	33.117	26.16	00.040	1470.7								
	OBS	00026	04.91	33.25	26.32		1468.7								
	085	00028	04.54	33.345	26.44		1467-4								
	STD	00030	04.54	33.36	26.45	00.058	1467.4								
	OBS	00030	04.54	33.370	26.46		1467.4								
	STD	00050	03.40	33.46	26.64	00.088	1463.3								
	085	00051	03.33	33.490	26.67		1462.8								
	08S \$7D	00059 00075	02.50	33.696	26.91		1459.6								
	085	00076	02.07 02.06	34.04 34.06u	27.22 27.24	00.116	1458.5 1458.5								
	085	00081	02.04	34.160	27.32		1458.6								
	STO	00100	02.14	34,34	27.46	00.135	1459.6								
	085	00100	02.15	34.356	27.46		1459.7								
	STD	00125	02.49	34.47	27.53	00.150	1461.7								
	085	00125	02.49	34.476	27.53		1461.7								
	085	00129	02.49	34.460	27.52		1461 -8								
	085 570	00146	03-17	34.605	27.58		1465.2								
	210	00150 00152	03.08 03.02	34.61 34.610	27.59 27.59	00.164									
	085	00154	03.16	34.653	27.62		1464.7								
	OBS	00167	03.66	34.690	27.60		1467.8								
	OBS	00175	03.92	34.740	27.61		1469.1								
	STD	00200	03.98	34.74	27.61	00.190	1469.7								
	OBS	00203	03.99	34.743	27.60		1469.8								
	085	00207	03.83	34.740	27.62		1469.2								
	085	00226	03.97	34.770	27.63		1470-1								
	\$TD 085	00250 00253	04.07	34.61	27.65	00.214	1471.0								
	085	00276	04.08 03.90	34.815	27.65 27.67		1471.1								
	STD	00300	04.28	34.87	27.68	00.238	1472.8								
	OBS	00300	04.29	34.875	27.68		1472.9								
	OBS	00350	04.13	34.85u	27.67		1473.0								
	STD	00400	04.35	34.92	27.71	00.282	1474.8								
	085	00401	04.35	34.920	27.71		1474.8								
	OBS STD	00451	04.26	34.910	27.71		1475.3								
	085	00500 00500	04.51 04.51	34.98	27.74 27.74	00.326	1477.2								
	OBS	00550	04.51	34.98u 34.98u	27.74		1477.2								
	STD	00600	04.37	34.95	27.73	00.369	1478.3								
	OBS	00601	04.37	34.950	27.73	*****	1478.3								
	085	00651	04.28	34.950	27.74		1478.7								
	STD	00700	04.15	34.94	27.74	00.413	1479.0								
	OBS	00700	04.15	34.946	27.74		1479.0								
	085	00750	04.08	34.940	27.75		1479.5								
	STD OBS	00800	04.04	34.94	27.76	00.455									
	085	00801 00852	04.04 04.06	34.945	27.76 21.76		1480.2								
	STD	00900	03.94	34.95u 34.92	27.75	00.499	1481.1								
	OBS	00900	03.54	34.920	27.75	201777	1481.4								
	OBS	00951	03.81	34.920	27.76		1481.7								
	STC	01000	03.78	34.92	27.77	00.542									
	OBS	01001	03.78	34.920	27.77		1482.4								
	085	01022	03.75	34.915	27.77		1482.6								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

CASTMIN/TIME LYLTYP DEPTH TEMP SAL SIGNA-T DYMOPH Sho YEL GAYG PQA TGT P MQ2 MG3 SIQ3 PM 00-3 GS10 GOOGO G1-09 32-89 28-02 GO-000 1488-6 GSS GOOGO G1-09 32-89 28-02 1-888-6 GSS GOOGO G1-09 33-010 28-12 GSS GOOGO G1-09 33-010 28-	CONSEC 0058 MONTH 06 LAT 45 23.6N DAY 30	BOTOP 01625 AIN TEMP SMIP EV WET BULB DATA USE 1 BARCMETR AREA 05 CLUUD T/	06-2 DIR MGT 06-0 OO O 1019-3 SEA A CL/TR	PER WIND-DIR 20 X WIND-SPD 10 WIND-FOR WEATHER X0	INST STD RECORDER TRACE DIR D DURATION 00-3 ORIG 011 660	TEN SQ 1306 5 SQUARE 4 2 SQUARE 48 1 SQUARE 58
04-3 085 00030 05-06 22-85 26-02 1446-7 085 00007 05-10 32-040 28-03 1446-7 085 00010 04-17 122-11 22-04 00.020 085 00011 04-17 122-11 22-04 00.020 085 00011 04-17 122-11 22-04 1407-5 085 00011 04-17 122-11 22-04 1407-5 085 00012 05-18 32-040 28-03 1446-8 085 00022 03-05 13-10 22-11 22-04 1407-5 085 00022 03-05 13-10 22-11 22-04 1407-5 085 00022 03-05 13-10 22-13 122-12 1407-5 085 00022 03-05 13-10 22-15 122-14 1407-5 085 00023 02-12 13-12 12-12 14-12 1407-5 085 00034 01-17 13-12-14 1407-5 085 00034 01-17 13-12-14 1407-5 085 00034 01-17 13-12-14 1407-5 085 00034 01-17 13-12-14 1407-5 085 00034 01-17 13-12-14 1407-5 085 00034 01-17 13-13-15 22-14 1407-5 085 00034 01-17 13-13-15 22-14 1407-5 085 00034 01-17 13-13-15 22-14 1407-1 085 00040 02-17 13-13-15 22-14 1407-1 085 00040 02-17 13-13-15 22-14 1407-1 085 00040 02-17 13-13-15 22-14 1407-1 085 00040 02-17 13-13-15 22-14 1407-1 085 00040 02-17 13-13-15 22-14 1407-1 085 00040 02-17 13-13-15 22-14 1407-1 085 00040 02-17 13-13-15 22-14 1407-1 085 00040 02-17 13-13-17 12-14 1407-1 085 00040 02-17 13-18-17 12-14 1407-1 085 00040 02-17 13-18-17 12-14 1407-1 085 00040 02-17 13-18-17 12-14 1407-1 085 00010 02-18 13-11 12-14 1407-1 085 00010 02-18 13-11 12-14 1407-1 085 00010 02-18 13-11 12-14 1407-1 085 00010 02-18 13-11 12-14 1407-1 085 00010 02-18 13-11 12-14 1407-1 085 00010 02-18 13-11 12-14 1407-1 085 00010 02-18 13-14 1407-1 085 00010 02-18 13-14 1407-1 085 00010 02-18 13-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 14-19 12-14 1407-1 085 00010 02-18 1407-1 085 00010 02-18 1407-1 085 00010 02-18 1407-1 085 00010 02-18 1407-1 085 00010 02-18 1407-1 085 00010 02-18 1407-1 085 00010 02-18 1407-1 085 00010 02-18 1407-1 085 00010 02-18 1407-1 08	CASTNUMFTEME LYLTYP DEPTH	TEMP SAL SI	GMA-T DYNOPTH SE	D VEL OXY G PO	4 TOT P NO2 NG3	\$103 PH
OBS OBS						
085 00007 05.08 32.925 22.05 1402.7 087 00010 04.77 32.11 22.06 00.020 1407.8 088 00017 04.78 32.924 22.00 00.091 1407.8 3170 00220 03.48 32.924 22.22 00.099 1402.8 088 00020 07.59 33.010 22.27 1402.8 089 00020 07.59 33.010 22.27 1402.8 089 00020 07.59 33.010 22.29 13.220 22.52 00.099 1402.8 089 00020 07.29 33.220 22.53 00.099 1402.8 089 00020 07.29 33.220 22.53 00.099 1402.8 089 00020 07.59 33.400 22.29 33.220 22.53 00.095 1407.8 089 00020 07.59 33.400 22.20 22.53 1407.8 089 00020 07.59 33.400 22.20 22.53 1407.8 089 00020 07.59 33.400 22.20 22.50 1407.8 089 00020 07.40 33.400 22.20 22.50 1407.8 089 00020 07.40 33.400 22.20 22.50 1407.8 089 00020 07.40 33.400 22.20 22.50 1407.8 089 00020 07.40 33.400 22.20 22.50 1407.8 089 00020 07.40 33.400 22.407 00.081 1402.8 089 00020 07.40 33.400 22.407 00.081 1402.8 089 00020 07.40 33.400 22.407 00.081 1402.8 089 00020 07.40 33.400 22.407 00.081 1402.8 089 00020 07.40 33.400 22.407 00.081 1402.8 089 00020 07.40 33.400 22.407 00.081 1402.8 089 00020 07.40 33.400 22.40 23.400 22		05.09 32.895 2		60.6		
STO COULD CA-87 32-91 22-96 CO-020 1-67-8		05.10 32.906 2				
085 00011 04-78 32-90- 26-06 1447-5 085 00017 04-78 32-90- 26-06 1447-5 085 00017 04-74 32-90- 26-10 1440-5 085 00022 01-10 131-110 26-40 1440-5 085 00022 01-10 131-110 26-40 1440-5 085 00022 01-10 131-110 26-40 1440-5 085 00030 02-22 33-22 26-55 1440-5 085 00030 02-22 33-22 26-55 1440-5 085 00030 02-22 33-22 26-55 1457-7 085 00030 02-22 33-22 26-55 1457-7 085 00030 02-22 33-22 26-55 1457-7 085 00030 02-22 33-22 26-55 1457-7 085 00030 02-22 33-22 26-55 1457-7 085 00030 02-20 33-20 26-55 1457-7 085 00030 02-55 33-24-20 26-55 1457-7 085 00030 02-55 33-24-20 26-55 1457-7 085 00030 02-55 33-24-20 26-55 1457-7 085 00030 02-55 33-24-20 26-55 1457-7 085 00030 02-55 33-24-20 26-55 1457-7 085 00030 02-55 33-24-20 26-57 02-50 1457-7 085 00030 02-55 33-24-20 26-57 02-50 1450-1 085 00030 02-55 33-24-20 26-57 02-50 1450-1 085 00030 02-55 33-24-20 26-57 02-50 1450-1 085 00030 02-55 33-24-20 26-57 02-50 1450-1 085 00030 02-55 33-24-20 26-57 02-50 1450-1 085 00010 02-23 33-21-7 27-20 1450-2 085 00010 02-23 33-21-7 27-20 1450-2 085 00010 02-23 33-21-7 27-20 02-105 1450-2 085 00010 02-23 33-21-7 27-20 02-105 1450-2 085 00100 02-23 33-21-7 27-20 02-125 1450-2 085 00100 02-23 33-21-7 27-20 02-125 1450-2 085 00100 02-23 33-21-7 27-20 02-125 1450-2 085 00100 02-23 33-21-7 27-20 02-125 1450-2 085 00100 02-23 33-21-7 27-20 02-125 1450-2 085 00100 02-23 33-21-7 27-20 02-125 1450-2 085 00100 02-23 33-23 02-23 1450-2 085 00100 02-23 33-23 02-23 1450-2 085 00100 02-23 33-23 02-23 1450-2 085 00100 02-23 33-23 02-23 02-23 1450-2 085 00100 02-23 33-23 02-23 02-23 1450-2 085 00200 02-23 33-23 02-23 02-23 1450-2 085 00200 02-23 02-23 02-23 02-23 02-23 1450-2 085 00200 02-23 02-23 02-23 02-23 02-23 1450-2 085 00200 02-23 02-23 02-23 02-23 1450-2 085 00200 02-23 02-23 02-23 02-23 02-23 1450-2 085 00200 02-23 02-23 02-23 02-23 02-23 1450-2 085 00200 02-23 02-23 02-23 02-23 02-23 1450-2 085 00200 02-23 02-23 02-23 02-23 02-23 1450-2 085 00200 02-23 02-23 02-23 02-23 02-23 1450-2 085 00200 02-23 02-23 02-23 02-23 02-23 1450-2 085 00200 02-23 02-23		03.40 32.923 2				
085 0001 0010 130.10 130.10 140.5 1440.5 1440.5 150 0020 01.01 130.10 140.5 1440.5 1440.5 150 0020 01.01 130.10 140.5 1440.5 1440.5 150 0020 01.01 130.10 140.5 1440.5 1440.5 1440.5 150 0020 01.01 130.10 1440.5 14		04.78 32.905 2				
085 00020 03.59 33.010 26.27 1400.5 085 00022 03.01 33.110 26.40 085 00023 02.22 33.222 26.53 00.055 1457.74 085 00034 02.22 33.222 26.53 00.055 1457.74 085 00034 01.70 33.245 26.63 1457.3 085 00034 01.70 33.245 26.63 1457.3 085 00034 01.70 33.245 26.63 1457.3 085 00036 01.70 33.35.20 26.63 1457.3 085 00036 01.70 33.35.20 26.63 1457.3 085 00036 01.40 33.252 26.63 1457.3 085 00037 01.40 33.252 26.63 1457.3 085 00036 01.40 33.40 26.70 1455.3 085 00037 00.45 33.40 26.70 1457.3 085 00038 00.43 30.40 26.70 1457.3 085 00039 00.44 33.40 26.77 00.061 1450.2 085 00031 00.45 33.540 26.77 00.061 1450.2 085 00030 00.44 33.40 26.77 00.061 1450.2 085 00030 00.44 33.40 26.77 00.061 1450.2 085 00030 00.45 33.40 26.77 00.061 1450.2 085 00030 00.44 33.40 27.26 1450.4 085 00030 00.45 33.40 27.26 1450.4 085 00030 00.45 33.40 27.26 1450.4 085 00030 00.45 33.40 27.26 1450.4 085 00030 00.45 33.40 27.26 1450.4 085 00030 00.45 33.40 27.26 1450.4 085 00100 00.62 34.11 27.34 00.125 1450.4 085 00125 01.14 34.20 27.42 00.156 1450.4 085 00125 01.15 34.20 27.45 00.157 1450.4 085 00125 01.75 34.35 27.49 00.158 1450.4 085 00125 01.75 34.35 27.49 00.158 1450.4 085 00125 02.21 34.30 27.49 00.158 1450.4 085 00260 02.21 34.30 27.57 00.165 1462.7 085 00260 02.22 34.33.50 27.59 1462.7 085 00260 02.20 02.21 34.50 27.63 1462.7 085 00260 02.21 34.50 27.63 00.25 1462.7 085 00260 02.22 02.21 34.50 27.63 1462.7 085 00260 02.42 34.50 27.63 1462.7 085 00260 02.42 34.50 27.64 00.25 1462.7 085 00260 02.42 34.50 27.64 00.25 1462.7 085 00260 03.59 34.70 27.64 00.26 1472.4 085 00350 03.60 34.60 27.77 27.60 00.25 1472.4 085 00350 03.60 34.60 27.77 27.60 00.25 1472.4 085 00350 03.60 34.60 27.77 27.60 00.25 1472.4 085 00350 03.60 34.60 27.77 27.60 00.25 1472.4 085 00350 03.60 34.60 27.77 27.60 00.25 1472.4 085 00350 03.60 34.60 27.77 27.60 00.25 1472.4 085 00350 03.60 34.60 27.77 34.60 07.77 1470.40 00.40 34.77 1470.40 00.40 34.77 1470.40 00.40 34.77 1470.40 00.40 34.77 1470.40 00.40 34.77 1470.40 00.40 34.77 1470.40 00.40 34.77 1470.40 00.40 34.77 1470.40 00.40 34	085 00017	04.74 32.940 2	6.10 14	67.5		
085 00022 03.01 33.112 28.40 1407.7 085 00030 02.12 33.122 28.45 00.055 1497.7 085 00030 02.12 33.222 28.55 1497.7 085 00030 02.12 33.222 28.55 1497.7 085 00031 01.70 33.32 28.55 1497.4 085 00034 01.70 33.35 28.70 1495.3 085 00030 00.40 33.40 28.70 28.70 1495.3 085 00030 00.40 33.40 28.7		03.46 32.98 2	6.22 00.039 14			
\$10 00030 02.29 33.22 24.54 00.095 1497.4 OB\$ 00030 02.29 33.22 02.695 1497.4 OB\$ 00030 02.22 33.22 02.695 1497.4 OB\$ 00030 00030 01.40 33.22 26.655 1497.3 OB\$ 00030 01.40 33.32 26.65 1497.3 OB\$ 00040 01.40 33.32 26.66 1492.9 OB\$ 00040 00.45 33.43 26.66 1492.9 OB\$ 00040 00.45 33.43 26.66 1492.9 OB\$ 00040 00.45 33.43 26.88 1491.8 OB\$ 00040 00.45 33.43 26.88 1491.8 OB\$ 00040 00.45 33.43 26.89 1491.8 OB\$ 00040 00.45 33.43 26.89 1491.8 OB\$ 00040 00.45 33.40 27.25 00.105 1490.4 OB\$ 00040 00.45 33.40 27.25 00.105 1490.4 OB\$ 00040 00.45 33.40 27.25 00.105 1490.4 OB\$ 00040 00.46 33.40 27.25 00.105 1490.4 OB\$ 00040 00.46 33.40 27.25 00.105 1490.4 OB\$ 00040 00.46 33.40 27.25 00.105 1490.4 OB\$ 00040 00.48 33.40 27.25 00.105 1490.4 OB\$ 00040 00.48 33.40 27.25 00.105 1490.4 OB\$ 00040 00.48 33.40 27.25 00.105 1490.4 OB\$ 00100 00.48 34.10 27.36 00.125 1493.4 OB\$ 00100 00.48 34.10 27.36 00.125 1493.4 OB\$ 00100 00.47 34.27 47.0 00.150 1495.4 OB\$ 00100 00.77 34.30 27.49 1495.4 OB\$ 00100 00.77 34.30 27.49 1495.4 OB\$ 00100 00.77 34.30 27.49 1495.4 OB\$ 00270 00.24 34.55 27.61 00.213 1493.4 OB\$ 00270 00.24 34.55 27.61 00.213 1493.4 OB\$ 00260 00.24 34.55 27.69 00.30 1494.9 OB\$ 00260 00.40 34.63 34.77 27.68 1490.4 OB\$ 00400 00.44 34.70 27.68 1470.4 OB\$ 00400 00.44 34.80 27.72 1496 1494.9 OB\$ 00400 00.44 34.80 27.72 1496 1494.9 OB\$ 00400 00.45 34.80 27.72 1496 1494.9 OB\$ 00400 00.46 34.80 27.72 1496 1494.9 OB\$ 00400 00.46 34.80 27.72 1496 1494.9 OB\$ 00400 00.47 34.80 27.70 27.68 1470.4 OB\$ 00400 00.48 34.80 27.70 27.68 1470.4 OB\$ 00400 00.49 34.80 27.70 27.68 1470.4 OB\$ 00400 00.49 34.80 27.70 27.60 1490.7 OB\$ 00400 00.49 34.80 27.70 27.60 1490.7 OB\$ 00400 00.49 34.80 27.70 27.60 1490.7 OB\$ 00400 00.49 34.80 27.70 27.00 00.50 1490.7 OB\$ 00400 00.49 34.80 27.70 27.00 00.50 1490.7 O		03.39 33.010 2	1.27 L4			
OBS 00030 02:29 33-220 26:95 1497.4 OBS 00032 02:22 33-220 26:95 1497.4 OBS 00032 01:10 33-225 26:05 1497.3 OBS 00033 01:10 33-225 26:05 1497.3 OBS 00034 01:10 33-225 26:05 1492.1 OBS 00034 00:40 33-225 26:05 1492.1 OBS 00040 00:59 33-31-51 26:08 1492.1 OBS 00040 00:59 33-31-51 26:08 1492.1 OBS 00040 00:49 33-451 26:09 1499.9 OBS 00040 00:49 33-451 26:09 1499.9 OBS 00040 00:49 33-451 26:09 1499.9 OBS 00040 00:49 33-451 27:20 00:00 1499.9 OBS 00060 00:23 33-451 27:20 00:00 1499.9 OBS 00060 00:23 33-451 27:20 00:00 1499.9 OBS 00060 00:23 33-451 27:20 00:00 1499.9 OBS 00060 00:23 33-451 27:20 00:00 1499.9 OBS 00060 00:23 33-451 27:20 00:00 1499.9 OBS 00060 00:23 34-41 07:20 27:41 00:142 1495.4 OBS 00125 01:13 34-20 27:41 00:142 1495.4 OBS 00125 01:13 34-20 27:45 00:158 1499.9 STD 00125 01:13 34-20 27:45 00:158 1499.9 STD 00200 02:15 34-30 27:45 00:167 1499.9 STD 00200 02:15 34-30 27:45 00:167 1499.9 STD 00200 02:15 34-30 27:45 00:167 1499.9 STD 00200 02:16 34-30.00 27:58 00:167 1401.5 OBS 00201 02:16 34-50 07:58 00:167 1401.5 OBS 00201 02:16 34-50 07:76 00:18 1402.7 OBS 00201 02:17 34-60 07:76 34-60 07:76 00:18 1402.7 OBS 00201 02:19 34-60 07:76 34-60 07:76 00:18 1402.7 OBS 00201 02:19 34-60 07:76 34-60 07:76 00:18 1402.7 OBS 00201 02:19 34-60 07:70 34-60 07:76 00:18 1402.7 OBS 00201 02:19 34-60 07:70 34-60 07:70 1402.7 OBS 00200 03:76 34-60 07:70 34-60 07:77 1402.7 OBS 00200 03:76 34-60 07:77 1402.7 OBS 00200 03:76 34-60 07:77 1402.7 OBS		02.12 33.22 2	6.54 00.055 14	57 . 7		
085 00034 01.91 33.24b 26.63 1496.1 085 00034 01.70 33.35b 26.70 1495.3 085 00036 01.00 33.35b 26.70 1495.9 085 00040 00.045 33.35b 26.26 1495.9 085 00040 00.045 33.35b 26.26 1495.9 085 00060 00.045 33.35b 26.27 20.00 1495.9 085 00061 00.04 33.00 20.00 20.00 20.00 1495.9 085 00061 00.04 33.00 20.00 20.00 20.00 1495.9 085 00061 00.03 33.00 20.00 20.00 1495.9 085 00062 00.03 33.00 20.00 20.00 1495.9 085 00063 00.03 33.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00 20.00 20.00 20.00 1495.9 085 00100 00.00 20.00		02.29 33.220 2	6.55 14			
085 00034 01.70 33.35.9 26.70 1495.3 085 00038 01.40 23.22 26.65 1492.1 085 00040 00.45 33.43a 26.82 1492.1 085 00040 00.45 33.43a 26.82 1492.1 085 00051 00.44 33.40 085 00051 00.44 33.40 085 00051 00.43 33.407 27.20 085 00068 00.23 33.877 27.20 085 00068 00.23 33.870 27.25 085 00068 00.23 33.470 27.25 085 00076 00.36 33.99 27.25 085 00076 00.36 33.99 27.26 085 00076 00.36 33.99 27.26 085 00076 00.36 33.99 27.26 085 00076 00.36 33.99 27.26 085 00076 00.36 33.99 27.26 085 00076 00.36 33.99 27.26 085 00125 01.12 34.20 27.41 085 00125 01.13 34.20 27.41 085 00125 01.14 32.20 27.42 085 00125 01.15 34.20 27.45 085 00125 01.17 34.35 27.49 085 00126 01.17 34.35 27.49 085 00127 01.19 34.30 085 00127 01.20 34.41 085 00128 01.21 34.50 27.49 085 00128 01.21 34.50 27.49 085 00128 02.13 34.50 27.59 085 00128 02.20 22.43 34.50 27.59 085 00276 02.24 34.50 27.59 085 00276 02.24 34.50 27.59 085 00276 02.24 34.50 27.60 085 00276 02.24 34.50 27.60 085 00276 02.24 34.50 27.60 085 00276 02.20 34.40 27.60 085 00270 02.40 34.50 27.60 085 00270 02.40 34.50 27.60 085 00270 02.40 34.50 27.60 085 00270 02.40 34.50 27.60 085 00270 02.40 34.50 27.60 085 00270 02.40 34.50 27.60 085 00270 02.40 34.50 27.60 085 00270 02.40 34.50 27.60 085 00400 03.44 34.77 27.68 085 00400 03.45 34.70 27.68 085 00400 03.48 34.80 27.72 085 00400 03.48 34.80 27.72 085 00400 03.48 34.80 27.72 085 00400 03.48 34.80 27.72 085 00400 03.88 34.80 27.72 085 00400 03.88 34.80 27.72 085 00400 03.88 34.80 27.72 085 00400 03.88 34.80 27.72 085 00400 03.88 34.80 27.72 085 00400 03.88 34.80 27.72 085 00400 03.88 34.80 27.72 085 00400 03.88 34.80 27.77 085 00400 03.87 34.80 27.74 085 00400 03.88 34.80 27.77 085 00400 03.88 34.80 27.77 085 00400 03.88 34.80 27.77 085 00400 03.88 34.80 27.77 085 00400 03.87 34.80 27.77 085 00400 03.87 34.80 27.77 085 00400 03.87 34.80 27.77 085 00400 03.87 34.80 27.77 085 00400 03.87 34.80 27.77 085 00400 03.87		02.22 33.226 2				
085 00038 01-40 33.43e 24.62 1432.1 085 00040 00.55 33.43e 24.62 1432.1 085 00040 00.83 33.51b 26.88 1451.8 085 00040 00.84 33.54b 26.77 00.081 1450.2 085 00051 00.44 33.54b 26.79 00.081 1450.2 085 00051 00.43 33.617 27.20 1449.9 085 00060 00.23 33.617 27.20 1449.9 085 00060 00.23 33.617 27.20 1449.9 085 00075 00.34 33.993 27.26 1450.6 085 00076 00.36 33.994 27.26 1450.7 085 00100 00.83 34.11 27.36 00.125 1453.4 085 00100 00.83 34.11 27.36 1453.4 085 00100 00.83 34.11 27.36 1453.4 085 00100 00.83 34.11 27.36 1455.4 085 00100 00.83 34.11 27.36 1455.4 085 00100 00.83 34.11 27.36 1455.4 085 00100 00.83 34.11 27.36 1455.4 085 00100 00.83 34.11 27.36 1455.4 085 00100 00.83 34.11 27.36 1455.4 085 00100 00.83 34.10 27.41 1450.8 085 00175 001.72 34.34.9 27.49 00.155 1455.4 085 00152 01.75 34.39 27.49 00.156 1455.4 085 00175 01.90 34.51 145 145 145 145 145 145 145 145 145 1		01.91 33.285 2				
085 00040 00.45 33.430 26.82 1452.1 085 00043 00.85 33.515 26.86 1451.8 085 00043 00.43 33.515 26.86 1451.8 085 00043 00.43 33.540 26.79 00.001 1450.2 085 00048 00.23 33.677 27.20 1440.0 085 00048 00.23 33.677 27.20 1440.0 085 00076 00.34 33.99 27.25 00.105 1450.6 085 00076 00.34 33.99 27.25 00.105 1450.6 085 00076 00.38 34.11 27.30 00.121 1453.4 085 00100 00.82 34.11 27.30 00.121 1433.5 085 00100 00.83 34.11 27.30 00.121 1433.5 085 00100 00.83 34.11 27.30 00.121 1433.5 085 00100 00.83 34.11 27.30 00.122 1435.4 085 001120 01.12 34.20 27.40 00.152 1453.6 085 001150 01.12 34.30 27.40 00.152 1453.6 085 00150 01.75 34.350 27.49 00.159 1456.6 085 00150 01.75 34.350 27.49 1456.6 085 00150 02.16 34.50 27.59 00.161 1459.9 085 00216 02.11 34.50 27.59 00.161 1459.9 085 00226 02.12 34.50 27.60 1451.0 085 00226 02.42 34.50 27.61 1461.5 085 00276 02.42 34.50 27.61 1461.5 085 00276 02.42 34.50 27.61 1461.7 085 00250 02.42 34.50 27.61 1461.7 085 00250 02.42 34.50 27.61 1461.7 085 00250 02.42 34.50 27.61 1461.7 085 00250 02.42 34.50 27.61 1461.7 085 00250 02.42 34.50 27.61 1461.7 085 00250 02.42 34.50 27.61 1461.7 085 00250 02.42 34.63 27.60 00.21 1460.0 085 00250 02.42 34.63 27.60 00.21 1460.0 085 00250 02.47 34.63 27.60 00.22 1460.0 085 00250 03.60 34.63 27.70 27.60 1471.8 085 00401 03.45 34.770 27.60 00.25 1470.8 085 00401 03.45 34.770 27.60 00.25 1470.8 085 00401 03.45 34.770 27.60 00.25 1470.8 085 00401 03.45 34.770 27.60 00.25 1470.8 085 00401 03.48 34.80 27.77 14.60 00.25 1470.8 085 00401 03.48 34.80 27.77 14.60 00.25 1470.8 085 00401 03.48 34.80 27.77 14.60 00.25 1470.8 085 00401 03.68 34.88 27.77 14.60 00.25 1470.8 085 00401 03.78 34.80 27.77 14.60 00.25 1470.8 085 00401 03.78 34.80 27.77 14.60 00.25 1470.8 085 00401 03.78 34.80 27.77 14.60 00.25 1470.8 085 00401 03.78 34.80 27.77 14.60 00.25 1470.8 085 00401 03.78 34.80 27.77 14.60 00.25 1470.8 085 00401 03.78 34.80 27.77 14.60 00.25 1470.8 085 00401 03.78 34.80 27.77 14.60 00.25 1470.8 085 00401 03.78 34.80 27.77 14.60 00.25 1470.8 085 00401 03.78 34.80 27.77 14.60		01.40 33.324 2				
OBS	085 00040	00.95 33.436 2	6.82 14			
STO 00050 00.44 33.60 24.97 00.081 1450.2 DBS 00051 00.43 33.617 27.20 1490.2 STD 00068 00.23 33.617 27.20 1490.6 STD 00073 00.34 33.00 27.25 00.105 1450.6 DBS 00060 00.43 33.00 27.25 00.105 1450.6 DBS 00160 00.63 33.00 27.42 00.125 1430.7 STO 00160 00.63 33.00 27.42 1450.7 STO 00125 01.13 30.20 27.41 00.142 1455.4 STO 00150 01.17 30.20 27.42 1455.4 STO 00150 01.72 30.34 27.49 00.15 1456.6 DBS 00152 01.73 30.350 27.49 1456.6 DBS 00173 01.90 34.41 27.53 1456.6 DBS 00173 01.90 34.41 27.53 1459.9 STO 00200 02.15 34.50 27.58 00.16 1461.5 DBS 00226 02.31 34.530 27.59 0.16 1461.5 DBS 00226 02.31 34.530 27.59 1462.7 STO 00200 02.47 34.530 27.59 1462.7 STO 00300 02.77 34.630 27.63 00.231 1466.0 DBS 00300 02.77 34.630 27.63 00.231 1466.0 DBS 00352 03.16 34.710 27.66 00.231 1466.0 DBS 00426 03.54 34.770 27.68 1470.8 DBS 00421 03.45 34.770 27.68 00.231 1466.0 DBS 00420 03.44 34.77 27.68 00.231 1466.0 DBS 00450 03.54 34.790 27.69 1471.7 DBS 00401 03.44 34.770 27.68 00.231 1466.0 DBS 00450 03.54 34.790 27.69 1471.7 DBS 00401 03.45 34.790 27.69 1471.7 DBS 00401 03.46 34.790 27.69 1471.7 DBS 00450 03.59 03.68 34.880 27.70 1477.9 DBS 00450 03.88 34.880 27.70 1477.9 DBS 00500 03.88 34.880 27.70 1477.9 DBS 00500 03.78 34.880 27.77 1476.1 DBS 00500 03.78 34.880 27.77 1477.8 DBS 00500 03.78 34.880 27.77 1480.77		00.85 33.515 2				
OBS O0051 O0.43 33.617 26.99 1490.9 1490.9 1490.9 1490.9 1490.9 1490.9 1490.9 1490.9 1490.9 1490.9 1490.9 1490.7		00.45 33.544 2				
OBS O0046 O0.23 33.470 27.20 1.49.6		00.43 33.617 2				
085 00076 00.36 33.492 27.26 00.125 1450.7 87D 00100 00.63 34.110 27.36 00.125 1450.4 085 00125 01.13 34.20 27.41 00.142 1455.4 085 00125 01.13 34.20 27.42 1455.4 085 00150 01.75 34.350 27.49 1458.6 085 00157 01.75 34.350 27.49 1458.6 085 00157 01.70 34.350 27.49 1458.6 085 00150 01.73 34.34 27.49 1458.6 085 00150 01.73 34.350 27.49 1458.6 085 00150 01.73 34.350 27.49 1458.6 085 00150 01.73 34.350 27.58 00.167 1461.5 085 00210 02.15 34.50 27.58 00.167 1461.5 085 00220 02.13 34.50 27.59 1461.6 085 00220 02.33 34.530 27.79 1462.7 8D 0020 02.43 34.50 27.69 1462.7 8D 0020 02.45 34.60 27.69 1462.7 8D 0020 02.45 34.60 27.60 1462.7 8D 0020 02.47 34.63 27.63 1466.0 8D 0030 02.77 34.63 27.63 1466.0 8D 0030 02.77 34.63 27.63 1466.7 8D 00400 03.44 34.77 27.68 00.285 1470.8 8D 00401 03.45 34.770 27.68 1470.8 8D 0050 00401 03.45 34.770 27.68 1470.8 8D 0050 00450 03.76 34.82 27.69 1471.7 8D 0050 00400 03.88 34.88 27.70 00.310 1474.9 8D 0050 00400 03.88 34.88 27.70 00.375 1470.8 8D 0050 004.00 34.85 27.69 00.375 1470.8 8D 0050 004.00 34.85 27.69 00.375 1470.8 8D 0050 004.00 34.85 27.69 00.375 1470.8 8D 0050 004.00 34.85 27.69 00.375 1470.8 8D 0050 004.00 34.85 27.69 00.375 1470.8 8D 0050 004.00 34.85 27.69 00.375 1470.9 8D 0050 004.00 34.85 27.70 00.375 1470.9 8D 0050 004.00 34.85 27.70 00.375 1470.9 8D 0050 004.00 34.85 27.70 00.375 1470.9 8D 0050 004.00 34.88 27.77 00.449 1477.6 8D 0050 004.00 34.89 27.77 00.449 1477.6 8D 0050 0050 04.00 34.88 27.77 00.449 1477.6 8D 0050 0050 04.00 34.88 27.77 00.449 1477.6 8D 0050 0050 04.00 34.88 27.77 00.449 1477.6 8D 0050 0050 03.78 34.89 27.77 1470.9 8D 0050 0050 03.78 34.89 27.77 1470.9 8D 0050 0050 03.78 34.89 27.77 1480.79	OBS 00068	00.23 33.470 2	7.20 14			
STD O0100 O0.82 34.11 27.36 O0.125 1453.5 STD O0125 O1.13 34.20 27.41 O0.142 1453.5 STD O0150 O1.72 34.34 27.49 O0.151 1455.4 STD O0150 O1.72 34.34 27.49 O0.151 1456.6 O85 O0152 O1.73 34.35 27.49 O0.151 1456.6 O85 O0152 O1.73 34.35 27.49 O0.151 1456.6 O85 O0152 O1.73 34.35 27.49 O0.167 1461.5 O85 O0150 O1.90 34.41 27.53 O0.167 1461.5 O85 O0201 O2.16 34.500 27.58 O0.167 1461.5 O85 O0226 O2.31 34.50 27.58 O0.167 1461.5 O85 O0250 O2.42 34.56 27.61 O0.213 1463.7 O85 O0251 O2.43 34.56 27.61 O0.213 1463.7 O85 O0251 O2.43 34.56 27.61 O0.213 1463.7 O85 O0251 O2.43 34.56 27.61 O0.213 1463.7 O85 O0300 O2.77 34.63 27.63 O0.237 1466.0 O85 O0300 O2.77 34.63 27.63 O0.237 1466.0 O85 O0352 O3.16 34.710 27.66 O0.285 1470.8 O85 O0401 O3.44 34.77 27.68 O0.285 1470.8 O85 O0402 O3.76 34.620 27.69 1471.7 O85 O0402 O3.76 34.620 27.69 1471.7 O85 O0402 O3.76 34.620 27.69 1471.7 O85 O0403 O3.88 34.88 27.70 O0.307 1474.9 O85 O0401 O3.88 34.88 27.70 O0.307 1474.9 O85 O0401 O3.88 34.88 27.70 O0.375 1476.1 O85 O0401 O3.88 34.88 27.70 O0.375 1476.1 O85 O0400 O3.88 34.88 27.77 O0.375 1476.7 O85 O0400 O3.88 34.88 27.77 O0.477 O0.463 1477.6 O85 O0400 O3.88 34.88 27.77 O0.477 O0.463 1477.6 O85 O0400 O3.88 34.88 27.77 O0.477 O0.463 1477.6 O85 O0400 O3.88 34.88 27.77 O0.463 1477.6 O85 O0400 O3.88 34.88 27.77 O0.477 O0.463 1477.6 O85 O0400 O3.88 34.88 27.77 O0.577 O0.57		00.34 33.93 2	7.25 00.105 14			
085 00100 00.83 34.110 27.36 1455.4 STD 00125 01.13 34.20 27.41 00.142 1455.4 STD 00150 01.75 34.32 27.49 1455.4 STD 00150 01.72 34.34 27.49 00.156 1458.6 OBS 00175 01.00 34.410 27.53 1458.6 OBS 00175 01.00 34.410 27.53 00.167 1461.5 OBS 00201 02.15 34.50 27.58 00.187 1461.5 OBS 00201 02.15 34.50 27.58 00.187 1461.5 OBS 00201 02.15 34.50 27.58 00.187 1461.5 OBS 00201 02.21 34.55 27.59 1462.7 STD 00200 02.21 34.55 27.59 1462.7 STD 00200 02.21 34.55 27.61 00.213 1463.6 OBS 00250 02.22 34.55 27.61 00.213 1463.7 OBS 00250 02.24 34.55 27.61 00.213 1463.7 OBS 00250 02.27 34.63 27.63 1463.7 OBS 00300 02.77 34.63 27.63 1463.7 OBS 00300 02.77 34.63 27.63 1463.7 OBS 00352 03.14 34.710 27.60 1468.7 STD 00400 03.44 34.77 27.68 00.285 1470.8 OBS 00401 03.45 34.770 27.68 00.285 1470.8 OBS 00401 03.45 34.770 27.69 1471.7 OBS 00402 03.58 34.790 27.69 1471.7 OBS 00458 04.1 33.76 34.820 27.69 1471.7 OBS 00458 04.1 33.88 27.72 27.69 1472.8 OBS 00458 03.16 33.76 34.820 27.69 1471.8 OBS 00458 04.1 33.88 27.70 27.69 1471.8 OBS 00458 03.18 34.880 27.71 1475.2 STD 00500 04.00 33.88 34.880 27.71 1475.2 STD 00500 04.00 33.88 34.880 27.72 1476.1 OBS 00451 03.59 34.880 27.77 1477.6 OBS 00401 03.88 34.880 27.77 1477.6 OBS 00401 03.88 34.880 27.77 1477.6 OBS 00401 03.88 34.880 27.77 1477.6 OBS 00401 03.88 34.880 27.77 1477.6 OBS 00401 03.88 34.880 27.77 1477.6 OBS 00401 03.88 34.880 27.77 1477.6 OBS 00401 03.88 34.880 27.77 1477.6 OBS 00401 03.88 34.880 27.77 1477.6 OBS 00401 03.88 34.880 27.77 1477.6 OBS 00401 03.87 34.880 27.77 1477.6 OBS 00401 03.87 34.880 27.77 1477.6 OBS 00401 03.87 34.880 27.77 1477.6 OBS 00401 03.87 34.880 27.77 1477.6 OBS 00401 03.87 34.880 27.77 1480.77 1480.7		00.36 33.945 2				
\$10 00125 01.13 34.20 27.41 00.142 1495.4 \$10 00125 01.75 34.350 27.49 00.158 1495.4 \$10 00150 01.75 34.350 27.49 00.158 1458.6 \$085 00155 01.75 34.350 27.49 00.158 1458.6 \$085 00155 01.75 34.350 27.49 1458.6 \$10 00200 02.15 34.50 27.58 00.167 1461.5 \$10 00200 02.15 34.50 27.58 1461.6 \$10 00200 02.15 34.50 27.58 1461.6 \$10 00200 02.16 34.50 27.58 1461.6 \$10 00250 02.42 34.56 27.61 00.213 1463.6 \$10 00251 02.43 34.56 27.61 00.213 1463.7 \$10 00300 02.76 34.63 27.63 1465.0 \$10 00300 02.77 34.63 27.63 1465.0 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.63 1466.1 \$10 00300 02.77 34.63 27.69 1471.8 \$10 00300 02.70 03.63 34.79 27.68 00.285 1470.8 \$10 00300 04.20 03.63 34.60 27.69 1471.7 \$10 00300 04.00 03.44 34.85 27.79 1471.6 \$10 00300 04.00 03.68 34.88 27.72 14.70 03.30 1474.9 \$10 00300 04.00 03.88 34.88 27.72 14.70 03.75 1470.8 \$10 00300 04.00 03.88 34.88 27.72 1477.6 \$10 00300 04.00 03.88 34.88 27.72 1477.6 \$10 00300 04.00 03.79 34.89 27.74 1477.6 \$10 00300 04.00 03.79 34.89 27.74 1477.6 \$10 00300 04.00 03.79 34.89 27.74 1477.6 \$10 00300 04.00 03.79 34.89 27.74 1477.6 \$10 00300 04.00 03.77 34.88 27.73 1477.6 \$10 00900 03.78 34.89 27.74 1477.6 \$10 00900 03.78 34.89 27.74 1477.6 \$10 00900 03.78 34.89 27.74 1477.6 \$10 00900 03.77 34.88 27.75 1480.7		00.83 34.110 2	7.36			
STO 00152 01-72 34-350 27-49 00.158 1458.6 OBS 00157 01-90 34-410 27-53 1459.9 STO 00200 02-15 34-50 27-58 00.107 1459.9 STO 00200 02-15 34-50 27-58 1461.5 OBS 00221 02-16 34-50 27-58 1461.6 OBS 00226 02-31 34-530 27-59 1462.7 STO 00250 02-42 34-56 27-61 00.213 1463.6 OBS 00251 02-43 34-56 27-61 00.213 1463.6 OBS 00251 02-43 34-56 27-61 00.213 1463.6 OBS 00250 02-76 34-63 27-63 00.237 1466.1 OBS 00300 02-77 34-63.2 27-63 00.237 1466.1 OBS 00350 03-77 34-63.2 27-63 1466.1 OBS 00350 03-44 34-77 27-68 00.285 1470.8 OBS 00401 03-44 34-77 27-68 00.285 1470.8 OBS 00401 03-45 34-70 27-69 1471.7 OBS 00402 03-54 34-79 27-69 1471.7 OBS 00452 03-78 34-820 27-69 1472.8 OBS 00451 03-76 34-82 27-69 1472.8 OBS 00450 03-88 34-80 27-70 1475.2 STO 00400 03-88 34-880 27-72 00.375 1476.1 OBS 00500 04-00 34-85 27-69 00.330 1475.2 STO 00400 03-88 34-880 27-72 1477.0 OBS 00500 03-85 34-880 27-72 1477.0 OBS 00500 03-85 34-880 27-72 1477.0 OBS 00500 03-85 34-880 27-73 1476.1 OBS 00510 03-85 34-880 27-73 00-419 1477.6 OBS 00510 03-85 34-880 27-73 00-419 1477.6 OBS 00500 03-78 34-890 27-74 1477.6 OBS 00401 03-78 34-890 27-74 1477.6 OBS 00401 03-78 34-890 27-74 1477.6 OBS 00401 03-78 34-890 27-74 1479.9 STO 00400 03-78 34-890 27-74 1479.9 STO 00400 03-78 34-890 27-74 1499.9 STO 00400 03-78 34-890 27-74 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00500 03-78 34-890 27-75 1499.9 STO 00	STD 00125	01.13 34.20 2	7.41 00.142 14			
085 00152 01.75 34.350 27.49 1458.8 085 00175 01.90 34.410 27.53 1459.9 \$10 00200 02.15 34.50 27.58 02.187 1461.5 085 00201 02.16 34.50 27.58 1461.6 085 00205 02.42 34.3 34.50 27.59 1462.7 \$10 0025 02.42 34.3 34.50 27.61 02.213 1463.6 085 00251 02.43 34.56 27.61 02.213 1463.6 085 00276 02.63 34.610 27.63 1463.7 085 00276 02.63 34.610 27.63 1465.0 \$10 00300 02.76 34.63 27.63 00.237 1466.0 085 00300 02.77 34.63 27.63 00.237 1466.1 085 00352 03.16 34.710 27.66 1468.7 \$10 00400 03.44 34.77 27.68 00.285 1470.8 085 00401 03.45 34.770 27.68 1471.7 085 00402 03.45 34.770 27.68 1471.7 085 00432 03.78 34.820 27.69 1471.7 085 00456 04.14 34.88 27.70 1471.9 085 00456 04.14 34.88 27.70 1471.9 085 00500 04.00 34.65 27.69 1471.9 085 00500 04.00 34.85 27.69 1471.9 085 00500 04.00 34.85 27.70 1471.9 085 00500 04.00 34.85 27.70 1471.9 085 00500 04.00 34.85 27.70 1471.9 085 00500 04.00 34.85 27.70 1471.9 085 00500 04.00 34.85 27.70 1471.9 085 00500 04.00 34.85 27.70 1471.9 085 00500 04.00 34.85 27.70 1471.9 085 00500 04.00 34.85 27.70 1471.9 085 00500 04.00 34.85 27.70 1471.9 085 00500 03.88 34.88 27.72 1471.0 085 00501 03.88 34.88 27.72 1471.0 085 00501 03.67 34.890 27.71 1475.2 \$10 00600 03.79 34.890 27.74 1471.0 085 00600 03.78 34.890 27.74 1479.9 \$10 0060 03.78 34.890 27.74 1479.9 085 00900 03.78 34.890 27.74 1490.7 085 00900 03.78 34.890 27.74 1490.7 085 00900 03.78 34.890 27.74 1490.7 085 00900 03.78 34.890 27.74 1490.7 085 00900 03.78 34.890 27.74 1490.7 085 00900 03.78 34.890 27.74 1490.7 085 00900 03.78 34.890 27.74 1490.7 085 00900 03.78 34.890 27.74 1490.7	OBS 00125	01.14 34.200 2	7.42	55.4		
STO 00200 02-15 34-50 27-58 00-187 1461-5 085 00201 02-16 34-500 27-58 1461-5 085 00226 02-31 34-500 27-59 1461-6 085 00226 02-31 34-50 27-59 1462-7 STO 00250 02-42 34-56 27-61 00-213 1463-6 085 00251 02-43 34-56 27-61 00-213 1463-6 085 00251 02-43 34-56 27-61 00-213 1463-7 085 00276 02-63 34-610 27-63 1465-0 STO 00300 02-76 34-63 27-63 00-237 1466-0 085 00300 02-77 34-63- 27-63 1466-1 085 00352 03-16 34-710 27-66 1466-7 STO 00400 03-44 34-77 27-66 1470-8 085 00401 03-45 34-770 27-68 1470-8 085 00402 03-59 34-820 27-69 1471-7 085 00432 03-78 34-820 27-69 1471-7 085 00451 03-78 34-820 27-69 1471-7 085 00452 03-8 34-820 27-69 1471-7 085 00451 03-78 34-820 27-69 1471-7 085 00451 03-78 34-820 27-69 1471-7 085 0050 04-00 34-83 27-69 1471-9 STO 00500 03-88 34-88 27-72 00-375 1476-1 085 00550 03-88 34-88 27-72 00-375 1476-1 085 00500 03-85 34-88 27-72 1477-6 085 00500 03-79 34-89 27-74 1477-6 085 00500 03-79 34-89 27-74 1477-6 085 00500 03-78 34-89 27-74 1479-1 085 00501 03-87 34-89 27-74 00-507 1480-7 STO 00500 03-87 34-89 27-74 1479-1 085 00501 03-87 34-89 27-74 1479-1 085 00501 03-87 34-89 27-74 1479-1 085 00501 03-87 34-89 27-74 1479-1 085 00501 03-87 34-89 27-74 1479-1 085 00501 03-87 34-89 27-74 1479-1 085 00501 03-87 34-89 27-74 1479-1 085 00501 03-87 34-89 27-74 1480-7 085 00501 03-87 34-89 27-74 1480-7 085 00501 03-87 34-89 27-74 1480-7 085 00501 03-87 34-89 27-77 1480-7 085 00501 03-87 34-89 27-77 1480-7 085 00501 03-87 34-89 27-77 1480-7 085 00501 03-87 34-89 27-77 1480-7 085 00501 03-87 34-89 27-77 1480-7 085 00501 03-87 34-89 27-77 1480-7 085 00501 03-87 34-89 27-77 1480-7 085 00501 03-87 34-89 27-77 1480-7 085 00501 03-87 34-89 27-77 1480-7 085 00501 03-87 34-89 27-77 1480-7		01.72 34.34 2	7.49 00.158 14			
\$10 00200 021.6 34.500 27.58 1461.6 085 00201 02.16 34.500 27.58 1461.6 085 00226 02.21 34.530 27.59 1462.7 \$ \$10 00250 02.42 34.530 27.59 1462.7 \$ \$10 00250 02.42 34.56 27.61 00.213 1463.6 \$ \$085 00251 02.43 34.56 27.61 00.213 1463.6 \$ \$085 00251 02.43 34.56 27.61 00.213 1463.6 \$ \$085 00276 02.63 34.610 27.63 1465.0 \$ \$10 00300 02.76 34.63 27.63 1465.0 \$ \$10 00300 02.77 34.63 27.63 1466.1 \$ \$10 0052 03.16 34.710 27.66 1466.1 \$ \$10 00400 03.44 34.77 27.68 00.285 1470.8 \$ \$10 00400 03.45 34.770 27.68 1471.6 \$ \$10 00400 03.45 34.770 27.68 1471.7 \$ \$10 00400 03.48 34.82 27.69 1471.7 \$ \$10 00400 03.48 34.82 27.69 1472.8 \$ \$10 00400 03.48 34.82 27.69 1472.8 \$ \$10 00500 04.00 34.85 27.69 1473.0 \$ \$10 00500 04.00 34.85 27.69 1473.0 \$ \$10 00500 04.00 34.85 27.69 1473.0 \$ \$10 00500 04.00 34.85 27.69 1473.0 \$ \$10 00500 04.00 34.86 27.70 1474.9 \$ \$10 00500 04.00 34.86 27.70 1475.9 \$ \$10 00000 03.88 34.88 27.70 0.330 1474.9 \$ \$10 00000 03.88 34.88 27.70 0.375 1476.1 \$ \$10 00000 03.68 34.88 27.72 00.375 1476.1 \$ \$10 00000 03.68 34.88 27.72 00.415 1477.6 \$ \$10 00000 03.67 34.88 27.72 00.463 1477.6 \$ \$10 00000 03.67 34.88 27.74 00.463 1477.6 \$ \$10 00000 03.67 34.88 27.77 00.463 1477.6 \$ \$10 00000 03.67 34.88 27.77 00.463 1479.1 \$ \$10 00000 03.67 34.88 27.77 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.77 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.77 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.77 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.77 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.77 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.77 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 000000 03.67 34.88 27.75 00.552 1481.9 \$ \$10 00000000000000		01.90 34.410 2	7.53			
OBS OO250 O2.42 34.56 27.61 OO.213 1463.6 OBS OO271 O2.43 34.56 27.61 OO.213 1463.6 OBS OO275 O2.43 34.56 27.61 OO.213 1463.6 OBS OO276 O2.63 34.610 27.63 OO.237 1466.0 OBS OO300 O2.76 34.63 27.63 OO.237 1466.0 OBS OO300 O2.77 34.63 27.63 OO.237 1466.1 OBS OO352 O3.16 34.710 27.66 OO.285 1470.8 OBS OO401 O3.45 34.770 27.68 OO.285 1470.8 OBS OO401 O3.45 34.770 27.68 OO.285 1470.8 OBS OO401 O3.45 34.770 27.68 OO.285 1470.8 OBS OO452 O3.78 34.820 27.69 OO.285 1470.8 OBS OO451 O3.76 34.820 27.69 OO.285 OO.285 OO.285 OBS OO451 O3.76 34.820 27.69 OO.285 OO.285 OO.285 OBS OO450 O4.00 34.85 27.69 OO.330 OO.287 OO.287 OBS OO500 O4.00 34.85 27.69 OO.330 OO.287 OO.287 OBS OO500 O4.00 34.85 27.69 OO.330 OO.287 OO.287 OBS OO601 O3.88 34.880 27.72 OO.375 OO.287 OO.287 OBS OO601 O3.88 34.880 27.72 OO.375 OO.287 OBS OO000 O3.85 34.880 27.72 OO.375 OO.287 OBS OO700 O3.85 34.880 27.73 OO.491 1477.6 OBS OO800 O3.79 34.890 27.74 OO.463 1479.1 OBS OO800 O3.78 34.890 27.74 OO.463 1479.1 OBS OO800 O3.78 34.890 27.74 OO.463 1479.1 OBS OO800 O3.78 34.890 27.74 OO.463 1479.1 OBS OO900 O3.78 34.890 27.74 OO.507 1480.7 OBS OO900 O3.78 34.890 27.74 OO.507 1480.7 OBS OO900 O3.78 34.890 27.74 OO.507 1480.7 OBS OO900 O3.76 34.880 27.75 OO.505 1481.9	STO 00200	02.15 34.50 2	7.58 00.187 14			
STD 00250 02.42 34.56 27.61 00.213 1463.6 0BS 00251 02.43 34.56 27.61 1463.7 0BS 00276 02.63 34.6010 27.63 1465.0 STD 00300 02.76 34.63 27.63 00.237 1466.0 0BS 00300 02.77 34.63.2 27.63 1466.1 0BS 00352 03.16 34.710 27.66 1466.7 STD 00400 03.44 34.77 27.68 00.285 1470.8 0BS 00401 03.45 34.770 27.68 1470.8 0BS 00426 03.54 34.790 27.69 1471.7 0BS 00426 03.54 34.790 27.69 1471.7 0BS 00451 03.76 34.820 27.69 1472.8 0BS 00451 03.76 34.820 27.69 1472.8 STD 00500 04.00 34.85 27.69 1474.9 STD 00500 04.00 34.85 27.70 1474.9 STD 00500 04.00 34.85 27.69 1474.9 STD 00500 04.00 34.85 27.69 1474.9 STD 00500 04.00 34.85 27.70 1474.9 STD 00500 04.00 34.85 27.70 1475.2 STD 00600 03.88 34.880 27.72 1475.1 OBS 00651 03.88 34.880 27.72 1475.1 OBS 00651 03.88 34.880 27.72 1477.6 OBS 00700 03.85 34.88 27.73 00.419 1477.6 OBS 00700 03.85 34.88 27.73 1477.6 OBS 00700 03.85 34.88 27.74 1477.6 OBS 00700 03.85 34.88 27.73 1477.6 OBS 00700 03.85 34.88 27.73 1477.6 OBS 00800 03.79 34.880 27.72 1477.6 OBS 00800 03.79 34.890 27.74 1479.1 OBS 00850 00900 03.78 34.890 27.74 1479.1 OBS 00850 00900 03.78 34.890 27.74 1479.1 OBS 00900 03.78 34.890 27.74 1479.1 OBS 00900 03.78 34.890 27.74 1479.1 OBS 00900 03.78 34.890 27.74 1479.9 STD 00900 03.78 34.890 27.74 1479.9 STD 00900 03.78 34.890 27.74 1479.9 STD 00900 03.78 34.890 27.74 1480.7 OBS 00901 03.77 34.880 27.75 1481.9		02.16 34.500 2				
085 00271 02-43 34-565 27.61 1463.7 085 00276 02-63 34-610 27.63 1465.0 STD 00300 02-76 34-63 27.63 1466.0 085 00350 02-77 34-63 27.63 1466.1 085 00352 03-16 34-710 27.68 1466.7 STD 00400 03-44 34-77 27.68 00-285 1470.8 085 00401 03-45 34-79 27.68 1470.8 085 00426 03-54 34-790 27.69 1471.7 085 00452 03-78 34-820 27.69 1472.8 085 00451 03-76 34-820 27.69 1472.8 085 00451 03-76 34-820 27.69 1473.0 085 00458 04-14 34-85 27.70 1474.9 STD 00500 04-00 34-85 37.69 00-330 1474.9 085 00500 04-00 34-85 37.69 00-330 1474.9 085 00500 04-00 34-85 37.69 1473.0 085 00500 04-00 34-85 37.69 1473.0 085 00500 04-00 34-85 37.69 1474.9 085 00500 04-00 34-88 34-880 27.71 1475.2 STD 004000 03-88 34-880 27.72 00-375 1476.1 085 00651 03-88 34-880 27.72 1477.0 STO 00700 03-85 34-88 27.73 00-419 1477.6 085 00700 03-85 34-88 27.73 1477.6 085 00700 03-85 34-88 27.73 1477.6 085 00700 03-85 34-88 27.73 1476.1 085 00850 00700 03-85 34-88 27.73 1477.6 085 00800 03-79 34-89 27.74 1479.1 085 00800 03-79 34-89 27.74 1479.1 085 00800 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.74 1479.1 085 00900 03-78 34-890 27.75 1481.9						
DBS						
OBS 00300 02.77 34.631 27.66 1466.7 STD 00400 03.44 34.77 27.68 00.285 1470.8 OBS 00420 03.45 34.770 27.68 1470.8 OBS 00420 03.45 34.790 27.69 1471.7 OBS 00451 03.76 34.820 27.69 1473.0 OBS 00451 03.76 34.820 27.69 1473.0 OBS 00451 03.76 34.820 27.69 1473.0 OBS 00450 04.14 34.885 27.70 1474.9 STD 00500 04.00 34.853 27.69 00.330 1474.9 OBS 00500 04.00 34.853 27.69 00.330 1474.9 OBS 00500 04.00 34.853 27.69 1475.2 STD 00500 04.00 34.880 27.71 1475.2 STD 00500 04.00 34.880 27.72 1476.1 OBS 00550 03.88 34.880 27.72 1476.1 OBS 00550 03.88 34.880 27.72 1476.1 OBS 00551 03.90 34.880 27.72 1477.6 OBS 00501 03.88 34.880 27.72 1477.6 OBS 00700 03.85 34.88 27.73 00.419 1477.6 OBS 00700 03.85 34.88 27.73 00.419 1477.6 OBS 00700 03.85 34.88 27.73 1477.6 OBS 00700 03.85 34.88 27.73 1477.6 OBS 00700 03.85 34.88 27.73 1477.6 OBS 00700 03.85 34.89 27.74 1477.6 OBS 00800 03.79 34.89 27.74 1479.1 OBS 00800 03.79 34.89 27.74 1479.1 OBS 00850 00900 03.78 34.89 27.74 1479.1 OBS 00850 00900 03.78 34.89 27.74 1479.9 STD 00800 03.78 34.89 27.77 1480.7	085 00276	02.63 34.610 2	7.63			
OBS						
STD 00401 03.44 34.77 27.68 00.285 1470.8 DBS 00401 03.45 34.770 27.68 1470.8 DBS 00401 03.45 34.790 27.69 1471.7 DBS 00402 03.54 34.790 27.69 1471.7 DBS 00451 03.76 34.820 27.69 1473.0 DBS 00451 03.76 34.820 27.69 1473.0 DBS 00451 03.76 34.820 27.69 1473.0 DBS 00500 04.14 34.885 27.70 1474.9 DBS 00500 04.00 34.85 27.69 00.330 1474.9 DBS 00500 04.00 34.85 32.69 1474.9 DBS 00550 03.88 34.880 27.71 1475.2 STD 00600 03.88 34.880 27.72 1476.1 DBS 00651 03.88 34.880 27.72 1476.1 DBS 00651 03.88 34.88 27.72 00.375 1476.1 DBS 00601 03.88 34.88 27.73 00.419 1477.6 DBS 00700 03.85 34.88 27.73 00.419 1477.6 DBS 00700 03.85 34.88 27.73 1477.6 DBS 00700 03.85 34.89 27.74 1477.6 DBS 00800 03.79 34.890 27.74 1470.1 DBS 00850 00750 03.79 34.890 27.74 1470.1 DBS 00850 00750 03.78 34.890 27.74 1470.1 DBS 00850 00750 03.78 34.890 27.74 1470.1 DBS 00950 03.78 34.890 27.74 1470.9 DBS 00950 03.78 34.890 27.74 1480.7 DBS 00950 03.78 34.890 27.75 1480.7						
DBS 00401 03.45 34.770 27.68 1470.8 DBS 00426 03.54 34.790 27.69 1471.7 DBS 00432 03.78 34.820 27.69 1472.8 DBS 00451 03.76 34.820 27.69 1473.0 DBS 00500 04.00 34.85 27.70 1474.9 DBS 00500 04.00 34.85 27.69 00.330 1474.9 DBS 00500 04.00 34.85 27.69 1474.9 DBS 00500 04.00 34.85 27.69 1474.9 DBS 00500 04.00 34.86 37.69 1474.9 DBS 00500 04.00 34.88 34.880 27.71 1475.2 STD 00600 03.88 34.880 27.72 00.375 1476.1 DBS 00601 03.88 34.880 27.72 1476.1 DBS 00651 03.90 34.880 27.72 1477.0 STO 00700 03.85 34.88 27.73 00.419 1477.6 DBS 00700 03.85 34.88 27.73 1477.6 DBS 00700 03.85 34.88 27.73 1477.6 DBS 00700 03.86 34.890 27.73 1476.7 STD 00800 03.79 34.890 27.74 1479.1 DBS 00801 03.79 34.890 27.74 1479.1 DBS 00800 03.79 34.890 27.74 1479.1 DBS 00800 03.78 34.890 27.74 1479.1 DBS 00800 03.78 34.890 27.74 1479.1 DBS 00900 03.78 34.890 27.74 1479.1 DBS 00901 03.78 34.890 27.74 1479.1 DBS 00901 03.78 34.890 27.74 1479.1 DBS 00901 03.78 34.890 27.75 1481.9 DBS 00901 03.67 34.885 27.75 00.552 1481.9 DBS 01001 03.67 34.885 27.75 1481.9						
OBS 00426 03.78 34.790 27.69 1471.7 OBS 00432 03.78 34.820 27.69 1472.8 OBS 00451 03.76 34.820 27.69 1473.0 OBS 00456 04.14 34.885 27.70 1474.9 STD 00500 04.00 34.85 27.69 00.330 1474.9 OBS 00500 04.00 34.85 37.69 1474.9 OBS 00500 03.88 34.860 27.71 1475.2 STD 00600 03.88 34.860 27.71 1475.2 STD 00600 03.88 34.880 27.72 00.375 1476.1 OBS 00601 03.88 34.880 27.72 1476.1 OBS 00651 03.90 34.880 27.72 1476.1 OBS 00700 03.85 34.880 27.72 1477.0 STO 00700 03.85 34.880 27.72 1477.6 OBS 00700 03.85 34.88 27.73 00.419 1477.6 OBS 00700 03.85 34.880 27.73 1477.6 OBS 00700 03.85 34.880 27.73 1477.6 OBS 00700 03.78 34.890 27.74 00.403 1479.1 OBS 00801 03.79 34.890 27.74 00.403 1479.1 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00900 03.77 34.880 27.75 1480.7 OBS 00901 03.67 34.880 27.75 1480.7 OBS 00901 03.67 34.880 27.75 1481.9	DBS 00401	03.45 34.770 2	7.68	70.8		
OBS 00451 03.76 34.820 27.69 1475.0 OBS 00458 04.14 34.85 27.70 1474.9 STD 00500 04.00 34.85 27.69 00.330 1474.9 OBS 00500 04.00 34.85 27.69 1474.9 OBS 00550 03.88 34.880 27.71 1475.2 STD 00600 03.88 34.880 27.72 1475.1 OBS 00601 03.88 34.880 27.72 1476.1 OBS 00601 03.88 34.880 27.72 1476.1 STO 00700 03.85 34.880 27.72 1477.6 OBS 00700 03.85 34.880 27.73 1477.6 OBS 00700 03.85 34.880 27.73 1477.6 OBS 00700 03.85 34.880 27.73 1477.6 OBS 00700 03.79 34.890 27.74 1479.1 OBS 00801 03.79 34.890 27.74 00.463 1479.1 OBS 00801 03.79 34.890 27.74 1479.1 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00900 03.78 34.890 27.74 1479.1 OBS 00900 03.78 34.890 27.74 1479.1 OBS 00900 03.78 34.890 27.74 1479.1 OBS 00951 03.71 34.890 27.74 1479.1 OBS 00951 03.71 34.880 27.75 1480.7 OBS 00951 03.71 34.880 27.75 1480.7 OBS 00951 03.71 34.880 27.75 1481.9 OBS 01001 03.67 34.880 27.75 1481.9		03.54 34.790 2				
085 00458 04-14 34-885 27.70 1474-9 \$TO 00500 04-00 34-85 27.69 00.330 1474-9 085 00500 04-00 34-85 27.69 1474-9 085 00500 04-00 34-85 27.69 1474-9 085 00500 04-00 34-85 27.69 1474-9 \$TO 00000 03-88 34-860 27.71 1475-2 \$TO 00000 03-88 34-880 27.72 00.375 1476-1 085 00651 03-90 34-880 27.72 1477-0 \$TO 00700 03-85 34-88 27.73 00.419 1477-6 085 00700 03-85 34-88 27.73 00.419 1477-6 085 00700 03-85 34-88 27.73 1477-6 085 00700 03-85 34-89 27.74 00.463 1479-1 085 00800 03-79 34-890 27.74 00.463 1479-1 085 00801 03-79 34-890 27.74 1479-1 085 00850 00900 03-78 34-890 27.74 1479-9 \$TO 00900 03-78 34-890 27.74 1479-9 \$TO 00900 03-78 34-890 27.74 1479-9 \$TO 00900 03-78 34-890 27.74 1479-9 \$TO 00900 03-78 34-890 27.74 1479-9 \$TO 00900 03-78 34-890 27.74 1480-7 085 00901 03-71 34-885 27.75 1481-9 085 01001 03-67 34-885 27.75 1481-9						
STD 00500 04.00 34.85 27.69 00.330 1474.9 OBS 00500 04.00 34.853 27.69 1474.9 OBS 00500 03.88 34.860 27.71 1475.2 STD 00600 03.88 34.880 27.72 00.375 1476.1 OBS 00601 03.88 34.880 27.72 1476.1 OBS 00651 03.90 34.880 27.72 1476.1 STO 00700 03.85 34.88 27.73 00.419 1477.6 OBS 00700 03.85 34.88 27.73 1477.6 OBS 00700 03.85 34.88 27.73 1477.6 OBS 00700 03.85 34.88 27.73 1476.7 OBS 00700 03.79 34.890 27.74 00.403 1476.7 OBS 00800 03.79 34.890 27.74 00.403 1476.7 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00900 03.78 34.890 27.74 1479.1 OBS 00901 03.78 34.890 27.74 1479.1 OBS 00901 03.78 34.890 27.74 1479.1 OBS 00901 03.78 34.890 27.75 1480.7 OBS 00901 03.71 34.885 27.75 00.552 1481.9 OBS 01001 03.67 34.886 27.75 0481.9						
OBS		04.00 34.85 2	7.69 00.330 14	74.9		
STD 00000 03.88 34.88 27.72 00.375 1476.1 OBS 00001 03.88 34.880 27.72 1476.1 OBS 00001 03.90 34.880 27.72 1477.0 STO 00700 03.85 34.88 27.73 00.419 1477.6 OBS 00700 03.85 34.880 27.73 1477.6 OBS 00700 03.85 34.890 27.73 1478.7 STD 00800 03.79 34.890 27.74 1478.1 OBS 00801 03.79 34.890 27.74 00.463 1479.1 OBS 00801 03.79 34.890 27.74 1479.1 OBS 00850 03.78 34.890 27.74 1479.9 STD 00900 03.78 34.890 27.74 1479.9 STD 00900 03.78 34.890 27.74 1479.9 STD 00900 03.78 34.890 27.74 1480.7 OBS 00901 03.71 34.880 27.75 1480.7 OBS 00901 03.67 34.880 27.75 1481.2 STD 01000 03.67 34.880 27.75 1481.9 OBS 01001 03.67 34.880 27.75 1481.9						
OBS 00601 03.8B 34.880 27.72 1470.0 OBS 00651 03.90 34.880 27.72 1477.0 STO 00700 03.85 34.88 27.73 00.419 1477.6 OBS 00700 03.85 34.88 27.73 1477.6 OBS 00700 03.85 34.880 27.73 1477.6 OBS 00700 03.90 34.890 27.73 1478.7 STD 00800 03.79 34.890 27.74 1479.1 OBS 00801 03.79 34.890 27.74 1479.1 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00800 03.78 34.890 27.74 1479.1 OBS 00900 03.78 34.890 27.74 00.507 1480.7 OBS 00900 03.78 34.890 27.74 1480.7 OBS 00901 03.78 34.880 27.75 1481.9 STD 01000 03.67 34.88 27.75 00.552 1481.9 OBS 01001 03.67 34.88 27.75 1481.9						
085 00651 03.90 34.880 27.72 1477.0 \$70 00700 03.65 34.880 27.73 00.419 1477.6 085 00700 03.65 34.880 27.73 1477.6 085 00750 03.90 34.890 27.73 1470.7 \$70 00800 03.79 34.890 27.74 1470.1 085 00801 03.79 34.890 27.74 1470.1 085 00850 03.78 34.890 27.74 1470.1 085 00850 03.78 34.890 27.74 1470.9 \$70 00900 03.78 34.890 27.74 1470.9 \$70 00900 03.78 34.890 27.74 1480.7 085 00900 03.78 34.890 27.74 1480.7 085 00900 03.78 34.890 27.75 1480.7 085 00951 03.71 34.880 27.75 00.552 1481.9 085 01001 03.67 34.880 27.75 1481.9	085 00601					
OBS 00700 03.85 34.880 27.73 1477.6 OBS 00750 03.90 34.890 27.73 1478.7 STD 00800 03.79 34.890 27.74 00.463 1479.1 OBS 00801 03.79 34.890 27.74 1479.1 OBS 00805 03.78 34.890 27.74 1479.9 STD 00900 03.78 34.890 27.74 1479.9 STD 00900 03.78 34.890 27.74 1480.7 OBS 00900 03.78 34.890 27.74 1480.7 OBS 00901 03.78 34.890 27.74 1480.7 OBS 00900 03.78 34.890 27.75 1480.7 OBS 01000 03.67 34.880 27.75 1481.9 OBS 01001 03.67 34.880 27.75 1481.9			7.72	17.0		
OBS 00750 03.90 34.890 27.73 1476.7 \$TD 00800 03.79 34.890 27.74 00.463 1479.1 OBS 00850 03.78 34.890 27.74 1479.1 OBS 00850 03.78 34.890 27.74 1479.9 \$TD 00900 03.78 34.890 27.74 00.507 1480.7 OBS 00900 03.78 34.890 27.74 1480.7 OBS 00951 03.71 34.885 27.75 1481.2 \$TD 01000 03.67 34.885 27.75 00.552 1481.9 OBS 01001 03.67 34.885 27.75 1481.9						
STD 00800 03.79 34.89 27.74 00.463 1479.1 0BS 00801 03.78 34.890 27.74 1479.1 0BS 00850 03.78 34.890 27.74 1479.9 STD 00900 03.78 34.890 27.74 00.507 0BS 00900 03.76 34.890 27.74 1480.7 0BS 00951 03.71 34.885 27.75 1481.9 STD 01000 03.67 34.880 27.75 00.552 1481.9 0BS 01001 03.67 34.880 27.75 1481.9						
OBS 00801 03-79 34.890 27.74 1479.1 OBS 00850 03-78 34.890 27.74 1479.9 STO 00900 03-78 34.890 27.74 00.507 1480.7 OBS 00900 03-78 34.890 27.74 1480.7 OBS 00951 03-71 34.885 27.75 1481.2 STO 01000 03.67 34.880 27.75 00.552 1481.9 OBS 01001 03.67 34.880 27.75 1481.9	STD 00800	03.79 34.89 2	7.74 00.463 14	79.1		
STO 00900 03.78 34.89 27.74 00.507 1460.7 OBS 00900 03.78 34.890 27.74 1480.7 OBS 00951 03.71 34.885 27.75 1481.2 STD 01000 03.67 34.88 27.75 00.552 1481.9 OBS 01001 03.67 34.880 27.75 1481.9		03.79 34.890 2	7.74 14	79.1		
OBS 00900 03.78 34.890 27.74 1480.7 OBS 00951 03.71 34.885 27.75 1481.2 STD 01000 03.67 34.88 27.75 00.552 1481.9 OBS 01001 03.67 34.880 27.75 1481.9						
08S 00951 03.71 34.885 27.75 1481.2 STD 01000 03.67 34.88 27.75 00.552 1481.9 08S 01001 03.67 34.880 27.75 1481.9						
STD 01000 03.67 34.88 27.75 00.552 1481.9 OBS 01001 03.67 34.880 27.75 1481.9	085 00951	03.71 34.885 2	7.75	01.2		
		03.67 34.88 2	7.75 00.552 14	41.9		
VIVE VIVE VIVE 174007 AT 17 APPL 27						

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8371 CONSEC 0051 LAT 45 30.5N LONG 048 14.00	MONT DAY	1974 H 06 30 08.5	BOTOP 01055 SHIP EV DATA USE 1 AREA 05				GT PER O X	w ind—d i r n ind—spd w ind—for wea twer	10	TR A	T STD REG CE DIR ATION G OLL 66:	00.3	5	N SQ 1306 SQUARE 4 SQUARE 48 SQUARE 58
CASTRUM/TIME	LVLTVP	DEPTH	TEMP	SAL	SIGNA-T	DYNDPTH	SAD VEL	OXY G	P04	TOT	P NO2	NO3	\$103	PH
	STD	00000	04.76	32.67	20.34	CC.000	1467.2							
08.8	085 085	00001 00009	04.76 04.74	32.87. 32.67.	20.04 26.04		1467.2							
	STD	00010	04.71	32.66	26.04 26.04	00.020	1467.1							
	065	00015	04.44	32.830	24.05		1405.1							
	085 STD	00017 00020	03.56 02.08	32.94u 32.89	26.18 26.30	00.038	1464.2							
	085	00020	01.71	32.88.	26.32	42.020	1454.4							
	085 STD	00022	01.25 0C.el	33.05 33.07	26.49 26.54	00.055	1452.6							
	OBS STD	00030	0C.57 - 1.23	33.376	26.54 26.80	00.082	1449.7							
	085	00051	- 1.29	33.307	26.61	*******	1441.8							
	OBS STD	00059 00075	- 1.46 - 1.34	33.34, 33.46	26.85 26.96	00.112	1441.2							
	GBS STD	00076	- 1.33	33.492	26.96 27.08		1442.3							
	GBS	00100	- 0.85 - 0.83	33.65 33.660	27.08	00.138	1445.1							
	570 085	00125 00125	- 0.16 - 0.14	33.84 33.840	27.20 27.20	00.161	1449.0							
	OBS	20137	00.16	33.920	27.25	00 183	1450.8							
	STD OBS	00150 00150	00.36 00.37	33.99 33.990	27.29 27.29	00.182	1452.1							
	OBS STD	00175 00200	0C.84 01.32	34.11u 34.22	27.36 27.42	00.218	1454.8 1457.5							
	085	30201	01.34	34.230	27.43		1457.6							
	085 \$70	00228 00250	01.46 01.89	34.29u 34.41	27.47 27.53	OC.250	1461.1							
	085 085	30251 30277	01.91 02.27	34.420	27.54 27.59		1461.2							
	STD	00300	02.36	34.54	27.60	00.277	1464.1							
	08\$ 08\$	00300 00350	02.36 02.65	34.544 34.600	27.60 27.62		1464 • 2 1466 • 3							
	STD OBS	00400 00401	03.01 03.02	34.67 34.67	27.64 27.64	00.327	1468.8							
	085	20451	03.22	34.710	27.65		1470.6							
	STD OBS	00500 00500	03.51 03.51	34.77 34.77¢	27.67 27.67	00.375	1472.7							
	085 STD	00550 00600	03.74 03.73	34.830 34.83	27.70 27.70	00.421	1474.6							
	OBS	33601	03.72	34.830	27.70		1475.4							
	OBS STD	00652 00700	03.80 03.81	34.86u 34.87	27.72 27.72	00.467	1476.6							
	085 085	00700 00751	03.81 03.76	34.870 34.87u	27.72 27.73		1477.5							
	STD	00800	03.71	34.87	27.73	00.511	1478.7							
	085 085	00801 00850	03.71 03.69	34.870 34.870	27.73 27.74		1478.7							
	STD	00900	03.65 03.65	34.87 34.876	27.74 27.74	00.555	1480.1							
	OBS	00951	03.66	34.870	27.74		1461.0							
	STO OBS	01000 01001	03.65 03.65	34.85 34.85u	27.72 27.72	00.601	1481.7							
	085	01022	03.43	34.845	27.73		1482.0							
					*****	******	•							
REFID 31 8371 CONSEC 0060		1974 H 06	BOTOP CO188 SHIP EV	AIR '		DIR #	GT PER 1 2	WIND-DIR WIND-SPD			STO REC	ORDER		N SQ 1306 SQUARE 4
LAT 45 33.54 LONG 048 26.56	DAY	30 11.5	DATA USE 1 AREA 05	BAADI	HETR 1017.9	SEA CL/TR	-	WIND-FOR WEATHER		DUR	TION	00.1	2	SQUARE 48 SQUARE 58
		,				020 11							-	
CASTMUNTINE		DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P04	101	MOS	NO3	\$103	PH
11.5	STD DBS	00000	04-47 04-47	32.59 32.590	25.85 25.85	00.000	1465.6							
	OBS STD	00000	04.26 04.23	32.55¿ 22.56	25.84 25.85	00.022	1464.8							
	OBS	00011	04.15	32.580	25.87		1464.4							
	OBS STD	00017 00020	03.58 03.12	32.650 32.73	25.98 26.09	00.042	1460.4							
	085 085	00020 00022	02.80 01.83	32.745 32.766	26.13 26.21		1459.0							
	085	00026	00.45	32.600	26.33		1448.7							
	085 570	00028 00030	- 0.29 - 0.62	33.01e 33.01	26.54 26.55	00.059	1444.2							
	085 085	00030 00034	- 0.72 - 1.29	33.005	26.55 26.58		1443.7							
	STD OBS	00050	- 1.68 - 1.70	33.23	26.76	00.087	1439.8							
	085	00040	- 1.73	33.267	26.77 26.79		1439.8							
	STD OBS STD	00075 00076	- 1.69 - 1.68	33.31 33.320	26.83 26.83	00.119	1440.3							
	STD	00100	- 1.14 - 1.13	33.54	26.99 27.00	00.147	1443.4							
	005 \$70	00125	- 1.09	33.53	26.99	00.174	1444.3							
	005 \$10	00125	- 1.09 - 1.06	33.530	26.99 26.99	00.201	1444.0							
	085 085	00150 00175	- 1.04 - 1.03	33.540	26.99 27.01		1444.8							
	005	00190	- 0.95	33.403	27.04		1446.1							
					****		•							161

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 837 COMSEC 000 LAY 45 36.0 LONG 048 39.0	L MONT	1974 H 06 30 12.6	BOTOP 00091 SHIP EV DATA USE 1 AREA 05	AIR T WET B BAHOM CLGUD	ULB 06.8 ETR 1018.1	DIR F OS SEA CL/TR	•	WIND-DIR WIND-SPD WIND-FOR WEATHER	1.7	TRA DUR	T STO R CE DIR ATION G Oll 6	ECORDER D 00.1 630025	2	N SQ 1306 SQUARE 4 SQUARE 48 SQUARE 58
CASTNUMFTINE	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	DXY G	P04	TOT	P NO2	NO3	\$103	PH
12.0	STO	00000	04.92 04.92	32.69 32.696	25.88 25.88	00.000	1467.6							
••••	STO OBS	00010	04.90 04.83	32.67 32.666	25.86 25.86	00.021	1467.6							
	OBS	00013	04.71	32.65C	25.87		1466.9							
	08S 08S	00017 00019	03.81 03.06	32.550 32.685	25.88		1463.0							
	STD 085	00020 00022	03.02 02.92	32.70 32.745	2 · · 08 ∡6 · · 3	00.042	1459.9 1459.6							
	085 085	00026 00028	02.14 01.90	32.776 32.760	26 - 2		1456.3 1455.2							
	STD OBS	00030 00030	01.47 01.35	32.81 32.825	26.28 26.30	00.060	1453.4 1452.9							
	085 085	00032 00034	01.02 00.89	32.890 32.890	26.37 26.38		1451.5							
	OBS STD	00038	- 0.70 - 1.46	32.930 33.21	26.49 26.74	00.091	1443.8							
	08S 08S	00051 00053	- 1.49 - 1.51	33.215 33.215	26.74 26.74		1440.7							
	STD	00075 00076	- 1.45 - 1.45	33.28 33.280	26.79 26.79	00.123	1441.4							
	085	00091	- 1.48	33.330	26.84		1441.6							
					****	******	•							
		1074	BOTOP 00071	450 7	EMO 04 3					• • • •				
REFID 31 831 CONSEC 006 LAT 45 42.	2 MONT	1974 H 06 30	SHIP EV	MET B	ULB 00.3	20	IGT PER 2 2	WIND-DIR WIND-SPD	13	TRA	CE DIR	ECORDER D	5	N SQ 1306 SQUARE 4
LONG 048 48.5	H HOUR	13.7	AREA 05	CLLUD	ETR 1017.7 T/A	SEA CL/TR		WIND-FOR WEATHER			ATION G OLL 6	00.1 64 18		SQUARE 48 SQUARE 58
CASTNUM/TIME		DEPTH	TEMP	SAL	SIGMA-T	-	SNO VEL	OXY G	P04	TCT	P NO2	N03	\$103	PH
13.7		0000C	06.42	32.64 32.040	25.66	00.000	1473.6							
	STO OBS	00010	06.41 06.41	32.64 32.63u	25.66 25.65	00.023	1473.8							
	08S 08S	00013 00017	06.36 C5.80	32.640	25.65 25.74		1473.6							
	STD OBS	00020 00020	05.75 05.74	32.69 32.70u	25.78 25.79	00.046	1471.3							
	085 085	<i>00022</i> 00028	05.73 04.89	32.700 32.580	25.79 25.79		1471.3							
	STD DBS	00030 00030	04.37 04.18	32.60 32.61>	25.87 25.90	00.068	1465.7							
	08S 08S	00032 00038	03.42 02.99	32.67ú 32.82u	26.01 26.17		1461.8							
	GBS CBS	00040 00047	02.08 01.23	32.730 32.860	26.17 26.33		1456.2							
	STO OBS	00050 00051	- 0.01 - 0.50	32.87 32.87>	26.41 26.44	00.106	1447.1							
	OBS OBS	00055 00060	- 0.98 - 1.17	33.10. 33.120	26.64 26.66		1443.0							
	085	00070	- 1.17	33.160	26.69		1442.5							
					****	*******	•							
REFID 31 837 CONSEC 000		1974 H 06	80000 90008 SHIP EV	AIR TI WE I BU			GT PER	WIND-DIR WIND-SPD			STD RE			59 1306
LAT 45 45 .:	N DAY	30 14.6	DATA USE 1 AREA 05	BAKOMI CL JUD	TR 1016.0	24 SEA CL/TR	• •	WIND-FOR WEATHER		DURA	E DIR TION Oll 66	.5 00.1	2 5	QUARE 48 QUARE 58
CASTNUM/TIM	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SAD VEL	OXY G	P04	TCT P	NO2	NO3	5 103	PH
14.0		00000 00001	06.22 06.22	32.51 32.51	25.59 25.59	00.000	1472.7							
	OBS STD	00010	06.20 06.13	32.520 32.51	25.59 25.59	00.024								
	065 065	00015 00019	05.52 05.15	32.45u 32.515	25.62 25.71		1470.0							
	STD OBS	00020 00024	04.93 03.86	32.48 32.470	25.71 25.81	00.048	1463.3							
	085 570	00026	03.40 03.18	32.545	25.92 26.02	00.069								
	08 S	00030	03.15 02.52	32.636	26.03 26.06		1460.6							
	08 S 08 S	00041 00043	00 . 8 6 00 . 52	32.713 32.78,	26.24 26.31		1450.7 1449.3							
	OBS STO	00049	00.27	32.795 32.61	20.34 26.35	00.106	1448.3							
	085 085	00051	- 0.06 - 0.72	32.635	26.39 26.58		1446.9							
	08 \$	00066	- 0.72	33.210	26.71		1444.6							

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8371 CONSEC 0064 LAT 45 24.0N LONG 049 07.4W	DAY 30	BOTOP 00073 SHIP EV DATA USE 1 AREA 05	MET BULB 07.3 BANCMETR 1015.2	DIR HGT PER 22 2 3 SEA CL/TR	WIND-DIR 22 WIND-SPD 16 WIND-FOR WEATHER X9	INST STD RECORDER TRACE DIR DURATION ORIG 011 666	TEN SQ 1306 5 SQUARE 4 2 SQUARE 48 1 SQUARE 59
CASTMUMETIME	LVLTYP DEP	H TEMP	SAL SIGMA-T	DYNOPTH SND VEL	OXY G PO4	TOT P NO2 NO3 SE	03 PH
	STO 000		32.59 25.58	00.000 1474.7			
17.0	085 000 STD 000	0 06.66	32.590 25.58 32.58 25.59	00.024 1474.7			
	OBS 000 OBS 000 STD 000 OBS 000	7 06.03	32.580 25.59 32.550 25.64 32.49 25.77 32.467 25.80	1474.4 1472.2 00.047 1465.4 1463.7			
	085 000 085 000 STD 000	2 03.33 8 02.77 10 02.37	32.690 26.04 32.680 26.08 32.73 26.15	1461.3 1458.9 00.068 1457.3			
	085 000 085 000 085 000 085 000	01.80 01.57	32.750	1456.8 1454.9 1454.0 1453.1			
	OBS 000	3 00.25 5 - 0.16	32.800 26.34 32.840 26.39	1448.1 1446.3			
	085 000 STD 000 085 000	0 - 1.07	32.943 26.51 33.03 26.58	00.101 1442.4			
	085 000 085 000	0 - 1.19	33.104 26.62 33.104 26.64 33.120 26.66	1442.2 1442.3 1442.4			

REFID 31 8371 CONSEC 0065 LAT 45 06-0N	MONTH 06	BOTOP GOGES SMIP EV DATA USE 1	WEI BULG 08.3	DIR HGT PER 23 2 2 SEA	WIND-DIR 01 WIND-SPD 13 WIND-FOR	INST STD RECORDER TRACE DIR D CURATICN	TEN SQ 1306 5 SQUARE 4 2 SQUARE 48
LONG 049 14.5W		AREA 05		ČĹŽTR	WEATHER X9	ORIG 011 667	1 SQUARE 59
CASTNUM/T INE	LVLTVP DEP	H TE PP	SAL SIGMA-T	DYNOPTH SAD VEL	CXY G PO4	TGT P NO2 NO3 SI	03 PH
19.3	STD 000 085 000		32.77 25.84 32.761 25.84	00.000 1471.4 1471.4			
•	OBS 000 STD 000	05.76 0 05.32	32.77 25.84 32.73 25.86	00.022 1469.5			
	OBS 000	3 04.67	32.70. 25.86 32.666 25.66	1468.6 1467.6			
	085 000 STD 000 DBS 000	0 02.66	32.667 25.98 32.52 25.96 32.480 25.97	1462.5 00.043 1458.1 1455.9			
	085 000 STD 000	2 00.55	32.65c 26.18 32.63 26.35	1450.7 00.061 1445.5			
	08S 900	0 - C.36 4 - 1.65	32.65 26.41 33.057 26.60	1445.1 1442.3			
	OBS 000 STD 000	0 - 1.24	33.12 26.66	00.091 1441.8			
	CBS 000 DBS 000	7 - 1.25	33.160 26.65 33.160 26.65 33.160 26.71	1441.8 1441.5 1442.1			
	082 000	- 1.24		1442.1			
REFID 31 8371 CONSEC 0066 LAT 44 40.0	MONTH 06	BOTOP GOOG 2 Ship ev Data use 1	WET BULB 08.0 BARCMETR 1016.2	DIR HGT PER 19 1 2 SEA	WIND-DIR 19 WIND-SPD 10 WIND-FOR	INST STD RECORDER TRACE DIR DURATION 00-1	TEN SQ 1306 5 SQUARE 2 2 SQUARE 48
LONG 049 21.5H	HOUR 22.2	AREA 05	CLOUD T/A	CL/TR	WEATHER X2	ORIG 011 668	1 SQUARE 49
CASTNUM/TIME			SAL SIGMA-T	DYNOPTH SND VEL	0XY 6 PO4	TOT P NOZ NOS SIG	03 PH
22.2	STO 000 085 000 085 000	1 06.95	32.62 25.58 32.62 25.58	00.000 1475.7 1475.8			
	STD 000	10 06.32 11 05.52	32.614 25.56 32.59 25.63 32.578 25.67	00.024 1473.3 1471.7			
	085 000 085 000	15 05.02	32.663 25.81 32.648 25.83	1469.4 1468.2			
	085 000 57D 000 085 000	02.82	32.453	1460.7 00.046 1458.8 1457.3			
	085 000 085 000	2 01.86	32.647 26.12 32.605 26.14	1454.8 1451.3			
	085 000 STD 000 085 000 STD 000	00.29 0 - 0.09 0 - 0.14	32.830 26.36 33.00 26.52 33.017 26.54 33.07 26.59	1448.0 00.064 1448.6 1446.4 00.094 1445.8			
	085 000		33.074 24.59	1445.8			•

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 0371 CONSEC 0067 LAT 44 39.0N LONG 049 08.5M	MONTI DAY	1974 H 06 30 23.5	BOTOP 00241 SHIP EV DATA USE 1 AREA 05	BANG! BANG! CLGUC	ULB 07.8 SETR 1010-2	DIR HG 22 I SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	10	TRACE DURAT	STD RECO DIR ION DIL 669	OO-1 D WDER	5 S	SQ 1306 QUARE 2 QUARE 48 QUARE 49
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	PO4	TOT P	NO2	NO3	\$103	PH
23.5	STD OBS STD	00000 00001 00010	04.76 04.76 04.73	32.72 32.720 32.72	25.92 25.92 25.92	00.000 00.021	1467.0 1467.0 1467.0							
	085 085	00011 00019 00020	04.65 03.83	32.70m 32.620 32.66	25.92 25.94 26.01	00.041	1466.7 1463.3 1461.6							
	STD OBS OBS	00020	03.42 02.69 02.54	32.74u 32.77u	26.13 26.17	00.041	1458.6							
	OBS STD	00026	01.87 01.27	32.724 32.87	26.18 26.34	00.060	1455.0							
	OBS OBS	00030	01.20 00.77	32.874 32.853	26.35 26.36		1452.3							
	08 S 08 S	00036	00.13 - 0.22	32.826	26.36 26.47		1447.5							
	OBS OBS STD	00040 00041 00050	- 0.42 - 0.97 - 1.13	32.970 33.120 33.16	26.51 26.65 26.65	00.091	1445.2 1442.9 1442.3							
	OBS STD	00051 00075	- 1.15 - 1.43	33.167	26.69 26.77	00.124	1442.3							
	OBS STD	00100 00100	- 1.44 - 1.45	33.247 33.25	26.77 26.77	00.156	1441.4							
	OBS STD	00100	- 1.45 - 1.46	33.255	26.77 26.79 26.79	00.187	1441.8 1442.1 1442.1							
	OBS OBS STD	00125 00131 00150	- 1.48 - 1.51 - 1.30	33.277 33.290 33.44	26.80 26.92	00.217	1442.1							
	085 085	00150 00175	- 1.29 - 0.77	33.447	26.93 27.10		1443.6							
	STD OBS	00200 00201	- 0.34 - 0.32	33.76 33.760	27.14 27.14	0(.269	1449.4							
	OBS OBS	00226 00232	- 0.15 - 0.14	33.811	27.18 27.18		1450.7 1450.8							
					****	*******								
REFID 31 8371 CONSEC 0066	MON1	1974 TH 07	BOTOP 01400 SHIP EV	WET	TEMP 07.9 BULB 07.1	22	GT PER 2 2	WIND-DIR WIND-SPD	10	TRACE		0	5 :	N SQ 1306 SQUARE 2 SQUARE 48
LAT 44 36-21 LONG 048 57-01		01	DATA USE 1 AREA 05	CLUU	METR 1016.3 10 T/A	SEA CL/TR		WIND-FOR WEATHER	X4	DURAT OR IG	011 670	00.4		SQUARE 48
CASTNUNVTIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	P04	TOT P	NO2	NO3	\$103	PH
00.8	STD OBS	00000	04.68 04.68	32.660	25 - 8 6 25 - 8 8	00.000	1466.6							
	08\$ \$70 08\$	00009 00010 00011	03.06 02.91 02.50	32.690 32.69 32.695	26.08 26.11	00.020	1459.9 1459.2 1457.5							
	GBS STD	00019	00.93	32.980	26.45 26.44	00.038	1451.0							
	OBS STD	00020	00.77	32.960 33.08	26.44 26.61	00-053	1450.3							
	OBS OBS	00032	- 1.17 - 1.63	33.20	26.65 26.74		1441.8 1439.8 1439.6							
	OBS STD OBS	00043 00050 00051	- 1.71 - 1.59 - 1.57	33.26e 33.31 33.32u	26.79 26.82 26.83	00.080	1440.4							
	STD	00075 00076	- 1.51 - 1.51	33.32	26.83 26.83	00.110	1441.1							
	STO	00100 00100	- 1.43 - 1.42	33.38	26.88	00.141	1442.1							
	STD DBS STD	00125 00125 00150	- 1.21 - 1.20 - 0.59	33.49 33.490 33.57	26.96 26.96 27.02	00.169	1443.7 1443.7 1445.2							
	085 085	00150	- 0.58 - 0.48	33.577	27.02 27.15	001170	1445.3							
	STD OBS	00200 00203	00.07	33.89 33.915	27.23 27.24	00.243	1451.4							
	08 S 08 S	00226	00.71	34.050	27.32 27.39	00 201	1454.9 1456.7 1458.0							
	STO OBS OBS	00250 00251 00276	01.25 01.27 01.79	34.20 34.210 34.405	27.41 27.41 27.53	00.281	1458.1							
	STD	00300 00302	02.17 02.20	34.47	27.56 27.56	00.312	1463.2							
	OBS STD	00350 00400	02.44 02.76	34.54> 34.61	27.59 27.62	00.365								
	085 085	00401	02.77	34.610 34.665 34.76	27.62 27.64	00.414	1467.7 1469.6 1472.2							
	STD OBS OBS	00500 00500 00552	03.40 03.40 03.50	34.757	27.67 27.68 27.67	301424	1472.2							
	STD OBS	00400	03.40	34.79 34.787	27.67 27.68 27.68	00.461	1474.8							
	085 570	00#51 00700	03. 83 03. 88	34.850 34.86	27.71 27.71	00.50#	1476.7							
	OBS OBS STD	00700 00750 00800	03.88 03.87 03.85	34.846 34.860 34.87	27.71 27.71 27.72	00.554	1477.7 1478.5 1479.3							
	085	00801	03.85 03.79	34.870	27.72		1479.3							
	5TD 085	00900 00900	03.74 03.74	34.88	27.74 27.74	00.599	1460.4							
	00\$ \$70	01000	03.71	34.073	27.74	00.445	1481.2 1481.9 1482.0							
	065	01001	03.49 03.49	34.873	27.74 27.74		1482.3							
164					****	*******	••							

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 8371 CONSEC' 0049 LAT 44 34-3N LONG 048 48-5M	YEAR 197 MONTH 0 DAY 0 HOUR 02	7 5	OTOP 01900 HIP EV ATA USE 1 REA DS	AIN TE WET BU SARDME CLCUD	LB 07-1 TR 1014-2	DIR HG 20 2 SEA CL/TR		wind—dir wind—spo wind—for weather	14	TRAC!	STO REC E DIR FICH Oll 471	ORDER 0 03.4	5 2	M SQ 13 SQUARE SQUARE SQUARE	2 48
CASTNUNTINE	LVLTYP DE	EPTH	TEMP	SAL	SIGMA-T	DYMOPTH	SAD VEL	OXA &	P04	TOT P	M02	NO3	\$103	PH	
	STD 00	0000	05.17	32.77	25.91	00.000	1468.7								
02.3	085 00	0003	05.17	32.776	25.9I		1468.8								
		0007	05.16	32.760	25.91 25.93		1466.9								
		00 <i>0</i> 9 0010	04.69 04.64	32.730 32.74	25.95	00.021	1466 . 7								
		001l	04.51	32.774	25.99	•••	1466.2								
		0015	04.26	32.760	26.02		1465.2								
	GBS 01	0019	03.31	32.830	26 - 15		1461.3								
		0020	03.27	32.85	26.17 26.19	00.040	1461.0								
		0020 0024	03.22 02.86	32.900	26.25		1459.6								
		0026	02.81	32.920	26.27		1459.4								
	STO O	0030	02.52	32.94	26.30	00.058	1458.2								
		0030	02.45	32.940	26.31		1457.9								
		0034	01.63 00.95	32.89G 33.120	26.33 26.56		1451.6								
		0038	00.86	33.120	26.57		1451.2								
		0043	- 0.53	33.100	26.62		1444.9								
	085 0	0045	- 1.07	33.20>	26.72	00.088	1442.6								
		10050 10051	- 1.36 - 1.42	33.27 33.290	26.79 26.80	00.080	1441.2								
		10051	- 1.47	33.320	26.83		1441.0								
		24006	- 1.41	33.410	26.90	_	1441.6								
	STD 0	0075	- 1.36	33.50	26.97	00.118	1442-1								
		0100	- 0.92 - 0.78	33.63 33.64>	27.06 27.07	00.144	1444.8								
	OBS 0	0104 0106	- 0.72	33.650	27.07		1445.9								
	085	00108	- 0.49	33.652	27.07		1446.0								
	085	00110	- 0.59	33.710	27.11		1446.6								
		00119	- 0.38	33.756 33.77	27.14 27.15	00.168	1448.3								
		00125 00129	- 0.28 - 0.23	33.810	27.18	000100	1448.7								
		00140	- 0.21	33.960	27.30		1449.2								
	STD	00150	00.44	34.00	27.29	00.189	1452.4								
		00150	00.46 00.78	34.00u 34.110	27.30 27.37		1452.5								
		00159 00169	01.02	34.160	27.39		1455.5								
	085	00180	01.29	34.240	27.44		1457.1								
		00190	01.38	34.250	27.44		1457.6								
		00199	01.72 01.72	34.33G 34.33	27.48 27.48	00.224	1459.4								
		00200 00207	01.79	34.344	27.48		1459.9								
		00213	C1.50	34.390	27.51		1460.5								
		00226	02.32	34.440	27.52	00.255	1462.6								
		00250 00251	02.39 02.39	34.45	27.52 27.52	00.233	1463.4								
	085	00277	02.27	34.494	27.56		1463.3								
		00300	02.32	34.53	27.59	00.282	1463.9								
		00321	02.46	34.57.a 34.66u	27.61 27.65		1467.Z								
		00352	02. 83 03.32	34.75	27.48	00.331									
	085	00401	03.33	34.75u	27.64		1470.3								
	085	00451	03.45	34.770	27.68	00.377	1471.7								
		00500	03.62	34.80 34.80	27.69 27.69	90.377	1473.2								
	DBS DBS	00500 00550	03.62 03.71	34.823	27.70		1474.5								
	STO	00600	03.83	34.85	27.71	00.423									
	085	00601	03.83	34.850 34.860	27.71 27.71		1475.9								
	COS	00451	03.88 03.92	34.87	27.71	00.469									
	STD DBS	00700	03.92	34.87c	27.71		1477.9								
	085	00750	03.90	34.880	27.72		1476 - 7								
	STO	00800	03.87	34.89	27.73	00.514	1479.4								
	OBS OBS	00801	03.87 03.86	34.890	27.73 27.73		1480.2								
	STO	00990	03.88	14.90	27.74	00.559	1481-1								
	085	00900	03.88	34.900	27.74		1481.1								
	085	00951	03.82	34.900	27.75	00.60	1481.7								
	STD	01000	03.01 03.01	34.90 34.900	27.75 27.75	vv.60	1482.5	i							
	085	01022	03.61	34.890	27.74		1482.8								
					•		•••								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID CONSE LAT LONG	C 44	8371 0070 30.2N 25.3W	YEAR MONTH BAY HOUR	07 01	BOTOP 03021 SHIP EV DATA USE L AREA 05	MET B MANOM	ULB 08.5 ETR 1001.6	DIR H OO SEA CL/IR	GT PER O X	WIND-DIR WIND-SPO WIND-FOR WEATHER		TRAC	STO RECO E DIR TION 011 672	DRDER D 00.5	5 2	n sq 13 Square Square Square	48
CAS	TNUM/	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	OYNOPTH	SNC VEL	OXY G	P04	TOT P	NO2	NG3	\$103	PH	
			STD	00000	08.53	32.91	25.52	00.000	1483.7								
		05.3	085	00000	08.93	32.916	25.52		1483.7								
			OBS	00007	08.93 08.64	32.910 32.87	25.52 25.53	00.025	1462.0								
			STD OBS	00011	08.49	32.855	25.54		1482.2								
			OBS	00017	07.99	32.855	25.61		1480 -4								
			STD OBS	00020	06.39 05.77	32.75 32.70u	25.75 25.75	00.048	1474.0								
			085	00022	04.28	32.58-	25.86		1465.2								
			GBS	00024	03.23	32.882	26.20	00.068	1461-1								
			STD OBS	00030	02.38 02.31	33.04 33.050	26.39 26.41	00.000	1457.5								
			STD	00050	00.57	33.32	26.74	00.097	1450.4								
			085	00051	00.39	33.340	26.77 26.93		1449.6								
			08S 08S	00059 00068	- 0.75 00.75	33.476	27.00		1452.0								
			085	00072	00.69	33.694	27.03		1451 .8								
			STD	00075	00.94	33.69	27.02 27.04	00.127	1453.0								
			085 085	00078	00.98	33.720 33.75u	27.07		1452.9								
			085	00091	00.95	33.796	27.10		1453.4								
			085	00093	00.88	33.986	27.26		1453.4								
			OBS STD	00095	01.18 01.53	34.000 34.04	27.25 27.26	00.150	1456.5								
			085	00104	01.77	34.065	27.26		1457.7								
			OBS	00110	01.93	34.090	27.27 27.29		1458.5								
			085 STD	00118	02.72 02.76	34.200 34.20	27.29	00.171	1462.6								
			085	00129	02.79	34.200	27.29		1462.7								
			085	00133	02.54	34.190 34.200	27.30 27.31		1461.7								
			OBS OBS	00137	02.51	34.266	27.33		1463.2								
			STD	00150	02.78	34.28	27.35	00.190	1465-1								
			08\$	00152	02.77	34.282 34.355	27.36 27.42		1463.2								
			08 S	00169	02.69 03.22	34.436	27.43		1465.7								
			085	00192	03.26	34.487	27.47		1466 - 2								
			STD	00200	03.10	34.51 34.52u	27.51 27.52	00.223	1465.7								
			OBS	00201 00205	03.06 03.27	34.540	27.51		1466.5								
			085	00209	03.04	34.53C	27.53		1465.6								
			085	00218	03.72 03.54	34.630 34.626	27.54 27.55		1468-8								
			085 085	00222		34.646	27.54		1409.3								
			STD	00250	04.26	34.74	27.57	09.252	1471.7								
			CBS	00251		34.746 34.740	27.57 27.51		1471.8								
			08S 08S	00264		34.664	27.50		1449 . 2								
			085	00276	03.72	34.710	27.61 27.62	00.279	1469.8								
			STD OBS	00300		34.80 34.80	27.62	00.219	1472.8								
			085	00327	04.33	34.830	27.64		1473.4								
			085	00333	04.73	34.90	27.65 27.65		1475.3								
			OBS STD	00350		34.90u 34.91	27.67	00.324									
			085	00401	04.64	34.916	27.67		1476.0								
			085	00451	04.55	34.926 34.92	27.68 27.69	00.376	1476.5								
			STD OBS	00500		34.920	27.65	*****	1476.9								
			OB S	00550	04.34	34.920	27.71		1477.2								
			STD	0060		34.93 34.927	27.72 27.72	00.42	1477.8								
			085	00651		34.910	27.73		1477.9								
			STD	00700	04.01	34.91	27.74 27.74	00.46	1478.3								
			08S 08S	00700		34.910 34.926	27.74		1479.3								
			\$10	0080	04.00	34.92	27.74	00.50	9 1460.0)							
			OBS	0080	04,00	34.920	27.74 27.75		1480.0								
			085 \$10	0085		34.910 34.92	27.75 27.75	00.55	3 1461.2	!							
			085	0090	03.90	34.924	27.75		1481.2	!							
			OBS	0095		34.90 34.91	27.75 27.76	00.59	1481.7 7 1482.3								
			\$7.0 08\$	0100		34.91		200,79	1462.3	1							
			085	0102	2 03.78	34.51.			1462.7	,							

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 8371 CONSEC 0071 LAT 44 27.0N LONG 048 07.0N	MONT DAY	1974 H 07 01 08-6	BOTOP 03435 SHIP EV DATA USE 1 AREA 05	WET BAKO		DIR H OO SEA CL/TR		w ind—dir w in d—spo w ind—for wea ther	10	TR AC	T STO RE CE DIA ATION G 011 67	oo.4	2	N SQ 1306 SQUARE 2 SQUARE 48 SQUARE 48
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OXYG	P04	TOT 6	P NO2	NO3	\$103	PH
00.4	STO	00000 00001	09.02	32.67	25.47	00.000	1484.0							
08.6	OBS STD	00010	09.02 09.02	32.870 32.87	25.47 25.47	00.025	1484.1							
	085 085	00011 00013	09.02 09.01	32.870 32.860	25.47 25.46		1484.2							
	085	00017	07.77	32.777	25.58		1479.4							
	STO	00020	07.19	32.86	25.73	00.049	1477.3							
	08S 08S	00020 00024	07.01 06.28	32.875 32.875	25.77 25.86		1476.6 1473.8							
	STD	00030	03.94	32.99	26.22	00.070	1464.4							
	08 \$ 08 \$	00032 00034	02.86 04.56	33.05u 33.280	26.36 26.38		1460.0 1467.5							
	OBS	00038	03.30	33.140	26.40		1462.0							
	085 085	00040 00045	03.04 02.16	33.090 33.080	26.38 26.45		1460.8 1457.1							
	CBS	00047	00.30	33.100	26.58		1448.8							
	OBS STD	00049 00050	00.02 - 0.00	33.200 33.23	26.68 26.70	00.101	1447.7							
	280	00051 00060	- 0.07 - 0.52	33.290	26.75		1447.4							
	OBS OBS	00064	- 0.89	33.372 33.397	26.84 26.87		1445.6							
	085	00066	- 0.88	33.480	26.94		1444.2							
	08S 08S	00068 00072	- 0.66 - 0.16	33.517 33.560	26.96 26.57		1445.3							
	OBS	00074	- 0.16	33.570	26.98		1447.8							
	\$10 085	00075 00078	- 0.11 00.07	33.57 33.605	26.98 27.00	00.132	1448.0 1449.0							
	085	00083	00.43	33.725	27.08		1450.9							
	085 085	00087 000 9 1	01.00 01.57	33.78£ 33.862	27.09 27.11		1454.0 1456.3							
	08 S	00093	01.72	33.910	27.14		1457-1							
	OBS OBS	00095 00097	02.47 02.54	34.020 34.03±	27.17 27.18		1460.5							
	STD	00100	03.05	34.10	27.18	00.156	1463.2							
	OBS OBS	00104 00112	03.58 03.70	34.170 34.205	27.19 27.21		1465.7 1466.4							
	STD	00125	04.11	34.33	27.26	00.178	1468.5							
	08S 08S	00125 00135	04.11 03.99	34.33u 34.350	27.26 27.29		1468.5 1468.2							
	OBS	00139	04.46	34.405	27.29		1470.3							
	OBS STD	00142 00150	C4.39 O4.79	34.386 34.47	27.27 27.30	00.198	1470.0 1471.9							
	08 S 08 S	00152 00158	04.87 04.98	34.490 34.536	27.31 27.33		1472.3							
	085	00163	04.31	34.430	27.32		1472.9							
	08\$ 08\$	00165 00175	04.42 05.21	34.50 <i>u</i> 34.620	27.37		1470.7							
	085	00196	05.17	34.660	27.41		1474.5							
	\$10 085	00200 00201	04.50 04.37	34.58 34 550	27.42 27.41	00.235	1471.7							
	08 S 08 S	00203 00211	04.35 04.62	34.60L 34.620	27.45 27.44		1471-1							
	085	00220	04.58	34.665	27.46		1472.4							
	085 085	00226 00228	04.90 04.62	34.670	27.46 27.48		1473.9 1472.8							
	085	00230	04-62	34.675	27.48		1472.8							
	08S 08S	00236 00237	04.30 04.25	34.620 34.646	27.47 27.50		1471.5							
	085	00243	03.44	34.540	27.50		1467.9							
	STD 085	00250 00251	03.06 03.00	34.52 34.515	27.52 27.52	00.267	1466.3 1466.1							
	085	00276	03.44	34.630	27.57		1468.5							
	085 085	00277 00279	03.44 03.62	34.660	27.59 27.59		1468.6							
	085	00291	04.09	34.750	27.60		1471.7							
	STD OBS	00300 00300	04.09 04.09	34.75 34.75G	27.60 27.60	00.296	1471.8							
	085	00308	04.10	34.770	27.61		1472.0							
	08\$ 08\$	00312 00350	04.40	34.820 34.850	27.62 27.64		1473.4							
	GBS STD	00356 00400	04-6 4 04-78	34.890 34.94	27.65	00.346	1475.2							
	065	00403	04.88	34.965	27.67 27.68	00.340	1477.1							
	08\$ 08\$	00405 00411	04.94 05.28	34.980 35.046	27.69 27.69		1477.4							
	085	00451	05.08	35.000	27.69		1478.6							
	STD OBS	00500 00500	04.73 04.73	34.97 34.970	27.70 27.70	00.392	1478.1							
	085	00550	04.49	34.966	27.72 27.73		1477.9							
	STD	00600 00601	04.46	34.96 34.960	27.73	00.437	1478.6							
	OBS STD	00652 00700	04.41 04.49	34.97> 34.99	27.74 27.75	00.481	1479.3							
	085	00700	04.49	34.990	27.75	~~~~	1480.5							
	OBS STD	00750 00800	04.33 04.18	34.98u 34.95	27.76 27.75	00.525	1480.6							
	GB S GBS	00803	04.17	34.956	27.75		1480.8							
	STD	00900	04.08 04.15	34.97	27.76 27.77	00.568	1481.2							
	065 065	00900 00951	04.15 04.06	34.97u 34.950	27.77 27.76		1482.3							
	\$70	01000	03.88	34.94	27.77	00.611	1482.8							
	08 S 08 S	01050 01001	03. 86 03.99	34.940 34.960	27.77 27.78		1462.6							
							•							167

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8371 CONSEC 0072 LAT 44 20.8N LONG 047 43.7M	YEAR MONTH DAY HOUR	07	BOTOP 03615 SHIP EV OATA USE L AREA C5	AIA MET BANG CLCU		DIR H 22 Sea CL/TP		WIND-DIR WIND-SPD WIND-FOR WEATHER	16	TR M	T STD R CE DIR ATION G DIL 6	EG <i>u</i> rder D 00.4 74 14	2	EN SQ I SQUARI SQUARI SQUARI	E 2
CASTNUMFTEME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXY G	P0 4	TOT	P NO2	NG3	\$103	PH	
12.0	\$TD 085	00000	10.61	32.87 32.87	25.17 25.17	00.000	1490.6 1490.6								
	DBS STD	00009	10.80	32.864	25.17 25.17	00.028	1490.7								
	085	30015	06.18	32.475	25.56	00.026	1472.7								
	OBS STD	00017	05.01 03.74	32.71G 32.78	25.68 26.07	00.052	1468.3								
	OBS OBS	00020	03.46	32.830	26.14		1462.0								
	085	99928	01.57	32.920	26.33		1455.8								
	STD OBS	00030 00030	01.47 01.36	33.06	26.48 26.51	00-069	1453.7								٠.
	OBS DBS	00032	01.31 01.67	33.100	26.52		1453.1								
	OBS	30041	00.42	33.245	26.61 26.68		1450.4								
	OBS STD	00045	00.03 00.17	33.32. 33.53	26.77 26.93	00-096	1447.8								
	OBS OBS	00051	00.48	33.60	26.57	••••	1450.4								
	STD	J0075	04.40 07.75	34.00u 34.02	26.97 27.03	00.124	1462.7								
	08 S 08 S	00079	06.77 06.52	34.610 34.485	27.03 27.05		1466.9								
	085 085	00093	06.59 06.72	34.470	27.08		1478.3								
	STD	00100	05.83	34.37	27.09 27.10	06-149	1478.9								
	CBS CBS	00100	05.73 06.59	34.585	27.10 27.11		1474.8								
	OBS STD	00123	06.74	34.557	27.13	00-173	1479.5								
	CBS	00129	06.90	34.57 34.605	27.13 27.14	00.173	1480.3								
	08 S 08 S	00135 00142	06.85 66.69	34.577	27.13 27.18		1480.1								
	OBS STD	00148	07.00	34.686	27.19		1481.1								
	085	00152	06.98 06.56	34.67 34.662	27.18 27.18	06.197	1481.0								
	085 085	00173	06.81 07.34	34.680 34.81	27.21 27.24		1480.7								
	085 085	00180	07.42	34.840	27.25		1483.4								
	085	00186 00192	07.78 07.82	34.905 34.900	27.25 27.24		1485.0 1485.3								
	CBS STD	00200	06.63 06.63	34.707 34.71	27.26 27.26	00-241	1480.5 1480.5								
	085 085	00201	04.61	34.730	27.28	•••••	1480.5								
	OBS	00205	06.61 C5.92	34.736 34.626	27.28 27.28		1480.5								
	085 085	00226	05.41 05.35	34.580	27.32 27.35		1475.9								
	STD DBS	00250	05.33	34.62	27.35 27.36	00-281	1476.0								
	OBS	00257	04.75	34.550	27.37		1473.6								
	08S 08S	00258	04.77 05.36	34.580	27.39 27.39		1473.8								
	085 085	00266 00272	05.32 06.28	34.680	27.41 27.43		1476.3								
	OBS	00277	06.71	34.94C	27.43		1482.4								
	08\$ 08\$	00285 00295	06.72 05.21	34.950 34.696	27.44 27.43		1482.6								
	570 085	00300 00300	05.18 05.15	34.71 34.710	27.44 27.45	00.317	1476.3								
	GBS	00306	04.80	34.660	27.45		1474.8								
	280 280	0032 3 00329	05.17 05.42	34.790 34.830	27.51 27.51		1476.8								
	280 280	00335	05.51 05.00	34.860	27.52 27.52		1478.4								
	OBS OBS	00350	04.95 05.37	34.780	27.53		1476.3								
	STD	00400	05.76	34.920 34.99	27.59 27.60	00,379	1478.9								
	085 085	00401 00403	05.78 05.76	34.990 34.980	27.59 27.59		1480.8 1480.7								
	085 085	00409 00451	06.23 06.10	35.08u 35.08>	27.61 27.63		1482.8								
	STO	00500	05.54	35.04	27.66	00.432	1481.5								
	OBS OBS	00500 00512	09.53 05.43	35.046 35.030	27.6% 27.67		1481.5 1481.2								
	085 085	00519 00550	09.10 05.27	34.980 35.044	27.67 27.70		1480.0								
	STE	00600	05.30	35.06	27.71	00.481	1482.2								
	085 085	00401 00451	05.30 04.70	35.065 34.986	27.71 27.72		1482.2								
	\$70 08\$	00700	04.58	34.98 34.983	27.73 27.73	00.527	1480.8								
	085	00750	04.48	34.984	27.74 27.74		1481 .2								
	STO	00800	04.40	34.98 34.975	27.74	00.572	1481.7								
	095 57 D	00850	04.34 04.24	34.576 34.97	27.75 27.76	00.616	1482.3								
	085	00900	04.24	34.976	27.74		1482.7								
	OBS STD	01000	04.15	34.940 34.97	27.76 27.77	Ó0.661									
	085 085	01001 01020	04.17 04.14	34.970 34.970	27.77 27.77		1484.1								
	-														

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 8371 COMSEC 0073 LAT 44 13.2N LONG 047 09.0W	DAY	07	BOTOP 03651 Ship EV Data USE 1 AREA 05	WET	TEMP 14.4 BULB 12.3 METR 1015.9 D T/A		GT PER 5 8	u ind—di r Wind—spd Wind—for Weather	12	TRACE	STO REC E DIR TION 011 675	00.4	5	n sq 1 Square Square Square	46
CASTNUNTTINE	LVLTYP	DEPTH	TEMP	SAL	S IGMA-T	DYNOPTH	SMO VEL	OXV 6	P 04	101 P	MD2	NO3	5103	PH	
	STO	00000	11.10	32.62	25.07	00.000	1491.8								
15.4	COS	00000	11.10	32.426	25.07		1451.8								
	STD	00010	10.73	32.75	25.09	00.029	1490.3								
	OBS STD	00010 00020	10.73	32.750	25.09		1490.3								
	065	00020	09.04 05.04	32.82	25.43 25.43	00.054	1484.4								
	510	00030	08.05	33.14	25.83	00.080	1481.2								
	065	00030	08.05	33.140	25.03	00.000	1481.2								
	CBS	00040	07.93	33.400	26.05		1481.2								
	STO	00050	04.49	33.84	26.57	00.117	1477 -1								
	280	00050	04.69	33.840	26.57		1477.1								
	OBS STD	00070	05.25	34.170	27.01		1472.1								
	065	00075 00075	05.29 05.29	34.220	27.05 27.05	00.148	1472-4								
	\$10	00100	04.42	34.47	27.10	00.173	1472.4								
	065	00100	06.42	34.47G	27.10	90.113	1477.7								
	STO	00125	04.39	34.28	27.19	00.197	1469.6								
	250	00125	04.39	34.280	27.19		1469.6								
	085	00135	05.50	34.450	27.20		1474.5								
	STD	00150	04.75	34.37	27.23	00.578	1471.4								
	085 085	00150 001 9 0	04.75	34-370	27.23		1471.4								
	STD	00200	04.08 04.07	34.610	27.24 27.24	00 343	1470.0								
	085	00200	04.07	34.590	27.24	00.262	1478.1								
	DBS	00220	05.91	34.400	27.27		1477.6								
	085	00240	04.49	34.046	27.30		1480.8								
	STD	00250	04.25	34.85	27.42	00.301	1480.0								
	08.5	00250	04.25	34.85¢	27.42		1480.0								
	085	00270	04.29	34.880	27.44		1400.5								
	STD OBS	00300 00300	04. 85 04. 85	34.72 34.720	27.49 27.49	00.335	1475.0								
	OBS	00340	04.77	34.780	27.55		1475.0								
	CES	00350	04.24	34.724	27.56		1473.2								
	085	00370	03.75	34.460	27.56		1471.4								
	OBS	00390	03.46	34.650	27.56		1470.5								
	STD	00400	03.51	34.68	27.60	00.393	1470.9								
	085 085	00400 00450	03.51	34.480	27.40		1470.9								
	STD	00500	04.96 04.95	34.950	27.46 27.48	00.444	1478.2								
	085	00500	04.95	34.970	27.66	00.444	1479.0								
	OBS	00535	05.22	35.060	27.72		1480.8								
	STD	00400	05.07	35.05	27.73	00.491	1481 .3								
	085	00600	05.07	35.056	27.73		1401.3								
	STO	00700	04.78	35-01	27.73	00.534	1481.7								
	085	00700	04.78	35.016	27.73		1481.7								
	285 570	00755 00800	04.56 04.52	34.98u 34.99	27.73 27.74	00.581	1481.4								
	005	90800	04.52	34.990	27.74	-0.741	1482.2								
	STD	00900	04.39	34.99	27.76	00.426	140.4								
	OBS	00900	04.39	34.990	27.76		1463.4								
	STO	01000	04.15	34.97	27.77	00.670	1484.0								
	085	01000	04.15	34-970	27.77		1484.0								
	COS	01025	04.14	34.97	27.77		1484.4								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

6EFID 31 8371 CONSEC 0074 LAT 44 07.0N LONG 044 32.5H	MCNT: DAY	1974 H 07 O1 18.9	SCIDP 03840 SHIP EV DATA USE 1 AREA 05	Alm S BANG CLGU		DIR H 20 SEA CL/TR		HIND-DIR HIND-SPO WIND-FOR WEATHER	16	TRAC DURA	STD REEDIR	90.3	5 2	n SQ L SQUARE SQUARE SQUARE	44
CASTNUM/TIME	LVLTYP	DEPTH	TEPP	SAL	SIGMA-T	DYNDPTH	SAD VEL	OXY 6	P04	TOT P	MOZ	MO3	\$103	PH	
	STO	00000	10.42	32.80	25.20	00.000	1489.9								
10.9	OBS STD	00003 00010	10.62	32.86U 32.95	25.20 25.19	00.028	1490.0								
	085 085	00011 00617	10.56 10.17	32.84J 32.76u	25.19 25.21		1485.8								
	STO	00028	05.54	32.62	25.20	00.056	1484.0								
	085	00020	05.18 CE.16	32.61.	25.24 25.41		1484.6								
	085 085	00024 00026	07.41 06.53	32.57.	25.79 25.89		1476.4								
	STD 085	00030	06.20 06.10	32.96 32.97	25.95 25.96	00.080	1473.7								
	DBS	00034	05.32	33.157	26.20		1470.4								
	CBS STO	00049 00050	05.66 04.88	33.21>	26.21 26.21	06-119	1472.1								
	085 085	00051 00053	03.28 02.49	32.93u 33.07u	26.23 26.41		1461.8								
	DBS	00055	01.01	33.2Cu	26.62		1452.3								
	085 085	00057	00.95 00.52	33.330 33.35	26.73 26.77		1452.2								
	08 S 08 S	00066 00068	00.08 00.10	33.362 23.473	26.81 26.85		1448.5 1448.8								
	STD GBS	00075 00076	00.33	33.60 33.626	26.98 26.99	00.155	1450 . L 1450 . 6								
	OBS	00079	00.9)	33.70>	27.03		1453.2								
	085 085	J0081 00087	00.56 01.59	33.71. 33.600	27.03 27.03		1455.3 1456.0								
	08 S 08 S	00093	02.56	35.876	27.04		1460.7 1461.8								
	STD	00100	03.56	34.01	27.06	00.181	1465.4								
	085 085	00110	03.69 04.05	34.03. 34.11.	27.07 27.10		1465.9								
	085 085	00118	05.04 05.07	34.250 34.250	27.10 27.09		1472.1								
	STD	00125	04.58	24.18	27.10	00.206	1470-2								
	OBS OBS	00135 00140	03.49 02.21	34.07.	27.12 27.15		1465.7								
	STD OBS	00150 00158	03.60 03.59	34.16 34.235	27.10 27.20	00.230	1466.5								
	085	30165	04.40	34.300	27.21		1470.3								
	085 085	00173	05.05 05.04	34.40. 34.42û	27.22 27.23		1473.3								
	08\$ 08\$	00177	05.C8 05.55	34.43L 34.52L	27.24 27.25		1473.5								
	OBS OBS	00190	05.41	34.490	27.24 27.24		1475.1								
	280	00198	04.18	34.454	27.29		1472.6								
	STD GBS	00200 00201	05.22 05.51	34.53 34.5 eu	27.30 27.30	00.273	1474.6								
	085 085	00209 00224	05.51 04.39	34.575	27.30 27.30		1476.0								
	065 085	00228	04.12	34.416	27.33		1470.3								
	085	00234	04.14	24.407 34.35	27.32 27.35		1467.6								
	STD OBS	00250 00251	03.44 03.44	34.40 34.410	27.39 27.40	00.311	1467.8								
	085 085	00270	03.20	34.450	27.45 27.48		1467-2								
	CBS	00279	04.82	34.714	27.49		1474.5								
	085 085	00289 00298	05.51 06.42	34.860 35.00J	27.52 27.52		1477.7								
	STD 085	003C0 00300	06.43 06.43	35.00 35.000	27.52 27.52	00.345	1461.7								
	OBS OBS	00304	06.45 06.69	35.00¢	27.51 27.53		1461.9								
	OBS	00329	06.70	35.070	27.54		1483.4								
	OBS GBS	00336 00342	06.32 06.30	35.00G 34.990	27.53 27.53		1481.9								
	08 S 08 S	00344 00350	05.50 05.85	34.930 34.955	27.53 27.56		1480.2								
	CBS	00359	05.87	34.966	27.56		1480.4								
	DBS STD	00369 00400	05.32 05.34	34.880 34.90	27.56 27.58	00.404	1478.2								
	085 085	00403 00409	05.37 05.42	34.910 34.926	27.58 27.58		1479.1								
	OBS OBS	00415	05.14 04.98	34.870	27.54 27.62		1470.2								
	STD	00500	05.14	34.98	27.66	00.458	1479.8								
	085 085	00500 00553	05.14 05.26	34.980 35.026	27.66 27.68		1479.8								
	STD GBS	00601	04. 82 04. 81	34.97 34.970	27.69 27.69	99.597	1480-1								
	085 STD	00651 00700	04.58	34.96G	27.71	00.554	1480.0								
	065	00700	04.61 04.61	34.97 34.970	27.72 27.72	vv. 774	1480.9								
	085 \$70	00750 00800	04.50 04.37	34.97u 34.96	27.72 27.74	00.400	1461.3								
	085 085	00801	04.37	34.940	27.74 27.74		1401.6								
	STO OBS	00900	04.28	34.94 34.940	27.75	00.645	1402.9								
	065	00951	04.28	34.970	27.75 27.75		1463.7								
	STO OBS	01000 01001	04.23 04.23	34.97	27.76 27.76	00.490	1484.3								
170	OBS	01026	04.21	34,965	27.76		1484.7								
					****		•								

170

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIG. 31 8371 COMSEC 0079 LAT 44 01.84 LAME 046 02.0V	YEAR MONTI DAY MOUR	H 07	BOTOP 04390 SHIP EV DATA USE 1 AREA 05	AIR T WET I BAND! CLUUC	ULB 13.5 ETR 1017.8		GT PER 2 2	WIND-DIR WIND-SPD WIND-FOR WEATHER	22 15 X3	TRAC	STD REC E DIR STION OIL 677	ORDER D OD.5	5	N SQ 13 SQUARE SQUARE SQUARE	2 46
CASTMUNTINE	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNOPTH	SND VEL	O XY G	P04	TCT F	NO2	NCI3	\$103	PH	
	STO	00000	12.33	33.15	25.1; 25.11	00.000	1496.3								
21.9	06\$ \$70	00010	12.33 12.50	33.25	25.16	00.028	1497.2								
	085	00011	12.51	33.274	25-17	-	1497.2								
	OBS STD	00019 00020	12.44 10.65	33.370 32.97	25.26 25.28	00.056	1497.2								
	OBS	00022	07.29	32.500	25.43	00000	1477.3								
	085	00024	06.40	32.714	25.72		1474.1								
	STO OBS	00030 00030	04.66 04. 89	32.81 32.815	25.57 25.98	00.080	1468.4 1468.1								
	085	00032	04.74	32.790	25-98		1467.5								
	085 085	99934 99934	04.22 04.17	32.830	26.07 26.12		1465.4								
	085	00038	93.95	32.868	26.12		1464.4								
	085	00041	03.26	32.900	26.21		1401.6								
	280 570	00043 00050	03.50 08.20	33.117 33.85	26.36 26.37	00-117	1462.9								
	085	90051	38.68	33.940	26.36		1485.0								
	065	00057	98.44	33.978	26.43		1484.2								
	085 085	99959	98.08	33.904 34.046	26.42 26.54		1482.8								
	280	00062	98.35	34.140	26.57		1464.2								
	280 280	99966 99970	94.19 96.95	34.133 34.018	26.59 26.67		1483.6								
	085	00072	06.64	34.040	26.73		1477.6								
	570	00075	07.26	34.20	26.77	00-154	1480.2								
	08\$ 08\$	00095	08.88 08.76	34.800	27.Q0 27.Q2		1487.6								
	STD	00100	08.34	34.74	27.04	00-184	1485.5								
	08\$ 08\$	00102 00104	07.06 07.04	34.480	27.04		1482.8 1480.2								
	083	00104	67.09	34.506	27.03		1480.5								
	085 085	00108	06.10	34.367 34.340	27.06 27.08		1476.4								
	57D	00123 00125	05.80 05.60	34.31	27.08	00.209	1474.6								
	065	00125	95.51	34.300	27.08		1414.2								
	STD OBS	00150 00150	05.48 05.48	34.32 34.32u	27.10 27.10	00.234	1474.5								
	OBS	00159	05.84	34.400	27 - 12		1476.3								
	085 085	00163	06.53	34.525 34.590	27.13 27.13		1479.3								
	085	00175	96.93 97.05	34.600	27.12		1461.6								
	065	00180	07.37	34.660	27.12		1483.0								
	085 085	00190	07.38 06.79	34.660	27.12 27.13		1483.2								
	085	00199	06.83	34.580	27.13		1461.1								
	STD DBS	99299 99293	06.84	34.58 34.620	27.13 27.13	00.283	1481.1								
	005	00211	07.13	34.646	27-14		1482.6								
	DBS DBS	00215	07.55 07.73	34.730 34.752	27.15 27.14		1484.4								
	OBS	00224	07.38	34.685	27-14		1483.8								
	OBS	00224	07.37	34.690	27-14		1483.8								
	005 510	00232 00250	07.64	34.75¢ 34.81	27.15	00.331	1480.3								
	085	00251	07.91	34.830	27.17		1486.5								
	085 085	00255 00262	08.07 09.04	34.900 35.106	27.20 27.21		1487.2								
	085	00264	09.08	35.110	27.21		1491.5								
	085 085	00268 00276	09.47	35.195 35.195	27.22 27.21		1493.0 1493.2								
	STD	00300	09.12	35.12	27.21	QQ.379	1492.2								
	ORS	00300	09.07	35.112	27.21		1492.0								
	085 085	00304 00310	08.80 C8.70	35.070 35.05*	27.22 27.23		1491.0								
	005	00317	08.29	35.010	27,26		1489.3								
	085 085	00336 00342	08.11 07.46	34.983	27.26		1468.9								
	085	00346	07.44	34.895	27.29		1486.3								
	065 065	00350	07.05	34.820 34.800	27.29		1484.8								
	965	00578	06,73	34.830	27.34		1484.0								
	085 085	00382	04.38	34.775 34.780	27.35 27.35		1482.6								
	443	50 570	UT. 30	341160	61437		4796.9								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CASTNUNTTHE	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	DXY 6	PG 4	TOT	P	NO2	NO3	\$103	PH
	085	00399	04.40	34.51	27.38		1474.5								
	STD	00400	04.39	34.51	27.38	00.462	1474.4								
	085	00401	04.35	34.520	27.39		1474.3								
	CBS	00411	04.40	34.586	27.43		1474.7								
	085	00418	04.77	34.032	27.43		1476.5								
	GES	30422	04.44	34.580	27.43		1475.1								
	085	00451	03.50	34.560	27.47		1473.3								
	085	30454	03.94	34.550	27.46		1473.5								
	085	00464	05.00	34.87↓	27.52		1480.9								
	085	30475	05.71	34.896	27.52		1481.6								
	GBS	00479	05.44	34.840	27.52		1480.5								
	STD	00500	05.57	34.91	27.56	00.530	1481.4								
	CBS	00500	05.57	24.910	27.56		1481.5								
	085	00533	05.63	34.990	27.61		1482.3								
	CBS	00536	05.87	35.020	27.61		1483.4								
	085	00548	05.60	34.980	27.61		1482.5								
	085	00550	05.66	34.990	27.61		1482.8								
	085	00561	05.51	24.900	27.60		1482.3								
	085	00563	05.28	34.920	27.60		1481.3								
	STD	00600	04.99	34.91	27.63	00.588	1480.7								
	085	00601	34.98	34.910	27.63		1480.7								
	OBS	00651	04.85	34.935	27.06		1481-0								
	STD	30700	04.73	34.93	27.68	00-640	1481.4								
	085	00702	04.73	34.935	27.68		1481-4								
	085	00750	04.82	34.570	27.09		1482.6								
	STO	00800	34.43	34.96	27.71	00.690	1482.7								
	085	10800	04.63	34.960	27.71		1462.7								
	085	00850	04.48	34.953	27.72		1482.9								
	STO	00900	04.24	34.92	27.72	00.738	1482.6								
	CBS	00900	04.24	34.925	27.72		1482.6								
	085	00951	04.28	34.955	27.74		1483.7								
	STD	91000	04.37	34.98	27.75	00.785	1484.9								
	OBS	01003	04.37	34.980	27.75		1485.0								
	OBS	31022	04.37	34.980	27.75		1485.3								

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

	171 176	YEAR LE	07 5	DYDP 04206 HIP EV	AIR TENT WET BUL!	7 12.7 B 12.2 R 1018.5	DIR HG 21 1 SEA		wind-dir wind-spo wind-for weather	14	TRAC	STD REC E DIR TION OLL 678	00.5	5 2	N SQ I SQUARE SQUARE SQUARE	26
LAT 43 40.	.ON .5¥	HOUR O		ATA USE 1 REA DS	CL EUD T	/ 4	CL/TR		M FW I I IEN	^4	0					
CASTNUMTE		LVLTYP	DEPTH	TEMP	SAL S	IGMA-T	DYNOPTH		OXY G	P04	TOT P	NO2	NO3	2103	PH	
			00000	16.55	35.02	25.66 25.66	00.000	1512.2								
97	. 8	280	00003	16.55	35.025 35.03	25.66	00,023	1512.4								
		\$1D 085	00011	16.55	35.033	25.66		1512.4								
		085	00019	16.54	35.046 35.15	25.67	00.046	1512-9								
		STD	00020	16.69	35.414	25.92	447	1513.5								
		280 012	00030	14.03	35.65	26.26	00.067	1511.8								
		0 8 S	00030	15.99 15.82	35.464 35.83	26.45	00.101	1511.8								
		\$70 085	20051	15.79	35.835	26.46		1510.5								
		085	00068	13.33 15.32	35.794 35.83	26.52 26.56	00.140	1510.7								
		57D 085	00075 00076	15.32	35.835	24.56	00.177	1510.7								
		STD	00100	15.29	35.87	26.60	00.111	1511.0								
		OBS	00100	15.26	35.73	26.66	00.513	1508.8								
		57D 280	00125	14.50	35.730	26.66	00.249									
		STO	00150	13.98	35.63 35.628	26.70		1507.3								
		085 085	00172	13.72	35,600	26.73	00.317	1506.9 1506.7								
		\$70	00200	13.54	35.60 35.600	26.77 26.77	00.51.	1506.7								
		#5 #5	00203	13.51 13.32	35.582	26.80		1506.3								
		062	00224	13.05	35.520 35.530	26.80 26.81		1505.4	,							
		DBS	00224	13.05	35.520	26.81		1505.4								
		280 280	00228	12.61	35.48C	26.82		1504.4	3							
		280	00237	12.70 12.96	35.460 35.580	26.83 26.87		1505 .	5							
		DB\$ DB\$	00247	12.55	35.460	26.86	00.38	1504.4 3 1504.								
		\$10	00250	12.55	35.47 35.480	26.86 26.87	00.50	1504.	l							
		085	00251	12.55	35.484	26.87		1504.								
		085 085	00257	12.73	35.556	26.89 26.90		1504.	8							
		065	00260	12.10	35.550 35.500	26.90		1504 -	1							
		085 085	00280		35.460	26.92	00.44	1503. 3 1501.								
		STO	00300	11.69	35.40 35.400	26.98	0000	1501	. 8							
		08S	00300		35,394	27.01		1501								
		DBS	00312	11.16	35.324 35.325	27.01		1500	.0							
		DBS	00316	11.11	35.295	27.04		1499 . 1499 .	.2							
		085 085	0032	10.92	35.306	27.04		1458								
		085	0032		35.21G 35.220	27.04	,	1498								
		08 \$ 08 \$	0032		35.313	27.06	•	1499 1458	.9			,				
		085	0034	4 10-68	35.290 35.116	27.08	3	1495	.4							
		085 085	0035 0035		35-110	27.19	3	1495 1497	.3							
		OBS	0036	1 10-19	35.215 35.175	27.1		1496	.7							
		085 085	0Q36 0Q37		35.070	27.1	.	1494 50 1495								
		STO	0040	09.62	35.19	27.1 27.1		1495	.9							
		065	0040 0041			27.2	0	1494	.5							
		UBS UBS	334	22 08.86	35.066	27.2	1	149	3.2							
		965	004		35.073	27.2	4	148	.3							
		085 085	004 004	37 07.8	14.916	27.2	5	148								
		QBS	004	47 08-40	35.05	27.2		149	2.1							
		Q85	004	74 08.4	35.09	273	0	149								
		085	004	77 08-1	8 35.04	27.		149	1.3							
		085	004		4 34.98	u 27.:	30		0.3							
		085 085	004	91 07.8	2 34.99	a 27.			10.3 16.1							
		280	004	94 06.7	7 34.83	27.	ž4 0c.	A40 146	4-1							
		51 085		500 06.7	6 34.63	Q 27.	34	144	36 - 1 34 - 7							
		085	009	17 06.3	34.63	u 27.		141	88.4							
		085 085		538 07.1 546 05.0			41	14:	82.3							
		902														

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	S1GMA-T	DYNOPTH	SND VEL	OXY G	P04	TOT P	NO2	NO3	\$103	PH
	085	00550	05.45	34.735	27.41		1482.4							
	OBS	00561	05.17	34.670	27.42		1480.5							
	OBS	00563	05.17	34.690	27.43		1480.6							
	085	00567	05.48	34.740	27.43		1482.0							
	085	00573	05.51	34.760	27.45		1482.2							
	085	00578	05.84	34.830	27.46		1483.7							
	055	00592	05.84	34.840	27.47		1484.0							
	STD	00600	04.64	34.66	27.47	00.716	1478.9							
	085	P0400	03.92	34.575	27.48		1476.0							
	OB \$	00018	03.92	34.616	27.51		1476.2							
	085	00624	05.30	34.670	27.56		1482.4							
	085	00639	05.30	34.850	27.54		1462.6							
	08.5	00647	04.69	34.750	27.53		1440.1							
	280	00649	04.37	34.730	27.55		1478.7							
	085	00651	04.35	34.720	27.55		1478.7							
	085	00664	03.60	34.64.	27.56		1475.4							
	OBS	00470	03.40	34.584	27.59		1475.8							
	085	00675	04.30	34.773	27.60		1479.0							
	085	00485	04.44	34.80û	27.40		1479.7							
	OB \$	00689	04.99	34.90	27.62		1442.2							
	STO	00700	05.05	34.91	27.62	00.778	1482.6							
	085	00700	05.05	34.910	27.62		1.5841							
	085	00731	05.30	34.990	27.65		1484.3							
	085	00734	05.75	35.040	27.65		1486.3							
	085	00751	05.79	35.084	27.00		1486.7							
	085	00788	05.67	35.075	27.47		1400.0							
	OBS	00797	05.38	35.015	27.00		1485.6							
	STD	00800	05.35	35.03	£7.44	00.833	1485.7							
	085	30801	05.34	35.33;	27.48		1465.7							
	085	00850	04.98	34.990	27.69		1485.0							
	STD	00900	04.82	34.98	27.70	00.484	1+85.1							
	085	00900	04.62	14.980	27.10		1405.1							
	OBS	00951	04.18	35.000			1485.8							
	STD	01000	04.01	34.99	27.73	00.434	1 . 65 . 9							
	085	01001	04.60	34.490	27.13		1485.9							
	085	01022	04.50	34.980	27.74		1485.8							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFID 31 8371 CONSEC 0077 LAT 43 22-1N LONG 046 14-0N	YEAR MONTH DAY HOUR	07 02	BCIDP 04457 SHIP EV DATA USE 1 AREA 05	AIR TE WET BU BARCME CLUUD	18 10.3 TR 1018.0	DIK HG 20 I SEA CL/TR		WIND-OIR WIND-SPO WIND-FOR WEATHER	10	TRAC	STD REG E DIR TION 011 679	00.3	5	N SQ 13 SQUARE SQUARE SQUARE	2 26
				***	SIGMA-T	DYNOPTH	SND VEL	OXY 6	P04	TOT P	NOZ	NO3	5103	PH	
CASTNUM/TIME		DEPTH	TEMP	SAL		00.000	1512.7								
05.6	STD GBS	20003	16.70 16.70	35.04	25.63 25.63	00.000	1512.4								
03.6	085	00007	16.83	35.280	25.79	00.023	1513.5								
	570	11000	17.32 17.57	35.41 35.500	25.77 25.78	30.023	1516.0								
	085 085	00017	10.33	35.47.	25.95		1518-9								
	STD	00020	18.44	36.01	25.95 25.90	00.345	1519.3								
	COS	00020 00022	16.46 16.46	36.J4J	25.57		1519.5								
	280 STD	00030	17.94	35.46	26.04	00.065	1510.0								
	085	00030	17.89	35.95c 35.83c	26.04 26.13		1517.6								
	085	00036 00040	17.14	35.050	20.22		1515.2								
	OBS OBS	00041	17.12	35.990	26.26		1515.8								
	085	00045	16.63	35.940	26.27 26.30		1514.2								
	085	00349 90350	16.58 16.40	35.02	20.30	00.102	1513.5								
	072 280	00051	15.57	35.696	26.30		1512.1								
	085	00055	15.33	35.56¢ 35.61¢	20.35		1510.0								
	08 S	30059 00066	15.27 14.71	35.576	26.49		1506.3								
	065	00068	14.74	35.576	26.49		1508.4								
	085	00074	15.01 14.65	35.65u 25.61	26.49 26.49	00.144	1508.9								
	STD CBS	00075	14.13	35.450	20.52		1506.5								
	085	00091	14.43	35.030	26.6C 26.61		1510.7								
	085	00097	15.22	35.67i 35.65	26.60	00.182	1510.0								
	570 085	90100	15.22	35.656	26.60		1510.8								
	510	00125	14.57	35.81 35.810	26.62 26.62	00.216	1510.3								
	08\$ 08\$	00125	14.9c 14.90	35.616	26.64		1510-3								
	510	00150	14.49	35.71	26.65	00.255	1509.1 1508.9								
	085	00152	14.43 13.93	35.652 35.636	26.65 26.71		1507.5								
	OBS CBS	00175	13.77	35.616	26.72		1507.3								
	085	00192	12.43	35.540	26.74		150e -1 150e -3								
	085 570	00198	13.45 13.24	35.50	26.75	00.325	1505.0								
	085	00203	12.91	35.426	26.75		1504.4								
	085	00226 00249	12.67 12.48	35.40¢ 35.41¢	26.75 20.63		1503.7								
	085 STO	00250	12.52	35.42	26.64	00.391	1503.9								
	085	00255	12.62	35.534 35.630	26.86 26.80		1506.1								
	08 S 08 S	00260 00211		35.626	26.89		1506.2								
	\$10	00300	12.49	35.54	26.93	00.454	1504.7								
	085	00304		35.525 35.426	26.94 27.01		1502.2								
	C85 G85	00340	10.52	35.272	27.02		1499.7								
	Ces	00350		35.30L 35.29J	27.04 27.04		1499.8								
	085 085	00352		35.210	27.04		1498.5								
	085	00376	05.51	34.95	27.05 27.11		1454.8								
	C85 085	30378 30362		34.900	27.11		1491 - 7								
	085	00386	08.68	34.90	27-11		1451.7								
	085	00392		34.830 34.830	27.11		1490 -	5							
	085 \$10	00400		34.70	27.11	00.504	1488.5								
	CBS	00401		34.740 34.735	27.11		1400.0								
	065 085	0040		34.920	27.14		1451-5								
	065	00434	08-24	34.867	27.15		1490 - 6								
	06 S 06 S	0043		34.91u 34.89G	27.17		1451-	5							
	QBS	0044	7 00.79	34.99>	27.17		1493.								
	CBS	30 - 41	9 06.77	34.980 35.026	27.10 27.15		1494.	3							
	085 085	0045	08.86	35.010	27.10		1493.								
	085	0047	2 08.51	34.940	27.17		1492								
	085	0048		35.110	27.24		1494 -	6							
	\$10			35.11	27.24	00.66	5 1494.	•							

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

CASTNUNTINE	LVLTYP	DEPTH	TEMP	SAL	S EGMA-T	DYNOPTH	SND VEL	OXYG	P04	TOT P	MOZ	NO3	\$103	PH
	085	00502	08.93	35.110	27.24		1494.8							
	065	00514	0E.61	35.076	27.25		1443.8							
	085	00525	07.82	34.930	27.27		1490.8							
	085	00527	07.94	35.040	27.33		1491.4							
	085	00533	08.31	35.106	27.33		1493.0							
	085	00550	07.88	35.040	27.34		1491.6							
	STD	00600	07.31	35.02	27.41	00.751	1490.1							
	OBS	00601	07.16	34.990	27.41		1489.4							
	OB \$	00605	06.75	34.910	27.40		1487.9							
	OBS	00614	06.50	34.890	27.42		1487.1							
	085	00616	06.23	34.870	27.44		1486.0							
	OBS	00620	06.23	34.890	27.46		1486.1							
	OBS	00632	06.68	35.000	27.48		1488.2							
	OB S	00651	06.63	35.000	27.49		1488.3							
	085	00694	06.32	35.026	27.55		1487.8							
	STD	00700	05.46	34.88	27.55	00.822	1484.3							
	085	00717	04.01	34.670	27.54		1478.3							
	OBS	00719	03.99	34.670	27.55		1476.2							
	08 \$	00725	03.74	34.640	27.55		1477.2							
	OBS	00727	03.68	34.62G	27.54		1477.0							
	OBS	00731	03.60	34.630	27.55		1476.7							
	085	00734	03.42	34.646	27.56		1476.9							
	OBS	00740	03.99	34.720	27.59		1470.7							
	08 S	00751	03.99	34.720	27.59		1478.8							
	OBS	00761	04-17	34.786	27.61		1479.8							
	OBS	00772	04.60	34.830	27.61		1461.9							
	OBS	00778	04.49	34.836	27.62		1481.5							
	STD	00800	03.99	34.75	27.6L	00.882	1479.7							
	085	00401	03.97	34.750	27.61		1479.4							
	OB 5	00818	03.81	34.756	27.63		1479.2							
	085	5 1829	04.21	34.830	27.65		1461.2							
	085	C0850	04.51	34.896	27.67		1482.9							
	STO	00900	04.99	34.98	27.46	00.934	1445.8							
	08.5	00900	04.99	34.980	27.68		1485.8							
	08 5	00951	04.56	34.950	27.71		1484.4							
	STD	01000	04.70	35.00	27.73	00.987	1486.3							
	08 \$	01001	04.71	35.000	27.73		1486.4							
	065	01022	04.00	35.00>	27.12		1467.1							
					****	*******								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

CONSEC.	0074 0074 02 59.58	YEAR MONTI DAY	1974 H 07 O2	BOTOP 04365 SHIP EV DATA USE 1	WET			GT PER 0 2	MIND-DIR MIND-SPD WIND-FOR	10	TRAC	STD REC E DIR TION	DADER D OO.4	5	N SQ 13 SQUARE SQUARE	2
	20.6	HOUR	09.5	AREA OS	CLCU	D T/A	CL/TR		WSA THER	X4		011 680		i	SQUARE	26
CASTM	UNYTIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	TOT P	NO2	NO3	\$103	PH	
	09.5	STD	00000	18.66 18.66	35.96 35.964	25.86 25.86	00.000	1519.5								
		STD	00010	18-64	35.97	25.87	00.021	1519.7								
		085	00017	18.64 1 8.6 6	35.970 35.976	25.67 25.67		1519.7								
		STD OBS	00020 00020	18.52 18.48	35.97 35.966	25.90 25.91	00.043	1519.5								
		STD	00030	18.27	34.05	24.03	00.063	1519.0								
		DOS STD	00030 00050	18.26 17.49	34.05> 36.07	26.03 26.23	00.102	1519.0 1517.1								
		085	00051	17.46	34.076	26.24		1517.0								
		STD OBS	00075 00076	17.45 17.44	34.25 34.250	26.38 26.38	00.145	1517.6								
		STD	00100	17.61	36.10	24.44	00.187	1516.6								
		085 STD	00102 00125	16.96	36.175 36.11	26.44 26.49	00.227	1516.5 1515.7								
		OBS STD	00125	14.54	36.110	26.49		1515.6								
		085	00150	16.20 16.19	36.02 36.020	26.50 26.51	00.267	1514.8								
		085 085	00154	16.24 16.03	36.100 36.030	26.55 26.55		1515.1								
		085	00175	15.85	36.000	26.57		1514.1								
		STD OBS	00200 00201	15.40 15.35	35.86 35.87>	26.58 26.59	00.345	1513.0								
		08.5	00228	14.46	35.737	26.68		1510.3								
		STD OBS	00250 00251	14.34 14.33	35.75 35.750	26.71 26.71	00.418	1510.3								
		085	00276	14.11	35.734	26.75		1510.0								
		\$70 065	00300 00302	13.81 13.77	35.71 35.704	26.79 26.79	00.487	1509.4								
		085	00352	12.64	35.527	26.89		1500 - 1								
		STD DBS	00401	11.88 11.85	35.40 35.460	24.99 26.99	00.414	1504.2								
		OBS STD	00451	10.64	35.290 35.17	27.08		1500 - 5								
		085	00500	09.62	35.165	27.14 27.16	00.724	1457.5								
		085	00550 00562	08.40 98.11	35.07> 35.016	27.26 27.29		1494.3								
		085	00586	07.09	34.820	27.29		1488.8								
		OBS STD	00592 00600	06.46 06.52	34.760 34.78	27.32 27.33	00.817	1486.3								
		085	00401	04.53	34.780	27.33		1486.8								
		08 S 08 S	00611	04.18 04.05	34.720 34.75u	27.33 27.37		1485.4								
		280	00414	04.41	34.830	27.39		1486.6								
		985	00420	04.45 05.87	34.83u 34.720	27.36 27.37		1484.4								
		08 S 08 S	004 2 2 004 3 0	05.85 05.48	34.740 34.670	27.39 27.30		1484.4								
		085	00632	05.34	34.484	27.41		1482.4								
		200	00445 00452	05.71 06.02	34.84u 34.87u	27.46 27.47		1485.1								
		065	00054	06.07	34.66U	27.45		1480.0								
		08 S 08 S	00472 00475	05.50 05.80	34.800 34.870	27.48 27.50		1443.9								
		065 065	00477 00485	05.84 04.34	34.87u 34.970	27.49 27.51		1485.4								
		\$70	00700	04.22	34.98	27.53	00.092	1407.5								
		065 085	00702 00725	96.20 96.66	34.990 35.082	27.54 27.55		1407.4								
		085	00729	00.41	35.035	27.55		1488.8								
		085 570	00757 00000 00003	04.34 04.13	35.076 35.05	27.58 27.40	00.956	1488.9								
		065		06.12	35.050	27.40		1466.9								
		005 005	00650 00673	05.96 05.67	35.00G 35.04G	27.64 27.64		1480.1								
		065	90681	05.21 05.19	34.971	27.65		1480 -4								
		085	00094	04.98	34.950	27.66		1485.7								
		570 005	00900	05.01 05.01	34.96 34.960	27.66 27.66	01.014	1465.9								
		08.5	00700	04.90	34.946	27.68		1486.3								
		570 085	01001 010 0 0	04.80 04.80	34.97 34.97u	27.70 27.70	01.040	1486.7								
		00 5	01020	04.77	34.970	27.70		1486 . 9								
		085	01023	04.77	34.572	27.70		1486.9								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFIO 31 8371 CONSEC 0079 LAT 43 10.8N LONG 046 54.0M		07	BOTOP 03844 SMIP EV DATA USE 1 AREA 05	AIR 1 HET B Banch Cluud	ULB 15.1 ETR 1019.6	DIR H 17 Sea CL/TR	GT PER 2 B	HIND-DIR HIND-SPD HIND-FOR HEATHER	16	TRACE CURAT		ORDER D OO.4	5	N SQ 1306 SQUARE 2 SQUARE 26 SQUARE 36
CASTNUNTTIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	0XY 6	P04	TOT P	NO2	NO3	\$103	PH
	STD	00000	11.40	32.70	24.94	00.000	1492.5							
13.4	08\$ 08\$	00003	11.40 10.53	32.70 <i>6</i> 32.68 <i>3</i>	24.94 25.08		1492.5							
	065	00009	10.26	32.720	25.15		1489.5 1488.6							
	STD	00010	10.24	32.72	25.16	06.029	1488.5							
	280 280	00011	10-19	32.730	25.17		1488.4							
	085	00017	08.31 08.16	32.76 <i>3</i> 32.826	25.50 25.56		1481.4							
	STD	00020	06.34	32.77	25.77	00.055	1473.8							
	OBS	00020	05-89	32.760	25.82		1472.0							
	STD OBS	00030 00030	04.38 04.32	33.04 33.05u	26.21 26.23	00.075	1466 - 3 1466 - 1							
	085	00038	03.78	33.12.	20.34		1464.0							
	085	00040	03.66	33.144	26.37		1463.6							
	085 085	00041 00047	02.99	33.07u 33.250	26.37 26.55		1460.6							
	STO	00050	02.18	33.28	26.61	00.107	1457.5							
	085	00051	02.00	33.292	26.63		1456.8							
	08S 08S	00053 00055	01.82 01.05	33.290 33.217	26.64		1456.0							
	085	00057	00.54	33.320	26.63 26.75		1452.5							
	085	00059	00.56	33.390	26.60		1450.6							
	085 085	00060 00062	00.89	33.407	26.79		1452.1							
	085	00066	00.98 00.84	33.440 33.444	26.82 26.83		1452.6 1452.0							
	085	00070	00.44	33.460	26.86		1450.3							
	STO	00075	00.63	33.60	26.96	00.139	1451.5							
	08 S 08 S	00078	00.79 00.90	33.657 33.640	27.00 27.01		1452.3							
	085	00065	02.95	33.89>	27.03		1462.3							
	085	00089	07.94	34.670	27.05		1483.7							
	08 S 08 S	00091	08.15	34.740 34.725	27.07 27.08		1484.7							
	STO	00100	07.74	34.67	27.07	00.166	1403.1							
	280	00100	07.52	34.626	27.07		1462.2							
	SYD OBS	00125 00125	07.48	34.65	27-10	00.191	1462.5							
	085	00127	07 .46 07.47	34.655	27.10 27.10		1482.5							
	005	00133	00.31	34.840	27.14		1486.1							
	OBS STD	00144	08.54	34.965	27.10		1487.3							
	005	00150	09.20	35.09 35.090	27.18 27.18	00.215	1489.9							
	085	00152	09.26	35.097	27.17		1490.3							
	085 085	00128	05-42	35.120	27.16		1451.0							
	085	10100	09.47 04.32	35.130 34.89a	27.16 27.16		1491.3							
	085	00177	08.13	34.910	27.20		1486.2							
	085	00180	08.04	34.874	27.19		1485.9							
	065 065	00145	07.25 04.70	34.750 34.677	27.21 27.23		1462 -8							
	08 \$	00148	04.87	34.690	27.21		1480.6							
	STD	00500	04.00	34.55	27.22	00.260	1477.8							
	08 S 08 S	00201 00207	05.53 95.56	34.48U 34.56U	27.22 27.23		1475 . 8							
	OBS	00211	05. 93	34.550	27.23		1477.7							
	08.5	00215	05.35	34.454	27.22		1475.2							
	08 S 08 S	00217 00218	04.99	34.410	27.23		1473.0							
	085	00550	05.33	34.510 34.547	27.31 27.30		1475.4							
	085	00224	05.39	34.570	27.31		1475.7							
	085 085	00226	05.67 96.66	34.626 34.790	27.32		1477.0							
	085	00239	04.86	34.800	27.32 27.30		1481.2							
	08 5	00247	04.02	34.664	27.31		1478.8							
	STD OBS	00250 00251	05.96	34.66	27.31	00.303	1478.4							
	085	30257	05.89 05.24	34.650 34.500	27.31 27.34		1470.3							
	085	00264	05.18	34.547	27.33		1475.5							
	085 085	99248 99277	04.62	34.495	27.34		1473.2							
	085	00281	05.59	34.610	27.40 27.40		1474.7							
	085	00289	05.86	34.76>	27.42		1479.0							
	085 085	00297 00298	04.09	34.830	27.43		1480.1							
	2	VVZ 78	04.39	34.880	27.43		1481.4							

TABLE 1. CGC EVERGREEN, April—June 1974—(Continued)

CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SND VEL	OXYG	P 04	TOT P	NO2	N03	\$103	PH
	STD	00300	06.38	34.88	27.43	00.341	1481.4							
	085	00302	06.37	34.880	27.43		1481.4							
	085	00304	06.38	34.880	27.43		1481 -4							
	085	00310	06-16	34.850	27.43		1480.6							
	OBS	00319	06.23	34.874	27.44		1481.1							
	08 S	00323	05-62	34.774	27.44		1478.6							
	OBS	00329	05.53	34.750	27.44		1478.3							
	085	00335	05.23	34.710	27.44		1477.1							
	085	00342	04.14	34.563	27.45		1472.5							
	085	00350	04.04	34.610	27.49		1472.3							
	085	00354	03.62	34.566	27.50		1470.5							
	085	00388	04.21	34.090	27.54		1473.7							
	065	00395	03.50	34.600	27.54	_	1470.7							
	STD	00400	03.44	34.60	27.55	00.405	1470.5							
	085	00401	03.42	34.600	27.55		1470.5							
	085	00439	03.54	34.710	27.62		1471.0							
	085	00449	05.45	34.900	27.63		1480.2							
	STD	00500	05.50	34.99	27.63	00.461	1461.3							
	280	00500	05.50	34.990	27.63		1481.3							
	085	00525	04.96	34.960	27.67		1479.5							
	085 085	00533 00540	05.16 05.17	34.996 34.980	27.67		1480-4							
	085	00550	04.56	34.910	27.66		1480.6							
	085	00551	04.56	34.905	27.68 27.67		1478.1							
	CBS	00567	04.32	34.872	27.67		1477.4							
	STD	00600	04.51	34.92	27.69	00.512	1478.8							
	085	00601	04.52	34.920	27.69	90.912	1478.8							
	085	00633	04.66	34.950	27.70		1480.0							
	085	00641	04.31	34.900	27.70		1478.6							
	280	00651	04.34	34.902	27.70		1478.9							
	085	00656	04.60	34.955	27.71		1480.1							
	STO	00700	04.45	34.93	27.71	00.559	1480.2							
	OBS	00700	04.45	34.93	27.71		1480 . 2							
	085	00750	04.31	34.93u	27.72		1480.4							
	STO	00800	04.2¢	34.95	27.74	00.605	1401.1							
	OB 5	00801	04.26	34,950	27.74		1481.1							
	085	00850	04.37	34.950	27.73		1482.4							
	STD	00900	04.24	34.95	27.74	40.651	1482.7							
	D8.5	00900	04.24	34.950	27.74		1482.7							
	085	00953	04.18	34.940	27.74		1483.3							
	STD	01000	04.05	34.94	27.75	00.696	1463.6							
	08 S	01003	04.05	34.940	27.75		1483.6							
	085	01026	04.03	34.940	27.76		1483.9							

179

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)

REFIC CONSE LAT LDNG	C 43	8371 0080 21.0N 24.1W	MONT Day	1974 H 07 02 17-1	OCTOP 03676 SHIP EV DATA USE 1 AREA 05	Alk 1 mel i Bamo! Cigui	TEMP 13-3 BULB 13-1 METR 1019-2 D T/A	DIR H 19 SEA CL/TR		wind-dir wind-spd wind-für weather	12	TR A	T STD R CE DIR ATION G 011 6	ECORDER D GO.4	5 :	N SQ 1306 SQUARE 2 SQUARE 26 SQUARE 37
CAS	TNUM	TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAC VEL	OXY G	P34	TOT (P NO2	NG3	\$103	PH
			STD 085	00000	11.13	32.66	25.12	cc.000	1451.7							
		17.1	085	00005	11.13 11.06	32.875 32.665	25.12 25.13		1491.6 1451.0							
			OBS	00009	10.40	32.776	25.17	22 222	1489.1							
			STD	00010	05.81 06.37	32.62 32.414	25.15 25.21	00.028	1486.8							
			GBS	00013	06.89	32.610	25.58		1475.7							
			085 085	00017	06.01 05.16	32.732 32.614	25.78 25.64		1472.4							
			STO	00020	05.Cb	32.81	25.90	00.053	1468.7							
			08S 08S	00020 00024	04.56 04.49	32.91J 32.97u	26.05 26.15		1468.4							
			STD	00030	03.95	33.17	20.36	00.071	1464.7							
			280 280	00030 00034	03.87 03.16	33.180	26.44		1464.4							
			085	00040	92.92	33-250	26.52		1460.5							
			CBS OBS	00045 00047	03.60 02.43	33.39v 33.27c	20.57 20.56		1463.7							
			STD	00050	02.41	33.30	26.05	00.102	1458.7							
			08\$ 08\$	00051 00057	02.31 01.16	33.342	26.68 26.72		1458.3							
			OBS	00360	00.88	33.405	26.79		1452.1							
			085 085	00062 00064	00.52 00.34	33.345	26.80 26.88		1450.5							
			085	00066	00.84	33.750	27.07		1452.5							
			OBS STD	00072	01.94 01.96	33.632 33.8 <i>8</i>	27.C7 27.10	00.132	1457.6							
			085	00076	02.06	33.91.	27.12	******	1458.3							
			OBS OBS	00085	05-10 05-13	34.27L 34.275	27.11		1471.9							
			085	00091	05.53	34.34.	27.11		1473.4							
			085 STD	00057 00100	05.59 05.54	34.307	27.14	00.156	1474.2							
			085	00104	06.21	34.43 34.47	27.13 27.13	00.176	1470.9							
			085 085	00110	06.21 06.53	34.475	27.13 27.16		1477.0 1478.4							
			065	20116	30.73	34.010	27.17		1479.4							
			08 S 08 S	30116	07.13 07.11	34.69.	27.18 27.17		1481-1							
			STD	00125	37.36	34.73	27.18	06.179	1402.1							
			08S	00127 00137	07.48 (7.39	34.766 34.740	27.18 27.18		1482.7							
			085	30142	06.75	34.020	27.17		1479.9							
			QB S QB S	00144	30.70 36.33	34.505	27.17		1479.7							
			STD	00150	0e.32	34.57	21.14	90.202	1476.3							
			065 065	00150 30152	0e,32 0e,05	34.576	27.19 27.22		1478.3							
			08 S	00191	06.37	34.08.	27.47		1478.8							
			57D 570	00203 00250	04.63	34.62 34.55	27.42 27.46	00.242	1473.1							
			385	00257	63.62	34.232	27.46		1469.7							
			00 S 00 S	30266 00276	03.60	34.544	27.46 27.49		1469.8							
			CBS	90298	34.58	34.730	27.53		1473.6							
			570 085	30300 00304	04.62 04.76	34.74 34.76u	27.53 27.53	00.307	1474.0							
			G#S	30327	04.53	34.75.	27.55		1474.1							
			570 085	00400 33415	04.69 34.83	34.900	27.61 27.64	00.364	1476.1							
			065	00418	04.67	34.917	27.65		1477							
			085	00422	04.64	34.93u 34.94u	27.45 27.47		1477							
			STD	00500	04.78	34.94	27.49	00.414	1478.3							
			085 085	30503 00552	04.78 04.62	34.96u 34.98u	27.49 27.70		1479.3							
			\$ T D 0 8 S	00000	04.49	34.98	27.72	00.461	1474.6							
			08 S	30652	04.67	34.99	27.73		1480.4							
			STD UBS	30700 00700	04.47	34.97	27.73 27.73	00.504	1480.3							
			08	00751	D4.42	34.970	27.74		1481.0							
			STO DBS	90800	04.35 04.34	34.97	27.74	00.551	1401.5							
			08 \$	00850	04.15	34.950	27.75		1461.5							
			STD	00900	04.05	34.94	27.75	00.595	1461.9							
			08 S 08 S	00902	04.05 03.55	34.94 <i>u</i> 34.93 <i>u</i>	27.75 27.76		1482.3							
			57D	01000	03.00	34.92	27.76	00.639	1442.0							
			Ces	01075	03.67	34.920	27.76 27.77		1484.0							

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

REFID 31 837 CONSEC 008	1 MONTE	H 07	BOTOP 02932 SHIP EV	AIR TI WET BI	JLB 10.7	DIA H 24 : SEA	ST PER	WIND-DIR WIND-SPD WIND-FOR	15	TR.	AC E RATI		ORDER D 00.5	5	N SQ 1 SQUARE SQUARE	,
LAT 43 32.0 LONG 047 58.0	N DAY	02 20•8	DATA USE 1 AREA 05	CLUUD	TFA 1019.9	CL/TR		HEATHER	X4	OR	16 0	17 443		1	SQUARE	. 3
FOUR 041 3810		••••												S103	PH	
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND YEL	OXY 6	PO 4	TOT	•	NO2	NO3	2103	FIT	
	570	00000	08-27	33.00	25,69	03.000	1481 -4									
20.4	085	00000	08-27	33.000 32.968	25.69 25.68		1481-4									
	DBS STD	00007	08.16 07.73	32.95	25.73	00.023	1479-4									
	085	00011	07.51	32.946	25.75		1478.5									
	OBS	00015	06.99	32.92 <i>a</i> 32.806	25.81 25.83		1476.5									
	085 085	00017	04.92	32.850	26.00		1468-1									
	STO	00020	04.78	32.95	24.10	00-044	1467 - 7									
	085	00020	04.58 03.92	33.000 32.97C	26.16 26.20		1464 -2									
	085 085	00024	03.41	33.132	26,38		1462.2									
	OBS	00026	03.12	33.095	26.38 26.45	00.062	1461.0									
	STD OBS	00030 00030	02.49 02.41	33.12 33.125	26.46	******	1458.0									
	085	00034	01.90	33.174	26.54		1455.5									
	DBS	00034	01-13	33.160 33.294	24.58 26,70		1451.5									
	08 S 08 S	00038	00.30	33.379	26.80		1449.1									
	STO	00050	00-19	33.49	26.90	00.089	1448.9									
	08S 08S	00051 00064	00-19 00-63	33.517	26.92 27.03		1451 -4									
	085	00068	00.55	33.660	27.02		1451 -1									
	085	00072	0C-19 00-08	33.690 33.70	27.06 27.08	00.116	1449.1									
	STO OBS	00075 00076	00-05	33.714	27.06	*****	1449.0									
	085	00087	00.23	33.797	27.15	00.139	1450 -1									
	STO	00100	00-60 00-62	33.91 33.914	27.21 27.22	00.139	1452.3									
	08 S 08 S	00106	00.72	33.917	27.21		1452.8									
	OTZ	00125	01.16 01.17	34.12 34.120	27.35 27.35	00.159	1455.4									
	OBS STO	00125 00150		34.21	27.41	00.177	1456.6									
	OBS	00150	01.32	34.214	27.41		1456.6 1460.8									
	085	00175 00178		34.377 34.384	27.49 27.48		1461 - 4									
	280 280	00184		34.362	27.50		1459.7									
	085	00190	01.86	34.370 34.536	27.50 27.52		1465.9									
	OBS STD	00200		34.53	27.52	JO. 209	1465.9									
	085	00201	03-15	34.540	27.53		1465.9									
	08S	00220 00226	03.71	34.62J 34.570	27.54 27.53		1467 -4									
	085	00232	03-11	34.560	27.55		1466.3									
	065	00234	02.83	34.520	27,54 27,54		1464.9									
	08 S 08 S	00237 00241		34.580	27.57		1466 - 1									
	OBS	00245	03.01	34.580	27.57 27.59		1466.1 1469.9									
	085 STD	00249		34.71u 34.71	27.59	00.237	1469.9									
	085	0025	03.85	34.710	27.59		1470.0									
	065	00255	03.85	34.71 <i>0</i> 34.810	27.59 27.62		1472.6									
	085 085	00274	04.82	34.880	27.62		1474.7									
	STE	0030	04.58	34.86 34.860	27.63 27.63	00.262	1474-0									
	085 085	00 300 00 350		34.930	27.66		1476.2									
	STD	0040	04.96	34.96	27.67 27.67	00.31	1477.4									
	085 085	0040 0045		34.96¢ 34.970	27.69		1477 - 7	,								
	\$10	0050	04.74	34.97	27.70	00.35	8 1478.1 1478.2									
	085	0050 0055		34.970	27.70 27.71		1476.1									
	280 072	0040	0 04.51	34.97	21.73	00.40	3 1478.8 1478.9									
	085	0060	1 04-51	34.970 34.980	27.73 27.74		1479.1									
	08 \$ \$ 7 D	0065 0070	1 04.51 0 04.38	34.97	27.74	00.44	7 1480-0)								
	085	0070	0 04-38	34.970	27.74		1480 - 4									
	085	0075 0080		34.960 34.95	27.74 27.75	00.49	1 1480 .4	•								
	ST0 085	0000	3 04-13	34.950	27.75		1480 -	b								
	285	0085	0 04.14	34.950 34.94	27.75 27.75	00.53	1481 -4	•								
	ST0 085	0090		34.940	27.75		1481 -	•								
	085	0095	1 04-01	34.940	27.76		1462 -									
	STO	0100	03.51	34.93 34.930	27.76	00.57	1483 - (0								
	08 S	0100		34.95	27.76		1483 -									

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID CONSE LAT LONG	C 43	8371 0082 39.8N 22.5W	DAY	1974 1 07 02 23.8	BOTOP 032 SHIP EV DATA USE AREA	00 1 05	AIN WET BANG CLUU	TEMP 14.7 BULB 14.1 METR 1020.0 D T/A	DIR H 22 Sea CL/TR	GT PER 2 2	wind-dir wind-spd wind-for weather	18	TRAC	STD REC E DIR TION 011 484	ORDER D OO-4		n sq i. Square Square Square	
CAS	TNUH,	/TIME	LVLTYP	DEPTH	TEMP		SAL	SIGMA-T	DYNDPTH	SNO VEL	OXYG	P04	TOT P	NO2	NC3	\$103	PH	
		23.8	OBS STD	00009	08.84 08.78		32.973 32.95	25.54 25.57		1463.4								
			085	00013	08.35		32.875	25.58		1481.7								
			STD OBS	00020 00020	07.30		32.97	25.80		1477.9								
			065	00020	06.98 06.16		32.980 32.93.	25.85 25.92		1476.7								
			085	00026	04.98		33.075	26.17		1468.8								
			STD OBS	00030 00030	04.47 04.42		33.20 33.200	26.33 26.34		1466.9 1466.7								
			OBS	00032	04.30		33.180	26.33		1466.2								
			085 085	00036 20038	02.83 02.11		33.08u 33.31Q	26.39 26.43		1459.9								
			OBS	00040	01.84		33.37,	26.70		1457.1 1456.0								
			08S 08S	00041	01.77 01.35		33.435 33.40u	26.76 26.76		1455.8								
			STD	00050	01.02		33.40	26.78		1453.9 1452.5								
			085	00051	00.96		33.4Ls	26.80		1452.3								
			08S 08S	00059	01.07 00.39		33.524 33.575	26.88 26.96		1453.1 1450.3								
			085	00072	00.43		33.585	26.96		1450.5								
			STD OBS	00075	30.27 00.21		33.58 33.57a	26.97 26.97		1449.8								
			OBS	00079	0.01		33.590	26.99		1448.6								
			UBS STD	00095	00.81 00.73		33.815 33.86	27.13 27.16		1452.9								
			005	00100	00.71		33.860	27.17		1452.4								
			065	00102	00.76		33.865	27.17		1452.9								
			08\$ 08\$	00106	00.50 00.73		33.910	27.22 27.25		1451.8 1453.1								
			085	00121	01.45		34.070	27.29		1456.4								
			OBS STD	00123 00125	01.60 01.77		34.07. 34.10	27.29 27.29		1457.3								
			085	00129	02.19		34.143	27.29		1460.1								
			065 065	00140 00142	02.08 02.85		34.16u 34.29u	27.31 27.35		1459.8								
			065	00148	02.88		34.290	27.35		1463.6								
			STO DBS	00150 00150	02.74		34.27	27.35		1443.0								
			085	00150	02.71 02.73		34.267	27.35 27.37		1462.8								
			085	00175	02.29		34.325	27.43		1461.5								
			085 065	00177 00178	03.34 03.35		34.460	27.44 27.44		1466.2								
			085	00180	02.94		34.415	27.45		1444.5								
			085 085	00188	03.00 03.49		34.430 34.55u	27.45 27.50		1464.9								
			STD	00200	03.90		34.01	27.50		1469.2								
			0#\$ 0#\$	00201 00217	04.04 03.94		34.625 34.616	27.51		1469.8								
			085	00226	04.39		34.716	27.50 27.54		1469.6								
			STD OBS	00250	03.72		34.67	27.50		1449.4								
			085	00251	03.72 04.39		34.670	27.57 27.60		1469.4								
			STD	00300	04.14		34.74	27.59		1472.0								
			085 085	00300 00323	04.13 03.82		34.743	27.59 27.63		1472.0 1471.1								
			085	00329	03.54		34.705	27.62		1469.9								
			085 570	00350 00400	03.02 03.79		34.77ú 34.77	27.64 27.65		1471.4								
			085	00401	03.78		34.770	27.65		1472.2								
			085 085	00407	03.72 03.51		34.770	27.65 27.65		1472 · L 1471 · 2								
			OBS	00449	03.93		34.825	27.68		1473.7								
			OBS STD	00458 00500	03.70		34.795	27.68		1472.9								
			085	00500	03.75 03.75		34.82 34.820	27.69 27.69		1473.8								
			GBS STD	00550	03.43		34.850	27.71		1475.0								
			085	90401	03.87		34.86 34.860	27.71 27.71		1476.0								
			085	00651	03.88		34.870	27.72		1476.9								
			STO OBS	00700 00700	03.84 03.84		34.88 34.880	27.73 27.73		1477.4								
			085	00750	03.79		34.880	27.73		1478.2								
			STD OBS	00800	03.74 03.74		34.88	27.74 27.74		1478.8								
			085	00852	03.69		34.870	27.74		1479.5								
			STD OBS	00900	03.72		34.88	27.74		1480.4								
			065	00951	03.72 03.72		34.880	27.74 27.76		1480.4								
			STD	01000	03.66		34.89	27.75		1481.9								
			085 085	01001	03.68 03.64		34.890	27.75 27.76		1481.9								

TABLE I. CGC EVERGREEN, April—June 1974—(Continued)

REFID 31 8371 CONSEC 0083 LAY 43 48.0N LONG 048 46.4M	YEAR MONTH DAY HOUR	07	BCTDP 01940 SHIP EV DATA USE 1 AREA 05	AIA T WET 8 BAAGM CLGUD	ULB 07.8 ETR 1014.9		GT PER 2 2	wind—dia wind—spd wind—for weather	10	TRA	T STE CE DI ATION G OIL	i	DROER D 00.4	5	N SQ 1306 SQUARE 2 SQUARE 28 SQUARE 38
CASTMUN/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPTH	SAD VEL	OXA C	P04	TOT	P 4	102	NO3	\$103	PH
	STD	00000	05.70	32.76	25.84	00.000	1470.9								
02.9	OBS	00003	C5. 70	32.760	25.84		1471.0								
	085	00009	05.71	32.760	25.84		1471-1								
	STD OBS	00010 00013	05.56 04.75	32.75 32.71J	25.85 25.91	00.022	1470.5								
	ST0	00020	03.96	32.68	26.13	00.042	1464.2								
	085	00020	03.88	32.890	20.14	00.042	1463.9								
	STD	30030	03.55	32.89	26.18	00.061									
	OBS	00030	03.42	32.896	26.19		1462.0								
	OBS	00034	02.02	32.97C	26.37		1456.1								
	08.5	00036	01.83	33.112	26.50		1455.5								
	280	00040	01.78	33.130	26.51		1455.4								
	08 S 08 S	00043 00049	0C.90 0G.44	33.145 33.240	26.58 26.69		1451.5								
	STD	00050	00.29	33.25	26.70	00.093	1449.0								
	085	00051	- 0.12	33.27	26.74	******	1447.2								
	STD	00075	- 0.86	33.38	26.86	30-125									
	085	00076	- 0.88	33.390	26.87		1444.2								
	08\$	00089	- 1.06	33.530	24.59		1443.8								
	STD	00100	- 0.83	33.62	27. `	00.152	1445.2								
	CBS	00100	- 0.61	33.630	27.0	00-176	1445.3								
	STD OBS	00125 00125	- 0.22 - C.20	33.82 33.82	27.18 27.19	00-116	1448.7								
	STD	00150	OC. 53	34.02	27.31	00-197									
	08\$	00150	00.54	34.02	27.31	••••	1452.9								
	OBS	00175	00.66	34.067	27.34		1454.0								
	STD	00200	01.29	34.24	27.44	00.233									
	OBS	00201	01.32	34.25	27.45		1457.6								
	OBS	00220	01.57	34.340	27.50		1459.1								
	GBS STD	00226 00250	01.97 02.09	34.402 34.46	27.52 27.56	00.263	1461.0								
	085	00251	C2.10	34.462	27.56	00.203	1462.1								
	OBS	00277	C2.20	34.490	27.57		1463.0								
	STD	00300	02.35	34.54	27.60	00.290	1464.1								
	OB \$	00300	02.36	34.544	27.60		1464.2								
	085	00350	02.80	34.64.	27.64		1467.0								
	STO	00400	03.08	34.70	27.66	00.339	1469-1								
	OBS OBS	00403 00451	03.10 03.44	34.700 34.760	27.60 27.67		1469.3								
	STD	00500	03.56	34.80	27.65	00.386	1473.0								
	085	00500	03.56	34.800	27.65		1473.0								
	085	00552	03.76	34.030	27.70		1474.7								
	STD	00600	03.67	34.86	27.71	00.431	1470.0								
	OBS	00601	03.87	34.d6u	27.71		1476.0								
	08\$ \$70	00652	03.67	34.86	27.73 27.73	00.475	1476.9								
	085	00700 00700	03.85 03.85	34.88 34.88u	27.73	00.475	1477.6								
	065	00750	03.81	34.87	27.72		1478.3								
	STO	00800	03.61	34.08	27.73	00.520	1479.1								
	OBS	00805	03.81	34.680	27.73		1479.2								
	085	03652	02.78	34.67.	27.73		1479.9								
	STD	00900	03.74	34.67	27.73	00.565	1480.5								
	085	00900	03.74	34.87	27.73		1480.5								
	OBS STD	07951 01000	03.72 03.70	34.865 34.89	27.73 27.75	00.610	1481.2								
	085	01001	C2.70	34.69	27.75	301010	1482.0								
	085	01029	03.69	34.89	27.75		1482.5								

TABLE I. CGC EVERGREEN, April-June 1974—(Continued)

CONSEC 0084	CONSEC 0084 MONTH 07 LAT 43 51.4N DAY 03 LONG 048 59.LN HOUR 04.9		BOTOP 00374 SHIP EV DATA USE 1 AREA 05	AIN T WET 8 BARON CLUMO	ULB 09.8 ETR 1019.8		GY PER O X	WIND-OIR WIND-SPD WIND-FOR WIND THER	15	TRAC	STD REG E DIR TION Oll 684	00.1	5	N SQ 1304 SQUARE 2 SQUARE 28 SQUARE 38
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OXY 6	P04	TOT P	NO2	NOS	\$103	PH
	STO	00000	05.03	32.70	25.87	00.000	1465.1							
04.9	085	00001	05.03	32.70u	25.07		1446.1							
	085	00007	05.05	32.700	25.87		1468.3							
	STD	00010	04.67	32.65	25.88	00.021	1466.7							
	085	00011	04.43	32.654	25.90		1445.7							
	085	00015	03.73	32.740	26.04		1442.9							
	065	00019	03.45	32.770	26.07		1442.7							
	STD	00020	02.93	32.67	26.05	00.042	1499.5							
	085	00024	00.57	32.660	26.21		1449.1							
	DBS	00036	00.09	32.680	26.41		1447.2							
	STD	00030	- C.60	33.02	26.56	00.059	1444.3							
	280	00030	- 0.71	33.025	26.57		1443.8							
	085	00032	- 1-15	33.015	26.57		1441.7							
	STD	00050	- 1.41	33.22	24.75	00.067	1441.1							
	08\$	00051	- 1.42	33.235	26.76		1441.1							
	085	00044	- 1.52	33.310	26.82		1441.0							
	STD	00075	- 1.49	33.31	26.02	00-114	1441-5							
	085	00076	- 1.49	33.310	26.82		1441 - 3							
	570	00100	- 1.41	33.35	24.85	00.149	1442.1							
	085 STD	00100	- 1.40	33.350	26.85		1442.2							
	085	00125	- 1.03	33.51	26.97	00.178	1444.5							
	5TD	00127 00150	- 0. 99 - 0.65	33.527 33.65	26.98	00.204	1444.8							
	085	00150	- 0.44	33.650	27.07 27.07	00.204	1446.9							
	085	00177	- 0.27	33.750	27.13		1449.2							
	STD	00200	- 0.02	33.62	27.17	00.251	1450.9							
	085	00201	00.00	33.020	27.10	00.231	1451.0							
	085	00226	00.19	33.006	27.21		1452.3							
	STO	00250	00.81	34.11	27.36	00.292	1495.9							
	OBS	00251	00.84	34.115	27.37	001274	1456.0							
	085	00277	01.30	34-200	27.40		1458.4							
	STO	00300	01.74	34.33	27.47	00.324	1441.1							
	085	00300	01.75	34.330	27.48		1461.2							
	OBS	00350	02.56	34.570	27.60		1445.5							
	085	00367	02.80	34.607	27.61		1467.3							
					****		•							

REFID 31 8371 COMSEC 0085 LAT 43 55.1N LONG 049 10.0N	DAY	07 SHIP 03 DATA	USE 1	AIR TE WET BU BAHOME CLUUD	TR 1019.8	DIR HO DO 6 SEA CL/TR		WIND-DIR WIND-SPD WIND-FOR WEATHER	15	TR AC	STD REC E DIR FION OIL 487	DADER D DO.1	TEN SU 1906 5 SQUARE 2 2 SQUARE 28 1 SQUARE 39
CASTNUM/T I HE	LVLTYP DE	E P TH	TEMP	SAL	SIGMA-T	DYNOPTH	SNO VEL	OXY G	P04	TOT P	NO2	NO3	\$103 PF
	STD O	0000 (7.98	32.50	25.34	00.000	1479.4						
06.2				32.504	25.34	00.000	1479.6						
V0.1				32.40G	25.33		1477.0						
			6.66	32.562	25.57		1474.7						
			6.57	32.57	25.58	00.025	1474.3						
			6.36	32.577	25.62	001053	1473.5						
				32.60C	25.67		1472.5						
			4.65	32.580	25.80		1447.5						
			14.50	32.61	25.86	00.048	1466 .1						
				32.637	25.91	******	1464.9						
				32.673	26.04		1440.4						
			2.40	32-750	26.16		1457.4						
			2.08	32.72	26.17	00.048	1456.0						
			11.97	32.724	26.17		1455.5						
			1.32	32.770	26.26		1492.7						
				32.875	26.36		1451.3						
			0.60	32.94	26.44	00.103	1450.0						
	085 00	0053 0	0.45	32.963	26.46		1449.4						
	DBS 00	0072 -	0.83	33.130	26.45		1444.0						
			1.01	33.13	26.66	00.140	1443.2						
			1.17	33.20>	26.73		1442.7						
		0083 -	1.34	33.564	27.02		1442.5						
			1.33	33.440	27.10		1442.7						
							_						

TABLE I. CGC EVERGREEN, April-June 1974-(Continued)


REFID 31 8371 CONSEC 0086 LAT 43 57.9N LONG 049 17.4M	HONT	1974 H 07 03 07.0	BOTOP 00342 SHIP EV DATA USE 1 AREA 05	#ET 6	ULB 09.8 ETR 1019.8	00	GT PER O X	HIND-DIR HIND-SPD HIND-FOR HEATHER	15	TRACE DURAT		00.1	TEN SQ 5 SQUAI 2 SQUAI 1 SQUAI	RE 2 RE 28
CASTMUNTTINE	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNDPIH	SND VEL	OXY 6	P04	TOT P	NO2	NO3	\$103 PH	
	STD	20000	C8.50	32.52	25.28	00.000	1461.6							
07.0	085	00001	C8.50	32.520	25.28		1481.6							
	CB \$	0.0009	CE.30	32.576	25.35		1481.1							
	STO	03010	08.19	32.50	25.31 *	00.027	1480.6							
	08\$	00013	07.47	32.40.	25.33		1477.7							
	OBS	00015	05.57	32.015	25.70		1472.1							
	STD	00020	05.53	32.63	25.76	00.051	1470.4							
	085	00022	05.19	32.04 C	25.81		1469.0							
	085	00024	04.52	32.693	25.88		1468.0							
	085	00026	04.65	32.710	25.90		1467.8							
	STD	00030	02.27	32.74	20.17	00.072	1456.8							
	CBS	00030	02.07	32.755	26.19		1456.0							
	085	00032	01.75	32.840	26.28		1454.7							
	CBS	00043	31.52	32.913	20.36		1454.0							
	08.5	00045	01.57	32.915	26.36		1454.3							

REFID 31 8371 CONSEC 0087 LAT 44 01.5N LONG 049 25.9M	MONTH	07	BOTOP 00042 SHIP EV DATA USE 1 AREA 05	HET E	ULB 09.8 ETR 1019.8	DIR H GG SEA CL/TR	o x	W IND-DIR WIND-SPD WIND-FOR WEATHER	15	TRACE OURAT		00.1		!
CASTNUM/TIME	LVLTYP	DEPTH	TEMP	SAL	SIGMA-T	DYNOPTH	SND VEL	OXY G	P04	TOT P	NO2	NO3	\$103 PH	
	STO	00000	08.71	32.53	25.25	00.000	1462.4							
07.6	085	00003	08.71	32.530	25.25		1482.5							
	OBS	00007	97.43	32.494	25.41		1477.6							
	STD	00010	07.11	32.50	25.46	00.026	1476.4							
	085	00015	06.40	32.570	25.61		1473.7							
	085	00017	06.14	32.610	25.67		1472.8							
	STD	00020	04.84	32.58	25.80	00.050	1467.5							
	085	00022	03.49	32.560	25.92		1461.8							
	085	00024	02.52	32.740	26.15		1457.9							
	STD	00030	02.43	32.77	26.18	00.070	1457.6							
	OBS	00030	02.42	32.776	26.18		1457.6							
	OBS	00038	02.38	32.770	20.18		1457.5							
	280	00043	02.39	32.784	26.19		1457.7							
					*****	*******	•							

TABLE II. CGC CHASE, March 1974

MBFID 31 2366 COMSEC 6961 LAT 46 59 N LGNG 046 48 W	MONT	1974 (* 03 21 112-7	BOTOP 01134 SHEF EL DATA USE 1 AREA 05				GT PER 1 2	Wind—Dir Bund—Por Wind—Por Beatrer	10	TRACE			TEN 50 1306 5 SOMARE 4 2 SOMARE 46 1 SOMARE 66
CASTMUM/T INE	LVLTW	DEPTH	TEMP	SAL	SEGMA-T	4740470	SAC VEL	OXA e	P04	101 P	MG 2	жоз	8103 PH
	STO	60000	- 1.72	34.10	27.47	CO.400	1440.0						
12.7	088	00800	- 1.72	34.105	27.47		1440.0						
	STO	01000	- 0.61	34.11	27.43 +	CO.804	1445.5						
	STO	60020	90.41	34.11	27.39 +	66-013	1450.3						
12.7	COS	00084	66.70	34.114	27.37		1461 .6						
	ato	00030	00.97	34.14	27.41	60.629	1463.0						
12.7	COS	00048	01.50	34.385	27 .49		1465.9						
	STO	C0080	01.61	24.33	27.49	40.433	1456.0						
12.7	CBS	00073	01.47	34.374	27.63		1486.7						
	STO	66075	01.43	34.39	27.63	00.047	1487.0						
12.7	088	04057	02.04	34.484	27.64		1469.3						
	STO	60160	02.01	34.44	27.50	60.061	1469.2						
	STD	90126	01.77	34.47	27.59	00.074	1458.6						
12.7		00144	01-05	34.467	27.59		1480.4						
	STO	00180	01.48	34.47	27.69	00.667	1450.0						
	STO	90400	02.02	34.63	27.61	CO.112	1461.0						
	STO	00250	02.37	34.59	27.63	00~136	1463.4						
12.7	COS	06257	02.71	24.447	27.66		1445.6						
	870	00300	02.74	34,45	27.46	00-100	1465.5						
12.7	086	100366	63.45	34.766	27.69		1470.8						
	870	00400	03.49	34.79	27.46	66.304	1471.0						
12.7	088	00467	04.01	34.447	27.72		1474.9						
	STD	00500	04.01	34.49	27.72	06.280	1475.0						
12.7	CBS	T00595	03.92	34.903	27.74		1476.2						
	STO	60600	03.52	34.90	27.74	00.293	1476.3						
	STO	CG700	03.66	24.69	27.74	60.334	1477.7						
12.7	085	C0790	03.79	34.862	27.74		1478.9						
	STD	CG 800	42.78	24.66	27.74	00.379	1479.0						
	\$TD	60900	03.44	34.80	27.75	00.423	1440.2						
12.7	CRS	00991	03.42										
	STO	01600	03.62										
12.7	088	T01074	03.43	34.911	27.77		1463.0						
					****	••••••	•						

STD O0000 - 0.82 33.47 28.63 CC.00C 1443.4 144.5 143.4 143.4 143.4 143.4 143.4 143.4 143.4 144.5 143.4 143	MEFID 31 2396 CONSEC 0062 LAT 47 02 N LONG 046 29 b	MON1 DAY	1 1974 FM 03 31 1 14-4	BOTOP 00477 SMIP E1 DATA USE 1 AREA 05	TET DARG	TEMP -01.2 Bule -02.6 METR 1028.6 O T/A 6/6		GT PER 1 3	bend—der bend—spo bend—for beather	16	TRACE				N 50 1: SOUARE SOUARE SOUARE	4
10.4 OBS	CASTNUNTINE	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	DYNOPTH	SAC VEL	OXY 6	P04	TCT P	MG2	EGM	\$103	Pt:	
14.4 OBS		870	00000	- 0.42	33.47	24.63		1443.4								
STD OO220	10.4	085	60000		33.464			1443.4								
14.4 GBS		STD	40010	- 0.72	33.49	26.54	60.011	1444.0								
\$\begin{array}{cccccccccccccccccccccccccccccccccccc		STD					00.022	1444.7								
14.4 OBS	14.4	GBS	COOSE	- 0.60	23.624	26.56		1444.8								
STO		STO	06030	00.42	33.69	47.05	60.033	1449.5								
14.4 C88 00007 01.86 34.022 27.22 10.00 147.8 1464.1 144.4 1	14.4	COS	0004E	01.25	23.512	27.15		1465.7								
14.4 C85 000075 01.50 34.022 27.20 146.1 \$TO 00075 01.72 14.06 27.00 00.074 1487.0 14.4 C85 00089 01.52 34.125 27.30 1488.3 \$TO 00180 02.02 34.17 27.33 00.004 1488.0 \$TO 00180 02.21 34.26 27.38 C6.112 1460.3 \$TO 00180 02.67 34.38 27.44 00.125 1482.0 \$TO 00200 02.18 24.02 27.85 C6.16c 147.3 \$TO 00200 04.10 24.78 27.02 C6.18c 147.3 14.4 C85 00247 04.26 24.82 27.04 1472.7 \$TO 00200 04.10 24.78 27.02 00.281 1472.7 \$TO 00200 04.10 24.78 27.02 00.281 1472.7 \$TO 00200 04.10 24.78 27.02 00.281 1472.7 \$TO 00200 04.10 24.78 27.00 00.281 1472.7 \$TO 00200 04.10 24.78 27.00 00.281 1472.7 \$TO 00200 04.10 34.80 27.00 00.281 1472.7 \$TO 00200 04.10 34.80 27.72 1474.4		STO	06650	C1.54	23.64	27.17	CO.682	1425-6								
14.4	14.4	CBS	00667					1424.1								
14.4		STD	00675	01.72	24.06	27.26	00.074	1467.0								
STO COLRE 02.23 34.26 27.38 CC.181 1460.3 14.4 CBS 00134 02.31 34.201 27.40 1440.8 STO 00180 02.27 34.32 27.44 00.125 1462.6 STO 00200 03.88 24.62 27.85 CC.16C 147.43 14.4 CBS 00247 04.26 24.82 27.40 1471.3 14.4 CBS 00247 04.26 24.82 27.40 1472.7 14.4 CBS TOO2CO 04.16 34.90 27.72 1472.7 14.4 CBS 00247 04.26 34.80 27.72 1474.4 STO COSO 04.16 34.90 27.72 1474.4	14.4	COS	00089	01.68	24.125	27.30		1488.3								
14.4 C85 00134 02.31 34.201 27.40 1460.6 \$TO 00180 02.67 34.38 27.44 00.125 1462.6 \$TO 00200 02.58 24.62 27.55 65.166 1467.6 \$TO 00200 04.14 24.78 27.62 00.160 1471.3 14.4 085 00247 04.28 24.82 27.64 1472.7 14.5 085 T00311 04.28 27.66 00.211 1472.7 14.6 085 T00311 04.28 24.82 27.66 1477.8 \$TO 00400 04.16 34.90 27.71 60.286 1474.2 \$TO 008 0034 04.68 34.90 27.72 1474.4		170	C0100	02.02	34.17	27.33	00.094	1480.0								
\$70 00180 02.67 34.38 27.64 00.125 4682.8 \$7D 00200 03.58 24.62 27.55 6C.146 147.8 \$7D 00200 04.14 34.78 27.62 00.186 1471.3 14.4 085 00207 04.26 24.82 27.64 1472.7 14.4 085 700321 04.26 24.88 27.66 00.281 1472.7 14.4 085 700321 04.26 27.68 27.68 1473.8 \$7D 00400 04.14 34.90 27.72 1474.8 14.4 085 00434 C4.C2 34.60 27.72 1474.2 \$7D 0050 00314 34.86 27.72 1474.4		STO	COLEE	02.23	14.26	27.34	66.118	1460.3								
\$TO 00200 03.88 24.62 27.85 CC.18C 1467.8 \$TO 00209 04.14 34.78 27.62 C0.18c 1471.3 14.4 085 00247 04.26 24.82 27.64 1472.7 14.4 085 00247 04.26 34.88 27.66 1472.7 14.4 085 0034 04.16 34.90 27.71 C0.286 1474.2 \$TO 0080 0344 04.68 34.90 27.72 1474.2 \$TO 0080 0344 34.89 27.74 CC.286 1474.3	14.4	COS	00134	02.31	34.291	27.40		1440.5								
\$70 00280 00.14 34.78 27.62 00.166 1471.3 14.4 085 00287 04.26 24.82 27.64 1472.7 14.4 085 700381 04.26 24.88 27.66 00.211 1472.7 14.4 085 700381 04.26 24.88 27.66 1473.6 \$70 00400 04.16 34.90 27.71 00.286 1474.0 14.4 085 00434 04.08 34.90 27.72 1474.2 \$70 0050 03.14 34.89 27.72 1474.2		870	00180	02.67	34.34	27.44	00.125	1442.4								
10-0 GBS 00267 00-26 24-82 27-06 1-270-1 STD 00300 00-26 20-88 27-06 00-211 1472-7 10-0 GBS 700321 00-26 24-88 27-08 1472-0 STD 00400 00-16 34-90 27-71 00-286 1474-0 10-0 GBS 0034 00-18 34-90 27-72 1474-2 STD 008011 23-83 34-89 27-74 1474-4		STO	90200	03.50	24.62	27.55	66.146	1467.6								
14.4 GBS 09267 04.26 24.82 27.64 1472.1 STD 0300 04.26 27.66 00.211 1472.7 14.4 GBS 700321 04.26 24.88 27.68 1477.0 STD 00400 04.16 34.90 27.71 00.286 1474.0 14.4 GBS 0934 04.63 34.90 27.72 1474.2 STD 008011 33.83 34.89 27.74 00.286 1474.3		570	00280	04.14	24.78	27.62	CO.186	1471.3								
\$TD C03C0 0e.26 34.88 27.00 00.211 1472.7 14.0 C85 T003E1 04.26 24.88 27.00 1477.0 \$TD C0400 0e.16 34.90 27.71 C0.280 1474.0 14.4 C85 00314 Ce.C8 34.90 27.72 1474.2 \$TD CC500 03.84 34.85 27.74 CC.205 1474.3 14.4 C85 00811 03.83 34.89 27.74 1474.4	14.4	085	00267					1472-1								
14.4 GBS T003E1 04.26 34.88 27.68 1473.0 \$70 00400 04.16 34.90 27.71 C0.280 1474.0 14.4 OBS 00434 C4.CE 34.90 27.72 1474.2 \$70 CCS00 03.10 34.00 27.74 CC.285 1474.3 14.4 CBS 00811 33.83 34.09 27.74 1474.4		STD	69360	04.26			00.211	1472.7								
\$70 00400 04.16 34.90 27.71 C0.886 1474.0 14.4 085 00434 C4.C8 34.90 27.72 1474.2 \$70 CC880 03.44 34.89 27.74 CC.895 1474.3 14.4 C88 00811 43.83 34.89 27.74 1474.4	14.4	GGS														
14.4 OBS 00424 Ce.C8 34.90 27.72 1474.2 STD CC800 03.84 34.89 27.74 CC.205 1474.3 14.4 CBS 00811 43.83 34.89 27.74 1474.4		STO	00400	04.16			CO.284	1474.0								
SED CC800 03.84 34.89 27.74 CC.295 1474.3 14.4 CBS 00811 43.83 34.89 27.74 1474.4	14.4															
14.4 GBS 00511 01.83 34.89 27.74 1474.4	• • • • • • • • • • • • • • • • • • • •						CC.205									
	14.4															
14.4 GBS YGCE71 93.88 34.88 27.72 1475.6	14.4	COS	TOCETI	03.44	34.44	27.72		1478.6								






TABLE II. CGC CHASE, March 1974—(Continued)

REFID 31 83 CONSEC 60 LAT 47 66 LDNS 846 13	N DAY	1574 (N 63 31 14.2	SOTOP 00338 Ship el Data use l Area et	AIR TEMP WET BULS BARCHETS CLOUD T//	-02.6	SEA CL/TE		WIND-DIR WIND-FOR WIND-FOR WEATHER	14	TRACE			: :	SQ 1306 QUARE 4 QUARE 66 QUARE 76
CASTINUT/T II	E LILTE	DEPTH	TEMP	SAL SE	SMA-T	DYNOPTH	SHC VEL	JXY 6	P 04	TQT P	MOZ	NGJ	5103	m
	870	****	01.78		6.67	CO.600								
16	\$00 S.	40010	01.75 01.13		9.97 7.62	40.611	1455.4							
16	STO	99629 99625	00.00		7 .6 6 7. 6 7	CO.021	1421.5							
	870	90030	96.94	23.74 2	7.00	40.631	1462.5							
10	.2 08\$	90050	01.50 01.55		7.14 7.14	CO.456	1455.7							
10	.2 C84	00074 CC 675	61.61 61.61		7.18 7.16	44 -474	1487.2							
14	.2 084	90017	01.55	23.94 2	7.17		1460.2							
	87D 87D	40100	01.56 02.33	34.03 2	7.17 7.1 5	96.697 96.119	1440-4							
16	.2 088 GT2	00148 00180	69.63 67.50		7.25 7.26	00.141	1443.2							
• •	STP	99200	04.63	34.67 2	7.45	00.177								
14	STD	T00203 G6250	64.37	34.76 2	7.49 7.69	60.206	1472.2							
10	.2 086	40202	04.14	34.64 2	7.66		1472.4							
					+++++	•••••	•							
AGFED SE 23		1 1574	eatgr 00293	AIR TEMP			ST PER	#1M0-01&	27		lar se n	CAST		1 80 1306 GUARE 4
LAT 47 02	M CAY	H 03	SHIP EL CATA USE 1	BARCHETA	1028.4	SEA	2 3	bind-fgr		DURAT	438		2 1	QUARE 64
LONG 045 50	A WOM	14-1	AREA OE	CLEUD 1/	4 6/6	CL/TE		UEATHER	×1	ORIG	A2 054	194	1 1	QUARE 75
CASTINUM/T E	E LYLTYP	CEPTH	TEMP	1AL 51	GMA-T	DYNOFTH	JAD VEL	OXY6	PO4	TCT P	NQ2	NG3	8103	PH
10	570 1 058	(0000	02.10 02.10		7.17 7.17	60.000	1487.3							
	510	40010	92.09	33.96 2	7.16	00.009	1427.4							
16.	.1 C88	40020 90022	02.68 02.08	23.94 2	7.14 7.14	00.414	1467.8 1427.8							
10.	STD	C4630	02.0 7 <i>62.05</i>		7.1 6 7.2 6	60.024	1487.6 1487.8							
	\$ T0	00050	02.65	33.99 2	7.14	60.044	1427.8							
16.	.1 085 STD	94.975			7.1 6 7,16	CC.048	1488.£ 1488.5							
14	880 1. 072	04044	02.11 0 4.10		7.1 0 7.18	60.091	1450.0							
14	.1 005	90125	02.07 02.64	34.01 2	7.19 7.20		1469.3							
	810	00120	03.24	34.29 2	7.32	CG. 134	1468.1							
£ 0.	STD	181001 181001	04.48 04.49	24.73 2	7 .46 7 .5 4	60.148	1471.3 1471.8							
1.0	.1 CBE	100225	04.51	34.77 2	7 ,67		1472.4							
					****	*******	•							
ABFID 31 &		1 1974 FH 05	BOTOP GAJEG	AIR TEMP WET SULS			GT PER	WING-DIR WING-SPO		INST TRACE	NAN SE M CJR	CAST	TE:	1 80 1304 50UARE 4
LAT 47 09 LONG 048 80		31	DATA USE 1 AREA CE	RARCHETR CLCLO T/				WEATHER WEATHER		DURAT DR16	AZ OBI	95		GUARE 75
CASTINUTE	ME LVLTYP STD	EEPTH COOSS	TEMP - 0.68		64A-T	DYNOPTH CO.000	8ND VEL	CXYE	P04	TOT P	NG2	HGJ	\$103	PH
10	.2 (88	90000	- 0.48	23.45 8	6.51		1444.0							
	870 870	00010 00010	- 0.57 - 0.35	23.94 2	6 , 5 4 6 , 5 7	1 10.00	1444.7							
10	.2 C88 870	49024 68030	- 0.30 - 0.15		4.94 7. 9 0	00.033	1446.3							
10	.2 088		00.45	22.72 2	7.07	00.054	1450.6							
10		99674	00.54	23.43 &	7.10		1486.4							
10	.2 085	60678 56654	01.67 01.69		7.16	00.076	1456.4							
	5T0 5T0	90100	01.60	34.02 2	7.21	301.33	1464.8							
19	.2 005	66146	02.66	24.31 2	7.36		1467.1							
	\$70 \$70	66 T 26	03.72 04.44	34.69 2	7.36 7.82	60.140	1467.4							
10		*****	04.45 04.36	34.74 2	7.62	40.202	1471.7							
19		700281	64.39		7.41		1472.2							
************														197

TABLE II. CGC CHASE, March 1974—(Continued)

NBF10 31 2396 COMBEC 8686 LAT 47 37 1 LONG 848 20 1	MON!	R 1974 FM 84 01 R 86.3	SOTOP 00283 SMIP E1 DATA USE 1 AREA 05	MET	TEMP -02.0 BULS -03.5 METR 1027.0 D T/A 6/4		6T PER 1 2	bind-off Wind-for Weather	10	TRACE		TEN SO 1300 5 SOURCE + 2 SOURCE +4 1 SOURCE 76
4 . 4 The w 4 T 1 M P			25.00		#1##A - P							
CASTMM/T IME		DEPTH	TEMP	SAL	\$IGMA-T		SNO VEL	CAT 6	P 04	TGT P	MD2 MD3	\$103 PH
98.3	STD COS	60000	00.67 00.67	33.70 23.76	27.08 27.08	cc.coo	1447.8					
	STO	00010	85.00 85.00	33.71 33.72	27.08 27.08	010.00	1448.7					
00.3	008 ST.0	00024	00.46	23.73	27.00		1450.0					
00.3	088	00048	00.65 00.63	33.74 23.79	27.08 27.10		1460.6					
00.3	STO GBS	64 080 66 673	01.00 01.82	33.80 33.93	27.11 27.17	C0.045	1483.0					
00.3	STD	60075	01.43	23.94 14.038	27 - 1 4 27 - 26	00 .073	1486.0					
-	STD	00100	01.54	34.04	27.26	00.094	1454.7					
44.3	CBS	00144	01.10	34.107	27.31 27.36		1484.3					
00.3	STD Q 8 8	00120	01.10 03.43	14.15 14.575	27.38 27.83	66.133	1486.4					
	\$10 \$10	99269	03.44 03.94	34.59	27.63 27.66		1447.2					
•••3		700272	04.16	34.834	27.64		1471.4					
					****	••••••	•					
REF10 31 2354		141-	BOTOP 00430				er ac-					
COMBEC 0067	MONT	1674 h 04	SHIP CI	WET	TEAP -02.0 BULB -03.2	17	GT PER 1 2	PTM0-220	- 06	TRACE	MANSEN CAST	TEN SO 1306 S SQUARE 4
LAT 48 00 M LONG 045 06 U		01	DATA USE 1		META 1028.2 D T/A 0/3	SEA CL/T6		UEATHER		DURAT. GRIG	10A A2 08807	2 SQUARE 84 1 SQUARE 85
				_								-
CASTNUM/T IME	LVLTYP	GEPTH	TEMP	SAL	S IGNA-T	OTHORTH	SAD VEL	OKAR	PQ4	TOT P	MOS MC3	8 203 PH
	570	60000	- 0.36	33.62	26.95	60.000	1445.6					
03.4	685 870	6 8 6 7 6 60000	- 0.34 - 0.58	33.625 33.67	26. 9 5 27.00	00 -01 1	1445.4					
03.4	COS ATD	00018	- 0.66 - 0.65	33.567 33.50	27.02 27.02	1 20.00	1444.5					
	570 570	40030	- 0.62 - 0.82	33.40	27.03	60.632	1445.0					
93.4	088	C0080	- 0.62	23.636	27.05 27.05		1445.8					
03.4	COS STD	00065 60078	- 0.40 60.68	13.665 33.88	27.09 27.18	00.074	1446.7					
03.4	STD C85	00100	02.56	34.24 34.230	27.34 27.34	CQ -097	1461.3					
•	STO	00125	02.64	34.35	27.42	40.118	1462.2					
03.4	088	00120 00120	02.73 02.73	34.47 34.467	27.51 27.51		1463.2 1463.2					
03.4	570 688	00 200 T 00 205	63.52 64.60	34.72	27.60 27.60	00.159	1469.4					
	STD	00200	04.12 64.18	24.66	27.64	60.144	1471.2					
43.4	488	80305	04.15	34.861	27.48		1472.4					
•3.4	088	C0368	04.67	34.680	27.70		1473.3					
					*****	••••••	•					
AEF10 31 2394	7540	1674	#0106 008E1	ALA .	TEMP 00.6	010 -	GT FER	110-018		IMET .	NANSEN CAST	TEN 50 1300
CONSEC 0 COS	MCNT	P 04	SHAP EL	WET	EULE -00.6	17	1 2	BEND-SPD	16	TRACE	DIR	S SQUARE 4
LONG 048 04 H		01	DATA USE 1		METR 1022.3 D T/A 0/3	SEA CL/TR		HEATMER	XI.	DURAT OR 16	45 62 60 10r	2 SQUARE 84 1 SQUARE 85
CASTNUM/T EME	LVLTYP	DEPTH	TEMP	SAL	SIGNA-T	OYNDETH	SAD VEL	CXAC	PO4	TOT P	MD2 MG3	2103 64
07.4	870 C88	60060	01.63 01.63]4.45]4.45	.7.57 27.57	cc.coc	1456.6					
•	STO	00010	01.43	24.45	27.57		1457.0					
07.4	STD CBS	00020 00020	01.44	34.45 34.45	27.67 27.57	CG. 61 1	1467.1					
07.4	870 984	60030 60042	01.48 01.52	24.46 34.46	27.67 27.67	66.614	1467.5					
07.4	STO	00080	01.63	24.46	27.67	CG-027	1418.0					
	870	66078	01.68	24.46	27.57	60.440	1486.5					
07.6	STD	60160	01.96	34.46 34.46	27.66 27.66	00.083	1450.8					
07.4	870 08 8	60132 60132	01.58	34.46	27 .56 27.67	CO.C67	1469.4					
97.4	STD	CO1E0 0C178	01.67	34.46 34.47	27.67 27.67	£0.050	1459.9					
	510	00260	02.87	24.42	27.42	00.104	1464.8					
07.6	STO	00147 00280	03.50	24.81 24.81	27.67 27.67	CC.136	1470.2					
07.4	STD COS	60300 60313	03.99 04.00	24.66	27.05 27.70	00.182	1471.6					
07.4	C05	60340	03.69 01.64	24.66	27.71 27.71	60.456	1472.9					
07.6	G0 5	00440	03.86	34.67	27.72	•	1473.3					
07.6	688	T00585	03.41	34.44 24.44	27.73	40.234	1474.2					
07.6	570 686	C0400 T00410	03.60 03.47	34.86 34.86	27.74 27.7 5	00.200	1478.3 1478.4					
		·		•			•					

TABLE II. CGC CHASE, March 1974—(Continued)

MEFID 31 2394 CONSEC 9009 LAT 46 49 M LONE 045 02 D	MONT	1574 'H 04 01 10.8	BOTOP 61271 SHIP EL DATA USE 1 AREA DE	WET DARG	TEMP 01.0 SULB 00.0 METR 1018.5 D T/A 3/8		61 PEA 3 3	WING-DIR WIND-SPD WIND-FOR WEATHER	19	TRACE			Tem 80 1306 5 Square 4 2 Square 65
CASTHUM/T EME	LVLTYP	DEPTH	TEMP	SAL -	SIGNA-T	-	SNO VEL	OXYG	P04	TGT P	MO2	MC3	5103 PH
	810	60000	60.78	34.06	27.33	66.000	1451.4						
10.8	COS	00000	00.78	34.04	27.33		1461.4						
	STD	00010	60.74	34.08	27.34	60.008	1461 .7						
10.6	085	00013	00.79	34.06	27.34		1461.6						
	STO	60020	00.63	34.66	27.34	00.015	1462.1						
	STO	C0630	04.54	34-11	27.36	66.822	1462.0						
10.0	CBS	00030	00.54	34.11	27.36		1462.4						
10.6	065	00043	01-18	34.24	27.41		1464-1						
	STO	00054	01.50	24.30	27.47	CO. 036	1455.5						
10.0	CBS	64646	01.00	34.40	27.52		1457.0						
	STO	80075	02.68	14.45	27.05	40.451	1450.0						
10.0	C88	00090	02-21	24.40	27.57		1440.0						
	STD	60100	02.30	34.51	27.50	60.064	1460.6						
	870	80126	62.60	24 - 54	27.60	60.077	1441.5						
10.8	COS	00125	02.50	34.56	27.60		1461.5						
	STO	00120	02.54	34.66	27.63	CO.689	1442-4						
10.0	CBS	60100	02.70	34.66	27.66		1444.3						
	STD	C0200	02.62	34.68	27.66	60.113	1445.1						
	STO	00250	03.46	34.76	27.47	60.136	1466.4						
10.0	088	T00285	C3.50	34.77	27.68		1460.0						
	STD	00300	03.46	34-61	27.69	00.150	1470.2						
10.6	685	00321	03.75	24.63	27.70		1470.5						
10.0	085	100344	03.54	34.47	27.71		1472.0						
•	STO	80400	63.54	24.67	27.71	66.201	1473.0						
	STD		43.00	34.00	47.73	00.244	1474.5						
10.6	008	C0520	03.86	34.00	27.73		1474 .8						
•	STC	60640	03.41	34.69	27.74	C0-246	1475.6						
10.0	085	T00657	63.64	34.66	27.76		1476.8						

TABLE III. CGC SHERMAN, October 1974

REFID CONSE LAT LONG	39	8467 0001 54 N 38 W	MONT	13	SULP LM DATA USE AREA 6	WET L GAS	TEMP 19.4 SULS 17.8 GMETR 0990.2 UD T/A	20	-	u ind—dir uind—spo uind—for ueather	08	TRACE		D		H 80 120 SOUARE 0 SOUARE 1	3
	The car	7 1 4 5	LVLTYP	DEPTH	TEMP	SAL	84GMA-T	0100014	SAD VEL	OXY 6	PQ4	101 P	NO2	1103	* 103	~	
									_	UATE			-				
		19.9	STD COS	00000	23.01 23.01	35.43	24. 58 24. 58	cc. 9 00	1530.9								
			STO	00616	22.00	36.63	24.59	60.034	1931.1								
			STD	00010	22.99 22.99	22. 43	24.59 24.59	00.067	1631.2								
			088	00020	22.99	28.43	24.69		1931 - 2								
			STD	00030	£2.99 22.99	35.43	24.59 24.59	CG.101	1531.4								
			STO	00050	80.13	26.50	25.45	60.164	1527.4								
			CBS STD	00060 06075	21.02 15.74	34.50 34.44	25.45 25.57	60.214	1887.4								
			QSS	00075	19.74	34.48	28.67	******	1824.4								
			085 STD	CO 1 C C	19.12	36.44	26.11	CG.263	1622.9								
			083	60100	14.70	36.48	26.22		1621.9								
			088	60166	16.45	36.43	26.27		1521.3								
			STD	00125 00125	10.32 10.32	36.44 36.44	26.31 26.31		1821.2								
			STO	00120	17.40	34.36	26.40	00.381	1220.0								
			STD	60180	17.40 17.41	36.38 26.39	26.40 26.50	60.434	1519.7								
			085	00200	17.41	26.39	24.50	******	1619.7								
			CBS STD	00211	17.44 16.76	36.41 36.31	26.61 26.65	00.512	1620.0								
			COS	00250	14.74	34.31	26.59	44.812	1616.5								
			STD	C6 300	18.55	26.16	26.66	CO.588	1814.0								
			STD	60300 60400	15.99 14.09	36.16 38.84	26.46 26.83	00.725	1512.1								
			088	00400	14.69	35.84	26.83		1512.1								
			CBS	00430	13.79 13.42	38.79 38.82	26.44 26.88		1511.5								
			085	00469	12.64	35.62	26.92		1500.0								
			OBS STD	00479 00506	12.91 12.58	35.44 35.44	26.96 26.99	60.857	1509.3								
			COS	64500	12.58	35.64	24.99	40.657	1804.5								
			570 085	C0600	16.20	35.26 35.26	27.15	60.570	1801.J 1861.J								
			STD	60700	10.20 08. 26	35.13	27.15 27.36	01.064									
			C8S	CC 700 00749	64.24	25.13	27.36		1465.6								
			STD	60800	07.61 06.62	38.10 35.04	27.43 27.63	01.143	1453.5								
			085	60800	06.62	25.044	27.53		1450.8								
			C85	60864 00884	05.67 05.25	38.050 38.070			1489.3								
			STD	60900	95.68	16.08	27.44	01.206	1466.7								
			085 085	00924	05.68 05.43	38.063 25.023			1488.7								
			STO	01000	05.14	35.02	27.70	¢1.261	1466.1								
			OBS OBS	61000 01022	05.14 04.40	35.020			1488.1								
			STD	C1100	04.61	36.02	27.70	01.312	1488.5								
			CBS STD	C1100	94.61	35.020			1468.5								
			CES	61260	04.54 04.56	35.00 35.005	27.7 5 27.75	01-361	1489.1								
			CAS	01240	04.46	24.990	27.75		1469.3								
			COS	61 26 4	64.14 64.48	34.940			1448.3								
			STD	61300	04.43	15.00	27 .76	A1.410	1460.2								
			CBS	01300 J1342	64.43 04.24	35.002 34.940			1460.2								
			STO	41444	04.28	35.06	27.78	61.457	1491.3								
			cos cos	01400 01483	04.28 04.12	36.000 34.990			1451.3								
			STD	01500	04.01	34.57	27.78	81.504	1451.0								
			CBS	61860	04.01	34.970	27.76		1451.6								

TABLE III. CGC SHERMAN, October 1974—(Continued)

LAY 40 56 0 C CAY 102 1 POLAN STORY POLAN STORY PROPERTY 1023-2 AREA CONTROL 121-121-121-121-121-121-121-121-121-121	COMPE (:	940 900	E MONT		8070P 63677 SHLP LH	BET	TEMP 20.1 864.8 17.3	10	ST PER	#140-860 #140-018		INST TRACE		CORDER D		N 50 /	1 1
CASTMUNTIME LVLTYP CEPTH TEMP S.M. 110M-T 0w0071 bm Val. Qure poe TOT P AGE MC3 SAGE PART PAGE MC3 SAGE PAGE PAGE PAGE PAGE PAGE PAGE PAGE P												-	DURAT	ASE				
02.2 GB	LONG	850	30 (HOUR	92.2	AREA GI	crer	0 1/4	CL/TE		ue ather	X I	0816	A4 61	200		SOUNFE	. 04
02.2 Case Case	CAST	NUM	/T LME	LVLTVP	CEP1 H	TEMP	5.AL	SIGMA-T	0 WIPTH	316 VEL	DXYG	204	107 P	AGE	NGJ	5 4 6 3	PH	
### STD CODIE 22.11 21.05 24.71 60.022 141.05 10.00 10									CG.000	1650.5								
Color Colo			02.2															
STD 00020 22.11 38.07 24.71 Co. 681 1220 CO.									*****									
OBS									CO.862									
COS COS									*******									
## STD 00016 15.40 34.77 28.90 60.81 1222.6 ## STD 00017 14.04 34.34 36.17 9.80 1222.6 ## STD 00017 14.04 34.34 36.17 9.80 1222.6 ## STD 00018 14.04 34.34 36.17 9.80 1222.6 ## STD 00018 14.04 34.34 36.17 9.80 1222.6 ## STD 00108 14.04 17.51 34.34 36.37 1222.6 ## STD 00128 16.76 34.14 36.37 1222.6 ## STD 00128 16.76 34.14 36.37 1222.6 ## STD 00128 16.76 34.14 36.37 1222.6 ## STD 00128 16.22 34.06 36.38 36.38 1222.6 ## STD 00128 16.22 34.06 36.38 36.38 36.38 1222.6 ## STD 00128 16.22 34.06 36.38 36.38 32.21 ## STD 00128 16.22 34.06 36.38 36.38 36.38 32.21 ## STD 00128 16.22 34.06 36.38 36.38 36.38 32.21 ## STD 00128 16.22 34.07 36.91 36.71 ## STD 00128 16.22 34.07 36.91 36.71 ## STD 00128 16.22 34.07 36.71 36.71 ## STD 00128 16.22 34.07 36.71 36.71 ## STD 00128 16.22 34.07 36.71 36.07 ## STD 00028 00028 13.42 37.71 36.07 36.71 ## STD 00028 00028 13.42 37.71 36.07 36.71 ## STD 00028 00028 13.42 37.72 36.07 36.07 ## STD 00028 00028 13.42 37.43 36.77 36.07 ## STD 00028 00028 13.42 37.43 36.07 36.07 ## STD 00028 00028 13.44 37.43 36.07 36.07 ## STD 00028 00028 00028 37.44 37.45 37.45 37.45 ## STD 00028									60.667									
COS 00000 19.40 34.77 28.91 1222.0 31D 06075 14.64 34.34 26.17 80.201 1222.0 085 00075 14.64 34.34 26.17 81.77 1222.0 120 0000 10.17 17.01 33.34 26.17 80.201 1122.0 080 00015 14.01 33.34 26.17 80.201 1122.0 081 00125 14.15 33.44 26.27 62.20 121 0000 00126 14.15 33.44 26.27 62.20 210 00120 14.21 34.00 26.35 121 00120 14.21 34.00 26.35 122 00120 14.00 26																		
STD COURT 14.46 24.36 26.37 20.28 1220.0									60.181									
085 00075 14-00 25-10 20-10 11-01 15-12 25-17 00-200 1110-5									60.201									
085							36.34	26.17										
STO									00.244									
OBS																		
STO 06180 10-22 30-00 20-56 1115-0 085 00180 10-22 30-00 20-55 085 00200 10-61 38-00 20-72 1211-2 085 00200 10-61 38-00 20-72 1211-2 085 00200 10-61 38-00 20-72 1211-2 085 00200 10-61 38-00 20-72 1211-2 085 00200 10-61 38-00 20-72 1211-2 085 00200 10-61 38-00 20-72 1211-2 085 00200 10-61 38-00 20-72 1311-0 085 00200 10-62 38-00 20-72 1311-0 085 00200 10-62 38-00 20-72 126-00																		
STD				STO					60.326									
CASE OGREGO 14.81 38.89 30.72 121.17 OBS OGREGO 14.81 38.89 30.72 1511.7 OBS OGREGO 14.62 21.63 36.72 1511.7 OBS OGREGO 14.62 21.63 36.72 1501.7 OBS OGREGO 14.64 38.78 26.77 8.466 120.6 OBS OGREGO 14.64 38.78 26.77 120.6 OBS OGREGO 14.64 38.78 26.60 180.6 OBS OGREGO 14.62 31.70 31.71 26.62 1800.6 OBS OGREGO 13.70 31.71 26.62 1800.6 OBS OGREGO 13.70 31.71 26.62 1800.6 OBS OGREGO 13.70 31.70 31.71 26.62 1800.7 OBS OGREGO 05.00 31.70 31.70 31.71 26.62 1800.7 OBS OGREGO 05.00 35.10 31.7																		
OBS 0026 14.03 38.01 10.71 1511.7 OBS 00214 14.02 12.03 16.72 15.01 ATD 04280 14.06 35.78 26.77 80.006 1800.0 OBS 00282 14.12 38.00 26.00 1800.0 OBS 00282 14.12 38.00 26.00 1800.0 OBS 00282 14.12 38.00 26.00 1800.0 OBS 00281 13.02 35.77 26.04 1800.0 OBS 00281 13.02 35.77 26.04 1800.0 OBS 00281 13.02 35.77 26.04 1800.0 OBS 00281 13.02 35.77 26.04 1800.0 OBS 00281 13.02 35.77 26.04 1800.0 OBS 00281 13.02 35.07 26.08 1800.0 OBS 00281 13.02 35.07 26.08 1800.0 OBS 00280 13.00 35.03 35.09 26.08 1800.0 OBS 00280 13.00 35.03 35.09 26.08 1800.0 OBS 00280 13.00 35.03 35.09 26.00 1800.0 OBS 00280 01.00 20.03 27.05 06.05 1800.0 OBS 00280 07.02 36.00 27.05 10.									60.400									
APP Quarter 14.42 24.43 26.77 1880.0 1890.0																		
### 120 40:20 14-06 35.78 26.77 68.406 1209.0 ### 1209.0 14-06 35.78 26.77 68.406 1209.0 ### 1209.0 14-08 35.78 26.40 1509.0 ### 1209.0 14-08 14-12 25.60 26.60 1509.0 ### 1209.0 14-08 14-12 25.60 26.60 1509.0 ### 1209.0 14-08 14-12 25.60 26.60 1509.0 ### 1209.0 14-08 14-12 25.60 27.60 26.60 1509.0 ### 1209.0 14-08 14-12 25.60 27.60 27.60 27.60 27.60 27.60 ### 1209.0 27.60 27.60 27.60 27.60 27.60 27.60 ### 1209.0 27.60 27.60 27.60 27.60 27.60 27.60 ### 1209.0 27.60 27.60 27.60 27.60 27.60 ### 1209.0 27.60 27.60 27.60 27.60 27.60 ### 1209.0 27.60																		
CBS CBZ 14-12 35-60 26-60 15CC-6 CBS CBZ C									60.445									
CBS CB276 13-70 38-71 26-82 1506-8 CBS CB264 13-62 38-77 26-88 1506-8 1506-8 CBS 60254 13-63 38-69 26-88 1506-8 1506-8 CBS 60250 13-60 38-78 26-87 26-88 1506-8 CBS CB26 CBS CB26 CBS CB26 CBS CB26 CBS CB26 C										1505.4								
CBS 06264 13.62 36.77 26.08 1866.0 STO 06300 13.60 35.78 26.87 00.235 1866.7 CBS 06260 13.60 35.78 26.87 00.235 1866.7 STO 06300 13.60 35.78 26.87 00.235 1866.7 STO 06400 11.40 35.43 27.05 00.48 1808.8 STO 06400 11.00 12.03 27.05 00.48 1808.8 STO 06400 05.60 35.16 27.25 00.786 1808.8 STO 06400 05.60 35.16 27.25 00.786 1808.3 STO 06400 07.23 36.66 27.35 1698.3 STO 06400 07.23 36.66 27.45 00.500 188.0 STO 06400 07.23 36.66 27.55 1808.0 STO 06400 05.42 36.02 27.55 1808.0 STO 06400 05.42 36.02 27.56 00.500 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.56 188.0 STO 06400 05.42 36.02 27.76 188.0 STO 06400 05.13 36.02 27.73 1880.6 STO 06500 06.11 36.02 27.73 1880.6 STO 06500 06.13 36.02 27.73 1880.6 STO 06500 06.13 36.02 27.73 1880.6 STO 01000 06.13 36.02 27.73 1880.6 STO 01000 06.13 36.02 27.77 1880.6 STO 01200 06.20 36.02 27.77 1880.2 STO 01200 06.35 36.00 27.77 1880.2 STO 01200 06.35 36.00 27.77 1880.2 STO 01200 06.35 36.00 27.77 1880.2 STO 01200 06.35 36.00 27.77 1880.2 STO 01200 06.31 36.00 27.77 1880.2 STO 01200 06.31 36.00 27.77 1880.2 STO 01200 06.31 36.00 27.77 1880.2 STO 01200 06.31 36.00 27.77 1880.2 STO 01200 06.31 36.00 27.77 1880.2 STO 01200 06.31 36.00 27.77 1880.0 STO 01200 06.31 36.00																		
\$10 04304 33.46 35.78 26.407 00.536 1560.7 \$20 04304 33.40 35.78 20.407 1562.7 \$20 04304 31.40 35.78 20.407 1562.7 \$20 04305 01.300 13.40 35.78 20.407 1562.7 \$20 04305 01.40 21.43 27.03 27.05 00.628 1562.5 \$20 04006 11.40 21.43 27.03 1662.5 \$20 04006 01.40 15.16 27.25 00.756 1495.3 \$20 04006 07.23 15.16 27.25 1495.3 \$20 04006 07.23 15.06 27.45 1495.9 \$20 04006 07.23 15.06 27.45 1495.9 \$20 04006 07.23 15.06 27.45 00.908 1446.6 \$20 05.42 15.02 27.45 1496.6 \$20 0400 05.42 15.02 27.46 1496.6 \$20 05.42 15.02 27.46 1496.6 \$20 05.42 15.02 27.46 1496.6 \$20 05.42 15.02 27.46 1496.6 \$20 05.42 15.02 27.46 1496.6 \$20 05.42 15.02 27.46 1496.6 \$20 05.42 15.02 27.46 1496.6 \$20 05.42 15.02 27.46 1496.6 \$20 05.42 15.02 27.46 1496.6 \$20 05.42 15.02 27.46 1496.6 \$20 05.42 15.03 27.71 1496.6 \$20 05.43 04.67 15.03 27.71 1496.6 \$20 05.40 05.41 15.03 27.71 1496.6 \$20 05.40 05.42 15.02 27.30 1496.6 \$20 05.40 05.42 15.03 27.71 1496.6 \$20 05.40 05.42 15.03 27.71 1496.6 \$20 05.40 05.42 15.03 27.71 1496.6 \$20 05.40 05.42 15.04 27.73 1496.6 \$20 05.40 05.42 15.04 27.73 1496.6 \$20 05.40 05.40 05.20 12.70 1496.6 \$20 05.40 05.40 05.20 12.70 1496.6 \$20 05.40 05.40 05.20 12.70 1496.6 \$20 05.40 05.40 05.20 12.70 1496.6 \$20 05.40 05.40 05.20 12.70 1496.6 \$20 05.40 05.20 05.20 12.70 1496.6 \$20 05.40 05.20 05.20 05.20 12.70 1496.6 \$20 06.40 05.40 05.20 12.70 1496.6 \$20 06.40 05.40 05.20 12.70 1496.6 \$20 06.40 05.40 05.20 12.70 1496.6 \$20 06.40 05.40 05.40 12.40 12.40 1496.6 \$20 06.40 05.40 05.40 12.40 12.40 1496.6 \$20 06.40 05.40 05.40 12.40 12.40 12.40 1496.6 \$20 06.40 05.40 05.40 12.40 12.40 12.40 1496.6 \$20 06.40 05.40 05.40 12.40 12.40 12.40 1496.6 \$20 06.40 05.40 05.40 12.40 12.40 12.40 1496.6 \$20 06.40 05.40 05.40 12.40 12.40 12.40 12.40 1496.6 \$20 06.40 05.40 05.40 12.40 12.40 12.40 12.40 1496.6 \$20 06.40 05.40 05.40 12.40 12.40 12.40 12.40 1496.6 \$20 06.40 05.40 05.40 12.40																		
\$10 00300 13.60 13.70 20.07 20.07 20.07 1500.7 \$10 00300 13.60 11.70 20.03 27.05 40.61 1500.7 \$10 00400 11.40 20.03 27.05 40.62 1500.5 \$10 00400 11.40 15.10 27.25 10.00 100.5 \$10 00400 09.00 15.10 27.25 10.00 100.3 \$10 00400 09.00 15.10 27.25 10.00 100.3 \$10 00400 07.23 15.00 27.45 10.00 100.3 \$10 00400 07.23 15.00 27.45 10.00 100.3 \$10 00400 07.23 15.00 27.55 10.00 100.3 \$10 00400 09.00 10.10 26.00 27.55 10.00 100.3 \$10 00400 09.00 27.25 10.00 100.00 100.00 100.00 \$10 00400 09.00 27.50 10.00 100.00 100.00 100.00 \$10 00400 09.00 27.50 10.00 100.00 100.00 100.00 \$10 00400 09.00 27.50 10.00 100.00 100.00 100.00 \$10 00400 09.00 27.50 10.00 100.00 100.00 100.00 \$10 00400 09.00 17.00 17.00 100.00 100.00 100.00 100.00 \$10 00400 09.00 17.00 17.00 100.00 100.00 100.00 100.00 \$10 00400 09.00 17.00 17.00 100.0																		
STD 00-00					00 300	13.60	35.75		00.235									
### STO ### ### ### ### ### ### ### ### ### #																		
### ### ### ### #### #### #### ########									00.484									
OBS 00000 07.23 25.06 27.05 1009.3									00-156									
STO 00000 07.23 25.06 27.05 1489.0 OBS C0000 05.42 35.06 27.05 1489.0 STO 00000 05.42 35.02 27.06 1488.0 STO 00000 05.42 35.02 27.06 1488.0 GBS 00000 05.42 35.01 27.06 1488.0 STO 00000 05.42 35.01 27.00 1488.0 STO 00000 05.42 35.01 27.00 1488.0 STO 00000 05.41 36.03 27.71 1488.0 STO 00000 05.11 36.03 27.71 1484.0 GBS 00000 05.11 36.03 27.71 1484.0 CBS 00000 05.11 36.03 27.73 1486.0 CBS 00000 06.11 36.03 27.73 1486.0 CBS 01000 04.01 35.02 27.73 1486.0 STO 01000 04.01 35.02 27.73 1487.2 CBS 01000 04.01 35.02 27.73 1487.2 CBS 01000 04.01 35.02 27.73 1487.2 CBS 01000 04.01 35.02 27.73 1487.2 CBS 01000 04.01 35.02 27.73 1487.2 CBS 01000 04.01 35.02 27.73 1487.2 CBS 01000 04.01 35.02 27.73 1488.0 STO 01000 04.35 35.00 27.77 1488.0 CBS 01200 04.35 36.00 27.77 1488.0 CBS 01200 04.35 36.00 27.77 1488.0 CBS 01200 04.35 36.00 27.77 1488.0 CBS 01300 04.01 34.982 27.77 CJ.200 1488.0 CBS 01300 04.01 34.982 27.77 CJ.200 1488.0 STO 01300 04.01 34.982 27.77 CJ.200 1488.0 CBS 01300 04.01 34.982 27.77 CJ.200 1488.0 STO 01300 03.60 24.944 27.78 1488.0 STO 01300 03.60 24.944 27.78 1488.0 STO 01300 03.60 24.944 27.78 1488.0 STO 01300 03.60 24.944 27.78 1488.0 STO 01300 03.60 24.944 27.78 1488.0 STO 01300 03.60 24.944 27.78 1488.0 STO 01300 03.60 24.944 27.78 1488.0 STO 01300 03.60 24.944 27.78 1488.0 STO 01300 03.60 24.944 27.78 1488.0									001750									
STD 60700 06.34 25.06 27.58 00.908 1488.6 STD 06800 05.42 25.020 27.66 GBS 06800 05.42 25.020 27.66 GBS 06800 05.42 25.020 27.66 GBS 08000 05.42 25.010 27.66 STD 06900 05.11 26.03 27.71 01.010 1486.6 GBS 0900 05.11 26.03 27.71 1486.6 GBS 0900 05.11 36.033 27.71 1486.6 CBS 0900 05.11 36.033 27.71 1486.6 CBS 0900 06.11 36.033 27.72 1486.6 CBS 0900 06.11 36.032 27.73 1486.6 CBS 0900 06.11 36.032 27.73 1486.6 CBS 01600 06.61 35.02 27.73 1486.6 CBS 01600 06.61 35.02 27.73 1487.2 CBS 01600 06.61 35.02 27.73 1487.2 CBS 01600 06.61 35.02 27.73 1487.2 CBS 01600 06.62 35.02 27.73 1487.2 CBS 01600 06.63 25.01 27.76 1487.2 CBS 01600 06.53 25.01 27.76 1487.2 CBS 01600 06.53 25.01 27.76 1486.6 STD 01800 06.35 35.00 27.77 1486.6 CBS 01200 06.31 36.90 27.77 1486.6 CBS 01200 06.01 36.90 27.77 1486.6 CBS 0						67.23	25.06	27.45	CC.439									
CBS CC700 06.34 35.06 27.56 1000.0 STO 00000 05.42 35.02 27.06 1000.0 GBS C0000 05.42 35.02 27.06 1000.0 GBS C0000 05.42 36.02 27.06 1000.0 STO C0000 05.11 36.03 27.71 10.01 1000.0 CBS C0000 05.11 36.03 27.71 10.01 1000.0 CBS C0000 05.11 36.03 27.71 10.01 1000.0 CBS C0000 05.11 36.03 27.71 10.01 1000.0 CBS C0000 05.11 36.03 27.71 10.01 1000.0 CBS C0000 05.11 36.03 27.73 1000.0 CBS 00542 04.52 26.03 27.73 1000.0 SO SO SO SO SO SO SO SO SO SO SO SO SO S																		
STD 00000 05.42 35.02 27.06 1000.0 GBS 00000 05.42 35.02 27.06 1406.0 GBS 00000 05.41 26.03 27.71 01.010 GBS 00000 05.41 26.03 27.71 1406.0 GBS 00000 05.41 26.03 27.71 1406.0 GBS 00000 05.41 26.03 27.71 1406.0 GBS 00000 05.41 26.03 27.73 1406.0 GBS 00000 05.41 26.03 27.73 1406.0 GBS 00000 05.41 26.03 27.73 1406.0 GBS 00000 06.41 26.040 27.73 1406.0 GBS 00000 06.51 26.040 27.73 1406.0 GBS 00000 06.51 26.040 27.73 1406.0 GBS 01000 06.51 26.040 27.73 1407.2 GBS 01000 06.51 26.02 27.74 1407.2 GBS 01000 06.54 25.01 27.76 1407.3 GBS 01000 06.54 25.01 27.76 1407.3 GBS 01000 06.53 26.00 27.77 1407.3 GBS 01200 06.35 36.00 27.77 1408.0 GBS 01200 06.35 36.00 27.77 1408.0 GBS 01200 06.35 36.00 27.77 1408.0 GBS 01201 06.25 26.00 27.77 1408.0 GBS 01202 06.35 36.00 27.77 1408.0 GBS 01203 06.35 36.00 27.77 1408.0 GBS 01204 06.13 36.00 27.77 1408.0 GBS 01205 06.13 36.00 27.77 1408.0 GBS 01206 06.13 36.00 27.77 1408.0 GBS 01207 06.13 36.00 27.77 1408.0 GBS 01208 06.01 36.00 27.7									co. c oe									
CAS CORDO 05.42 25.020 27.00 1446.0 OBS 80040 CS.15 25.010 27.00 1446.0 STD COSD 05.11 26.03 27.71 01.01 146.4 CBS COSD 05.11 36.033 27.71 146.4 CBS 00524 04.52 25.030 27.73 1446.5 CBS 00542 04.57 25.040 27.73 1446.6 OBS 0542 04.57 25.040 27.73 1446.6 OBS 0542 04.57 25.040 27.73 1446.6 CBS 01400 04.51 25.02 27.73 1446.6 OBS 01400 04.51 25.02 27.73 1447.3 OBS 01400 04.51 25.02 27.74 1446.0 STD 01200 04.51 35.020 27.77 1446.0 OBS 01200 04.35 35.00 27.77 1446.2 OBS 01201 04.35 35.00 27.77 1446.2 OBS 01202 04.37 34.02 27.77 1446.2 OBS 01203 04.01 34.02 27.77 1446.2 OBS 01203 04.01 34.02 27.77 1446.2 OBS 01203 04.01 34.02 27.77 1446.2 OBS 01203 04.01 34.02 27.77 1446.2 OBS 01203 04.01 34.02 27.77 1446.2 OBS 01203 04.01 34.02 27.77 1446.4 STD 01400 03.66 24.04 27.78 1446.4 STD 01400 03.66 24.04 27.78 1446.4 STD 01400 03.66 24.04 27.78 1446.4 STD 01400 03.66 24.04 27.78 1446.4 STD 01400 03.66 24.04 27.78 1446.4 STD 01400 03.66 24.04 27.78 1446.4 STD 01400 03.66 24.04 27.78 1446.4 STD 01400 03.66 24.04 27.78 1446.4									CO.566									
\$TO C0900 05.11 36.033 27.71 01.01e 416.0 CB\$ C0900 05.11 36.033 27.71 1446.4 CB\$ 09510 04.52 26.030 27.73 1466.5 CB\$ 0852 04.52 26.030 27.73 1466.5 OB\$ 0852 04.52 36.044 27.73 1446.4 \$TO 01000 04.51 35.024 27.73 1447.3 \$TO 01000 04.51 35.024 27.73 1447.3 OB\$ 01400 04.51 35.024 27.73 1447.2 OB\$ 01400 04.50 35.024 27.73 1447.2 OB\$ 01400 04.50 35.024 27.70 1466.0 \$TD 01100 04.54 35.010 27.70 1466.0 \$TD 01200 04.35 35.00 27.77 1466.0 OB\$ 01200 04.35 35.00 27.77 1466.0 OB\$ 01200 04.35 35.00 27.77 1466.0 OB\$ 01203 04.12 30.00 27.77 1466.0 STO 01300 04.12 30.00 27.77 1466.0 STO 01300 04.12 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0 STO 01400 03.00 30.00 27.77 1466.0																		
CAS CO-90 05.11 35.033 27.71 1446.4 CBS 00524 04.52 25.030 27.73 1446.5 CBS 00524 04.52 25.030 27.73 1446.5 CBS 00524 04.57 25.044 27.73 1446.5 OBS 00522 04.57 25.044 27.73 1447.3 STD 01000 04.51 35.022 27.73 1427.2 CBS 01404 04.51 35.022 27.73 1427.2 OBS 01404 04.51 35.022 27.73 1427.2 OBS 01404 04.51 35.022 27.74 1406.6 STD 01100 04.54 25.01 27.76 C1.117 1427.3 STD 01100 04.55 35.00 27.77 1427.3 OBS 01200 04.35 35.00 27.77 1428.5 OBS 01223 04.12 34.024 27.74 1408.2 OBS 01223 04.12 34.024 27.74 1408.2 OBS 01223 04.12 34.024 27.74 1408.2 OBS 01223 04.12 34.024 27.77 1408.6 STD 01300 04.01 34.020 27.77 1408.6 CBS 01300 04.01 34.020 27.77 1408.6 STD 01400 03.65 24.044 27.72 1408.6 STD 01400 03.65 24.044 27.72 1408.6 STD 01400 03.65 24.044 27.72 1408.6 STD 01400 03.65 24.044 27.72 1408.6 STD 01400 03.65 24.044 27.72 1408.6 STD 01400 03.65 24.044 27.72 1409.6																		
CBS 0044 04.52 35.030 27.73 1406.5 CBS 0043 04.67 26.044 27.73 1406.5 OBS 0052 04.67 35.024 27.73 1407.2 CBS 01400 04.61 35.024 27.73 1407.2 CBS 01400 04.61 35.024 27.73 1407.2 OBS 01400 04.60 35.022 27.74 1408.0 STD 01100 04.54 35.010 27.00 STD 01200 04.35 35.00 27.77 1408.0 OBS 01200 04.35 35.00 27.77 1408.0 OBS 01200 04.35 35.00 27.77 1408.0 OBS 01203 04.35 35.00 27.77 1408.0 OBS 01203 04.35 35.00 27.77 1408.0 OBS 01203 04.35 35.00 27.77 1408.0 OBS 01203 04.35 35.00 27.77 1408.0 OBS 01203 04.35 35.00 27.77 1408.0 OBS 01203 04.35 35.00 27.77 1408.0 OBS 01203 04.12 34.000 27.77 1408.0 OBS 01203 04.13 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0 OBS 01203 04.01 34.020 27.77 1408.0									01.018									
CAS																		
085 0854 04.57 25.044 27.73 1447.3 3TO 01000 04.51 35.022 27.72 01.662 1447.2 C83 01404 04.51 35.024 27.72 1427.2 085 01404 04.51 35.024 27.72 1427.3 3TD 01100 04.54 35.010 27.76 1405.0 STD 01200 04.38 35.00 27.77 1407.3 088 01200 04.38 35.00 27.77 01.463 1408.2 088 01200 04.38 35.00 27.77 1408.4 088 01201 04.38 35.00 27.77 1408.4 088 01202 04.38 35.00 27.77 1408.4 088 01203 04.32 34.00 27.77 1408.4 088 01203 04.32 34.00 27.77 1408.4 088 01203 04.12 34.00 27.77 1408.4 088 01203 04.13 34.00 27.77 1408.4 088 01203 04.13 34.00 27.77 1408.4 088 01203 04.13 34.00 27.77 1408.4 088 01203 04.13 34.00 27.77 1408.4 088 01203 04.13 34.00 27.77 1408.4 088 01203 04.13 34.00 27.77 1408.4 088 01308 04.01 34.00 27.77 1408.4 088 01308 04.01 34.00 27.77 1408.4 088 01308 04.01 34.00 27.77 1408.4 088 01308 04.01 34.00 27.77 1408.4 088 01308 04.01 34.00 27.77 1408.4																		
CBS 01404 04.01 35.020 27.72 1407.2 OBS 01404 04.02 35.022 27.74 1408.0 STD 01100 04.54 35.010 27.76 1407.3 OBS C1100 04.55 35.00 27.77 1408.2 OBS C1200 04.35 35.00 27.77 1408.2 OBS C1200 04.35 35.00 27.77 1408.4 OBS C1201 04.35 35.00 27.77 1408.4 OBS C1202 04.35 35.00 27.77 1408.6 OBS 01203 04.32 34.00 27.77 1408.6 OBS 01203 04.12 34.00 27.77 1408.6 OBS 01203 04.13 34.00 27.77 1408.6 OBS 01203 04.13 34.00 27.77 1408.6 CBS 01300 04.01 34.00 27.77 1408.6 CBS 01300 04.01 34.00 27.77 1408.6 CBS 01300 04.01 34.00 27.77 1408.6 CBS 01300 04.01 34.00 27.77 1408.6 CBS 01300 04.01 34.00 27.77 1408.6 CBS 01300 04.01 34.00 27.77 1408.6 STD 01300 03.65 24.04 27.78 1408.6																		
OBS 01464 04.62 35.028 27.76 1466.08 27.00 04.04 27.75 04.04 27.77 04.163 04.73 1467.3									61.668									
37D 01100 04.54 25.01 27.76 C1.117 1467.3 088 C1104 04.55 35.00 27.77 04.103 1487.3 STD 01200 04.35 35.00 27.77 04.103 1488.2 088 C1200 04.35 35.00 27.77 1488.3 088 C1201 04.12 34.00 27.77 1488.4 088 C1201 04.12 34.00 27.77 1488.4 088 C1201 04.12 34.00 27.77 1488.4 STD C1304 04.01 34.00 27.77 1488.4 STD C1304 04.01 34.00 27.77 1488.4 STD C1408 03.66 34.04 27.78 1488.4 STD C1408 03.66 34.04 27.78 1488.4 STD S1880 03.66 34.04 27.78 1488.4 STD S1880 03.66 34.04 27.78 1488.4																		
088									61.117									
\$70 01200 04.35 35.00 27.77 01.103 1408.2 088 61200 00.35 35.000 27.77 1488.2 088 61243 04.12 34.982 27.77 1488.4 088 61243 04.12 34.984 27.76 1488.1 088 61249 04.13 34.570 27.77 1488.1 \$70 01300 04.01 34.570 27.77 1408.6 \$70 01300 04.01 34.580 27.77 1408.6 \$70 01400 03.46 34.58 27.77 1408.6 \$70 01400 03.46 34.58 27.77 1408.6 \$70 01400 03.46 34.58 27.78 1408.6 \$70 01400 03.46 34.58 27.78 1408.6 \$70 01400 03.46 34.58 27.78 1408.6																		
088 61263 04.26 30.982 27.77 1088.6 088 61263 04.12 34.984 27.76 1488.1 088 61262 04.13 34.670 27.77 1088.6 STO C1300 04.01 34.670 27.77 C1.205 1488.4 CDS 61260 04.01 34.980 27.77 1488.4 STO 01400 03.46 34.980 27.77 01.258 1488.4 CSS 01400 03.46 34.984 27.78 01.258 1488.4 STD 01880 03.46 34.92 24.94 27.78 1489.4								27.77	01.163	1406.2								
GBS 61263 04.12 34.084 27.70 1486.1 GBS 61292 04.13 34.074 27.77 1408.0 STO C1306 04.01 34.082 27.77 C1.200 1408.0 CBS 61308 04.01 34.080 27.77 1408.0 STO G1408 03.66 24.044 27.72 G1.255 1408.0 STD 61408 03.66 24.044 27.72 G1.256 1408.0 STD 61808 03.68 24.044 27.72 G1.300 1408.0																		
OBS 61292 64:13 34:526 27:77 1400.8 STO C1308 64:61 34:58 27:77 C1:209 1408.4 CBS 61308 64:61 34:580 27:77 1408.4 STO 01408 63:68 34:54 27:78 61:258 1408.4 CGS 01408 03:68 34:54 27:78 61:258 1408.4 STD 01808 63:62 34:54 27:78 1408.4																		
\$70 C1304 04.01 30.00 27.77 61.205 1468.0 CBS C1306 04.01 30.000 27.77 1468.0 \$70 01406 03.64 30.04 27.78 01.255 1469.0 CBS 01406 03.66 30.004 27.78 1469.0 \$70 01806 03.65 30.004 27.78 1469.0																		
\$70 01408 03.66 30.64 27.78 01.25% 1089.6 COS 01400 03.06 30.944 27.78 1469.6 \$70 01600 03.62 30.94 27.78 01.30% 1469.9				570	C1304				61.205									
CBS G1400 03.66 24.944 27.72 1449.4 STD 81880 63.62 24.94 27.72 61.302 1450.9																		
\$7D 01500 03.62 30.00 27.78 01.302 1050.0									61.266									
									41.344									
									41.444									

TABLE III. CGC SHERMAN, October 1974—(Continued)

AGF10 31 6467 CQMSEC 6663 LAT 41 26 M LAMS 666 20 U	HQMT SAV	1974 H 18 19	BOTOP 03006 SHEP IN DATA USE I AREA SS	AIR 1 BARDI GLGVI	MLB LT.S	DER PO 30 SEA CL/TR	ST PER	BIND-DIR BIND-SPS BIND-FOR BIATHER	10	TRACE		4.0		H SG 1307 SGMARE 1 SGMARE 00 SGMARE 10
CASTRUM/T LINE	LVLTW	DEPTH	TEMP	SAL.	T-AMDIB	OVNOFTH	510 VEL	OXY 6	P04	TOT P	HOR	NOS	\$10J	PH
	410	(4444	20.34	36.20	24.04	CO.000	1643.3							
07.4	084	50000	20.34	26.20	24.04	******	1543.3							
	STO	00010	26.32	30.20	24.86	CO. 434	1143.4							
	084	66616	20.32	35.26	24.05		1523.4							
	270	00020	26.20	36.16	24.07	CO.062	1223.2							
	665	40020	20.20	30.10	24.07		1113.2							
	STD	00030	20-15	38 - 16	24.86	00.693	1623.2							
	270	44424	20.18 10.47	36-16	24.00		1113.2							
	ces	00000	14.47	36.42 36.42	24.04 24.04	00.144	1814.7							
	STD	00076	15.44	38.05	26.46	66.189	1614.7							
	088	66678	15.44	38.46	20.40	******	1512.3							
	STD	60100	15.29	36.91	26.43	CC.224	4614.1							
	084	66166	14.85	35.91	26.63		1911.1							
	870	****	14.64	34.63	26.70	60.263	IBCS.4							
	004	66152	14.66	36.63	86.70		1509.4						•	
	870	66120	14.67	26.73	26.76	20.267	1807.8							
	085	60126	14.67	16.73	26.76		1667.5							
	870	00200	13.40	35.66	24.54	00.363	1506.3							
	840 810	90200	13.40 12.51	25.44 35.54	24 . 84 26 . 93	** ***	1864.3							
	005	60250	15.61	28.54	26.93	44.425	1504.0							
	870	94300	11.41	36.34	27.07	CO.442	1459.4							
	285	60200	11.11	38.34	27.07	441462	1499.0							
	STD	00400	69.10	36.17	27.24	60.501								
	CBS	60460	69.10	38.17	27.24		1454.2							
	870	(4500	07.63	36.07	27.42	98.665	1469.4							
	COS	12500	67.23	28.07	27.42		1469.4							
	510	****	96 - 16	16.63	27.56	00.733	1466.4							
	COS	00600	96.16	26.03	27.50		1445.6							
	870 086	68766 68768	46.55	36.02	27.65	40.791	1464.5							
	870	44844	65.55 65.04	38.02 38.02	27. 66 27.71		1464 .5							
	COS	C6800	85.04	30.020	27.71	C0.442	1464.4							
	810	60960	04.78	25.01	27.73	CO.492								
	008	(0000	94.78	35.010	27.73		1465.0							
	810	61666	44.61	36.61	27.76	60.539	1406.0							
	COS	61000	94.41	30.016	27.75		1466.0							
	870	41100	04.44	35.00	27.76	60.684	1466.9							
	086	61100	04.44	35.000	27.74		1486.5							
	870	61266	99.31	34.99	27.77	61.632								
	COS	01200	44.21	34.966	27.77		1466.0							
	876	61300 01300	94.19	34.99	27.74	C1 -478	1469.2							
	870	01400	04.15	34.950	27.78 27.79		1489.2							
	CBS	01460	04.09	34.991	27.70	61.123	1450.5							
	870	01500	63.56	34.99	27.00	41.164	1451.4							
	CBS	01200	43.56	34.990	27.00	*****	1461.4							

TABLE III. CGC SHERMAN, October 1974—(Continued)

REFID 31 0467 COMPOC 0004 LAT 41 40 H LONS 000 20 W	MENT	1674 H 10 14	SCTOP 03602 SPJP IN DATA USE I AREA GE	ALR BARC CLOU		GL/TE	ST PEA 2 3	uind-dir bind-spo uind-for ueather	10	TRACE		00.4	5 1	i se 13 Jouane Jouane Jouane	••
CASTMUN/T SHE	LVLTVP	DEFTH	TEMP	SAL.	T-ANDIS	OTHOPTH	540 VEL	0XY6	P04	TOT P	MCE	NG3	8103	*	
	870	C0000	21.C0	36.37	24.77	CO.000	1625.5								
11.4	688	80000	21.00	35.37	24.77		1125.5								
	870	60010	21.06	28.37	24.77	00 -0 32	1126.4								
	Cas	00010	81.60	35.37	24.77		1420.4								
	810	40020	21.00	36.37 36.37	24.77	40.664	15 25 .6								
	688 870	60020 60036	11.00	36.36	24.77 54.74	CC-C96	1526.0								
	088	10030	21.69	26.34	24.70		1826.0								
	STO	44454	17.61	36.14	26.24	66.148									
	CBS	60656	17.51	34 -14	26 .28		1617.3								
	085	00056	17.21	34.07	26.30		1616.4								
	GBS	60069	17.30	34.21	26.29		1617.0								
	STD	00076	17.21	34.25	20.44	60-146	1816.9								
	C86 \$70	00075 00100	17.21 15.77	34 .25	26.44 26.88	40.227	1619.0								
	045	60100	15.77	31.00	26.64	40.227	1612.7								
	870	00125	14.75	35.01	26.47	C0.163	1869.6								
	085	98186	14.78	35.61	26 .47		1500.0								
	GBS	60130	14.91	26.92	26.72		1610.4								
	870	00160	14.42	36.79	26.72	10.274									
	COS	00 100	14.48	34.70	26.72		1500.0								
	STD	00200	13.43	36.66	36 .05	60.364	1506.4								
	306	00 200	13.43	35.40 25.40	26.05		1506.4								
	870 288	00250	12.67 12.67	36.40	26.96 26.96	64.425	1864.J 1884.J								
	170	64300	11.34	35.42	27.05	40.461	1666.8								
	186	00300	11.30	36.42	27.06		1866.6								
	870	60400	00.10	36.19	27.26	40.661	1494 .2								
	:86	60400	66.18	36.10	27.26		1464.2								
	STD	00000	67.48	36.00	27.42	*****	1489.1								
	186	CC 800	67.46	36.06	27.42		1400.1								
	5T0	50600 50600	96.66	35.03	27.60	66.732	1446.3								
	570	06 704	66.66 68.42	36.03 35.02	27,66 27,66	60.700	1486.3								
	306	00700	96.42	35.02	27.66		1484.3								
	ATD	60400	65.67	28.03	27.71	66.639	1464.6								
	000	00000	46.47	25.030	27.71		1484.5								
	870	(0560	94.78	30.02	27.74	66.007	1465.0								
	086	00900	64.74	28.020	27.74		1485.0								
	870	61 666	84.55	36.01	27.76	64.934	1466.7								
	088	61 100	64.55	35.010	27.76		1486.7								
	STO COS	61 100	44.41 44.41	35.000	27.76	40.575	1466.8								
	870	61200	44.27	34.99	27.76 27.77	01.028	1467.9								
	088	61 500	04.27	34.991	27.77		1447.5								
	STD	61300	64.18	34.99	27.78	41-471	1400.0								
	COS	61366	64.18	34.001	27.78		1449.4								
	670	01460	64.67	34.99	27.79	01.116	1450.4								
	008	91466	64.67	34.991	27.70		1450.4								
	870	01500	03.64	34.94	27.00	61.161	1461.6								
	088	61600	03. 66	34.561	27.00		1461.6								
					****	*******	•								

TABLE III. CGC SHERMAN, October 1974—(Continued)

ALF I	O . 3	14	8467	YEAR	1574	8010P 0263		A TEMP	12.6	048 +	GT FER	#4MD-D1R		534	47 (STC REC			
COM					H 10	SHIP IN		7	11.1		1 2	WIND-SPO				DIA			N 50 1307
LAT		2 1		DAY	14		1 44	AC	1027.4		•	DIND-FOR	••		FAT.		40.4		SOVARE 20
LOH	94	10		HOUR	15.2	AFEA (15 CL	CL A	١	CLITE		WEATHER	X2			A4 030			SQUARE 20
															-			•	
CA	S THU	H/1	IME	LVLTYP	DEPTH	TEMP	BAL	886	ima-t	DINOPTH	SAD WEL	0XY6	P04	TOT	P	MOZ	MQ3	\$103	PH
				STO	C0000	16.27	33.61		.58	64.000	1200.6								
		1	5.2	CSS	(4444	14.27	11.51				1569.6								
				870	00010	16.14	23.54		6.63	66.632	1606.4								
				STO	60010 00020	14.14	33.54		.63		1509 .4								
				985	60020	15.61	33.46		.63 .03	CO.DE	1500.9								
				STO	00030	15.67	38.34		.12	40.000	1510.1								
				COS	60030	15.57	38.34		1.12	******	1610.1								
				STD	£008C	13.22	38.14		.49	00.125	1602.6								
				COS	06050	12.52	36.16		.49		1602.4								
				570	60078	14.00	38.54		-65	60.162	1506.1								
				COS	06075 00082	14.66	38.54		-65		1506.1								
				CBS	00002	13.99	34.57		.65		1505.3								
				COS	00094	13.56	38.44		.72		1500.4								
				STD	60100	14.04	34.72		.75	00.194	1600.0								
				COS	60100	14.64	38.72	24	. 75		1506+8								
				STC	00125	13.62	39.06		-42	C6.226	1665.5								
				COS STD	00125	13.52 13.61	35.66		-62		1505.5								
				CAS	60120	13.01	28.61			C9.260	1604-1								
				005	00161	12.40	36.50		.91		1604.1								
				STD	00800	11.46	38.30		.94	CC.320									
				085	60860	11.45	26.30		.94		1499 .2								
				GBS	00 10	11.14	24.22		. 64		1468.2								
				685 870	00221 60250	11.69 16.67	26.44 26.38		-01		1660.6								
				COS	00250	10.67	25.38	27	.07	00.376	1458.4								
				STO	60360	99.89	25.23		-17	40.427	1495.2								
				COS	60300	C6.86	26.23	27	.17		1468.2								
				STO	60400	68.31	36.10		•33	66.217	1450.8								
				270	60400 00500	66.21 96.76	36.10		•33		1450.8								
				085	COSCO	86.74	35.06		.51	C0.492	1486.4								
				STO	60660	98.66	38.05		.62	60.683	1444.4								
				CBS	994 99	98.66	36.06		.62		1464.0								
				STO	CC 700	0E.46	38.05		.66	60.707	1444.5								
				COS STO	66 700 60866	95.46	38.05		.68		1464.6								
				CBS	60800	94.98 94.58	38.02		.72 .72	00.756	1464.2								
				STD	60000	04.76	38.03		.75	60.604	1484.5								
				08 \$	CO 900	94.74	36.03		. 75		1464.9								
				GBS	C0636	04-67	35.02		. 75		1445.1								
				COS STD	686 81 61660	04.75 04. 42	18.08 18.02		.77		1465.0								
				COS	61600	94.62	38.02		.76	00.450	1466.0								
				085	01022	04.43	35.00		.76		1466.1								
				CBS	01084	04.44	35.00		.76		1460.4								
				810	C1100	04.39	34.99		. 76	99.09	1486.7								
				OBS STC	01 100 01200	84.39	34.95		• 76		1466.7								
				088	01200	94.24 94.24	34.00		.77 .77	60-842	1467.7								
				870	C 1 300	94.13	34.96		.76	60.567	1469.6								
				088	01300	64.13	34.99	27	.79	·	1469.0								
				005	01360	04.12	34.96	2 27	. 79		1449.9								
				STD GBS	61466	04.04	34.98		.79	01.032	1460.2								
				310	CISCO	04.44 03.98	34.68		.7 0	C1-077	1490.2								
				COS	C1800	43.98	34.99			-11-41/	1461.7								
						-		-											
									*****	******	•								

TABLE III. CGC SHERMAN, October 1974—(Continued)

ngr 10 COMPC	c		HONT	1574 H 10	8070P 92911	WET	ML0 10.6	62	GT PER	A1ND-860 A1ND-018		TRACE		D		N 80 1307 SQUARE 1
LAT	42	20 1		14	DATA USE 1		METR 1028.4 D T/A	SEA CL/TF		WIND-FOR WEATHER	X1	CRAS	10h 44 63			SQUARE 20
														•••	•	
CAS	THUR	/T IME	LWLTW	DEPTH	TEMP	SAL	SIGNA-T	BYNOFTH		OKY 6	P04	TOT P	MD2	MD3	\$103	*
		18.0	STD D#S	90004 9004	15.00	12.98 32.94	24.44 24,44	coco	1504.9							
			STO	60610	15-15	23-14	20.53	CO.435	1545.8							
			585 570	00010	15.15	23 . 14	24.63		1865.8							
			G#5	00020	11-18 11-18	33.68 23.68	25.74 25.74	40.443	1493.2							
			0.05	00023	10.43	23.86	25.94		1462.3							
			08 S	00026	11.00 11.80	34.28 34.77	26 .23 26 .47	60-482	1493.5							
			084	00030	11.00	34.77	26 .47	40.5444	1467.6							
			STD	66050	12.93	25.33	26.64	00.115	1001.9							
			Q85 C85	00050 00054	12.93 12.67	36.33 35.31	26.68 26.68		1801.9							
			282	00066	13.79	35.40	26.77		1985.4							
			STD	9607£	13.73 13.72	35.45 25.45	26.76	60.146	1505.3							
			CBS	46678	13.93	35.74	26.76 26.79		1206.1							
			370	66104	13.41	25.66	26.84	40.178	1884.7							
			084 088	00100 00109	13.41 13.61	28 .46 38 .42	26.89		1504.7							
			STO	00125	12.76	25.85	26.64	60.200	1862.9							
			085	00125	12.78	35.66	26 - 88		1802.9							
			510 085	00 150	12.41 12.41	38.43 36.83	26.94 26.94	40.238	1205.0							
			STD	60 260	C8.43	34.93	27.11	40.292	1448.3							
			ÇSS QSS	002 0 0	68.43 87.29	24.93 34.66	27.11 27.12		1489.3							
			985	40240	04.34	34.90	27.14		1465.0							
			STD	60240 60246	00.91 C#.51	38.95 34.95	27.19 27.19	90.341	1450.8							
			COS	00244	09.32	34.16	27.21		1452.4							
			985	19500	05.17	34.96	27.24		1450.1							
			CDS STD	60294 60306	68.45 08.42	38.08 38.07	27.29 27.26	CO-386	1489.6							
			085	60300	C8.42	38.07	27.20	•••••	1489.5							
			C85	05E00 1EE00	08.13 67.74	25.96 34.98	27.32 27.32		1464.6 1487.3							
			C##	66331	07.67	35.00	27.43		1465.1							
			084	00367	07.13	38.06	27 .47		1465.7							
			880 078	40377 40460	67.65 66.58	35.0 5 3 5. 0 4	27.47 27.52	C2-461	1485.5							
			C84	60466	66.65	36.08	27.51		1485.5							
			C#8	98437 08456	04.76	38.09 36.07	27.54 27.56		1485.4							
			088	00469	04.27	36.04	27.57		1443.9							
			676 680	60500	04.23 04.23	35.05 35.05	27 .54 27 .54	60.223	1424.3							
			084	00564	03.42	34.71	27.43		1473.0							
			\$80 \$10	4464	03.49	34.72 34.71	27.64	00.577	1473.6							
			C#8	90490	03.33	34.71	27.44	00,577	1473.5							
			084	***	03.28	34.72	27.44		1473.6							
			088 870	00425 00700	03.34 0 3.33	24.75 24.76	27.44 27.44	65.426	1474.0							
			088	60704	03.13	34.76	27.40		1475.3							
			\$7.0 088	00000	03.83 03.83	24.82 24.822	27.71 27.71	60.472	1477.8							
			088	66881	04-11	34.923	27.73		1480.6							
			988 870	68944 68900	04 .1 9 03.72	34.933 34.87	27.73	60.718	1488.4							
			085	(0960	03.72	34.473	27.74 27.74	004710	1460.4							
			COS.	#0912	63.63	34.844	27.72		1480-2							
			\$10 085	61404 41464	63.63	24.84 34.843	27.74 27.74	64.763	1481.7							
			810	01100	03.44	34.47	27.74	60.809	1483.5							
			086 870	61100 61100	03.44 03.64	34. 87 0	27.74 27.76	225.00	1485.1							
			088	61204	93.44	34.880	27.75		1465.1							
			410 084	61300	03.42 03.42	34.55	27.76 27.76	60.002	1486.7							
			\$T0	01400	93.44	34.09	27.76	69.948	1488.3							
				41400	43.40	34.000	27.76		1466.J							
			870 6 48	01500	43.11 43.89	34. 89 34. 89 3	27.76 27.76	60.595	1469.9							

TABLE III. CGC SHERMAN, October 1974—(Continued)

ROF 10 CONSEC LAT		8467 0007 38 t	MGMI	1 1674 TH 10	SALP SIAS	MET		4.0 4.0 4.0	01A +-	ST PER	#1MD-01R #1MC-3P0 #1MD-01R			870 m 810 8	CORDER	•	N SO 1 SQUARE SQUARE	1
LONG	050	20 1	HOUR	20.0	-		10 T/A		CL/TA		PEATHER	×		A4 01			SQUARE	
CAST	MUNL	/THE	LVLTVP	DEPTH	TEMP	SAL	S I GMA-T		STHOPTA	SYD AET	OXAE	P04	TOT P	MDS	MG3	2103	PH	
			STD	<	14.45	22.54	24.47		60.000	1003.9								
		20.0	o ns Sto	C0000	14.66 14.67	32.94	24.47 24.48		00.638	1864.6								
			Q#8	00010	14.47	32.96	24.48			1504.0								
			STD OBS	00020	14.63	32.93 32.93	24.46		CO.C66	1864.6								
			470	00030	14.63 13.87	22.04	24 .48 24 .63		60.163	1564.6								
			084	00030	13.47	32.04	24.63			1500 -6								
			STO STC	00050	12.7 5 11.5 4	34.43 36.42	26.94		60.157	1499.1								
			088	84875	11.56	36.42	26.94			1400.1								
			STO	00100	11.20	36.29	24.97		60.228	1457.0								
			088	00120	11.20	36.29 34.75	26.97 27.05			1457.6								
			STO	00155	66.62	34.94	27.12		1 25. 00	1440.0								
			088 088	98190	66.42	34.54	27.12			1460.0								
			ato	00120	00.12 06.37	34.99 34.53	27.11 27.15		80.276	1489.3								
			088	00160	04.37	24.53	27.15			1478.4								
			870	00179 06260	07.36 06.23	34.78 34.67	27.22			1483.1								
			C 86	00 200	04.23	34.67	27.24 27.24		04.320	1440.0								
			088	99299	67.11	34.77	27.24			1462.4								
			085	00£19 60£36	06.43 06.76	34.66 34.74	27.26 27.30			1470.0								
			088	00235	04.63	34.76	27.30			1461.1								
			STO	00250	64.44	34.65	27.34		00.361	1462.4								
			C88 C88	002E0 002E5	06.85 96.72	34.05 34.66	27.34 27.37			1482.4								
			066	00277	04.55	34.94	27.41			1443.3								
			STO GES	66266	66.44	34.97	27.40		88.397	1461.8								
			CBS	00300 00331	94.44 96.49	34.97 38.06	27.49 27.53			1461.6								
			085	00340	06.73	26.09	27.56			1443.7								
			CBS ATD	00361 56406	04.72 86.29	35.09 35.07	27.56 27.50		00.452	1464.6								
			0.85	00400	64.25	38.07	27.59		******	1442.5								
			088	00461	05.70	35.05	27.45			1461.6								
			67D	00461 00500	45.68 95.02	34.94 34.88	27.67 27.68			1470.2								
			08 5	66560	65.62	24.98	27.68			1479.3								
			C 85 STQ	15900	04.55	24.54	27-00			1479.7								
			088	66666	03.94 03.54	34.84 34.84	27.70 27.70		***	1476.4								
			086	60616	03.52	34.66	27.70			1476.6								
			085 688	00020	63.71 63.42	34. 63 34.63	27.70 27.71			1475.7								
			STD	66700	03.42	34.84	27.72		40.403	1476.6								
			COS	60 700	03.42	34.64	27.72			1476.6								
			280 270	00739	03.44 03.71	34.85 34.87	27.73 27.73		00.448	1477.3								
			CAS		03.71	34.470	27.73			1470.7								
			STD C#8	68960 68960	63.74	34.88	27.74		40.492	1460.3								
			4TD	C1 000	03.71 03.70	34.875	27.74 27.74		00.737	1460.3								
			0.85	-	43.70	34.001	27.74			1442.0								
			072 8&3	61100 61100	93.66 93.66	34.86 34.882	27 .76 27 . 76		66.762	1443.6								
			870	01200	03.44	34.88	27.76		60.424									
			088	(1200	63.66	34.464	27.76			1485.2								
			CBS	41561	63.44	34.898	27.76			1466.5	1							
										_								

TABLE III. CGC SHERMAN, October 1974—(Continued)

88FID 31 0407	YEAR	1974		AIR	TEMP 09.4	044 +	GT PER	=1HD-DIR		INST	410 RE	CADER	TEN 80 1307
CONSEC 8000		H 16	SHIP IN CATA USE 1		SULS 07.6	03 58 A	0 2	#ING-SPD bind-for		TRACE	431 431	00.2	
LONS 050 20 1	HOUR	22.9	AREA OF	CLC	UD T/A	CL/TE	i	BEATHER	X2	ORIG	A4 03		1 SQUARE 20
CASTMUN/TIME	LYLTYP	DEPTH	TEMP	SAL	SIGNA-T	OYADFTH	SAC VEL	OXYG	P04	TOT P	NG2	MGJ	5103 PH
	870	CG#44	11.23	32.42	20.75	40.600	1461.5						
22.0	088 088	66666	11.23	32.42	24.75 24.75		1461.8						
	STD	00010	10.51	32.36	24.75	60.032	1450.5						
	COS	00010	10.91	32.35 32.27	24.75 24.88		1460.5						
	088 870	00019	10.40	32.61	24.90 25.29	CA-042	1460.4 1463.4						
	088	60016	C8.44	22.61	25.25		1483.4						
	086 STD	00024 60030	64.44	22.41 32.90	25.63 25.99	CO-088	1474.1						
	OBS STC	C0030	04.01 02.39	33.14	25.99 26.49		1473.0						
	988	00050	02.39	23.14	26.49		1488.3						
	870 085	60078 00078	- 1.10 - 1.10	23.24 33.24	26.75 26.75	66.187	1443.0						
	\$70 G as	00100	~ 0.06 ~ 0.06	33.50	24.92 26.62	CO.187	1448.6 1448.6						
	088	00105	00.00	33.50	26.91		1449.2						
	986 87D	0015 <u>0</u> 6011 0	00.64	33.59 34.00	26.94 27.05	00.214	1463.4						
	COS	00125	63.44 63.44	34.00	27.05 27.05		1466.2						
	088	80142	04.33	34.16	27.11		1449.5						
	685 870	00147 60150	04.47 04.34	34.20 34.18	27.12 27.12	00.135	1470.2						
	085	CO 1 50	04.34 04.34	34.14	27.12 27.13		1469.6						
	088	60145	06.00	34.32	27.16		1472.6						
	COS COS	00146	04.57 08.17	34.31 34.41	27.15 27.21		1472.7						
	988 870	90198	04.58 04.63	34.36 34.36	27.22 27.23	60.245	1473.3						
	068	60200	04.63	34.36	27.23	******	1471.9						
	COS COS	4020E	04.85 04.47	34.36 34.35	27.24 27.24		1471.4						
	COS	60210	04.22 04.27	24.37 24.34	27.25 27.26		1471.6						
	085	00415	04.31	34.35	27.26		1470.6						
	CBS CBS	00217 00220	04.27 04.46	34.35 34.37	27.26 27.26		147C.7 1471.6						
	COS	0022 8 00230	64.18 64.20	34.32 34.33	27.25 27.25		1470.4						
	08 S	00234	03.53	34.29	27.25		1469.5						
	COS	00243	04.01 03.49	14.34 34.29	27.28 27.28		1469.5						
					27.28	•••••	1468.6						
886 10 31 8467	COS	00243	03.49	34.29	27 .28		1468.4	MINO-OIA	06	INET S	NC 85 6	04054	78H SO 1307
MBF10 31 8407 COMBEC 8001	COS YEAR MONT	00243 1974 M 10	03.49 BOTOP 00078 SHEP 15	ALR WET	27.28 ************************************	DER N	1468.6 •	WING-DIR WING-SPO		TRACE		D	TEN SQ 1307 6 SQUARE 1
	COS YEAR MONT	00243 1974 M 10	03.49 BGTOP 00075	ALR WET BARG	27.28 ************************************	DIA N	1468.8 00 67 PER 0 2		08	TRACE	DIR	00.2	
CONSEC 6001 LAY 43 60 H LONG 660 20 H	YEAR MONT	1074 M 10 15 00.3	BOTOP 00078 SHIP 1: DATA USE 1 AREA 05	AIR WET BARD CLOU	27.28 	OIR N G4 SEA CL/TR	1468.6 00 67 PER 0 2	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
CONSEC 6001	VEAR MONT HOUR	1074 H 10 15 : 00.3	SOTOP COOTS SMIP IN DATA USE I AREA OS	AIR VET SARG CLOU	27.28 eeeeeee TEMP 09.4 BULB 07.8 METR 1030.8 MG T/A SIGMA-T	OIR H 04 SEA CL/TR DYNOPTH	1468.6 67 PER 0 2	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	ADI	60.2 09	6 SQUARE 1 2 SQUARE 20
CONSEC 6001 LAY 43 60 H LONG 660 20 H	VSAR HONT HOUR LVLTVP STO	1974 M 10 18 : 00.3	03.69 BOTOP 00075 SHAP 10- OATA USE 1 APEA 05 TEMP 10.23 16.23	AIR WET SARD CLOU SAL 32.49 32.49	27.28 00.000 TEMP 09.0 BULE 07.0 METR 1030.8 D T/A SIGNA-T 24.98	OIR N G4 SEA CL/TR	1468.6 67 PER 0 2 SNO VEL 1466.0 1468.0	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VEAR MONT DAY HOUR STO GRE GES	1074 M 10 15 100.3 DEPTH COLOR COLOR COLOR	03.60 BOTOP 00078 SHIP 1P. DATA USE 1 AREA 05 TEMP 10.23 10.23 10.23	34.29 AIR WET SARG CLOW 34.20 32.49 32.49 32.49	27.28 000000 TRMP 09.4 8ULS 07.6 METR 1030.8 PO T/A SIGNA-T 24.98 24.98 24.98	DER NO SEA CL/TR DYNOPTH CC.690	1468.6 67 PER 0 2 SNO VEL 1468.0 1468.0	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VEAR MONT DAY MOUR LVLTVP STO GRS GRS GRS STD ORS	1974 M 10 15 00.3 DEPTH COOOL COOOL COOOL COOOL	03.60 SGTOP 00078 SHAP 1P. DATA USE 1 AREA 05 YEMP 10.23 10.23 10.22 90.02	34.29 AIR WET SARG CLOW BAL 32.49 32.49 32.49 32.47	27.28 000001 TEMP 00.4 00.8 07.8 METR 1030.8 20.7/A SIGNA-T 24.08 24.08 24.08 28.63 28.63	DIA HI BA SEA CL/TA CL/TA CC.000	1468.6 67 PER 0 2 8AG VEL 1468.0 1468.0 1468.1 1466.7	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VEAR MONT HOUR HOUR STO CBS CBS STD CBS	1974 M 10 19 19 10 19 10 10 10 10 10 10 10 10 10 10 10 10 10	03.69 SGTDP 00078 SMAP 1P. DATA USE 1 AREA 05 TEMP 10.23 10.22 99.02 05.34 05.34	34.29 AIR UET SARC CLOUDE SAL 32.49 32.49 32.49 32.47 32.47 32.73	27.28 000000 TEMP 00.4 90.5 07.6 METR 1030.8 0 T/A SIGMA-T 24.96 24.96 24.06 25.03 25.03	DIR NO SA SEA CLLYR THOUSE CC. 000 CC.	1448.6 6T PER 0 2 SNO VEL 1448.0 1448.0 1448.7 1449.8	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VSAR MONT DAY MOUN LVLTVP STO GRS GRS STD OBS STD	1974 M 10 15 10.3 08PTH C0000 C4668 00010 00010 00010 00020 00020 00030	03.60 SMIP IN DATA USE 1 ARRA 05 TEMP 10.23 10.23 10.23 10.23 00.02 00.02	34.29 AIR WET SANG CLOW SAL 32.49 32.49 32.47 32.47 32.47	27.28 000000 VEMP 09.4 NALE 07.6 METR 1030.8 Q T/A SIGNA-T 24.98 24.98 24.98 25.03 25.03	DIA HI BA SEA CL/TA CL/TA CC.000	1448.6 6T PER 0 2 SNO VEL 1448.0 1448.0 1448.7 1449.8	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VSAR MONTO	1974 M 10 15 15 10.3 DEPTH C0000 00010 C0010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010	03.60 SOTOP 00078 SHIP IN OATA USE 1 ARRA 08 TEMP 10.23 10.23 10.23 10.23 10.23 00.02 00	34.29 AIR WET SANG CLOU SAL 32.49 32.49 32.47 32.73 32.73 32.96 32.96 32.97	27.28 00.004 VEMP 09.4 MALS 07.6 METR 1030.8 JG T/A SIGNA-T 24.08 24.08 24.08 25.03 25.06 25.03 26.03 26.03 26.03	DIR NO SA SEA CLLYR THOUSE CC. 000 CC.	1466.6 ST PER 0 2 SNG VML 1468.0 1466.7 1466.7 1466.1 1466.7 1469.8 1466.1 1461.2 1461.2	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VEAR AROUT DAY HOUR STO GRS STD GRS STD GRS STD GRS STD GRS GRS GRS GRS GRS GRS GRS GRS GRS GRS	1974 10 15 15 15 10 0.3 08PTH C0000 Cdddd 00010 C0010 C0010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 10	G3.60 SGTOP OCO75 SHAP IN OATA USE 1 ARRA C5 TEMP 10-23 16-23 16-23 16-23 00-02 00-02 05-34 05-34 06-04 0-0-15 - 0-18 - 0-18	34.29 AIR UET SANG CLOU SAL 32.49 32.49 32.47 32.47 32.73 32.96 32.07 33.20	27.28 00.004 TEMP 00.0 NAS 07.0 MMETR 1030.0 IS T/A SIGNA-T 24.00 24.00 25.00 25.00 25.00 25.00 26.03 26.03 26.03 26.03	OIA N 94 SEA CL/TR DYNOPTH CC.000 C0.030 C0.035	SNG VM. 1468-0 1468-0 1468-1 1468-1 1466-7 1466-7 1466-2 1411-2 1466-2 1466-2	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VEAR MONT MONT MONT MONT MONT MONT MONT MONT	1974 10 18 10 18 10 18 10 0.3 00000 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 10	O3.60 SOTOP OCO75 SHIP IN OATA USE 1 ARRA O5 TEMP 10-23 10-23 10-23 10-23 00-32	34.29 AIR WET SANG CLOW SAL 32.09 38.49 38.47 38.47 28.73 38.47 28.73 28.96 32.07 23.18 33.87 23.18 23.28	27.28 00.004 TEAMP 00.0 BMLS 07.0 BMLTR 1030.0 SIGMA-T 24.00 24.00 24.00 25.00 25.00 25.00 26.03 26.03 26.03 26.03 26.03 26.07 26.70	OIA N 94 SEA CL/TR DYNOPTH CC.000 C0.030 C0.035	SNG VEL. 1468-6 0 2 SNG VEL. 1468-6 1468-1 1468-7 1468-7 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VSAR MONTO DAY MONTO DAY MONTO DAY MONTO DAY MONTO DAY STD CBS STD CBS STD CBS CBS CBS CBS CBS CBS CBS CBS CBS CBS	1974 M 10 15 00.3 DEPTH C0000 C4040 00010 C0010 00010 00020 00020 00030 00030 00030 00030 00030	03.60 SGTOP 00078 SHIP IN- DATA USE I ARRA 05 TEMP 10.23 10.23 10.23 10.23 00.02 00.30 0	34.29 AIR WET GARG CLOW 32.49 32.49 32.47 32.47 32.73 32.73 32.73 32.73 32.32 33.22 33.22	27.28 00.004 TEAMP 00.0 BMAS 07.0 BMAS 07.0 BUTA 1030.0 SIGMA-T 24.00 24.00 24.00 25.03 25.00 25.00 26.03 26.03 26.03 26.03 26.07 26.70 26.70 26.70	OIR N: 04 SEA CL/TR DYNOPTH CC-000 C0-030 C0-065 C0-674	SNG VEL. 1468-6 0 2 SNG VEL. 1468-6 1468-1 1468-7 1468-7 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VEAR MONT MONT MONT MONT MONT MONT MONT MONT	1974 10 18 10 18 10 18 10 0.3 00000 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 10	O3.60 SOTOP OCO75 SHIP IN OATA USE 1 ARRA O5 TEMP 10-23 10-23 10-23 10-23 00-32	34.29 AIR WET SANG CLOW SAL 32.09 38.49 38.47 38.47 28.73 38.47 28.73 28.96 32.07 23.18 33.87 23.18 23.28	27.28 00.004 TEAMP 00.0 BMAS 07.0 BMAS 07.0 BUTA 1030.0 SIGMA-T 24.00 24.00 24.00 25.03 25.00 25.00 26.03 26.03 26.03 26.03 26.07 26.70 26.70 26.70	OIA N 94 SEA CL/TR DYNOPTH CC.000 C0.030 C0.035	SNG VEL. 1468-6 0 2 SNG VEL. 1468-6 1468-1 1468-7 1468-7 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8	uino-spd uind-fgr weather	0 6 X1	TRACE DURAT DRIG	DIR IQA A4 030	60.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 8001 LAT 43 00 N LONG 800 20 N	VEAR MONT DAY MONT DA	1974 10 18 10 18 10 18 10 0.3 00000 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 00010 10	O3.60 SOTOP OCO75 SHIP IN OATA USE 1 ARRA O5 TEMP 10-23 10-23 10-23 10-23 00-32	34.29 AIR UET SANG CL.OU. SAL. 32.49 32.49 32.47 32.47 32.47 32.73 34.72 32.96 32.96 32.96 32.96 32.96 32.96 33.19	27.28 00.004 TEAMP 00.0 BMAS 07.0 BMAS 07.0 BUTA 1030.0 SIGMA-T 24.00 24.00 24.00 25.03 25.00 25.00 26.03 26.03 26.03 26.03 26.07 26.70 26.70 26.70	OIR N: 04 2EA CL/TR DYNOPTH CC.400 C0.030 C0.085 C0.874	1466.6 SAD VEL. 1468.0 1468.0 1468.0 1460.7 1460.7 1460.2 1461.2 1460.2 1460.2	uino-spd uind-fgr weather	os X1 POS	TRACE OURAT! ORIG	DIR IQA A4 030	00.2 09	6 SQUARE 1 2 SQUARE 20 1 SQUARE 30
COMBEC 0600 COMBE 050 N N N N N N N N N N N N N N N N N N	VEAR MONT DAY MURITIME LVLTYP STO GRS STD GRS STD GRS STD GRS STD GRS GRS STD GRS GRS GRS GRS GRS GRS GRS GRS GRS GRS	1074 1074 10 10 15 15 15 15 15 15 15 15 15 15 15 15 15	03.60 SGTOP 00078 SHEP IN OATA USE 1 ARRA 05 TEMP 10.23 10.23 10.23 10.23 00.02 00.02 00.02 00.04 00.04 00.04 00.04 00.04 00.04 00.04 00.04 00.04 00.04 00.04 00.04 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05 00.05	34.29 AIR UET SANG CLOUDE SAL SE 09 28.09 28.07 22.73 22.06 22.06 22.06 22.06 22.06 22.06 22.07 22.12 23.20	27.28 00000 TEMP 09.4 NULS 97.6 METR 1030.8 0 17/A SIGNA-T 24.98 24.98 24.98 24.98 25.00 25.03 26.03	OIR N: 04 SEA CL/TR DYNOPTH CC.400 C0.030 C0.085 C0.074	SNG VEL. 1468-6 0 2 SNG VEL. 1468-6 1468-1 1468-7 1468-7 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8 1469-8	WIND-SPD WIND-GR GEATHER GXY6	08 X1 PQ4	TRACE OURAT! ORIG	OIR SION AS 0300 MOR	00.2 09 NG3	6 SQUARE 1 2 SQUARE 30 1 SQUARE 30 SEG3 PH TEM SQ 1307 5 SQUARE 1
COMBEC 4500 N LAY 43 00 N LONG 600 20 N CASTMUM/TIME 60.3	VEAR NONTY DAY NOUN STO CBS STO CBS STO CBS STO CBS STO CBS STO CBS STO CBS STO CBS STO CBS STO CBS STO CBS STO CBS STO CBS CBS CBS CBS CBS CBS CBS CBS CBS CBS	1974 M 19 19 19 19 19 19 19 19 19 19 19 19 19 1	G3.69 SGTOP 00075 SMEP IN- OATA USE I ARRA 05 TEMP 10.23 10.25 10.22 09.02 09.02 09.02 09.02 09.02 09.02 09.03	34.29 AIR WET SANG CL.ON SAL 32.49 32.49 32.47 32.77 32.72 32.72 32.73 32.73 32.73 32.73 33.19	27.28 00.004 TEMP 00.4 NULS 07.6 METR 1030.0 D T/A SIGHA-T 24.96 24.96 24.96 25.06 2	DIR him 64 SEA CL/TR DYNOPTH CC.600 C0.030 C0.057 C0.674	SAG VEL. 1488-0 2 1488-0 1488-0 1488-0 1488-0 1488-0 1488-0 1488-0 1488-0 1488-0 1488-0	WIND-SPD WIND-FR WEATHER CXYG	08 X1 PO4 34	TRACE OWAT: ORIG	OIR SION AS 0300 MOR	EDM REGROS	6 SQUARE 1 2 SQUARE 30 1 SQUARE 30 SEG3 PM
COMBEC 050 20 H LONG 050 20 H CASTHUM/TIME 00.3 REPID 31 8407 COMBEC 0510 LAT 43 10 H LONG 050 20 H	VEAR MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY	1074 1074 10 10 10 10 10 10 10 10 10 10 10 10 10 1	O3.60 BOTOP 00078 SHIP IN OATA USE 1 ARRA USE 1 10.23 10.23 10.23 10.23 10.23 00.02 00.02 00.02 00.02 00.04 00.00	34.29 AIR WET SANG CLOUD SAL SE SAL	27.28 000000 TEMP 09.4 MALE 07.6 METR 1030:8 G T/A SIGNA-T 24.98 24.98 24.98 24.98 24.98 24.98 25.00 2	OIR him	SNG VE. 1468.0 1468.0 1468.0 1468.0 1468.1 1460.7 1460.7 1460.7 1460.2 1461.2 1460.2 1460.2 1460.6 1446.6 0 67 PER	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OMAT ORIG	STO REC DIM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
COMBEC 0600 CASTMM/TIME CASTMM/TIME 00.3 REPID 31 8407 CAMBEC 0610 LAT 43 10 M	VEAR MONT DAY MURE LVLT VP STO GRS GRS STD GRS STD GRS GRS GRS GRS GRS GRS GRS GRS GRS GRS	1074 M 10 15 00.3 DEPTH COODS COOSS C	O3.60 BOTOP 00078 SHIP IN OATA USE 1 ARRA 08 TEMP 10.23 10.23 10.23 10.23 00.02 00.02 00.02 00.02 00.02 00.03 00.04 00.00 0	34.29 AIR WET SANG CC. CC. CC. CC. CC. CC. CC. CC. CC. CC	27.28 00.004 VEMP 09.4 NAS 07.6 METR 1030.8 27.40 28.02 28.02 28.03 28.03 26	OIR NO OI	SAG VE. 1466.6 2 SAG VE. 1466.7 1466.7 1466.7 1466.2 1461.2 1461.2 1461.6 1465.6 6 6 6 5 SAC VE.	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OWAT: ORIG	STO REC DIM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
COMBEC 050 20 H LONG 050 20 H CASTHUM/TIME 00.3 REPID 31 8407 COMBEC 0510 LAT 43 10 H LONG 050 20 H	VEAR MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY MONT DAY	1074 1074 10 10 10 10 10 10 10 10 10 10 10 10 10 1	G3.69 BOTOP 00078 SHEP IP. OATA USE I AREA 05 TEMP 10.23 10.22 99.02	34.29 AIR WET SANG CLOUD SAL SE SAL	27.28 00.004 TEMP 00.4 NAS 07.6 METR 1030.0 SIGHA-7 24.96 24.96 24.96 24.96 25.63 25.63 25.63 26.62 26.62 26.63 26.67 26.70	OIR him	SAG VE. 1466.6 2 SAG VE. 1466.7 1466.7 1466.7 1466.2 1461.2 1461.2 1461.6 1465.6 6 6 6 5 SAC VE.	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OMAT ORIG	STO REC DIM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
CASTNUM/TIME CASTNUM/TIME CASTNUM/TIME REPID 31 8407 CONSEC 9010 LAT 43 10 % LONG 960 20 W CASTNUM/TIME	VEAR NOVE OF STO CAS S	1974 M 18 18 18 18 18 18 18 18 18 18 18 18 18	G3.69 SGTOP CG075 SMEP IR. CATA USE I APRA C5 TEMP 10.23 10.23 10.22 09.02 09.02 09.02 08.36 08.36 08.36 08.36 08.36 08.30	34.29 AIR WET SANG CL.OU. SAL 32.49 32.49 32.47 32.73	27.28 00.000 TEMP 00.4 NAS 07.6 MUTTR 1030.0 SIGHA-7 24.96 24.96 24.96 25.63 25.60 25.60 25.60 26.70	OIR NO OI	SAG VS 1468.0 2 SAG VS 1468.0 2468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0 1468.0	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OMAT ORIG	STO REC DIM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
CASTNUM/TIME CASTNUM/TIME CASTNUM/TIME REPID 31 8407 CONSEC 9010 LAT 43 10 % LONG 960 20 W CASTNUM/TIME	VEAR ONLY ONLY ONLY ONLY ONLY ONLY ONLY ONLY	1074 M 10 15 M	G3.69 SGTOP CG075 SMEP IP. CATA USE I AREA 05 TEMP 10.23 10.23 10.22 90.02 90.02 90.02 90.02 90.02 90.03 90.02 90.03	34.29 AIR WET SANG CL CO. BAL 32.49 32.49 32.49 32.47 32.73 32.96 32.20 33.22.96 AIR WET GANG CL CO. SAL 22.20 33.20 33.19	27.28 00.000 TEMP 00.4 NAS 07.6 MUTTR 1030.0 SIGHA-7 24.96 24.96 24.96 25.60 25.60 25.60 25.60 25.60 25.60 25.60 25.60 26.70	OIR N: 04 2EA CL/TR DYNOPTH CC.00Q C0.030 C0.055 C0.074 DIR N: 34 SEA CL/TR DYNOPT+ CC.00Q	1466.3 SNG VEL 1468.6 1468.6 1468.6 1468.6 1468.7 1469.6 1468.2 1468.2 1468.2 1468.6 SNE VEL 1468.3 1468.3 1468.3 1468.3	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OMAT ORIG	STO REC DIM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
CASTNUM/TIME CASTNUM/TIME CASTNUM/TIME REPID 31 8407 CONSEC 9010 LAT 43 10 % LONG 960 20 W CASTNUM/TIME	VEAR ONE ONE ONE ONE ONE ONE ONE ONE ONE ONE	1974 M 19 19 19 19 19 19 19 19 19 19 19 19 19	GJ.69 SOTOP COOTS SMEP IN. CATA USE I APRA CS TEMP 10.23 10.23 10.22 00.22 00.22 00.26 00.30 00.90 - 0.15 - 0.25 - 0.20 - 0.20 - 0.20 - 0.20 - 0.30	34.29 AIR WET SANG CL CO. BAL 32.49 32.49 32.49 32.47 32.73 32.20 33.20	27.28 00.000 TEMP 00.0 NAS 07.0 MUTT 1030.0 SIGHA-7 24.96 24.96 24.96 25.63 25.60 25.60 25.60 25.60 25.60 25.60 25.60 25.60 25.60 26.70	OIR N: 04 28A CL/TR CL-CR CC.00Q CC.03Q CC.085 CC.074 00.103 DIR N: 34 SEA CA-CR DYNOPT: CC.00Q CC.624	1466.3 SNG VEL 1468.6 1468.6 1468.6 1468.6 1468.7 1469.6 1468.2 1468.2 1468.2 1468.6 SNC VEL 1468.3 1468.3 1468.3 1470.6 1470.6 1487.8	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OMAT ORIG	STO REC DIM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
CASTNUM/TIME CASTNUM/TIME CASTNUM/TIME REPID 31 8407 CONSEC 9010 LAT 43 10 % LONG 960 20 W CASTNUM/TIME	VEAR MONT DAY MULE STO CBS STD CBS STD CBS STD CBS STD CBS STD CBS STD CBS CBS CBS CBS CBS CBS CBS CBS CBS CBS	10743 1074 10 10 10 10 10 10 10 10 10 10 10 10 10 1	G3.69 BGTOP 00078 SMIP IN OATA USE 1 10.23 10.23 10.23 10.23 10.23 00.02 00.02 00.02 00.03 00.04 00.0	34.29 AIR WET SANGE CLOSE SAL SE.30 32.09 32.09 32.07 32.07 32.77 32.77 32.72 32.12 33.20 33.20 33.20 33.20 33.20 33.20 33.20 33.20 33.20 33.20 33.20 33.20	27.28 00.000 TEMP 00.0 BMLS 07.0 BMLTR 1030.0 SIGMA-T 24.00 24.00 24.00 25.00 26.03 26.03 26.03 26.03 26.03 26.03 26.03 26.03 26.03 26.03 26.03 26.03 26.03	OIR N: 04 2EA CL/TR DYNOPTH CC.00Q C0.030 C0.005 C0.074 DIR N: 34 SEA CL/TR DYNOPT+ CC.00Q CC.024	SAG VE. 1468-6 0 2 SAG VE. 1468-6 1468-7 1466-7 1466-7 1469-8 1469-8 1469-8 1469-8 1448-4 0 SAC VE. 1448-6 0 SAC VE. 1448-1 1448-1 0 1448-1 1448-1 0 1448-1 1448-1 0 1448-1 1448-1 0 1448-1 1448-1 0 1448-1 1448-1 0 1448-1 1448-1 0 1448-1 1448-1 0 1448-1 0 1448-1 1448-1 0 1448-1 1448-1	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OMAT ORIG	STO REC DIM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
CASTNUM/TIME CASTNUM/TIME CASTNUM/TIME REPID 31 8407 CONSEC 9010 LAT 43 10 % LONG 960 20 W CASTNUM/TIME	VEAR MONT DAY MOUNT STO COS STO COS COS STO CO	00243 1074 10 10 10 10 10 10 00 20 00	G3.69 BGTOP 00078 SMIP IN OATA USE 1 10.23 10.23 10.23 10.23 10.23 10.23 00.02 00.02 00.02 00.03 00.04 00.04 00.05 00.05 00.00 00.0	34.29 AIR WET SANGE CLOSE SAL SELECT	27.28 00.000 TEMP 00.0 BMLS 07.0 MMETR 1030.0 I T/A SIGMA-T 24.00 24.00 25.00 26.03	OIR him	SAG VEL 1468-6 2 SAG VEL 1468-6 1468-1 1468-1 1468-1 1468-1 1469-8	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OMAT ORIG	STO REC DIM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
CASTNUM/TIME CASTNUM/TIME CASTNUM/TIME REPID 31 8407 CONSEC 9010 LAT 43 10 % LONG 960 20 W CASTNUM/TIME	VEAR NOVE OF STO CAS S	1074 M 10 10 10 10 10 10 10 10 10 10 10 10 10	GJ.69 SOTOP COOTS SMEP IR. OATA USE I APRA CS TEMP 10.23 10.23 10.22 00.02 00.30	34.29 AIR WET SANG CL CO. BAL 32.49 32.49 32.49 32.47 32.73	27.28 00.000 TEMP 00.0 BULE 07.0 MUTTR 1030.0 SIGHA-7 24.96 24.96 24.96 25.63 25.60 25.60 25.60 25.60 25.60 26.70	OIR NO 04 SEA CL/TR CC.000 CC.030 CC.030 CC.074 CC.000 CC.074 CC.000 CC.074 CC.000 CC.026 GC.085 CC.076 CC.000 CC.086 GC.081 GC.088 GC.088 GC.088 GC.088 GC.088 GC.088 GC.088 CC.088 GC.088 GC.088 CC.088 GC.088 GC.	SAG VEL 1468-6 2 SAG VEL 1468-6 1468-1 1468-1 1468-1 1468-1 1469-8	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OMAT ORIG	STO REC OM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20
CASTNUM/TIME CASTNUM/TIME CASTNUM/TIME REPID 31 8407 CONSEC 9010 LAT 43 10 % LONG 980 20 W CASTNUM/TIME	VEAR MONT DAY MONT DA	1074 M 10 10 10 10 10 10 10 10 10 10 10 10 10	GJ.69 SOTOP COOTS SMEP IP. CATA USE I APRA CS TEMP 10.23 10.23 10.22 00.02 00.02 00.30 00.30 00.30 00.40 00.30 00.40 00.30 00.40 00.30 00.40 00.30 00.40	34.29 AIR WET SANG CL CO. BAL 32.49 32.49 32.49 32.47 32.73	27.28 00.000 TEMP 00.0 BULE 07.0 BULE 07.0 BULE 07.0 SIGHA-7 24.96 24.96 24.96 24.96 25.63 25.60 25.60 25.60 25.60 25.60 26.7	OIR him	SAG VEL. 1468-6 1468-6 1468-6 1468-6 1468-7	WIND-SPD WIND-GR GEATHER GXY6 WIND-OIR WIND-SPD WIND-POR GEATHER	06 X1 PO4 34 90 Kt	TRACE OMAT ORIG	STO REC OM LCM MQE	00.2 09 NG3	TEM SQ 1307 5 SQUARE 20 TEM SQ 1307 5 SQUARE 1 2 SQUARE 20 1 SQUARE 20

